

GENERAL REGISTER OFFICE

THE  
REGISTRAR GENERAL'S  
STATISTICAL REVIEW  
OF  
ENGLAND AND WALES  
FOR THE YEAR  
1963

PART I  
TABLES, MEDICAL

WELLCOME INSTITUTE LIBRARY	
Coll.	we!MOmec
Call	
No.	

LONDON

HER MAJESTY'S STATIONERY OFFICE

1965

# TABLE OF CONTENTS

Explanatory Notes	.. .. .	Page v
Corrigenda	.. .. .	xvi

## Population

Table 1.	Estimated population, total, home and civilian, by sex and age, as at 30th June, 1963. England and Wales	2
Table 2.	Estimated home population by sex and age, as at 30th June, 1963. England and Wales, standard regions, Wales, conurbations, urban and rural aggregates outside conurbations, hospital regions	3

## Serial mortality records

Table 3.	Deaths, death rates, mortality comparisons, infant mortality, and live and still birth rates, 1841 to 1963. England and Wales	5
Table 4.	Death rates per 1,000 living in age-groups and infant mortality per 1,000 live births, 1841 to 1963. England and Wales	6
Table 5.	Deaths registered in each quarter, 1841 to 1963. England and Wales	9
Table 6.	Standardised Mortality Ratios (all ages) and death rates per million population at ages under 15 years from the principal epidemic and general diseases, 1851-1963. England and Wales	10
Table 7.	Deaths by cause and sex at all ages, 1953 to 1963. England and Wales	11
Table 8.	Crude death rates per million living from certain causes, by sex at all ages, 1953 to 1963. England and Wales	40
Table 9.	Standardised Mortality Ratios (base years 1950-1952) by sex for certain causes of death, 1953 to 1963. England and Wales	54
Table 10.	Death rates per 100,000 population at all ages and at ages over one year and infant mortality rates (deaths under 1 year per 1,000 live births) from certain causes, by sex, in each year 1959 to 1963. England and Wales	58
Table 11.	Deaths of infants under 1 year from certain causes, 1953 to 1963. England and Wales	62
Table 12.	Infant mortality rates (deaths under 1 year per 1,000 live births) from certain causes, 1953 to 1963. England and Wales	63

## Vital statistics by local areas

Table 13.	Home population, births, deaths, infant mortality and perinatal mortality, 1963. England and Wales, standard regions, Wales, conurbations, hospital regions, counties, boroughs, urban and rural districts	64
-----------	--	----

## Deaths by age

Table 14.	Deaths by sex at each year of age (with marital condition), 1963. England and Wales	98
Table 15.	Constructed analysis of 1963 deaths by age and marital condition. England and Wales	100
Table 16.	Deaths at different ages by month of occurrence, January to December, 1963. England and Wales	101
Table 17.	Causes of death at different age periods, 1963. England and Wales	102
Table 17A.	Death rates per million living, by sex and age, from principal causes, 1963. England and Wales	154
Table 18A.	Accidental poisoning and other non-transport accidents by place of occurrence, by sex and age, 1963. England and Wales	165



Table 18B.	Suspended	
Table 18C.	Deaths from violent causes - External cause according to nature of injury, 1963. England and Wales .. .. .	172
Table 18D.	Deaths from road traffic accidents and from accidental falls - Nature of injury according to external cause, sex and age, 1963. England and Wales .. .. .	173
Table 19.	Causes of death at different periods of life and Standardised Mortality Ratios, by sex, 1963. England and Wales, standard regions, Wales, conurbations, urban and rural aggregates outside conurbations, and hospital regions .. .. .	176
Table 20.	Suspended ( <i>See headnote to Table 21</i> )	
Table 21.	Causes of death by sex, 1963, classified in accordance with the Abridged List and Supplementary Abridged List. England and Wales, standard regions, Wales, conurbations, hospital regions, London A.C., City of London, metropolitan and county boroughs, administrative counties .. .. .	253
Table 22.	Causes of death by month of occurrence, January to December, 1963. England and Wales .. .. .	291

#### Stillbirths and Infant mortality

Table 23.	Stillbirths by sex and legitimacy (with rates per 1,000 total births), 1963. England and Wales, standard regions, Wales, conurbations, hospital regions, London A.C., City of London, metropolitan and county boroughs, urban and rural aggregates in each administrative county .. .. .	299
Table 23A.	Stillbirths by cause, sex and mother's age at maternity (with, for certain selected causes, rates per 1,000 total births), 1963. England and Wales .. .. .	302
Table 23B.	Legitimate stillbirths by cause and parity of mother (with, for certain selected causes, rates per 1,000 total births), 1963. England and Wales .. .. .	307
Table 23C.	Stillbirths by cause and month of occurrence (with, for certain selected causes, rates per 1,000 total births), 1963. England and Wales .. .. .	310
Table 23D.	Stillbirths by cause and area of residence of mother (with, for certain selected causes, rates per 1,000 total births), 1963. England and Wales, standard regions, Wales, urban and rural aggregates, and hospital regions .. .. .	314
Table 23E.	Stillbirths by cause and length of gestation, 1963. England and Wales .. .. .	324
Table 23F.	Stillbirths by cause and birth weights, 1963. England and Wales	326
Table 23G.	Stillbirths by cause and place of confinement (with, for certain selected causes, rates per 1,000 total births), 1963. England and Wales .. .. .	329
Table 23H.	Legitimate stillbirths by certain selected causes, parity of mother and number of previous stillbirths with rates per 1,000 total births, 1963. England and Wales .. .. .	331
Table 23I.	Stillbirths by cause, sex and year of occurrence (with, for certain selected causes, rates per 1,000 total births), 1961 to 1963. England and Wales .. .. .	333
Table 24.	Deaths at various periods in the first year of life by legitimacy. Death rates per 1,000 live births, 1963. England and Wales, standard regions, Wales, conurbations, urban and rural aggregates outside conurbations, and hospital regions .. .. .	338
Table 25.	Deaths at various periods in the first year of life, 1963, and the four quarters thereof. England and Wales, standard regions, Wales, conurbations, urban and rural aggregates outside conurbations, and hospital regions .. .. .	340



	Page
Table 26. Infant mortality from certain causes, 1963. Deaths of infants under 1 year and various sub-divisions of the first year, and deaths of illegitimate infants. England and Wales, standard regions, Wales, conurbations, urban and rural aggregates outside conurbations, and hospital regions .. .. .	342
Table 27. Causes of death at various ages under 5 years, 1963. England and Wales .. .. .	348

## Infectious diseases

Table 28. Weekly notifications of certain infectious diseases and deaths for certain causes, 1963. England and Wales .. .. .	359
Table 29. Cases of certain infectious diseases notified, 1953 to 1963. England and Wales .. .. .	360
Table 30. Cases of certain infectious diseases notified, by sex and age, 1963. England and Wales, standard regions, Wales, conurbations, urban and rural aggregates outside conurbations, and hospital regions ..	361
Table 31. Cases of certain infectious diseases notified, 1963 (including for England and Wales only, case rates per 100,000 population). England and Wales, standard regions, Wales, conurbations, urban and rural aggregates outside conurbations, hospital regions, counties, county and metropolitan boroughs .. .. .	380

## Weather

Table 32. Quarterly air temperature, rainfall and sunshine, 1963. England and Wales .. .. .	390
Table 33. Rainfall, mean temperature and sunshine, 1914-1963. England and Wales .. .. .	391
Table 34. Meteorological observations, 1963. Kew Observatory, Richmond ..	392

## Appendices

Appendix A. Standardised Mortality Ratios (based on United Kingdom and Irish Republic experience), age specific death rates and infant mortality rates from selected causes and estimated mid-year populations, 1963. England and Wales, Scotland, Northern Ireland, Irish Republic .. .. .	394
Appendix B. Abridged life table, 1963. England and Wales .. .. .	400
Appendix C. Estimated population, total, home and civilian, by sex and age, as at 30th June, 1961. England and Wales .. .. .	401
Appendix D. Estimated population, total, home and civilian, by sex and age, as at 30th June, 1962. England and Wales .. .. .	402



# EXPLANATORY NOTES

## 1. New or recent changes in presentation

A computer has been used for the first time in the production of these statistics. Most of the tabulations in this volume have been reproduced, by photo-lithographic processes, from the output of the computer system. The size of the pages has been altered from royal octavo to demy quarto and some tables have been re-arranged either to meet the needs of the new system or to make better use of the available space. Alterations in layout and presentation have been kept to a minimum.

### (a) *Table omitted*

**Table 18B** Deaths from violent causes according to nature of injury, sex and age - now incorporated in **Table 17**

### (b) *New and revised tables*

In **Tables 11** and **12** some cause groupings have been revised.

In **Table 13** live births are shown separately by legitimacy as well as by sex.

**Table 17** has been extended to include information previously shown in **Table 18B**.

The new **Table 17A** gives death rates for England and Wales by sex and age, from principal causes.

**Table 18C** has been revised and now includes deaths from certain road vehicle accidents according to external cause and nature of injury. The age-grouping in **Table 19** has been sub-divided to show 25 to 34 years and 35 to 44 years separately and a further column has been added to show Standardised Mortality Ratios. Death rates for England and Wales are now given in **Table 17A**.

The new serial **Table 23I** gives stillbirths by cause, sex and year of occurrence, with rates per 1,000 total births for certain selected causes. It commences with the year 1961, the first complete year for which causes of stillbirth are available.

**Table 27** includes some additional cause groupings.

Regional Hospital Board Areas have been introduced into **Tables 2, 13, 19, 21, 23, 23D, 24, 25, 26, 30** and **31**. Throughout this Review they are referred to as Hospital Regions. (For the constitution of Hospital Regions in terms of administrative areas, see explanatory note 15).

### (c) *Revision of population estimates*

The national sex and age population estimates published in **Table 1** for 1961 and 1962 have now been finally revised in the light of the 1961 Census results. The revised figures, based on an age graduation of the Census results, are included in this volume in Appendices C and D. The 1963 estimates in **Table 1** of this volume are similarly based.

The estimated populations for regions, conurbations and density aggregates in **Table 2** have not yet been finally revised. The revised figures will be published in Part III (Commentary) of this Review.

Rates and ratios based on national sex/age estimates have been recalculated accordingly. The S.M.R.'s in **Table 19** have not been similarly revised, but they will be adjusted in the Review for 1964.

## 2. Populations

The estimates of population appearing in this volume and described as "home", "total" or "civilian" populations have the following content:

*Home population* - the population, of all types, actually in England and Wales, distributed by area according to residence.



*Total population* - the home population plus members of H.M. Forces belonging to England and Wales and serving overseas but minus the forces of other countries temporarily in England and Wales.

*Civilian population* - the total population minus members of H.M. Forces belonging to England and Wales at home or overseas

### 3. Deaths

The deaths recorded in this volume are those registered in England and Wales. No distinction is made between deaths of civilians and deaths of non-civilians, except where stated for past years in serial tables.

Except in **Tables 16** and **22** the deaths recorded are those registered in the calendar period, the time lag between the date of occurrence and the date of registration being usually only a day or two. In **Tables 16** and **22** deaths are classified by calendar month of occurrence, but they exclude deaths occurring in the current year which are not registered until after 31st March in the following year.

In general deaths are assigned to the area of usual residence of the deceased if this is within England or Wales; if not, to the area of occurrence. Accommodation provided under Parts III and IV of the National Assistance Act, 1948, is regarded as the place of residence of persons dying there. Before 1st January 1958 chronic sick and psychiatric hospitals were similarly treated for this purpose but from this date the method of classification was modified, the main change being that a death in such a hospital is now assigned to the area of occurrence only if the deceased had been there six months or more. If the deceased had been there less than six months the death is transferred to the area of previous usual residence.

In some small areas the number of deaths may also have been appreciably affected by the opening, closing or change of use of certain institutions, so that figures may not be comparable with those of earlier years.

### 4. Causes of death

The classification of causes of death is that prescribed in the *International Statistical Classification of Diseases, Injuries, and Causes of Death, 1955\** (Seventh Revision) operating from the year 1958 in accordance with international agreement. In the tables this classification is referred to as ICD. Violent deaths are generally classified according to the External Cause of Injury (E codes), but the alternative method of classification by Nature of Injury (N codes) is also used in **Tables 7, 8, 17, 17A, 18C, 18D, 19** and **27**. The Abridged List used for separate areas in **Table 21** is an adaption of the International List and was adopted by the Registrar General in consultation with the Ministry of Health; it is extended by the Supplementary Abridged List in the same table. The list used in **Table 19** is designed so that it can be condensed into either the International Abbreviated List or the Abridged List of **Table 21**. **Tables 18C** and **18D** employ both of the alternative classifications for violent deaths in the International Intermediate List.

The 1955 International Classification differs only very slightly from that for 1948. For most causes of death, therefore, statistics compiled according to the 1955 Classification should be comparable with those compiled according to that for 1948. (See Appendix B of the *1957 Statistical Review, Part III, Commentary†*).

Where more than one cause of death is mentioned on the medical certificate, the choice of the assigned cause is in accordance with international procedure, determined in the main from the statement of the certifier, and not by arbitrary rules of precedence.

### 5. Death Rates

The death rates for 1950 and on (except for infant mortality and maternal mortality) are derived from the total deaths registered in this country and are based on the home population, while those for 1940-49 are derived from civilian deaths and populations (see note 2 above). All death rates for years prior to 1958 have been revised so far as possible to

---

\* Manual obtainable from Her Majesty's Stationery Office, price 35s. Od. net.

† Obtainable from Her Majesty's Stationery Office, price 16s. 6d. net.



the new method of cause classification. Death rates for the years 1951 to 1953 shown in this volume are in some cases slightly different from corresponding rates published in Parts I and II for these years because the estimated populations on which they are based have been revised in the light of final data from the 1951 Census. Similarly, death rates for 1961 and 1962 have been recalculated using final data from the 1961 Census.

The crude death rates for local areas in **Table 13** (col. 14) may not be comparable one with another. In the first place, the populations on which they are based may have widely differing structures by sex and age. In order to eliminate differences between local death rates due to this cause a standardising factor, termed an Area Comparability Factor, is calculated (as described on page 57 of the *1954 Statistical Review, Part III, Commentary*\*). In the second place, the populations on which the crude death rates are based may include a disproportionate number of invalids if there are certain types of hospitals in the area. In order to eliminate this difference the Area Comparability Factors are adjusted so that they have the effect of apportioning the deaths and the populations in chronic sick and psychiatric hospitals over all areas of the country according to their non-institutional populations. The product of the crude death rate and the adjusted Area Comparability Factor (col. 15 in **Table 13**) is a rate which makes allowance for these two influences. The ratio of this adjusted rate to the rate for England and Wales as a whole is shown in col. 16 of **Table 13**.

Infant mortality rates are based upon the live births occurring in the year, except in the years 1931 to 1956 when they were based upon related live births, i.e. the combined live births of the associated and preceding year to which they relate. Maternal mortality rates are based upon live and still births occurring in the calendar year, except in the case of deaths from abortion which are based on the estimated numbers of women aged 15-44. Perinatal mortality rates are based on the number of deaths under one week plus stillbirths per thousand total live and still births.

## 6. Standard mortality comparisons

The Comparative Mortality Index introduced in 1942 has since 1958 been replaced by a Standardised Mortality Ratio (S.M.R.) which shows the number of deaths registered in the year of experience as a percentage of those which would have been expected in that year had the sex/age mortality of a standard period (1950-52) operated on the sex/age population of the year of experience. S.M.R.'s are shown in **Tables 3, 6 and 9**.

## 7. Births and birth rates

The births recorded are those occurring in the calendar year. Births are assigned to the area of the mother's usual residence if this is within England or Wales; if not, to the area of occurrence.

The crude birth rates for local areas in **Table 13** (col. 8) may not be comparable one with another because the populations on which they are based may contain different relative numbers of women of childbearing ages. In order to eliminate differences between local birth rates due to this cause a standardising factor, termed an Area Comparability Factor, is calculated (as described on page 30 of the *1954 Statistical Review, Part III, Commentary*\*). The product of the crude birth rate and this Area Comparability Factor (col. 9 in **Table 13**) is a rate which makes allowance for this influence. The ratio of this adjusted rate to the rate for England and Wales as a whole is shown in col. 10 of **Table 13**.

## 8. Causes of stillbirth

Classification of causes of stillbirth in **Tables 23A-23I** is according to the Supplementary List for causes of stillbirth, set out on pages 336-348 of the *International Statistical Classification of Diseases, Injuries and Causes of Death, 1955+* (Seventh Revision), with further sub-division of certain rubrics, and as modified by the

---

\* Obtainable from Her Majesty's Stationery Office, price 8s. Od. net.

† Manual obtainable from Her Majesty's Stationery Office, price 35s. Od. net.



following changes of assignment:

Cause of stillbirth	Rubric to which cause is assigned	
	(i) in International Classification	(ii) in tables listed above
Patent ductus arteriosus	39.5	38.41
Patent foramen ovale		38.43
Congenital heart condition NOS		38.45
Foetal heart condition NOS		38.45

## 9. Notification of infectious diseases

Tables 29, 30 and 31 are based on notifications corrected for subsequent amendments of diagnosis by the notifying medical practitioner or by the medical superintendent of the infectious disease hospital. Non-civilians are included unless otherwise stated.

## 10. Changes in boundaries

Areas which have undergone a change of boundary during the year are identified in Table 13 by an asterisk \*, newly created areas by the sign †, and abolished areas by the sign ‡. For any such area the statistics shown for the current year represent the events assigned to the area within the boundaries as they existed at the date of registration of the event, and the population given in Table 13 (col. 2) which is used for the calculation of crude birth and death rates, is a weighted average of the mid-year populations of the area as constituted before and after the change. This population figure may therefore differ from any given in Table 2 for the same region, conurbation, etc., which relates to the area as constituted at mid-year. Details of boundary changes are given in an appendix to Part II of the Statistical Review.

## 11. Indication of reliability

Rates given as 0 indicate that the actual rate is less than one half of a unit. A dash (-) in any column indicates that there were no events. Where a cell has been left blank, no denominator is available.

Rates calculated from less than 20 births, deaths or notifications are distinguished by italic type as a warning to the user that the smallness of the experiences may affect their reliability as a measure.

### Numbers

If  $d$  represents the deaths in an area and  $p$  the population in that area then, if  $d/p$  is small, the standard error (s.e.) of  $d$  is approximately  $\sqrt{d}$  assuming that the deaths are independent of one another. Clearly, the larger the number of deaths the smaller will be the proportionate variability. A deviation either way of twice the s.e. may be expected about once in 20 times. Using this criterion one might expect towns each averaging 20 deaths per year to yield in the same year numbers ranging between 11 and 29 without such differences having any statistical significance. Alternatively it could be said that if 20 deaths were recorded for a town, this number would have a 95 per cent confidence interval of approximately  $\pm 9$ , there being a 95 per cent chance that the underlying mortality is represented by a number of deaths within this interval.

If  $d$  is thought to be an extreme variation it would be more reliable to use as the standard error not  $\sqrt{d}$  but  $\sqrt{d'}$  where  $d'$  is the number of deaths expected if some standard rate (e.g. the national rate) were applied.

### Rates

The appropriate standard error of a death rate when  $d$  represents the number of deaths and  $p$  the population is

$$\frac{\sqrt{d}}{p} \text{ or } \frac{m}{\sqrt{d}}$$

where  $m$  is the death rate. The difference between two local death rates  $m_1$  and  $m_2$  can be



regarded as significant only if it amounts to more than twice the standard error of the difference, viz.

$$2 \sqrt{\left( \frac{m_1^2}{d_1} + \frac{m_2^2}{d_2} \right)}$$

#### Comparison of adjusted rates

Before comparisons are made, other known sources of variations (such as differences in the sex and age composition of the population) must be removed. If  $C$  is the local death Area Comparability Factor, then  $mC$  is to be compared with  $m^1$ , the national death rate. The s.e. of  $mC$  is

$$C / \left( \frac{m}{p} \right)$$

and

$$mC \pm 2C / \left( \frac{m}{p} \right)$$

is to be compared with  $m^1$ . As already indicated,  $m^1$  can be used instead of  $m$  in the calculation of the s.e.;  $m^1$  has the advantage of itself having only a small sampling error.

#### 12. Abbreviations

- A.C. - administrative county (the administrative county of London consists of the City of London (including the Inner and Middle Temple) and the metropolitan boroughs).
- C.B. - county borough.
- M.B. - municipal borough.
- Met. B. - metropolitan borough.
- U.D. - urban district.
- R.D. - rural district.

#### 13. Standard regions

The constitution of the standard regions of England and Wales used in this volume is as follows:

Northern	Midland	Southern
Cumberland	Herefordshire	Berkshire
Durham	Shropshire	Buckinghamshire
Northumberland	Staffordshire	Dorset, Part of <sup>4</sup>
Westmorland	Warwickshire	Hampshire
Yorkshire, North Riding	Worcestershire	Oxfordshire
		Wight, Isle of
East and West Ridings	Eastern	South Western
Yorkshire, East Riding	Bedfordshire	Cornwall
Yorkshire, West Riding	Cambridgeshire	Devon
	Ely, Isle of	Dorset, Part of <sup>5</sup>
	Essex, Part of <sup>2</sup>	Gloucestershire
	Hertfordshire, Part of <sup>3</sup>	Somerset
	Huntingdonshire	Wiltshire
	Norfolk	
	Suffolk, East	
	Suffolk, West	
North Western		
Cheshire		
Derbyshire, Part of <sup>1</sup>		
Lancashire		

<sup>1</sup>Buxton M.B., Glossop M.B., New Mills U.D., Whaley Bridge U.D. and Chapel en le Frith R.D.

<sup>2</sup>All except East Ham C.B., West Ham C.B., Chingford M.B., Wanstead and Woodford M.B., Leyton M.B., Walthamstow M.B., Ilford M.B., Barking M.B., Dagenham M.B., Waltham Holy Cross U.D. and Chigwell U.D.

<sup>3</sup>All except Barnet U.D., Bushey U.D., Cheshunt U.D., East Barnet U.D. and Elstree R.D.

<sup>4</sup>Poole M.B. only.

<sup>5</sup>All areas except Poole M.B.



<b>North Midland</b> Derbyshire, Part of <sup>6</sup> Leicestershire Lincolnshire Parts of Holland Parts of Kesteven Parts of Lindsey Northamptonshire Nottinghamshire Peterborough, Soke of Rutland	<b>London and South Eastern</b> Essex, Part of <sup>7</sup> Hertfordshire, Part of <sup>8</sup> Kent London A.C. Middlesex Surrey Sussex, East Sussex, West	<b>Wales I (South East)</b> Breconshire Carmarthenshire Glamorgan Monmouthshire  <b>Wales II (remainder)</b> Anglesey Caernarvonshire Cardiganshire Denbighshire Flintshire Merionethshire Montgomeryshire Pembrokeshire Radnorshire
--	---	---

<sup>6</sup>All except Buxton M.B., Glossop M.B., New Mills U.D., Whaley Bridge U.D. and Chapel en le Frith R.D.

<sup>7</sup>East Ham C.B., West Ham C.B., Chingford M.B., Wanstead and Woodford M.B., Leyton M.B., Walthamstow M.B., Ilford M.B., Barking M.B., Dagenham M.B., Waltham Holy Cross U.D. and Chigwell U.D.

<sup>8</sup>Barnet U.D., Bushey U.D., Cheshunt U.D., East Barnet U.D. and Elstree R.D.

#### 14. Conurbations

The conurbation areas each consist of an aggregation of entire local authority areas and are constituted as follows:

Tyneside		
<i>Durham (part)</i>	<i>Northumberland (part)</i>	
Gateshead C.B.	Newcastle upon Tyne C.B.	Newburn U.D.
South Shields C.B.	Tynemouth C.B.	Wallsend M.B.
		Whitley Bay M.B.
Felling U.D.		
Hebburn U.D.	Gosforth U.D.	
Jarrow M.B.	Longbenton U.D.	
Whickham U.D.		
West Yorkshire		
<i>Yorkshire, West Riding (part)</i>		
Bradford C.B.	Colne Valley U.D.	Mirfield U.D.
Dewsbury C.B.	Denby Dale U.D.	Morley M.B.
Halifax C.B.	Denholme U.D.	Ossett M.B.
Huddersfield C.B.	Elland U.D.	Pudsey M.B.
Leeds C.B.	Heckmondwike U.D.	Queensbury and Shelf U.D.
Wakefield C.B.	Holmfirth U.D.	Ripponden U.D.
Aireborough U.D.	Horbury U.D.	Rothwell U.D.
Baildon U.D.	Horsforth U.D.	Shipley U.D.
Batley M.B.	Keighley M.B.	Sowerby Bridge U.D.
Bingley U.D.	Kirkburton U.D.	Spenborough M.B.
Brighouse M.B.	Meltham U.D.	Stanley U.D.



South East Lancashire

Cheshire (part)

Stockport C.B.  
Alderley Edge U.D.  
Altrincham M.B.  
Bowdon U.D.  
Bredbury and Romiley U.D.  
Cheadle and Gatley U.D.  
  
Dukinfield M.B.  
Hale U.D.  
Hazel Grove and  
Bramhall U.D.  
Hyde M.B.  
  
Marple U.D.  
Sale M.B.  
Stalybridge M.B.  
Wilmslow U.D.  
  
Disley R.D.

Lancashire (part)

Bolton C.B.  
Bury C.B.  
Manchester C.B.  
Oldham C.B.  
Rochdale C.B.  
Salford C.B.  
  
Ashton-under-Lyne M.B.  
Audenshaw U.D.  
Chadderton U.D.  
Crompton U.D.  
Denton U.D.  
  
Droylsden U.D.  
Eccles M.B.  
Failsworth U.D.  
Farnworth M.B.  
Heywood M.B.  
  
Horwich U.D.  
Irlam U.D.  
  
Kearsley U.D.  
Leeds U.D.  
Littleborough U.D.  
Little Lever U.D.  
Middleton M.B.  
  
Milnrow U.D.  
Mossley M.B.  
Prestwich M.B.  
Radcliffe M.B.  
Royton U.D.  
  
Stretford M.B.  
Swinton and Pendlebury M.B.  
Tottington U.D.  
Urmston U.D.  
Wardle U.D.  
  
Westhoughton U.D.  
Whitefield U.D.  
Whitworth U.D.  
Worsley U.D.

Merseyside

Cheshire (part)

Birkenhead C.B.  
Wallasey C.B.  
  
Bebington M.B.  
  
Ellesmere Port M.B.  
Hoylake U.D.  
Neston U.D.  
Wirral U.D.

Lancashire (part)

Bootle C.B.  
Liverpool C.B.  
  
Crosby M.B.  
Huyton-with-Roby U.D.  
Litherland U.D.

West Midlands

Staffordshire (part)

Smethwick C.B.  
Walsall C.B.  
West Bromwich C.B.  
Wolverhampton C.B.  
  
Aldridge U.D.  
Amblecote U.D.  
Bilston M.B.  
Brierley Hill U.D.  
Coseley U.D.  
  
Darlaston U.D.  
Rowley Regis M.B.  
Sedgley U.D.  
Tettenhall U.D.  
Tipton M.B.  
  
Wednesbury M.B.  
Wednesfield U.D.  
Willenhall U.D.

Warwickshire (part)

Birmingham C.B.  
  
Solihull M.B.  
Sutton Coldfield M.B.

Worcestershire (part)

Dudley C.B.  
  
Halesowen M.B.  
Oldbury M.B.  
Stourbridge M.B.



Greater London

<i>London</i>	<i>Hertfordshire (part)</i>	<i>Surrey (part)</i>
<i>Middlesex</i>	Barnet U.D. Bushey U.D. Cheshunt U.D. East Barnet U.D.	Croydon C.B.
<i>Essex (part)</i>	Elstree R.D.	Banstead U.D. Barnes M.B. Beddington and Wallington M.B. Carshalton U.D.
East Ham C.B. West Ham C.B.	<i>Kent (part)</i>	Coulsdon and Purley U.D. Epsom and Ewell M.B. Esher U.D. Kingston-upon-Thames M.B. Malden and Coombe M.B.
Barking M.B. Chigwell U.D. Chingford M.B. Dagenham M.B. Ilford M.B.	Beckenham M.B. Bexley M.B. Bromley M.B. Chislehurst and Sidcup U.D.	Merton and Morden U.D. Mitcham M.B. Richmond M.B. Surbiton M.B. Sutton and Cheam M.B. Wimbledon M.B.
Leyton M.B. Waltham Holy Cross U.D. Walthamstow M.B. Wanstead and Woodford M.B.	Crayford U.D. Erith M.B. Orpington U.D. Penge U.D.	

15. Hospital regions

The hospital regions each consist of an aggregation of local authority areas, including associated county boroughs, and are constituted as follows:

Newcastle

<i>Cumberland</i>	<i>Yorkshire, North Riding (part)</i>	
<i>Durham</i>	Middlesborough C.B.	Skelton and Brotton U.D. Thornaby-on-Tees M.B.
<i>Northumberland</i>	Eston U.D. Guisborough U.D. Loftus U.D. Northallerton U.D. Redcar M.B. Richmond M.B. Saltburn and Marske-by-Sea U.D.	Croft R.D. Northallerton R.D. Reeth R.D. Richmond R.D. Startforth R.D. Stokesley R.D.
<i>Westmorland (part)</i>		
Appleby M.B.		
North Westmorland R.D.		

Leeds

<i>Yorkshire, East Riding</i>	<i>Yorkshire, West Riding (part)</i> (except areas stated in Sheffield Region)
<i>Yorkshire, North Riding (part)</i> (except areas stated in Newcastle Region)	



Sheffield		
Leicestershire	Yorkshire, West Riding (part)	
Lincolnshire	Barnsley C.B.	Royston U.D.
Parts of Holland	Doncaster C.B.	Stockbridge U.D.
Parts of Lindsey	Rotherham C.B.	Swinton U.D.
Nottinghamshire	Sheffield C.B.	Tickhill U.D.
Derbyshire (part)	Adwick-le-Street U.D.	Wath-upon-Deane U.D.
(except areas stated in Manchester Region)	Bentley with Arksey U.D.	Wombwell U.D.
Lincolnshire	Conisborough U.D.	Worsborough U.D.
Parts of Kesteven (part)	Cudworth U.D.	Doncaster R.D.
(except areas stated in East Anglia Region)	Darfield U.D.	Kiveton Park R.D.
Rutland (part)	Darton U.D.	Penistone R.D.
Oakham U.D.	Dearne U.D.	Rotherham R.D.
Oakham R.D.	Dodworth U.D.	Thorne R.D.
Uppingham R.D.	Hoyland Nether U.D.	Wortley R.D.
	Maltby U.D.	
	Mexborough U.D.	
	Penistone U.D.	
	Rawmarsh U.D.	
East Anglia		
Cambridgeshire	Suffolk, West	Lincolnshire
Ely, Isle of	Essex (part)	Parts of Kesteven (part)
Huntingdonshire	Saffron Walden M.B.	Stamford M.B.
Norfolk	Saffron Walden R.D.	Bourne U.D.
Peterborough, Soke of	Hertfordshire (part)	South Kesteven R.D.
Suffolk, East	Royston R.D.	Rutland (part)
		Ketton R.D.
North West Metropolitan		
Bedfordshire	Berkshire (part)	London Admin. County (part)
Hertfordshire (part)	Maidenhead M.B.	Hammersmith Met.B. (part)
(except areas stated in East Anglia and North East Metropolitan Regions)	New Windsor M.B.	Hampstead Met.B.
Middlesex (part)	Cookham R.D.	Holborn Met.B.
(except areas stated in North East Metropolitan Region)	Easthampstead R.D.	Islington Met.B.
	Windsor R.D.	Kensington Met.B. (part)
	Buckinghamshire (part)	Paddington Met.B. (part)
	Beaconsfield U.D.	St. Marylebone Met.B.
	Eton U.D.	St. Pancras Met.B.
	Slough M.B.	Westminster Met.B. (part)
	Eton R.D.	



North East Metropolitan

<p><i>Essex (part)</i> (except areas stated in East Anglia Region)</p> <p><i>Middlesex (part)</i></p> <p>Edmonton M.B. Enfield M.B. Tottenham M.B.</p>	<p><i>Hertfordshire (part)</i></p> <p>Bishop's Stortford U.D. Cheshunt U.D. Hertford M.B. Hoddesdon U.D. Sawbridgeworth U.D. Ware U.D. Braughing R.D. Hertford R.D. Ware R.D.</p>	<p><i>London Admin. County (part)</i></p> <p>City of London Inner and Middle Temple Bethnal Green Met.B. Finsbury Met.B. Hackney Met.B. Poplar Met.B. Shoreditch Met.B. Stepney Met.B. Stoke Newington Met.B.</p>
--	---	---

South East Metropolitan

<p><i>Kent</i></p> <p><i>Sussex, East</i></p>	<p><i>London Admin. County (part)</i></p> <p>Bermondsey Met.B. Camberwell Met.B. Deptford Met.B. Greenwich Met.B.</p>	<p>Lambeth Met.B.(part) Lewisham Met.B. Southwark Met.B.(part) Woolwich Met.B.</p>
---	---	--

South West Metropolitan

<p><i>Surrey</i>      <i>Sussex, West</i></p> <p><i>Hampshire (part)</i></p> <p>Aldershot M.B. Farnborough U.D. Fleet U.D. Hartley Wintney R.D.(part) Petersfield R.D.(part)</p>	<p><i>London Admin. County (part)</i></p> <p>Battersea Met.B. Chelsea Met.B. Fulham Met.B. Hammersmith Met.B. Kensington Met.B.</p>	<p>Lambeth Met.B.(part) Paddington Met.B.(part) Southwark Met.B.(part) Wandsworth Met.B. Westminster Met.B.(part)</p>
--	---	---

Wessex

<p><i>Wight, Isle of</i></p> <p><i>Dorset (part)</i> (all areas except Lyme Regis M.B.)</p> <p><i>Hampshire (part)</i> (except areas stated in South West Metropolitan Region)</p>	<p><i>Wiltshire (part)</i></p> <p>New Sarum M.B. Wilton M.B. Amesbury R.D. Mere and Tisbury R.D. Salisbury and Wilton R.D.</p>
--	--

Oxford

<p><i>Northamptonshire</i></p> <p><i>Oxfordshire</i></p> <p><i>Berkshire (part)</i> (except areas stated in North West Metropolitan Region)</p> <p><i>Buckinghamshire (part)</i> (except areas stated in North West Metropolitan Region)</p>	<p><i>Gloucestershire (part)</i></p> <p>Cirencester U.D.  Cirencester R.D. North Cotswold R.D. Northleach R.D.</p>	<p><i>Wiltshire (part)</i></p> <p>Marlborough M.B. Swindon M.B.  Cricklade and Wootton Bassett R.D. Highworth R.D. Marlborough and Ramsbury R.D. Pewsey R.D.</p>
--	--	--



## South Western

Cornwall. Devon. Somerset.	Gloucestershire (part)
Dorset (part)	(except areas stated in Oxford Region)
Lyme Regis M.B.	Wiltshire (part)
	(except areas stated in Wessex and Oxford Regions)

## Welsh

All areas in Wales including Monmouthshire

## Birmingham

Herefordshire :	Shropshire	Staffordshire	Warwickshire	Worcestershire
-----------------	------------	---------------	--------------	----------------

## Manchester

Cheshire (part)	Derbyshire (part)
(except areas stated in Liverpool Region)	Buxton M.B.
Lancashire (part)	Glossop M.B.
(except areas stated in Liverpool Region)	New Mills U.D.
Westmorland (part)	Whaley Bridge U.D.
(except areas stated in Newcastle Region)	Chapel en le Frith R.D.

## Liverpool

Cheshire (part)	Lancashire (part)
Birkenhead C.B.	Litherland U.D.
Chester C.B.	Newton-le-Willows U.D.
Wallasey C.B.	Ormskirk U.D.
Bebington M.B.	Prescot U.D.
Ellesmere Port U.D.	Rainford U.D.
Hoylake U.D.	Skelmersdale U.D.
Lymm U.D.	Widnes M.B.
Neston U.D.	Warrington R.D.
Runcorn U.D.	West Lancashire R.D.
Wirral U.D.	Whiston R.D.
Chester R.D.	
Northwich R.D. (Part)	
Runcorn R.D.	
Tarvin R.D.	

## 16. Urban and rural aggregates

These aggregates comprise (a) the six conurbations combined, (b) the aggregates of urban local authority areas outside the conurbations in three groups according to the size of their resident population at the 1961 Census and (c) the aggregate of rural local authority areas outside the conurbations. Urban areas include boroughs and urban districts as defined by the Local Government Acts, and rural areas are rural districts as similarly defined.



# CORRI GENDA

## STATISTICAL REVIEW, 1962: PART I, TABLES, MEDICAL

Page 64. Table 10, All violent causes (ICD Nos E800-E999), Males 25-44 years, 1960  
*for 40 read 46*

Page 66. Table 11, 1956, cause 754.0-754.5 *for 848 read 1,108*, cause Rem. of 750-759  
*for 1,142 read 882*

Page 67. Table 12, 1956, cause Rem. of 750-759 *for 1.26 read 1.27*



PART I  
TABLES, MEDICAL



**TABLE 1. Estimated population, total, home and civilian,  
by sex and age, as at 30th June, 1963**

**England and Wales**

These revised estimates have been based on an age graduation of the final results  
of the 1961 Census. See explanatory note 2.

(Figures in thousands)

Age	Total			Home			Civilian		
	Persons	Males	Females	Persons	Males	Females	Persons	Males	Females
0	832.2	426.9	405.3	832.2	426.9	405.3	832.2	426.9	405.3
1	812.9	416.9	396.0	812.9	416.9	396.0	812.9	416.9	396.0
2	780.8	401.1	379.7	780.8	401.1	379.7	780.8	401.1	379.7
3	744.4	382.5	361.9	744.4	382.5	361.9	744.4	382.5	361.9
4	730.0	374.5	355.5	730.0	374.5	355.5	730.0	374.5	355.5
0-4	3,900.3	2,001.9	1,898.4	3,900.3	2,001.9	1,898.4	3,900.3	2,001.9	1,898.4
5	714.2	366.4	347.8	714.2	366.4	347.8	714.2	366.4	347.8
6	686.9	352.3	334.6	686.9	352.3	334.6	686.9	352.3	334.6
7	662.5	339.8	322.7	662.5	339.8	322.7	662.5	339.8	322.7
8	648.2	332.2	316.0	648.2	332.2	316.0	648.2	332.2	316.0
9	658.6	337.2	321.4	658.6	337.2	321.4	658.6	337.2	321.4
5-9	3,370.4	1,727.9	1,642.5	3,370.4	1,727.9	1,642.5	3,370.4	1,727.9	1,642.5
10	652.1	334.0	318.1	652.1	334.0	318.1	652.1	334.0	318.1
11	650.3	333.1	317.2	650.3	333.1	317.2	650.3	333.1	317.2
12	663.7	340.2	323.5	663.7	340.2	323.5	663.7	340.2	323.5
13	691.0	354.1	336.9	691.0	354.1	336.9	691.0	354.1	336.9
14	721.6	370.3	351.3	721.6	370.3	351.3	721.6	370.3	351.3
10-14	3,378.7	1,731.7	1,647.0	3,378.7	1,731.7	1,647.0	3,378.5	1,731.5	1,647.0
15	786.2	402.4	383.8	786.4	402.6	383.8	782.8	399.0	383.8
16	836.7	428.6	408.1	837.3	429.2	408.1	827.8	419.7	408.1
17	686.8	351.6	335.2	687.6	352.3	335.3	673.6	339.4	334.2
18	680.4	347.2	333.2	676.4	343.2	333.2	658.3	327.6	330.7
19	674.6	342.8	331.8	666.1	334.5	331.6	647.8	318.8	329.0
15-19	3,664.7	1,872.6	1,792.1	3,653.8	1,861.8	1,792.0	3,590.3	1,804.5	1,785.8
20	654.5	330.7	323.8	644.9	321.4	323.5	628.2	306.3	321.9
All ages under 21	14,968.6	7,664.8	7,303.8	14,948.1	7,644.7	7,303.4	14,867.7	7,572.1	7,295.6
20-24	3,045.2	1,543.6	1,501.6	2,997.4	1,496.8	1,500.6	2,917.5	1,420.8	1,496.7
25-29	2,952.8	1,513.0	1,439.8	2,935.2	1,495.7	1,439.5	2,886.5	1,447.8	1,438.7
30-34	2,986.0	1,528.4	1,457.6	2,974.6	1,517.2	1,457.4	2,945.5	1,488.5	1,457.0
35-39	3,100.3	1,564.6	1,535.7	3,093.1	1,557.5	1,535.6	3,074.5	1,539.3	1,535.2
40-44	3,334.6	1,667.4	1,667.2	3,330.7	1,663.5	1,667.2	3,311.8	1,645.0	1,666.8
45-49	2,991.6	1,468.9	1,522.7	2,989.7	1,467.0	1,522.7	2,980.1	1,457.7	1,522.4
50-54	3,191.1	1,552.5	1,638.6	3,190.5	1,551.9	1,638.6	3,186.3	1,547.9	1,638.4
55-59	3,007.6	1,443.0	1,564.6	3,007.6	1,443.0	1,564.6	3,007.1	1,442.6	1,564.5
60-64	2,588.1	1,192.4	1,395.7	2,588.1	1,192.4	1,395.7	2,588.1	1,192.4	1,395.7
65-69	2,024.8	835.4	1,189.4	2,024.8	835.4	1,189.4	2,024.8	835.4	1,189.4
70-74	1,569.1	607.4	961.7	1,569.1	607.4	961.7	1,569.1	607.4	961.7
75-79	1,087.3	387.1	700.2	1,087.3	387.1	700.2	1,087.3	387.1	700.2
80-84	612.5	201.5	411.0	612.5	201.5	411.0	612.5	201.5	411.0
85 and over	323.9	94.3	229.6	323.9	94.3	229.6	323.9	94.3	229.6
All ages	47,129.0	22,933.6	24,195.4	47,027.7	22,834.0	24,193.7	46,754.5	22,573.5	24,181.0



TABLE 2. Estimated home population by sex and age, as at 30th June, 1963

England and Wales, standard regions, Wales, conurbations, urban and rural aggregates outside conurbations, hospital regions

(Figures in thousands)

	All ages	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 and over
ENGLAND AND WALES	M 22,831.5 F 24,191.2	424.5 402.8	1,576.9 1,494.9	1,736.6 1,646.7	1,737.2 1,649.2	1,862.6 1,790.2	1,485.3 1,494.1	1,494.8 1,431.6	1,511.6 1,454.7	1,557.1 1,538.3	1,646.3 1,662.3	1,478.0 1,529.2	1,561.9 1,634.1	1,450.2 1,563.0	1,162.1 1,397.1	855.9 1,197.3	606.3 985.7	684.2 1,340.0
Standard regions and conurbations:																		
Northern	M 1,627.6 F 1,666.6	30.4 28.8	118.1 112.0	133.4 127.0	133.4 127.2	141.0 136.0	112.6 110.1	107.8 101.9	109.0 100.2	103.2 99.5	109.1 107.4	99.9 100.8	105.6 106.5	99.0 101.2	79.2 90.5	59.0 77.9	41.8 62.7	45.1 76.9
Tyneside Conurbation	M 414.5 F 440.6	7.9 7.5	30.3 28.8	33.9 32.8	33.9 32.8	34.0 35.1	27.2 29.2	28.3 27.1	28.7 27.7	28.4 28.6	28.0 28.5	25.7 27.0	27.2 28.8	25.8 26.9	20.6 24.1	15.0 20.8	10.6 16.7	11.0 20.2
Remainder of Northern	M 1,213.1 F 1,226.0	22.5 21.3	87.8 83.2	99.5 94.2	99.5 94.4	107.0 100.9	85.4 80.9	79.5 74.8	80.3 72.5	76.8 72.9	81.1 78.9	74.2 73.8	78.4 77.7	73.2 74.3	58.6 66.4	44.0 57.1	31.2 46.0	34.1 56.7
East and West Ridings	M 2,051.6 F 2,178.6	38.3 36.3	141.6 134.2	158.4 151.9	158.5 152.0	158.5 163.1	126.4 134.5	136.5 127.7	138.0 129.5	137.7 139.7	147.8 148.3	136.1 138.6	143.8 150.5	133.0 141.8	106.7 126.7	76.8 108.8	54.5 87.7	57.0 109.7
West Yorkshire Conurbation	M 817.5 F 905.3	15.7 14.8	57.3 54.4	63.2 60.7	63.3 60.7	61.4 61.4	46.2 53.2	53.9 50.7	54.5 50.8	55.7 55.9	58.9 61.6	56.3 59.6	59.4 66.7	55.2 62.9	44.3 56.2	31.0 48.3	22.0 38.9	22.7 48.5
Remainder of East and West Ridings	M 1,234.1 F 1,273.3	22.6 21.5	84.3 79.8	95.2 91.2	95.2 91.3	100.6 101.7	80.2 81.3	82.6 77.0	83.5 78.7	84.0 81.4	88.9 86.7	79.8 79.0	83.4 83.8	77.8 78.9	62.4 70.5	45.8 60.5	32.5 48.8	34.3 61.2
North Western	M 3,182.1 F 3,473.6	62.2 58.9	231.1 219.3	253.0 242.3	242.9 242.5	242.9 251.0	193.8 207.4	202.4 198.0	204.7 201.1	215.3 215.6	227.5 237.5	209.7 220.5	221.5 240.1	207.7 231.6	166.4 206.9	119.5 180.1	84.6 145.3	86.9 175.5
South East Lancashire Conurbation	M 1,167.1 F 1,282.9	23.1 21.9	84.4 80.1	91.5 88.0	91.5 88.1	84.3 86.1	67.3 74.9	76.8 74.2	77.6 75.1	81.9 82.0	86.6 90.9	78.7 83.2	83.2 90.7	76.6 86.8	61.4 77.5	42.6 68.0	30.1 53.3	29.5 62.1
Merseyside Conurbation	M 661.8 F 728.8	14.5 13.7	53.6 50.9	57.2 55.1	57.2 55.1	57.3 62.9	45.7 49.3	42.3 43.5	42.8 42.9	45.3 44.7	45.3 46.8	39.6 42.6	41.8 45.2	38.4 42.8	30.7 38.2	21.6 33.9	15.3 27.4	15.6 33.8
Remainder of North Western	M 1,353.2 F 1,461.9	24.6 23.3	93.1 88.3	104.2 99.2	104.3 99.3	101.3 100.0	80.8 83.2	83.3 80.3	84.3 83.1	90.5 88.9	95.6 99.6	91.4 94.7	96.5 104.2	92.7 102.0	74.3 91.2	55.3 80.2	39.2 64.5	41.8 79.6
North Midland	M 1,848.1 F 1,882.9	34.3 32.7	127.9 121.2	142.3 135.0	142.4 135.2	151.4 143.2	120.7 119.1	125.4 114.0	126.8 114.4	125.4 119.6	132.6 138.9	118.9 118.2	125.6 125.6	114.4 117.4	91.7 104.9	68.8 87.8	47.4 70.8	54.1 94.9
Midland	M 2,420.0 F 2,473.3	46.3 43.9	168.7 160.0	185.6 175.7	185.7 176.0	203.4 194.7	162.0 163.6	170.4 158.5	172.3 162.3	182.8 171.2	156.3 155.5	165.2 155.5	143.7 148.9	143.7 148.9	115.2 133.1	76.3 104.4	54.0 84.3	59.3 113.5
West Midlands Conurbations	M 1,169.3 F 1,222.4	23.3 22.1	81.8 77.5	88.2 84.4	88.2 84.6	94.5 96.9	75.4 82.7	85.7 79.9	86.7 82.2	85.9 85.3	90.9 85.3	76.4 77.4	80.6 81.8	69.0 73.1	55.3 65.3	35.4 51.4	25.1 41.5	26.7 53.7
Remainder of Midland	M 1,250.7 F 1,250.9	23.0 21.8	86.9 82.5	97.4 91.3	97.5 91.4	108.9 97.8	86.6 80.9	84.7 78.6	85.6 80.1	86.9 81.7	91.9 85.9	79.9 78.1	84.4 81.6	74.7 75.8	59.9 67.8	40.9 53.0	28.9 42.8	32.6 59.8
Eastern	M 1,930.4 F 1,971.4	35.3 33.6	139.9 132.6	149.7 139.9	149.7 140.2	166.7 144.5	133.0 120.7	125.7 118.3	130.8 120.1	138.3 127.3	134.8 134.8	119.2 120.0	126.0 128.1	117.2 124.8	93.9 111.6	68.7 90.5	48.7 73.0	60.4 111.4
London and South Eastern	M 5,283.8 F 5,906.9	97.2 92.3	346.9 328.8	369.6 350.3	369.5 350.8	395.9 413.1	315.6 363.5	350.3 349.0	354.1 358.6	383.6 393.1	405.4 427.7	359.5 380.4	380.0 412.7	349.6 394.8	280.3 353.0	209.5 309.7	148.4 248.7	168.4 369.4
Greater London	M 3,873.9 F 4,298.7	72.7 69.1	252.3 239.1	261.1 250.0	260.9 250.3	288.5 300.4	229.9 276.0	268.3 268.1	271.1 270.0	291.1 295.9	307.6 320.2	270.0 290.3	285.5 305.6	256.4 283.3	205.6 253.4	143.0 212.5	101.3 171.3	108.6 245.2
Remainder of London and South Eastern	M 1,409.9 F 1,608.2	24.5 23.2	94.6 89.7	108.5 100.3	108.6 100.5	107.4 112.7	85.7 87.5	82.0 82.9	83.0 88.6	92.5 97.2	97.8 107.5	89.5 100.1	94.5 107.1	93.2 111.5	74.7 99.6	66.5 97.2	47.1 78.4	59.8 124.2
Southern	M 1,478.8 F 1,493.2	27.8 26.3	103.7 98.3	113.3 105.9	113.4 106.1	150.2 111.0	119.7 89.7	90.0 85.3	91.1 87.2	93.6 92.9	98.9 99.4	87.2 90.0	92.1 95.2	88.0 95.8	70.5 85.6	54.1 73.6	38.4 59.4	46.8 91.5
South Western	M 1,698.8 F 1,792.9	28.3 28.3	115.2 105.3	129.4 121.5	129.4 121.7	146.3 128.3	116.6 103.4	102.2 99.1	103.3 100.4	108.6 118.3	114.9 118.3	106.9 110.7	113.0 120.8	110.4 120.8	88.4 108.0	72.9 97.0	51.5 78.3	64.0 124.2
Wales	M 1,310.3 F 1,351.8	22.9 21.7	87.8 83.2	102.0 97.2	102.2 97.5	106.3 105.3	84.9 82.1	84.1 79.8	85.1 80.9	88.1 81.9	89.0 88.8	84.3 84.5	89.1 91.2	87.2 85.9	69.8 78.8	52.3 67.5	37.0 54.5	42.2 73.0
Wales I (South East)	M 947.0 F 967.4	16.7 15.8	64.0 60.7	74.1 70.6	74.2 70.8	75.4 76.4	60.2 59.9	62.8 59.6	63.5 60.0	61.6 59.5	65.2 64.1	61.3 60.7	64.8 65.3	63.4 60.7	50.8 51.3	35.7 45.4	25.3 36.6	28.0 47.0
Wales II (remainder)	M 363.3 F 384.4	6.2 5.9	23.8 22.5	27.9 26.6	28.0 26.7	30.9 28.9	24.7 22.2	21.3 20.2	21.6 20.9	22.5 22.4	23.8 24.7	23.0 23.8	24.3 25.9	23.8 25.2	19.0 22.5	16.6 22.1	11.7 17.9	14.2 26.0

TABLE 2 - continued

	All ages	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75 and over
<b>Urban and rural aggregates:</b>																		
Conurbations	M 8,104.1 F 8,878.7	157.2 149.1	559.7 530.8	595.1 571.0	595.0 571.6	616.5 644.8	491.7 565.3	555.3 541.5	581.4 548.7	583.9 587.7	617.3 633.3	546.7 580.1	577.9 618.8	521.4 575.8	417.9 514.7	288.6 432.9	204.4 349.1	214.1 463.5
<i>Areas outside conurbations:</i>																		
Urban areas with populations of 100,000 and over	M 3,039.4 F 3,253.2	56.8 54.2	215.1 205.5	234.7 225.4	235.1 225.5	243.0 247.2	194.2 200.9	203.4 193.3	206.3 196.4	205.1 203.0	216.8 218.7	196.7 205.0	208.0 218.9	195.6 241.7	156.8 189.3	109.8 158.8	77.9 128.2	84.1 171.2
Urban areas with populations of 50,000 and under 100,000	M 2,101.7 F 2,271.8	38.4 36.1	146.5 158.0	180.5 153.0	161.1 153.5	173.0 166.5	137.8 134.9	138.3 132.8	140.1 135.7	139.5 140.6	147.7 152.8	134.0 141.4	141.2 151.3	133.5 149.1	106.8 133.3	80.6 118.2	57.0 95.6	65.7 139.0
Urban areas with populations under 50,000	M 4,718.1 F 5,030.9	86.7 82.5	331.4 314.0	370.0 348.8	370.1 349.2	367.3 375.3	292.4 303.6	301.4 291.0	304.5 296.7	314.5 311.6	332.2 337.7	303.8 312.7	321.2 334.7	303.0 326.5	243.0 291.7	187.5 255.6	132.7 206.1	156.4 293.2
Rural districts	M 4,868.2 F 4,756.6	85.4 80.9	324.2 306.6	376.3 348.5	375.9 349.4	462.8 356.4	369.2 289.4	296.4 273.0	299.3 277.2	334.1 295.4	332.3 319.8	296.8 290.0	313.6 310.4	296.7 299.9	237.6 268.1	189.4 231.8	134.3 186.7	163.9 273.1
<b>Hospital regions:</b>																		
Newcastle	M 1,542.9 F 1,541.4	28.2 26.7	110.0 104.3	124.5 118.5	124.6 118.6	131.2 125.5	104.9 101.4	100.0 94.1	104.2 92.5	95.6 91.8	101.1 99.0	92.6 93.0	97.9 98.4	92.0 93.6	73.5 83.7	54.8 61.8	38.8 57.8	42.0 70.7
Leeds	M 1,531.2 F 1,617.2	28.4 26.9	108.0 100.4	118.8 113.9	118.8 113.9	118.7 120.8	94.6 99.4	101.7 94.6	102.8 96.0	103.9 101.6	109.8 109.7	101.3 102.6	107.0 111.7	99.2 105.3	79.6 94.1	57.3 80.5	40.7 64.9	42.6 80.9
Sheffield	M 2,222.7 F 2,254.0	41.1 39.1	154.2 146.2	171.9 163.0	172.1 166.3	182.4 171.1	145.5 142.0	150.6 136.8	152.1 142.6	159.3 142.6	158.8 153.7	142.7 141.1	150.7 150.2	137.5 140.7	110.2 125.7	80.3 104.7	57.0 84.5	65.3 113.0
East Anglia	M 786.2 F 799.1	14.3 13.7	57.1 54.2	61.3 57.2	61.3 57.4	68.0 58.4	54.3 48.7	51.1 47.9	54.8 48.6	53.0 51.4	56.1 54.5	48.4 48.5	51.2 51.8	47.7 50.6	38.3 45.2	27.9 36.6	19.8 29.5	24.6 44.9
North West Metropolitan	M 1,980.6 F 2,202.8	36.2 34.4	130.5 123.5	139.4 132.0	139.3 132.2	148.8 149.0	118.5 135.0	131.1 130.1	132.5 133.6	143.2 146.1	151.3 156.8	134.4 145.1	142.1 153.8	130.9 147.4	105.0 131.8	78.4 115.2	55.6 92.8	63.4 137.0
North East Metropolitan	M 1,548.5 F 1,722.4	28.4 26.9	102.0 96.6	108.9 103.2	108.9 103.3	116.4 120.4	92.6 105.5	102.5 101.6	103.6 104.4	111.9 114.2	118.4 124.5	105.1 113.5	111.1 120.4	102.4 115.2	82.1 103.0	61.3 90.0	43.5 72.6	49.4 107.1
South East Metropolitan	M 1,599.6 F 1,779.2	29.2 27.8	105.2 99.8	112.6 106.5	112.6 106.7	120.1 124.5	95.8 109.1	105.9 105.0	107.1 107.9	115.6 118.1	122.3 128.4	109.5 117.3	114.7 124.2	105.8 119.1	84.8 106.4	63.4 93.0	44.9 75.0	51.1 110.6
South West Metropolitan	M 1,516.3 F 1,686.3	27.8 26.4	99.8 94.6	106.7 101.0	106.5 101.1	113.9 117.8	90.7 103.5	100.4 99.5	104.4 102.2	109.8 111.9	115.9 121.9	102.9 111.1	108.8 117.9	100.2 112.8	80.4 100.8	60.1 88.1	42.6 71.1	48.4 104.8
Wessex	M 906.8 F 910.9	17.0 16.1	63.7 60.4	69.8 65.2	69.9 65.4	92.3 87.5	73.7 54.5	55.1 52.0	55.8 53.1	57.1 56.5	60.4 60.4	53.3 54.7	56.3 58.0	53.9 58.5	43.2 52.3	33.1 44.7	23.5 36.1	29.7 55.5
Oxford	M 854.0 F 857.8	16.0 15.1	60.0 58.9	65.8 61.4	65.7 61.5	87.0 83.6	69.3 51.4	51.9 48.9	52.6 50.0	53.8 53.2	56.8 56.9	50.2 51.5	53.0 54.6	50.8 55.1	40.7 49.2	31.2 42.2	22.1 34.0	27.1 52.3
South Western	M 1,430.4 F 1,504.2	25.0 23.8	93.9 88.9	109.4 102.7	109.5 107.5	123.5 107.5	98.4 86.2	85.9 82.9	86.8 84.0	91.1 89.1	96.3 98.7	89.8 92.4	94.9 101.0	92.9 101.2	74.4 90.5	61.3 80.9	43.3 65.3	54.0 103.4
Welsh	M 1,310.3 F 1,351.8	22.9 21.7	87.8 83.2	102.0 97.2	102.2 105.3	106.3 105.3	84.9 82.1	84.1 79.8	85.1 80.9	84.1 81.9	89.0 88.8	84.3 84.5	89.1 91.2	87.2 85.9	68.8 76.8	52.3 67.5	37.0 54.5	42.2 73.0
Birmingham	M 2,420.0 F 2,473.5	46.3 43.9	168.7 160.0	155.6 175.7	155.7 176.0	203.4 194.7	162.0 165.6	170.4 158.5	172.3 162.3	172.8 164.3	182.8 171.2	156.3 155.5	165.2 163.4	143.7 148.9	115.2 133.1	76.3 104.4	54.0 84.3	59.3 113.5
Manchester	M 2,456.5 F 2,357.0	40.6 38.5	152.3 144.5	163.2 160.9	168.4 161.1	159.2 159.9	127.0 134.0	136.7 136.5	138.3 134.5	146.9 145.0	155.3 161.8	145.2 151.0	153.4 165.8	144.8 160.7	118.0 141.8	83.8 124.1	59.2 100.0	61.2 119.9
Liverpool	M 1,055.5 F 1,156.8	23.1 21.8	85.7 81.4	91.7 88.3	91.7 88.3	91.4 99.6	73.1 77.9	67.4 68.9	68.2 67.9	68.0 70.6	72.0 74.0	63.0 67.4	66.5 71.7	61.2 68.0	48.9 60.7	34.6 53.6	24.3 43.3	24.9 53.4



**TABLE 3. Deaths, death rates, mortality comparisons, infant mortality, and live and still birth rates, 1841 to 1963**

England and Wales

See explanatory notes. For explanation of Standardised Mortality Ratios see note 6.

Period	Deaths			Crude rates per 1,000 living			Standardised Mortality Ratios (1950-52 = 100)			Deaths of infants under 1 year per 1,000 live births†			Live birth rates per 1,000 population	Stillbirth rates per 1,000 total (live and still) births
	Persons	Males	Females	Persons	Males	Females	Persons	Males	Females	Total	Legitimate	Illegitimate		
1841-1850	3,769,396	1,909,125	1,860,271	22.4	23.1	21.6	357	320	396	153			32.6	
1851-1860	4,210,715	2,138,536	2,072,179	22.2	23.1	21.4	348	313	384	154			34.1	
1861-1870	4,794,498	2,459,489	2,335,009	22.5	23.7	21.4	351	319	383	154			35.2	
1871-1880	5,178,311	2,679,416	2,498,895	21.4	22.7	20.1	335	308	362	149			35.4	
1881-1890	5,244,770	2,698,316	2,546,454	19.1	20.3	18.1	304	281	327	142			32.4	
1891-1900	5,575,375	2,865,226	2,710,149	18.2	19.3	17.1	288	268	307	153			29.9	
1901-1910	5,248,774	2,706,356	2,542,418	15.4	16.4	14.4	235	221	248	128			27.2	
1911-1920*	5,188,052	2,684,511	2,503,541	14.4	15.9	13.0	197	187	207	100	96	194	22.7	
1921-1930	4,722,991	2,407,475	2,315,516	12.1	12.9	11.4	151	142	159	72	70	130	18.3	
1931-1940*	4,992,208	2,551,612	2,440,596	12.3	13.1	11.5	131	125	136	59	57	95	14.9	40
1941-1950*	4,997,653	2,586,188	2,411,465	12.4	14.1	11.0	106	104	107	43	41	61	18.0	27
1951-1960	5,188,116	2,669,747	2,518,369	11.6	12.4	10.9	94	96	92	25	24	31	15.8	22
1841-1845	1,746,110	885,168	860,942	21.4	22.1	20.6	344	307	381	148			32.3	
1846-1850	1,023,286	1,023,957	999,329	23.3	24.1	22.6	369	331	409	157			32.8	
1851-1855	2,087,236	1,061,271	1,025,965	22.7	23.5	21.8	356	321	392	156			33.9	
1856-1860	2,123,479	1,077,265	1,046,214	21.8	22.6	21.0	341	306	377	152			34.4	
1861-1865	2,331,957	1,192,943	1,139,014	22.6	23.7	21.5	353	320	387	151			35.1	
1866-1870	2,462,541	1,266,546	1,195,995	22.4	23.7	21.2	349	318	380	157			35.3	
1871-1875	2,572,749	1,330,063	1,242,686	22.0	23.3	20.7	342	314	371	153			35.5	
1876-1880	2,605,562	1,349,353	1,256,209	20.8	22.1	19.5	328	302	354	145			35.3	
1881-1885	2,585,164	1,330,461	1,254,703	19.4	20.5	18.3	308	284	333	139			33.5	
1886-1890	2,659,606	1,367,855	1,291,751	18.9	20.0	17.8	300	278	322	145			31.4	
1891-1895	2,785,391	1,427,164	1,358,227	18.7	19.8	17.7	296	275	318	151			30.5	
1896-1900	2,789,984	1,438,062	1,351,922	17.7	18.8	16.6	279	262	297	156			29.3	
1901-1905	2,671,566	1,379,931	1,291,635	16.0	17.1	15.0	249	234	264	138			28.2	
1906-1910	2,577,208	1,326,425	1,250,783	14.7	15.6	13.8	221	208	234	117	113	224	26.3	
1911-1915*	2,598,719	1,344,171	1,254,548	14.3	15.4	13.3	205	195	215	110	105	210	23.9	
1916-1920*	2,589,333	1,340,340	1,248,993	14.4	16.5	12.8	190	180	199	90	85	179	21.5	
1921-1925	2,336,270	1,189,865	1,146,405	12.1	12.9	11.4	157	147	166	76	73	140	19.9	
1926-1930	2,386,721	1,217,610	1,169,111	12.1	12.9	11.4	145	137	153	68	65	119	16.7	
1931-1935	2,426,435	1,232,370	1,194,065	12.0	12.7	11.4	134	127	141	62	60	103	15.0	41
1936-1940*	2,565,773	1,319,242	1,246,531	12.5	13.5	11.6	128	123	132	55	54	86	14.9	38
1941-1945*	2,497,013	1,301,357	1,195,656	12.8	15.1	11.1	112	110	113	50	48	71	17.6	30
1946-1950*	2,500,640	1,284,831	1,215,809	11.8	12.8	10.9	101	99	102	36	36	51	18.4	24
1951-1955	2,571,153	1,325,747	1,245,406	11.7	12.5	10.9	97	98	95	27	27	34	15.2	23
1956-1960	2,616,963	1,344,000	1,272,963	11.6	12.3	10.9	91	94	89	23	22	28	16.4	21
1944*	492,176	257,705	234,471	12.7	15.3	10.8	107	106	108	45	44	69	19.9	28
1945*	488,108	252,078	236,030	12.6	15.0	10.8	104	103	106	46	44	65	17.9	28
1946*	492,090	252,380	239,710	12.0	13.4	10.9	103	101	106	43	42	60	20.2	27
1947*	517,615	267,714	249,901	12.3	13.6	11.3	107	106	108	41	40	58	21.1	24
1948*	469,898	242,899	226,999	11.0	11.9	10.1	94	93	95	34	33	45	18.1	23
1949*	510,736	260,686	250,050	11.8	12.6	11.1	101	99	103	32	32	45	16.9	23
1950	510,301	261,152	249,149	11.6	12.3	11.0	99	98	101	30	29	39	15.8	23
1951	549,380	281,724	267,656	12.5	13.4	11.8	106	106	106	30	29	38	15.4	23
1952	497,484	257,760	239,724	11.3	12.2	10.5	95	96	93	28	27	35	15.3	23
1953	503,529	259,490	244,039	11.4	12.2	10.7	95	96	94	27	27	33	15.4	22
1954	501,896	259,797	242,099	11.3	12.2	10.5	93	95	91	25	25	32	15.1	23
1955	518,864	266,976	251,888	11.7	12.5	10.9	95	97	93	25	25	32	15.0	23
1956	521,331	267,904	253,427	11.7	12.5	10.9	94	96	92	24	23	29	15.6	23
1957	514,870	266,407	248,463	11.5	12.3	10.7	91	94	88	23	23	30	16.1	22
1958	526,843	270,639	256,204	11.7	12.4	11.0	92	95	90	23	22	28	16.4	22
1959	527,651	269,878	257,773	11.6	12.3	11.0	91	94	89	22	22	27	16.5	21
1960	526,268	269,172	257,096	11.5	12.2	10.9	89	92	87	22	22	26	17.2	20
1961	551,752	280,782	270,970	11.9	12.6	11.4	93	96	90	21	21	25	17.6	19
1962	557,636	285,154	272,482	11.9	12.6	11.3	92	96	89	22	21	27	18.0	18
1963	572,868	292,410	280,458	12.2	12.8	11.6	94	98	91	21	21	26	18.2	17

\* For the years 1915-20 and from 3rd September 1939 to 31st December 1949, for males, and from 1st June 1941 to 31st December 1949, for females, the mortality rates are based upon civilians only, but, as in other years, the number of deaths include those of non-civilians registered in England and Wales.

† Based on related live births from 1931 to 1956.

**TABLE 4. Death rates per 1,000 living in age-groups and infant mortality per 1,000 live births, 1841 to 1963**

England and Wales

See explanatory notes.

PERSONS

Period	1-	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 and over	Deaths under 1 year per 1,000 live birthst
1841-1850		9.05	5.29	7.48	9.29	10.3	12.9	17.0	29.9	63.6	141.5	301.0	153
1851-1860		8.46	4.97	7.04	8.67	9.76	12.3	16.5	28.9	61.7	139.9	296.5	154
1861-1870		7.99	4.49	6.42	8.21	9.83	12.7	17.4	30.4	62.8	140.4	296.6	154
1871-1880		6.47	3.71	5.35	7.07	8.96	12.7	17.8	31.6	65.0	142.2	308.3	149
1881-1890		5.30	3.03	4.37	5.63	7.56	11.5	17.1	31.4	65.0	137.6	284.0	142
1891-1900		4.34	2.51	3.73	4.74	6.40	10.5	16.8	31.5	65.0	137.2	270.8	153
1901-1910		3.56	2.11	2.99	3.82	5.13	8.31	14.3	28.1	58.8	127.2	260.8	128
1911-1920*		3.60	2.28	3.32	4.29	5.47	7.41	12.6	25.0	55.8	125.5	254.2	100
1921-1930		2.42	1.64	2.55	3.21	3.64	5.54	10.0	21.3	50.8	120.9	260.2	72
1931-1940*	5.65	2.01	1.31	2.17	2.85	3.04	4.58	9.26	20.2	48.8	119.5	259.8	59
1941-1950*	2.55	1.13	0.85	1.58	2.24	2.37	3.38	7.44	17.6	42.4	104.0	216.5	43
1951-1960	1.02	0.44	0.37	0.65	0.89	1.12	2.27	6.11	16.2	41.0	102.5	227.5	25
1841-1845		8.69	5.01	7.21	8.81	9.66	12.2	16.1	28.7	62.0	137.2	295.3	148
1846-1850		9.39	5.56	7.74	9.77	10.9	13.6	18.1	31.4	65.9	145.7	306.5	157
1851-1855		8.64	5.23	7.48	9.06	10.1	12.7	17.2	29.6	62.9	143.2	299.6	156
1856-1860		8.33	4.72	6.74	8.33	9.38	12.0	16.1	28.4	61.0	136.7	293.4	152
1861-1865		8.39	4.72	6.64	8.39	9.79	12.6	17.2	30.3	62.5	139.1	299.0	151
1866-1870		7.62	4.28	6.21	8.03	9.86	12.9	17.6	30.6	63.2	141.7	294.3	157
1871-1875		6.86	3.97	5.81	7.74	9.61	13.1	18.0	31.6	65.3	141.7	305.2	153
1876-1880		6.10	3.47	4.93	6.46	8.35	12.3	17.5	31.6	64.7	142.9	311.5	145
1881-1885		5.76	3.23	4.63	5.96	8.01	11.8	17.2	31.0	63.5	136.2	277.9	139
1886-1890		4.86	2.84	4.13	5.32	7.15	11.1	17.1	31.8	66.4	139.0	290.1	145
1891-1895		4.56	2.65	3.98	5.01	6.81	11.0	17.3	32.5	67.3	140.7	273.9	151
1896-1900		4.12	2.36	3.48	4.50	6.03	10.1	16.2	30.5	62.9	133.8	267.7	156
1901-1905		3.74	2.19	3.11	4.00	5.44	8.86	14.9	28.7	59.4	127.3	258.6	138
1906-1910		3.38	2.03	2.87	3.64	4.84	7.81	13.7	27.5	58.1	127.0	262.4	117
1911-1915*		3.39	2.08	2.88	3.58	4.57	7.28	13.1	26.2	57.3	126.2	257.9	110
1916-1920*		3.81	2.48	3.77	5.16	6.55	7.54	12.1	24.0	54.5	124.8	250.7	90
1921-1925		2.48	1.71	2.61	3.30	3.79	5.71	10.1	21.6	51.1	121.8	251.4	76
1926-1930		2.37	1.57	2.49	3.11	3.49	5.37	9.94	21.0	50.6	120.2	268.2	68
1931-1935	6.56	2.18	1.41	2.33	2.96	3.20	4.82	9.44	20.1	49.0	119.3	255.7	62
1936-1940*	4.70	1.84	1.20	2.01	2.72	2.87	4.35	9.09	20.4	48.5	119.7	263.4	55
1941-1945*	3.50	1.50	1.08	1.96	3.06	3.04	3.95	8.00	18.1	43.0	104.5	213.0	50
1946-1950*	1.77	0.77	0.62	1.18	1.63	1.84	2.89	6.94	17.1	41.9	103.5	219.3	36
1951-1955	1.14	0.47	0.41	0.68	0.96	1.24	2.40	6.36	16.6	42.0	105.7	235.7	27
1956-1960	0.91	0.41	0.34	0.63	0.82	0.99	2.13	5.87	15.9	40.1	99.7	221.0	23
1944*	2.84	1.38	1.05	1.73	2.96	3.01	3.82	7.73	17.6	41.7	100.3	196.5	45
1945*	2.64	1.18	0.91	1.56	2.73	2.67	3.48	7.36	17.3	41.5	100.3	194.5	46
1946*	2.08	0.86	0.76	1.33	2.07	2.10	3.15	7.25	17.4	41.3	102.4	214.5	43
1947*	2.18	0.90	0.70	1.39	1.92	2.03	3.08	7.24	17.5	42.8	108.3	234.4	41
1948*	1.75	0.75	0.60	1.20	1.55	1.82	2.79	6.70	16.4	39.4	94.1	191.9	34
1949*	1.56	0.69	0.56	1.10	1.51	1.70	2.80	6.81	17.2	43.1	105.7	227.5	32
1950	1.35	0.64	0.48	0.90	1.24	1.57	2.62	6.72	17.0	42.7	106.9	227.6	30
1951	1.35	0.55	0.47	0.76	1.12	1.45	2.63	6.90	18.0	46.1	117.2	266.9	30
1952	1.18	0.49	0.43	0.71	1.03	1.26	2.42	6.35	16.5	41.0	102.3	228.4	28
1953	1.18	0.49	0.41	0.64	0.92	1.22	2.35	6.26	16.3	41.1	103.3	230.9	27
1954	0.94	0.41	0.37	0.63	0.87	1.15	2.37	6.19	16.1	40.6	101.0	222.2	25
1955	1.00	0.43	0.38	0.64	0.86	1.10	2.23	6.14	16.1	41.4	105.1	233.5	25
1956	0.91	0.40	0.34	0.57	0.80	1.04	2.19	5.95	16.1	41.0	104.1	233.3	24
1957	0.97	0.41	0.38	0.68	0.84	1.03	2.20	6.00	16.2	40.4	97.4	208.0	23
1958	0.88	0.40	0.32	0.60	0.80	0.98	2.27	5.92	15.9	40.4	101.0	224.2	23
1959	0.91	0.41	0.34	0.65	0.83	0.96	2.09	5.77	15.9	39.9	99.2	223.2	22
1960	0.87	0.44	0.32	0.64	0.81	0.93	2.07	5.73	15.6	38.8	97.0	217.3	22
1961	0.93	0.40	0.32	0.66	0.81	0.94	2.08	5.85	16.0	40.5	100.8	226.9	21
1962	0.86	0.38	0.34	0.64	0.79	0.91	2.08	5.83	16.1	40.3	100.3	227.8	22
1963	0.91	0.40	0.32	0.63	0.77	0.92	2.12	5.97	16.3	40.9	102.8	235.5	21

\* Civilian mortality only in 1915-20 and from 3rd September 1939 to 31st December 1949 for males, and from 1st June 1941 to 31st December 1949, for females.

† Based on related live births from 1931 to 1956.



TABLE 4 - continued

## MALES

Period	1-	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 and over	Deaths under 1 year per 1,000 live births†
1841-1850		9.17	5.13	7.05	9.51	9.94	12.9	18.2	31.8	67.5	148.3	312.3	167
1851-1860		8.51	4.88	6.69	8.83	9.57	12.5	18.0	30.9	65.3	146.7	308.2	168
1861-1870		8.19	4.48	6.19	8.48	9.94	13.5	19.3	33.1	67.1	147.2	315.0	168
1871-1880		6.71	3.71	5.25	7.36	9.34	13.8	20.1	34.9	69.7	150.8	327.4	163
1881-1890		5.35	2.95	4.32	5.73	7.77	12.4	19.4	34.7	70.5	146.6	305.8	155
1891-1900		4.31	2.45	3.79	5.06	6.76	11.5	18.9	34.9	70.4	146.1	286.8	168
1901-1910		3.50	2.05	3.09	4.18	5.57	9.15	16.2	31.8	64.8	137.7	279.2	140
1911-1920*		3.61	2.23	3.44	4.94	6.46	8.61	14.5	29.0	63.5	139.3	274.5	112
1921-1930		2.52	1.65	2.62	3.41	3.86	6.34	11.6	24.6	58.2	135.4	285.8	81
1931-1940*	5.96	2.13	1.36	2.30	3.08	3.20	5.17	11.1	24.3	56.8	137.5	282.9	66
1941-1950*	2.72	1.28	0.95	1.79	2.72	2.72	3.93	9.16	22.7	51.6	120.2	234.7	48
1951-1960	1.11	0.52	0.44	0.87	1.18	1.28	2.58	7.63	22.2	54.2	124.7	251.0	28
1841-1845		8.82	4.84	6.76	8.99	9.37	12.2	17.2	30.3	65.5	143.7	350.1	162
1846-1850		9.54	5.39	7.35	10.0	10.5	13.6	19.2	33.2	69.5	152.9	319.5	172
1851-1855		8.75	5.15	6.98	9.24	9.95	12.9	18.6	31.6	66.7	150.9	310.9	172
1856-1860		8.30	4.63	6.42	8.44	9.17	12.2	17.5	30.4	64.3	142.7	305.3	166
1861-1865		8.53	4.68	6.39	8.65	9.76	13.2	18.9	32.8	66.4	145.9	316.6	166
1866-1870		7.88	4.30	5.99	8.31	10.1	13.7	19.6	33.5	67.8	148.7	313.5	170
1871-1875		7.10	3.99	5.71	8.07	10.0	14.3	20.3	34.8	70.1	149.6	323.3	167
1876-1880		6.34	3.44	4.84	6.70	8.70	13.4	19.8	34.9	69.4	152.2	331.5	159
1881-1885		5.85	3.16	4.53	6.00	8.16	12.8	19.3	34.2	68.8	145.4	297.9	152
1886-1890		4.86	2.76	4.12	5.48	7.40	12.1	19.4	35.2	72.1	147.9	313.7	159
1891-1895		4.53	2.57	4.00	5.23	7.07	11.9	19.5	35.8	72.5	149.2	290.8	165
1896-1900		4.09	2.32	3.59	4.90	6.47	11.1	18.4	34.1	68.3	143.1	282.8	170
1901-1905		3.68	2.14	3.20	4.39	5.89	9.74	17.0	32.4	65.3	137.6	274.6	151
1906-1910		3.33	1.97	2.97	3.97	5.25	8.62	15.5	31.2	64.4	137.7	283.0	129
1911-1915*		3.42	2.05	3.01	3.98	5.15	8.20	14.9	30.2	64.1	139.2	281.6	121
1916-1920*		3.81	2.41	3.91	6.60	8.58	9.07	14.0	27.9	63.0	139.4	267.8	101
1921-1925		2.55	1.69	2.66	3.53	4.05	6.51	11.6	24.9	58.2	135.5	272.7	86
1926-1930		2.48	1.61	2.58	3.50	3.68	6.18	11.6	24.4	58.3	135.4	298.1	77
1931-1935	6.88	2.28	1.44	2.45	3.15	3.31	5.40	11.2	23.6	56.7	135.2	278.9	70
1936-1940*	5.00	1.96	1.27	2.15	2.99	3.09	4.95	11.0	25.0	56.8	139.5	286.3	62
1941-1945*	3.72	1.69	1.20	2.22	5.00	4.16	4.81	9.85	23.1	51.7	121.6	226.1	56
1946-1950*	1.90	0.88	0.69	1.33	1.75	1.92	3.23	8.55	22.4	51.6	119.0	241.6	41
1951-1955	1.23	0.55	0.48	0.86	1.23	1.39	2.71	7.93	22.5	54.6	126.7	265.9	30
1956-1960	0.99	0.49	0.40	0.88	1.12	1.17	2.45	7.35	21.9	53.7	122.7	239.2	25
1944*	3.06	1.58	1.18	1.95	4.79	4.29	4.75	9.62	22.7	50.6	116.5	212.0	50
1945*	2.84	1.35	1.03	1.79	4.75	3.84	4.20	9.10	22.3	50.3	115.7	204.7	51
1946*	2.26	0.97	0.86	1.52	2.66	2.24	3.55	8.94	22.3	49.7	117.4	232.3	48
1947*	2.38	1.04	0.78	1.62	2.05	2.12	3.44	8.98	22.9	52.5	125.9	266.5	46
1948*	1.87	0.88	0.64	1.30	1.54	1.87	3.15	8.24	21.6	49.0	108.6	210.2	38
1949*	1.69	0.80	0.63	1.27	1.59	1.75	3.12	8.39	22.6	53.2	120.7	249.0	36
1950	1.42	0.75	0.56	1.01	1.39	1.69	2.92	8.26	22.5	53.3	122.5	250.4	34
1951	1.44	0.65	0.57	0.89	1.36	1.61	2.96	8.62	24.3	58.8	136.9	307.8	34
1952	1.32	0.57	0.50	0.90	1.33	1.43	2.75	7.91	22.2	53.1	122.1	265.1	31
1953	1.26	0.56	0.46	0.82	1.18	1.37	2.61	7.81	22.2	53.7	123.4	258.1	30
1954	1.06	0.48	0.43	0.81	1.12	1.29	2.66	7.69	21.9	53.3	123.0	249.6	29
1955	1.04	0.49	0.45	0.88	1.18	1.25	2.53	7.66	22.0	54.2	128.5	256.2	28
1956	0.98	0.46	0.41	0.79	1.07	1.21	2.49	7.45	22.1	54.2	127.5	256.2	27
1957	1.04	0.48	0.44	0.91	1.15	1.19	2.50	7.51	22.3	54.0	119.9	226.8	26
1958	0.99	0.49	0.39	0.83	1.07	1.17	2.43	7.40	21.9	54.3	124.6	242.6	25
1959	1.00	0.49	0.39	0.94	1.14	1.13	2.42	7.23	21.8	53.6	122.2	240.0	25
1960	0.95	0.53	0.38	0.91	1.17	1.12	2.41	7.17	21.4	52.5	119.6	232.1	25
1961	1.04	0.48	0.39	0.92	1.11	1.15	2.41	7.33	21.9	54.7	124.5	256.9	24
1962	0.94	0.44	0.42	0.92	1.10	1.06	2.39	7.34	22.1	55.3	125.2	261.1	24
1963	0.98	0.49	0.40	0.89	1.11	1.10	2.46	7.50	22.4	56.0	129.4	272.8	24

\* Civilian mortality only in 1915-20 and from 3rd September 1939 to 31st December 1949.

† Based on related live births from 1931 to 1956.

TABLE 4 - continued

## FEMALES

Period	1-	5-	10-	15-	20-	25-	35-	45-	55-	65-	75-	85 and over	Deaths under 1 year per 1,000 live births†
1841-1850		8.90	5.44	7.89	9.09	10.6	12.9	16.0	28.4	61.0	135.9	293.3	137
1851-1860		8.42	5.06	7.39	8.53	9.93	12.1	15.2	27.0	58.7	134.5	288.9	139
1861-1870		7.80	4.51	6.65	7.97	9.72	12.1	15.6	27.9	59.1	134.9	285.1	139
1871-1880		6.23	3.72	5.45	6.81	8.61	11.6	15.6	28.7	61.0	135.4	296.4	134
1881-1890		5.26	3.11	4.42	5.54	7.38	10.6	15.1	28.5	60.4	130.6	270.8	128
1891-1900		4.37	2.57	3.67	4.46	6.08	9.59	14.7	28.4	60.7	130.6	261.4	138
1901-1910		3.61	2.17	2.89	3.50	4.74	7.53	12.5	24.8	53.9	119.8	250.3	114
1911-1920		3.59	2.34	3.21	3.87	4.78	6.42	10.9	21.5	49.6	116.3	243.6	89
1921-1930		2.33	1.63	2.48	3.02	3.45	4.85	8.61	18.3	44.9	111.6	248.2	63
1931-1940	5.34	1.90	1.26	2.04	2.63	2.88	4.07	7.71	16.7	42.3	107.9	249.1	51
1941-1950*	2.36	0.97	0.76	1.40	1.97	2.11	2.91	5.96	13.4	35.2	93.3	207.9	37
1951-1960	0.93	0.36	0.30	0.43	0.61	0.95	1.97	4.67	11.4	31.8	89.2	216.8	21
1841-1845		8.56	5.17	7.65	8.64	9.92	12.1	15.1	27.2	59.1	131.8	288.6	133
1846-1850		9.23	5.72	8.12	9.57	11.2	13.7	17.0	29.7	62.7	140.0	297.7	142
1851-1855		8.54	5.32	7.75	8.90	10.3	12.6	15.8	27.8	59.7	137.2	292.1	141
1856-1860		8.35	4.82	7.06	8.24	9.57	11.8	14.8	26.5	58.1	131.9	285.8	137
1861-1865		8.26	4.76	6.89	8.17	9.82	12.1	15.5	27.9	59.1	133.8	287.9	136
1866-1870		7.37	4.27	6.42	7.78	9.63	12.1	15.8	27.9	59.1	136.1	282.3	142
1871-1875		6.61	3.95	5.92	7.43	9.23	12.0	15.9	28.7	61.3	135.3	293.9	138
1876-1880		5.87	3.50	5.02	6.23	8.03	11.3	15.3	28.6	60.8	135.5	299.0	130
1881-1885		5.68	3.30	4.72	5.93	7.86	10.9	15.2	28.1	59.1	129.0	265.5	125
1886-1890		4.85	2.93	4.15	5.17	6.92	10.3	15.0	28.8	61.7	132.3	276.1	131
1891-1895		4.59	2.73	3.97	4.81	6.57	10.1	15.2	29.5	63.0	134.3	264.0	135
1896-1900		4.15	2.40	3.37	4.14	5.63	9.10	14.3	27.4	58.5	127.0	258.7	141
1901-1905		3.79	2.24	3.02	3.66	5.04	8.05	13.1	25.4	54.8	119.9	249.4	124
1906-1910		3.44	2.09	2.76	3.34	4.46	7.05	12.0	24.3	53.1	119.6	250.9	105
1911-1915		3.37	2.11	2.75	3.25	4.08	6.46	11.4	22.7	51.7	117.5	245.4	97
1916-1920		3.81	2.56	3.66	4.47	5.48	6.39	10.4	20.4	47.7	115.1	241.9	79
1921-1925		2.41	1.72	2.56	3.11	3.58	5.03	8.79	18.7	45.5	112.9	241.2	66
1926-1930		2.25	1.53	2.41	2.94	3.33	4.69	8.44	18.0	44.4	110.4	254.4	59
1931-1935	6.23	2.07	1.37	2.22	2.77	3.09	4.33	7.96	17.0	42.8	108.9	245.0	54
1936-1940	4.40	1.71	1.13	1.87	2.49	2.68	3.83	7.47	16.5	41.8	107.1	252.7	48
1941-1945*	3.26	1.31	0.97	1.74	2.41	2.46	3.27	6.43	14.0	36.0	93.5	206.6	44
1946-1950*	1.62	0.64	0.54	1.05	1.54	1.76	2.56	5.51	12.8	34.4	93.2	208.9	32
1951-1955	1.04	0.39	0.34	0.50	0.70	1.09	2.11	4.89	11.8	33.1	92.4	222.0	23
1956-1960	0.82	0.33	0.27	0.38	0.52	0.81	1.83	4.46	10.9	30.7	86.4	212.5	20
1944*	2.61	1.17	0.92	1.55	2.36	2.44	3.11	6.19	13.4	34.6	89.7	188.8	40
1945*	2.44	1.01	0.79	1.38	2.09	2.13	2.92	5.92	13.3	34.6	90.2	189.5	40
1946*	1.90	0.75	0.67	1.17	1.78	1.99	2.79	5.82	13.3	34.6	92.4	206.2	37
1947*	1.96	0.75	0.61	1.21	1.82	1.94	2.74	5.72	13.1	35.2	96.6	219.8	36
1948*	1.63	0.62	0.55	1.12	1.56	1.77	2.45	5.33	12.2	32.1	84.5	183.5	30
1949*	1.43	0.57	0.49	0.96	1.43	1.65	2.48	5.39	12.8	35.5	95.8	217.5	28
1950	1.27	0.53	0.41	0.78	1.09	1.45	2.32	5.30	12.6	34.7	96.6	216.9	26
1951	1.26	0.46	0.37	0.64	0.90	1.30	2.32	5.32	13.0	36.9	104.4	249.1	26
1952	1.03	0.41	0.34	0.52	0.76	1.10	2.09	4.90	11.9	32.3	89.6	212.3	24
1953	1.09	0.41	0.35	0.46	0.67	1.07	2.11	4.79	11.6	32.1	90.7	218.8	24
1954	0.82	0.34	0.31	0.46	0.63	1.01	2.09	4.75	11.4	31.6	87.4	209.7	22
1955	0.97	0.36	0.32	0.40	0.55	0.94	1.93	4.70	11.3	32.3	90.9	222.9	21
1956	0.83	0.33	0.27	0.36	0.53	0.87	1.90	4.52	11.2	31.8	90.1	222.7	20
1957	0.90	0.34	0.30	0.45	0.54	0.86	1.92	4.56	11.2	30.9	84.2	199.2	20
1958	0.77	0.31	0.24	0.35	0.54	0.80	1.80	4.50	10.9	30.9	87.5	215.6	20
1959	0.81	0.33	0.29	0.37	0.53	0.79	1.78	4.36	10.8	30.5	86.3	215.4	20
1960	0.78	0.34	0.26	0.36	0.44	0.73	1.73	4.35	10.6	29.5	84.4	210.4	19
1961	0.81	0.32	0.25	0.39	0.51	0.73	1.76	4.45	10.8	30.9	87.8	214.1	19
1962	0.77	0.32	0.25	0.35	0.48	0.76	1.78	4.39	10.8	30.2	86.9	213.8	19
1963	0.83	0.32	0.23	0.35	0.43	0.74	1.79	4.50	10.9	30.7	88.7	220.2	18

\* Civilian mortality only from 1st June 1941 to 31st December 1949.

† Based on related live births from 1931 to 1956.



TABLE 5. Deaths registered in each quarter, 1841 to 1963

England and Wales

See explanatory notes.

Period	Quarter ended											
	March	June	Sept.	Dec.	March	June	Sept.	Dec.	March	June	Sept.	Dec.
	Deaths : Persons				Deaths : Males				Deaths : Females			
1841-1850	1,029,485	926,091	892,964	920,856	522,415	471,969	452,208	462,533	507,070	454,122	440,756	458,323
1851-1860	1,157,916	1,040,596	965,924	1,046,279	587,846	532,002	491,400	527,288	570,070	508,594	474,524	518,991
1861-1870	1,323,406	1,156,834	1,126,288	1,187,970	677,517	597,458	578,694	605,820	645,889	559,376	547,594	582,150
1871-1880	1,422,776	1,259,064	1,195,003	1,301,468	731,877	658,545	621,924	667,070	690,899	600,519	573,079	634,398
1881-1890	1,459,550	1,271,775	1,194,102	1,319,343	744,679	661,355	618,271	674,011	714,871	610,420	575,831	645,332
1891-1900	1,562,345	1,337,754	1,311,675	1,363,601	790,553	697,093	682,542	695,038	771,792	640,661	629,133	668,563
1901-1910	1,490,235	1,246,735	1,185,415	1,326,389	756,871	648,442	621,683	679,360	733,364	598,293	563,732	647,029
1911-1920*	1,532,334	1,220,642	1,074,835	1,360,241	785,560	638,473	565,071	695,407	746,774	582,169	509,764	664,834
1921-1930	1,489,996	1,136,431	936,261	1,160,303	746,920	585,095	484,852	590,608	743,076	551,336	451,409	569,695
1931-1940*	1,578,974	1,177,988	1,005,878	1,229,368	798,598	604,458	518,256	630,300	780,376	573,530	487,622	599,068
1941-1950*	1,553,399	1,179,497	1,004,665	1,260,092	801,980	612,766	519,908	651,534	751,419	566,731	484,757	608,558
1951-1960	1,640,302	1,199,991	1,038,678	1,309,145	840,969	615,560	534,854	678,364	799,333	584,431	503,824	630,781
1953	171,350	114,644	98,545	118,990	87,706	59,119	50,977	61,688	83,644	55,525	47,568	57,302
1954	153,120	117,205	104,114	127,457	79,372	60,528	53,851	66,046	73,748	56,677	50,263	61,411
1955	168,645	124,230	101,677	124,312	86,465	63,433	52,582	64,496	82,180	60,797	49,095	59,816
1956	170,292	120,059	104,131	126,849	87,175	61,748	53,381	65,600	83,117	58,311	50,750	61,249
1957	134,557	118,122	110,037	152,154	68,995	60,972	56,828	79,612	65,562	57,150	53,209	72,542
1958	163,595	124,169	105,629	133,450	84,474	63,140	53,762	69,263	79,121	61,029	51,867	64,187
1959	176,880	120,172	103,398	127,201	90,251	61,404	52,919	65,304	86,629	58,768	50,479	61,897
1960	149,037	124,338	112,477	140,416	76,121	63,324	57,799	71,928	72,916	61,014	54,678	68,488
1961	177,043	125,194	110,747	138,768	90,012	63,669	56,141	70,960	87,031	61,525	54,606	67,808
1962	178,210	128,681	110,688	140,057	89,956	65,508	57,137	72,553	88,254	63,173	53,551	67,504
1963	196,875	129,013	113,918	133,062	99,493	65,681	58,699	68,537	97,382	63,332	55,219	64,525

\*See footnote to Table 3.

**TABLE 6. Standardised Mortality Ratios (all ages) and death rates per million population at ages under 15 years from the principal epidemic and general diseases, 1851-1963**

England and Wales

Note.1 For explanation of Standardised Mortality Ratio see explanatory note 6.  
2 Changes in cause assignment are allowed for throughout as far as possible.  
3 See explanatory notes.

Period	Standardised Mortality Ratios (base years 1950-52 taken as 100)											Death rates per million population at ages under 15 years				
	Tuberculosis (all forms) 001-019	Syphilis 020-029	Typhoid and paratyphoid fevers 040, 041	Meningococcal infections 057	Cancer 140-205	Diabetes Mellitus 260	Diseases of heart 410-443	Influenza 480-483	Pneumonia (all forms) 490-493, 763	Peptic ulcer 540-542	Suicide E970-E979	Scarlet fever 050	Diphtheria 055	Whooping cough 056	Poliomyelitis 080, 081	Measles 085
1851-1860	1,438															1,082
1861-1870	1,346										102	2,282	1,122	1,319		1,148
1871-1880	1,190		85,518								109	1,664	747	1,316		976
1881-1890	1,004		52,087								121	787	804	1,171		1,153
1891-1900	815		45,789					446			136	383	873	1,037		1,144
1901-1910	649		23,581			156		254			147	271	571	815		915
1911-1920*	541		8,926	246		162		605			120	123	437	554	13	838
1921-1930	362		2,729	157		154		345		90	136	64	298	405	11	389
1931-1939*	245		1,180	343	97	176		222		110	142	46	290	197	11	217
1940-1949*	196	150	387	355	98	129	91	90	125	102	100	7	112	111	11	62
1950-1959	60	80	59	82	101	88	94	69	105	93	108	0	1	17	9	13
1851-1855	1,502													1,338		1,047
1856-1860	1,377											1,919	1,347	1,300		1,114
1861-1865	1,370										101	2,307	1,389	1,336		1,189
1866-1870	1,323										103	2,258	871	1,405		1,109
1871-1875	1,217		98,690								103	1,760	788	1,282		962
1876-1880	1,165		73,165								116	1,575	709	1,349		988
1881-1885	1,053		57,187								117	1,012	828	1,180		1,070
1886-1890	958		47,292								124	572	781	1,163		1,234
1891-1895	867		45,643					514			137	434	875	1,070		1,104
1896-1900	767		45,934					383			135	331	872	1,003		1,184
1901-1905	690		29,456			148		233			149	319	653	874		955
1906-1910	610		18,029			163		274			146	224	491	756		874
1911-1915*	542		12,044	214		177		198		93	132	161	434	633	14	1,043
1916-1920*	540		5,734	281		148		985		88	109	84	439	473	12	625
1921-1925	393		3,147	125		149		359		89	125	79	302	448	11	420
1926-1930	333		2,331	191		159		333		109	145	48	294	360	12	357
1931-1935	270		1,277	407	97	172		260		109	150	50	293	223	11	270
1936-1939*	216		1,063	261	97	181		178		111	133	27	287	163	11	149
1940-1944*	221	178	564	585	97	153	92	129	146	109	95	11	192	140	7	78
1945-1949*	174	123	224	155	98	107	91	54	107	95	104	3	30	81	16	47
1950-1954	85	93	72	100	100	94	97	82	99	98	104	1	2	29	14	19
1955-1959	36	71	45	64	101	83	91	58	110	88	113	0	0	6	5	8
1949*	149	107	169	99	99	99	97	80	105	93	109	1	7	55	29	30
1950	119	102	83	96	100	104	101	55	91	96	102	1	4	41	33	22
1951	103	104	115	101	100	104	106	222	114	105	101	1	2	46	8	30
1952	79	94	102	103	100	92	94	24	95	99	97	1	2	18	10	14
1953	66	83	24	105	100	87	92	88	105	93	106	0	2	24	14	24
1954	58	81	36	94	101	81	92	24	90	98	112	1	1	13	5	5
1955	48	78	83	75	101	87	93	39	103	98	110	0	1	9	8	17
1956	39	76	41	69	101	85	93	34	108	94	115	0	0	9	4	2
1957	35	71	47	67	101	81	89	85	107	86	115	0	0	8	6	9
1958	32	68	23	52	101	84	92	30	111	84	113	0	0	3	4	5
1959	28	61	29	56	102	80	88	98	122	77	111	0	-	2	2	8
1960	24	60	17	33	102	88	89	13	110	78	107	-	0	3	1	3
1961	24	56	11	44	102	95	91	86	129	73	109	0	1	3	3	13
1962	22	51	39	45	103	92	92	40	135	77	116	0	0	2	1	4
1963	21	50	28	47	103	91	93	38	154	71	118	0	0	3	0	10

\* Civilian mortality only in 1915-20 and from 3rd September 1939 to 31st December 1949, for males, and from 1st June 1941 to 31st December 1949, for females.



TABLE 7. Deaths by cause and sex at all ages, 1953 to 1963

England and Wales

Note. 1 The following categories of the 1955 International Statistical Classification are not applicable to primary death tabulation and are therefore omitted from this table: 306, 308, 649, 775.

2 Deaths due to certain underlying causes where the interval since onset was stated to exceed one year have for certain years been assigned to other conditions mentioned on the certificate. The numbers of such 'late effects' are given in footnotes. The years and categories affected are as follows:  
1953 and on: 040-043, 050, 055, 056, 058, 085-087, 100-108, 640-689.  
1958 and on: 051, 052, 057-0, 057-1, 057-3, 059, 061, 089, 091, 094, 480-483, 490-493.

3 For causes from which there have been few deaths from 1953, see list at end of table.

4 See explanatory notes.

ICD No.	Causes of death		1953	1954	1955	1956	1957	1958	1959	1960	1961	1962	1963
	ALL CAUSES	M	259,490	259,797	266,976	267,904	266,407	270,639	269,878	269,172	280,782	285,154	292,410
		F	244,039	242,099	251,888	253,427	248,463	256,204	257,773	257,096	270,970	272,482	280,458
001-138	I INFECTIVE AND PARASITIC DISEASES	M	8,042	7,066	6,249	5,340	4,976	4,543	4,142	3,762	3,674	3,455	3,328
		F	4,407	3,679	3,180	2,678	2,501	2,317	1,991	1,868	1,965	1,716	1,698
001-019	Tuberculosis (all forms)	M	5,964	5,392	4,533	3,804	3,414	3,207	2,810	2,502	2,406	2,282	2,191
		F	2,938	2,505	1,959	1,571	1,370	1,273	1,044	933	928	806	769
001-008	Tuberculosis of respiratory system	M	5,447	4,944	4,172	3,534	3,150	2,949	2,620	2,342	2,240	2,101	2,022
		F	2,466	2,125	1,665	1,319	1,099	1,050	854	763	762	673	587
001	With mention of occupational disease	M	298	276	296	247	215	215	199	215	171	166	154
		F	6	4	6	6	-	6	4	7	5	6	4
002	Pulmonary	M	5,107	4,630	3,844	3,263	2,899	2,706	2,402	2,117	2,060	1,922	1,857
		F	2,426	2,083	1,630	1,291	1,085	1,028	839	746	751	662	574
003	Pleural	M	34	30	25	18	31	23	13	5	7	10	8
		F	29	33	25	19	11	11	8	7	4	2	6
	0 Pleurisy specified as tuberculous	M	11	15	10	6	12	8	7	4	6	8	6
		F	12	10	4	4	1	2	1	1	2	1	2
	1 Pleurisy with effusion without mention of cause	M	23	15	15	12	19	15	6	1	1	2	2
		F	17	23	21	15	10	9	7	6	2	1	4
005	Tracheobronchial glandular, with symptoms	M	3	5	4	4	1	4	2	2	-	-	-
		F	2	3	4	2	1	3	-	-	-	1	1
007	Other respiratory	M	3	1	-	-	1	-	-	2	-	-	-
		F	1	-	-	-	1	-	3	-	1	-	-
008	Unspecified site	M	2	2	3	2	3	1	4	1	2	3	3
		F	1	1	-	1	1	2	-	3	1	2	1
010-019	Tuberculosis, other forms	M	517	448	361	270	264	258	190	160	166	181	169
		F	472	380	294	252	271	223	190	170	166	133	182
010	Meninges and central nervous system	M	177	96	67	39	47	44	50	26	35	39	37
		F	168	95	65	52	63	49	37	35	30	24	34
011	Intestines, peritoneum, and mesenteric glands	M	60	38	45	35	28	25	17	17	20	13	14
		F	59	58	41	35	27	35	21	15	25	19	25
012	Bones and joints, active or unspecified	M	68	75	67	48	42	49	37	31	33	39	25
		F	71	65	44	36	49	43	48	35	30	19	40
	0 Vertebral column	M	47	58	52	37	33	38	26	27	26	36	18
		F	51	56	35	28	39	34	40	26	22	15	29
	1-3 Other	M	21	17	15	11	9	11	11	4	7	3	7
		F	20	9	9	8	10	9	8	9	8	4	11
013	Late effects, bones and joints	M	3	2	6	4	2	2	-	2	2	4	3
		F	2	2	2	5	3	-	5	4	3	1	3
014	Skin and subcutaneous cellular tissue	M	2	-	1	-	2	2	-	-	-	-	-
		F	3	7	3	4	2	6	3	2	2	1	-
015	Lymphatic system	M	9	10	11	9	5	3	5	3	1	2	4
		F	15	10	10	6	13	4	9	5	4	5	8
016	Genito-urinary system	M	109	121	87	82	81	64	44	45	37	48	42
		F	79	64	52	64	44	36	43	34	37	28	26
017	Adrenal glands	M	19	14	6	11	9	13	8	5	4	7	6
		F	12	9	7	5	9	7	5	7	4	5	9
018	Other organs	M	8	9	11	6	10	7	5	8	9	7	11
		F	7	4	13	6	13	9	5	3	5	5	7
019	Disseminated	M	62	83	60	36	38	49	24	23	25	22	27
		F	56	66	57	39	48	34	14	30	26	26	30
	0-1 Acute miliary tuberculosis	M	3	5	4	2	3	5	2	1	1	-	3
		F	5	7	3	1	5	5	3	1	1	1	3
	2 Other forms	M	59	78	56	34	35	44	22	22	24	22	24
		F	51	59	54	38	43	29	11	29	25	25	27

TABLE 7 - continued

ICD No.	Causes of death		1953	1954	1955	1956	1957	1958	1959	1960	1961	1962	1963
020-029	Syphilis and its sequelae	M F	850 375	808 398	795 368	772 378	728 344	653 388	627 331	623 321	556 344	509 313	461 331
020	Congenital syphilis	M F	10 3	6 6	2 4	6 8	3 7	10 3	5 2	4 2	3 2	3 5	3 1
022	Aneurysm of aorta	M F	319 149	307 166	332 173	329 171	358 183	306 219	295 190	312 186	286 194	303 198	271 201
023	Other cardiovascular syphilis	M F	282 131	278 115	281 112	271 126	231 88	208 94	181 68	186 75	159 92	126 71	111 111
024	Tabes dorsalis	M F	87 26	70 26	53 24	66 15	53 22	41 16	50 22	44 17	41 19	23 6	21 1
025	General paralysis of insane	M F	91 26	89 37	84 36	58 28	48 20	57 28	62 27	56 22	37 17	28 16	31 1
026	Other syphilis of central nervous system	M F	37 25	47 32	27 13	33 19	26 18	17 20	22 16	12 14	21 12	23 13	21 1
027	Other forms of late syphilis	M F	18 13	8 15	13 5	10 9	7 4	10 6	9 6	7 4	6 7	2 3	1 1
029	Syphilis, unqualified	M F	6 1	3 1	3 1	1 1	2 2	4 2	3 -	2 1	3 -	1 1	1 1
030-039	Gonococcal infection and other venereal diseases	M F	6 -	13 -	3 2	8 -	5 1	21 1	24 -	29 2	14 -	9 -	11 -
030	Acute or unspecified gonorrhoea	M F	- -	2 -	- -	1 -	2 -	1 -	- -	- -	- -	- -	- -
035	Late effects of gonococcal infection	M F	6 -	7 -	2 -	6 -	3 -	18 -	23 -	28 -	12 -	9 -	11 -
040-049	Infectious diseases commonly arising in intestinal tract	M F	53 47	48 33	58 51	46 55	42 38	42 36	40 42	40 41	34 34	38 20	41 21
040	Typhoid fever*	M F	1 2	- 3	4 2	- 2	1 5	2 -	2 1	2 -	1 -	2 -	2 -
041	Paratyphoid fever*	M F	- 1	1 2	3 5	2 3	- 2	1 1	- 2	- 1	1 -	3 -	- -
042	Other Salmonella infections*	M F	23 20	22 11	25 19	20 26	29 20	21 15	18 18	20 17	17 14	10 11	11 -
044	Brucellosis (undulant fever)	M F	2 2	- -	- 1	2 1	- -	1 -	- 1	- -	- -	1 -	- -
045	Bacillary dysentery	M F	13 15	12 13	15 12	13 13	7 8	12 14	14 12	9 17	11 17	16 5	11 -
046	Amoebiasis	M F	5 1	6 2	7 1	2 1	4 1	3 1	4 2	5 2	4 -	4 -	4 -
048	Unspecified forms of dysentery	M F	1 1	4 2	1 4	2 2	- 2	1 -	- 1	1 2	- 2	1 2	- -
049	Food poisoning (infection and intoxication)	M F	8 5	3 -	3 7	5 7	1 -	1 4	2 5	3 2	- 1	1 -	- -
050-064	Other bacterial diseases	M F	419 388	321 294	241 216	257 209	208 208	169 159	180 134	148 125	169 144	190 132	191 131
050	Scarlet fever*	M F	2 2	2 2	- 2	- 1	1 2	3 1	- 1	- -	- 3	- 2	- -
051	Streptococcal sore throat*	M F	15 19	13 12	14 10	15 13	7 9	4 6	12 8	10 13	2 6	2 6	- -
052	Erysipelas*	M F	9 13	9 5	7 6	3 4	5 1	2 5	3 3	4 3	- 3	- 7	- -
053	Septicaemia and pyaemia	M F	67 52	55 66	37 39	57 40	38 39	45 36	38 32	47 29	63 39	64 45	61 41
	0 Streptococcus	M F	12 9	6 7	4 4	8 6	4 5	6 6	6 5	4 3	10 3	4 4	- -
	1 Staphylococcus	M F	20 15	15 26	12 16	18 12	10 11	23 9	17 13	21 9	28 10	24 18	21 11

\* Excluding the following 'late effects' (see note 2 at head of table):

	1953	1954	1955	1956	1957	1958	1959	1960	1961	1962	1963
040 Typhoid fever	M	-	1	-	-	2	-	1	-	-	2
	F	-	-	-	2	1	1	1	1	-	-
041 Paratyphoid fever	M	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-
042 Other Salmonella infections	M	-	-	-	-	-	1	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-
050 Scarlet fever	M	6	8	8	8	3	1	5	3	2	1
	F	17	15	11	6	4	3	4	5	3	1
051 Streptococcal sore throat	M	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-
052 Erysipelas	M	-	-	-	-	-	1	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-



TABLE 7 - continued

ICD No.	Causes of death		1953	1954	1955	1956	1957	1958	1959	1960	1961	1962	1963
	2 Pneumococcus	M	3	4	5	3	3	3	-	1	5	5	1
		F	6	1	1	2	2	2	-	-	3	3	1
	3 Other specified organism	M	3	6	6	3	1	1	1	1	4	8	7
		F	3	3	2	2	2	1	1	3	4	1	2
	4 Organism unspecified	M	29	24	10	27	20	12	14	20	16	23	24
		F	19	29	16	18	19	18	13	14	19	19	18
055	Diphtheria*	M	10	3	6	2	2	4	-	2	3	2	1
		F	10	5	6	1	2	4	-	3	7	-	1
056	Whooping cough*	M	104	66	45	41	32	13	11	20	17	15	15
		F	139	73	42	51	55	14	14	17	10	9	21
057	Meningococcal infections*	M	166	138	105	109	94	71	97	46	65	88	88
		F	125	121	100	80	90	74	62	49	65	50	58
061	Tetanus	M	37	28	23	22	23	10	17	15	15	13	10
		F	24	9	10	15	5	10	8	3	9	6	3
062	Anthrax	M	1	1	1	3	1	-	-	1	-	1	1
		F	-	-	-	-	-	-	-	-	-	-	-
063	Gas gangrene	M	4	5	3	4	4	5	1	2	3	3	4
		F	3	1	-	1	4	4	1	4	1	3	7
064	Other bacterial diseases	M	2	1	-	1	-	12	1	1	1	1	2
		F	1	-	-	2	1	5	5	3	-	3	3
070-074	Spirochaetal diseases, except syphilis	M	28	25	27	11	18	19	11	10	14	14	3
		F	5	2	2	1	3	1	2	1	-	2	-
070	Vincent's infection	M	2	-	2	-	1	-	1	-	-	-	-
		F	2	-	1	1	2	-	2	-	-	1	-
072	Leptospirosis	M	26	25	24	11	17	18	10	10	14	14	3
		F	2	2	1	-	-	1	-	-	-	1	-
080-096	Diseases attributable to viruses	M	680	395	536	382	493	380	381	344	415	337	352
		F	607	401	529	402	478	399	380	389	448	375	344
080	Acute poliomyelitis	M	199	73	150	68	143	71	41	19	44	12	2
		F	121	39	91	46	83	58	25	4	15	6	1
	0 Specified as bulbar or polio-encephalitis	M	102	29	73	25	63	34	14	7	11	2	1
		F	52	17	41	15	30	18	15	3	5	3	-
	1 With other paralysis	M	28	13	23	14	21	14	6	6	9	5	-
		F	15	4	17	9	16	14	1	-	1	2	-
	3 Unspecified	M	69	31	54	29	59	23	21	6	24	5	1
		F	54	18	33	22	37	26	9	1	9	1	1
081	Late effects of acute poliomyelitis	M	8	11	11	9	21	11	11	12	12	14	24
		F	10	11	18	14	8	14	10	11	8	13	11
082	Acute infectious encephalitis	M	70	51	49	58	59	52	55	62	56	60	52
		F	64	37	38	48	50	40	53	62	64	57	35
083	Late effects of acute infectious encephalitis	M	99	80	81	82	55	72	64	54	48	46	51
		F	84	95	77	67	50	63	44	60	38	43	39
084	Smallpox*	M	6	-	-	-	1	1	-	-	-	7	-
		F	2	-	-	-	1	-	-	-	-	19	-
085	Measles*	M	140	24	85	14	53	23	49	13	79	20	62
		F	102	21	89	14	41	26	49	18	73	19	65
086	Rubella (German measles)*	M	3	2	-	-	1	1	-	2	1	2	1
		F	3	-	-	1	1	1	-	1	1	4	-
087	Chickenpox	M	10	8	4	4	5	7	10	8	10	17	13
		F	2	9	5	8	9	5	6	11	8	6	9
088	Herpes zoster	M	8	17	25	17	24	21	16	14	18	22	17
		F	38	30	41	45	49	44	33	34	48	30	38
089	Mumps	M	4	7	3	4	3	4	1	4	6	2	2
		F	5	2	8	-	6	4	7	6	7	1	5
092	Infectious hepatitis	M	126	108	116	116	119	110	119	139	123	113	106
		F	162	151	159	156	173	135	145	169	173	168	124

\* Excluding the following 'late effects' (see note 2 at head of table):

		1953	1954	1955	1956	1957	1958	1959	1960	1961	1962	1963
055	Diphtheria	M	1	-	-	3	-	-	1	2	-	2
		F	2	1	1	2	-	3	2	4	1	3
056	Whooping cough	M	-	-	-	1	-	-	-	1	-	-
		F	-	-	1	2	-	1	-	2	-	-
057	Meningococcal infections	M	-	-	-	-	1	1	-	-	-	-
		F	-	-	-	-	2	2	-	1	-	-
085	Measles	M	2	5	2	1	1	1	1	1	-	-
		F	1	-	-	1	1	1	-	-	-	-
086	Rubella (German measles)	M	-	-	-	-	-	-	-	-	-	-
		F	-	1	-	-	-	-	-	-	-	-

TABLE 7 - continued

ICD No.	Causes of death		1953	1954	1955	1956	1957	1958	1959	1960	1961	1962	1963
093	Glandular fever (infectious mononucleosis)	M F	1 2	2 2	3 -	5 1	3 2	2 2	2 1	4 2	5 3	4 2	4 1
096	Other diseases attributable to viruses	M F	6 11	12 4	8 3	4 2	6 5	5 7	13 7	13 11	13 10	18 7	18 16
100-108	Typhus and other rickettsial diseases	M F	- 1	- -	- -	- -	- -	- -	1 -	1 -	- -	- -	1 1
110-117	Malaria	M F	4 -	9 -	5 -	3 1	3 1	2 2	- 2	3 -	6 -	4 1	4 2
112	Falciparum malaria (malignant tertian)	M F	4 -	5 -	4 -	1 1	1 1	2 2	- 1	1 -	- -	4 1	3 1
116	Other and unspecified forms of malaria	M F	- -	4 -	1 -	2 -	1 -	- 1	- 1	2 -	5 -	- -	1 1
120-138	Other infective and parasitic diseases	M F	38 46	55 46	51 53	57 61	65 58	50 58	68 56	62 56	60 67	72 67	44 84
122	Other protozoal diseases	M F	2 4	5 5	1 1	1 1	3 1	1 -	1 2	2 -	1 -	1 3	- 1
123	Schistosomiasis	M F	1 -	1 -	2 -	- 1	- -	1 1	1 -	1 1	1 -	2 1	1 -
125	Hydatid disease	M F	6 7	5 3	6 6	4 6	11 8	2 -	7 8	5 8	3 5	9 7	3 2
126	Other cestode infestation	M F	1 -	2 2	3 1	5 -	5 1	- 1	4 -	1 -	2 -	1 -	1 -
132	Actinomycosis	M F	2 5	5 2	4 -	1 4	4 2	3 4	4 -	1 1	2 -	5 -	1 -
134	Other fungus infections	M F	12 7	13 6	9 5	14 7	13 8	9 11	16 7	21 15	17 13	13 10	12 18
138	Other infective and parasitic diseases	M F	9 23	21 28	24 39	31 41	27 38	33 39	35 39	30 31	34 48	39 45	26 62
140-239	II NEOPLASMS	M F	46,773 42,907	48,104 43,727	48,907 44,097	49,675 44,679	50,792 44,853	51,273 45,727	52,324 46,069	53,392 46,777	54,045 47,188	55,292 47,560	55,846 47,964
140-205	Malignant neoplasms including neoplasms of lymphatic and haematopoietic tissues	M F	45,935 41,989	47,313 42,782	48,160 43,180	48,935 43,775	50,056 43,961	50,735 45,069	51,783 45,334	52,779 46,009	53,441 46,474	54,735 46,873	55,192 47,224
140-148	Malignant neoplasm of buccal cavity and pharynx	M F	1,402 568	1,516 641	1,421 650	1,234 654	1,259 669	1,267 657	1,249 613	1,120 666	1,070 645	1,061 631	978 602
140	Lip	M F	116 8	104 13	109 13	80 13	83 9	83 4	74 10	68 13	85 9	63 7	55 6
	0 Upper lip	M F	* *	* *	* *	* *	* *	8 -	10 2	1 8	9 3	5 3	3 2
	1 Lower lip	M F	* *	* *	* *	* *	* *	71 4	53 7	54 10	70 4	51 3	47 3
	8, 9 Both lips, unspecified	M F	* *	* *	* *	* *	* *	4 -	11 1	6 2	6 2	7 1	5 1
141	Tongue	M F	424 143	442 146	393 150	359 165	336 158	359 143	363 152	307 134	273 145	289 128	268 124
	0 Base of tongue	M F	* *	* *	* *	* *	* *	137 47	134 34	103 39	99 44	113 29	93 34
	7 Other specified parts of tongue	M F	* *	* *	* *	* *	* *	180 77	180 98	158 80	135 77	132 81	136 68
	8, 9 Multiple and unspecified parts of tongue	M F	* *	* *	* *	* *	* *	42 19	49 20	46 15	39 24	44 18	49 22
142	Salivary gland	M F	80 51	80 60	75 65	78 57	81 64	90 76	67 77	77 64	86 54	74 73	66 58
	0 Parotid gland	M F	* *	* *	* *	* *	* *	74 68	55 62	59 51	69 44	62 59	47 41
	7 Other salivary gland	M F	* *	* *	* *	* *	* *	14 8	10 13	16 13	13 8	12 13	16 11
	8, 9 Multiple and unspecified salivary gland	M F	* *	* *	* *	* *	* *	2 -	2 2	3 -	4 2	- 1	3 6

\* Comparable figures not available.



TABLE 7 - continued

CD No.	Causes of death		1953	1954	1955	1956	1957	1958	1959	1960	1961	1962	1963
143	Floor of mouth	M	80	85	90	78	63	57	71	73	71	63	94
		F	16	23	22	21	20	21	23	23	21	18	23
144	Other parts of mouth and mouth unspecified	M	193	226	223	199	186	208	185	173	158	153	122
		F	66	63	71	82	71	84	49	95	81	72	68
145	Oral mesopharynx	M	167	180	141	110	153	183	154	143	118	142	104
		F	32	46	46	44	47	42	55	49	48	61	44
	0 Tonsil (excluding pillars)	M	*	*	*	*	*	144	121	112	87	98	75
		F	*	*	*	*	*	39	46	43	37	53	35
	7-9 Other multiple and unspecified parts of oral mesopharynx	M	*	*	*	*	*	39	33	31	31	44	29
		F	*	*	*	*	*	3	9	6	11	8	9
146	Nasopharynx	M	69	100	83	73	78	86	98	83	91	92	80
		F	31	38	30	42	45	42	33	39	47	41	47
147	Hypopharynx	M	100	98	106	83	85	133	169	142	133	125	150
		F	146	153	154	152	157	209	180	218	210	211	193
148	Pharynx, unspecified	M	173	201	201	174	194	68	68	54	55	60	39
		F	75	99	99	78	98	36	34	31	30	20	39
150-159	Malignant neoplasm of digestive organs and peritoneum	M	19,740	19,545	19,376	19,077	19,348	19,136	19,160	19,023	19,030	19,061	19,067
		F	18,052	18,227	18,226	18,060	17,882	18,365	18,585	18,440	18,330	18,412	18,443
150	Oesophagus	M	1,330	1,301	1,352	1,372	1,306	1,300	1,369	1,301	1,356	1,391	1,375
		F	860	925	951	952	956	993	955	1,007	1,055	1,050	1,064
151	Stomach	M	8,016	7,818	7,942	7,712	7,951	7,934	7,930	7,846	7,784	7,722	7,744
		F	6,176	6,232	6,146	6,163	5,966	6,178	6,146	6,107	6,004	5,874	5,937
152	Small intestine, including duodenum	M	110	101	104	111	97	110	104	117	136	121	91
		F	99	93	101	98	75	108	104	133	102	106	112
	0 Duodenum	M	*	*	*	*	*	23	33	36	38	39	24
		F	*	*	*	*	*	25	32	36	26	19	26
	7-9 Other multiple and unspecified parts of small intestine	M	*	*	*	*	*	87	71	81	98	82	67
		F	*	*	*	*	*	83	72	97	76	87	86
153	Large intestine, except rectum	M	4,148	4,031	3,904	3,795	3,793	3,698	3,611	3,612	3,678	3,693	3,567
		F	5,527	5,451	5,505	5,433	5,388	5,431	5,542	5,448	5,455	5,473	5,391
	3 Sigmoid colon	M	*	*	*	*	*	1,418	1,306	1,297	1,336	1,314	1,208
		F	*	*	*	*	*	1,827	1,854	1,765	1,711	1,782	1,643
	0-2, 7, 8 Other parts of large intestine	M	*	*	*	*	*	2,238	2,262	2,281	2,302	2,343	2,314
		F	*	*	*	*	*	3,551	3,628	3,634	3,693	3,627	3,696
	9 Intestinal tract, part unspecified	M	*	*	*	*	*	42	43	34	40	36	45
		F	*	*	*	*	*	53	60	49	51	64	52
154	Rectum	M	3,236	3,321	3,173	3,152	3,102	3,132	3,059	3,029	2,919	2,953	2,935
		F	2,416	2,461	2,380	2,368	2,275	2,501	2,602	2,444	2,428	2,440	2,533
155	Biliary passages and of liver (stated to be primary site)	M	458	516	462	486	535	579	603	575	609	619	639
		F	732	761	760	812	784	909	871	883	862	935	889
	0 Liver	M	*	*	*	*	*	213	243	230	272	256	252
		F	*	*	*	*	*	178	180	212	188	205	166
	1, 8 Gallbladder, other and multiple sites	M	*	*	*	*	*	366	360	345	337	363	387
		F	*	*	*	*	*	731	691	671	674	730	723
156	Liver (secondary and unspecified)†	M	561	514	476	457	494	273	287	319	317	325	300
		F	516	548	508	489	474	297	314	292	298	298	293
157	Pancreas	M	1,718	1,766	1,822	1,839	1,885	1,980	2,081	2,077	2,075	2,103	2,238
		F	1,483	1,522	1,619	1,546	1,710	1,747	1,851	1,882	1,904	2,017	1,985
158	Peritoneum	M	148	162	126	130	95	80	108	124	102	102	134
		F	225	216	231	180	230	156	163	200	177	186	191
159	Unspecified digestive organs	M	15	15	15	23	22	35	36	39	32	32	44
		F	18	18	25	19	24	45	37	44	45	33	48
160-165	Malignant neoplasm of respiratory system	M	13,816	14,834	15,669	16,452	17,212	17,899	19,026	19,759	20,289	21,064	21,563
		F	2,565	2,668	2,781	2,879	2,983	3,092	3,202	3,441	3,652	3,806	3,948
160	Nose, nasal cavities, middle ear, and accessory sinuses	M	130	125	118	134	114	123	121	120	99	114	115
		F	99	104	82	97	86	96	96	126	91	115	93
	0 Nose (internal) and nasal cavities	M	*	*	*	*	*	16	30	24	13	24	21
		F	*	*	*	*	*	14	7	21	12	21	8
	1 Eustachian tube and middle ear	M	*	*	*	*	*	8	11	9	22	15	16
		F	*	*	*	*	*	12	14	18	14	13	16
	2 Maxillary sinus	M	*	*	*	*	*	84	72	79	60	64	68
		F	*	*	*	*	*	63	71	80	63	72	61
	7 Other specified sinus (accessory)	M	*	*	*	*	*	10	6	5	4	10	9
		F	*	*	*	*	*	6	4	5	-	8	7
	8, 9 Multiple and unspecified sites of nose, etc.	M	*	*	*	*	*	5	2	3	-	1	1
		F	*	*	*	*	*	1	-	2	2	1	1

† 156. Enquiries made from 1958 onwards.

\* Comparable figures not available.

TABLE 7 - continued

ICD No.	Causes of death		1953	1954	1955	1956	1957	1958	1959	1960	1961	1962	1963
161	Larynx	M F	737 168	662 181	695 202	675 169	661 174	662 171	643 180	689 157	652 165	626 153	632 140
162, 163	Trachea, bronchus and lung	M F	12,835 2,239	13,941 2,323	14,761 2,438	15,544 2,553	16,358 2,670	17,040 2,780	18,181 2,882	18,862 3,118	19,460 3,350	20,278 3,501	20,757 3,677
162	Bronchus and trachea, and of lung specified as primary	M F	* *	* *	9,520 1,553	10,141 1,665	10,740 1,744	11,432 1,847	12,231 1,881	12,843 2,101	13,360 2,190	13,912 2,335	14,644 2,518
	0 Trachea	M F	* *	* *	* *	* *	* *	27 9	27 11	17 8	33 11	24 11	27 15
	1 Bronchus and lung	M F	* *	* *	* *	* *	* *	11,397 1,838	12,198 1,866	12,824 2,091	13,323 2,178	13,882 2,321	14,611 2,502
	2 Pleura	M F	* *	* *	* *	* *	* *	6 -	3 4	1 2	4 1	4 1	2 1
	8 Multiple sites	M F	* *	* *	* *	* *	* *	2 -	3 -	1 -	- -	2 2	4 -
163	Lung, unspecified as to whether primary or secondary	M F	* *	* *	5,241 885	5,403 888	5,618 926	5,608 933	5,950 1,001	6,039 1,017	6,100 1,160	6,366 1,166	6,113 1,159
164	Mediastinum	M F	99 39	82 43	76 39	68 42	57 36	58 29	66 29	50 28	58 24	32 20	36 28
165	Thoracic organs (secondary)	M F	15 20	24 17	19 20	31 18	22 17	16 16	15 15	18 12	20 22	14 17	23 10
170-181	Malignant neoplasm of breast and genito-urinary organs	M F	6,031 16,304	6,281 16,528	6,373 16,810	6,657 17,028	6,591 17,139	6,800 17,840	6,704 17,593	6,903 18,098	6,975 18,261	7,414 18,414	7,314 18,394
170	Breast	M F	81 8,115	80 8,315	77 8,449	69 8,522	70 8,552	73 8,949	62 8,708	63 9,059	81 9,286	79 9,351	70 9,442
171	Cervix uteri	F	2,468	2,397	2,472	2,494	2,456	2,702	2,555	2,599	2,504	2,511	2,465
172	Corpus uteri	F	1,197	1,179	1,141	1,176	1,207	1,189	1,214	1,245	1,245	1,255	1,187
173	Other parts of uterus, including chorioneplithelioma	F	41	48	28	39	36	34	39	38	21	40	35
174	Uterus, unspecified	F	200	203	203	212	213	190	195	206	211	209	282
175	Ovary, Fallopian tube, and broad ligament	F	2,551	2,601	2,771	2,791	2,854	2,890	2,939	2,959	3,057	3,061	3,050
	0 Ovary	F	*	*	*	*	*	2,866	2,919	2,933	3,031	3,032	3,025
	1 Fallopian tube and broad ligament	F	*	*	*	*	*	21	19	24	25	27	24
	8, 9 Multiple and unspecified sites of ovary, etc.	F	*	*	*	*	*	3	1	2	1	2	1
176	Other and unspecified female genital organs	F	472	488	477	475	519	519	530	541	492	520	502
	0 Vulva	F	*	*	*	*	*	365	373	390	360	376	356
	1 Vagina	F	*	*	*	*	*	143	150	141	124	138	139
	7-9 Other multiple and unspecified sites of female genital organs	F	*	*	*	*	*	11	7	10	8	6	7
177	Prostate	M	3,157	3,327	3,315	3,538	3,460	3,614	3,590	3,655	3,658	3,820	3,795
178	Testis	M	197	217	165	201	175	203	193	224	185	207	216
179	Other and unspecified male genital organs	M	123	127	162	140	139	140	143	111	149	129	139
	0 Penis	M	*	*	*	*	*	110	106	86	121	105	104
	1 Scrotum	M	*	*	*	*	*	28	30	22	25	19	32
	7-9 Other multiple and unspecified sites of male genital organs	M	*	*	*	*	*	2	7	3	3	5	3
180	Kidney	M F	655 443	676 455	706 421	700 463	704 433	761 504	704 459	710 518	750 518	842 501	824 522
181	Bladder and other urinary organs	M F	1,818 797	1,854 842	1,948 848	2,009 856	2,043 869	2,009 863	2,012 954	2,140 933	2,152 927	2,337 966	2,270 909
	0, 8 Bladder	M F	* *	* *	* *	* *	* *	1,997 849	1,993 932	2,125 912	2,137 898	2,323 941	2,250 890
	7 Other urinary organs and sites	M F	* *	* *	* *	* *	* *	12 14	19 22	15 21	15 29	14 25	20 19
190-199	Malignant neoplasm of other and unspecified sites	M F	2,605 2,681	2,715 2,784	2,834 2,727	2,975 3,039	2,919 3,124	2,926 2,904	2,853 2,952	2,954 2,902	3,108 3,068	3,141 3,027	3,099 3,256
190	Malignant melanoma of skin	M F	132 168	144 185	164 213	166 181	145 247	125 206	161 220	168 224	155 232	171 250	185 236
191	Other malignant neoplasm of skin	M F	337 292	325 264	312 262	310 249	316 254	282 235	265 228	269 232	276 218	248 206	224 208

\* Comparable figures not available.



TABLE 7 - continued

CD No.	Causes of death		1953	1954	1955	1956	1957	1958	1959	1960	1961	1962	1963
192	Eye	M	51	53	53	57	60	63	61	60	61	87	64
		F	57	69	44	56	51	62	70	67	77	64	61
193	Brain and other parts of nervous system	M	811	831	903	889	894	1,079	1,046	1,102	1,135	1,137	1,119
		F	589	624	611	659	667	794	823	788	847	783	848
	0 Brain	M	*	*	*	*	*	998	983	1,029	1,042	1,024	987
		F	*	*	*	*	*	743	750	722	757	700	751
	1 Spinal cord	M	*	*	*	*	*	15	11	14	13	17	20
		F	*	*	*	*	*	10	23	13	11	14	20
	2 Meninges	M	*	*	*	*	*	7	7	2	2	6	5
		F	*	*	*	*	*	3	8	5	5	12	13
	3 Peripheral nerves	M	*	*	*	*	*	2	3	5	1	7	4
		F	*	*	*	*	*	2	4	5	3	1	3
	4 Sympathetic nervous system	M	*	*	*	*	*	35	29	27	39	40	38
		F	*	*	*	*	*	17	27	29	37	25	28
	8, 9 Multiple and unspecified sites of brain, etc.	M	*	*	*	*	*	22	13	25	38	43	65
		F	*	*	*	*	*	19	11	14	34	31	33
194	Thyroid gland	M	91	99	95	113	89	92	100	102	97	110	100
		F	264	268	268	272	264	244	280	274	278	275	300
195	Other endocrine glands	M	52	60	62	66	71	67	58	51	45	59	51
		F	49	38	46	55	54	45	38	42	48	37	50
	0 Suprarenal gland	M	*	*	*	*	*	46	40	40	33	42	32
		F	*	*	*	*	*	29	21	30	28	25	35
	3 Pituitary gland and craniopharyngeal duct	M	*	*	*	*	*	6	4	4	5	6	6
		F	*	*	*	*	*	7	6	2	5	4	5
	1, 2, 4-8 Other and multiple	M	*	*	*	*	*	15	14	7	7	11	13
		F	*	*	*	*	*	9	11	10	15	8	10
196	Bone	M	396	356	346	385	351	354	330	337	349	322	280
		F	300	319	266	304	288	300	265	255	262	259	240
197	Connective tissue	M	92	119	111	121	125	113	110	108	133	141	123
		F	82	105	102	111	103	112	93	96	109	149	119
198	Secondary and unspecified malignant neoplasm of lymph nodes	M	38	43	43	37	37	45	43	39	35	51	50
		F	29	29	17	14	22	21	16	29	26	25	28
199	Other and unspecified sites	M	605	685	745	831	831	706	679	718	822	815	903
		F	851	883	898	1,138	1,174	885	919	895	963	979	1,166
200-205	Neoplasms of lymphatic and haematopoietic tissues	M	2,341	2,422	2,487	2,540	2,727	2,707	2,791	3,020	2,969	2,994	3,171
		F	1,819	1,934	1,986	2,115	2,164	2,211	2,389	2,462	2,526	2,583	2,581
200	Lymphosarcoma and reticulosarcoma	M	454	460	466	459	486	517	552	591	580	613	652
		F	301	338	382	372	381	429	442	451	516	473	495
	0 Reticulum-cell sarcoma	M	131	127	167	169	170	195	203	222	215	229	268
		F	111	108	130	144	157	175	171	176	218	186	218
	1 Lymphosarcoma	M	283	286	270	266	284	298	322	332	343	360	352
		F	166	203	221	194	207	235	243	252	275	252	255
	2 Other primary malignant neoplasms of lymphoid tissue	M	40	47	29	24	32	24	27	37	22	24	32
		F	24	27	31	34	17	19	28	23	23	35	22
201	Hodgkin's disease	M	488	493	495	507	584	472	543	508	545	550	521
		F	287	288	284	309	288	314	332	355	307	352	305
202	Other forms of lymphoma (reticulosis)	M	82	93	75	78	78	110	70	93	92	93	96
		F	64	59	52	62	76	87	72	80	86	79	84
	0 Giant follicular lymphoma (Brill-Symmers' disease)	M	16	13	11	13	7	14	17	21	16	13	19
		F	6	7	18	7	13	17	19	21	12	15	21
	1 Other	M	66	80	64	65	71	96	53	72	76	80	77
		F	58	52	34	55	63	70	53	59	74	64	63
203	Multiple myeloma (plasmocytoma)	M	190	218	217	250	268	298	295	335	330	334	375
		F	149	217	261	277	314	290	311	350	369	356	374
204	Leukaemia and aleukaemia	M	1,116	1,142	1,223	1,229	1,301	1,301	1,315	1,476	1,408	1,392	1,511
		F	1,005	1,018	1,001	1,086	1,093	1,085	1,219	1,218	1,237	1,315	1,319
	0 Lymphatic leukaemia	M	278	296	310	288	339	270	284	309	306	320	328
		F	201	224	214	211	222	184	228	220	225	217	236
	1 Myeloid leukaemia	M	261	260	284	296	299	229	243	225	253	239	285
		F	270	265	273	296	307	247	285	294	278	291	271
	2 Monocytic leukaemia	M	100	99	92	119	103	105	114	118	94	108	104
		F	96	82	93	111	112	110	82	94	98	114	88
	3 Acute leukaemia	M	446	458	498	487	519	662	631	788	708	691	734
		F	408	414	394	428	420	512	592	583	603	655	679
	4 Other and unspecified leukaemia	M	31	29	39	39	41	35	43	36	47	34	60
		F	30	33	27	40	32	32	32	27	33	38	45

\* Comparable figures not available.

TABLE 7 - continued

ICD No.	Causes of death		1953	1954	1955	1956	1957	1958	1959	1960	1961	1962	1963
205	Mycosis fungoides	M F	11 13	16 14	11 6	17 9	10 12	9 6	16 13	17 8	14 11	12 8	16 4
210-229	Benign neoplasm	M F	363 555	328 598	328 571	305 548	329 555	319 499	316 524	356 546	327 479	284 470	304 450
210	Buccal cavity and pharynx	M F	1 1	1 2	2 1	3 1	2 1	1 1	1 -	- 4	2 1	3 3	2 1
211	Other parts of digestive system	M F	25 17	23 24	22 32	23 29	17 28	16 19	24 15	29 32	26 24	26 28	27 31
212	Respiratory system	M F	16 7	17 8	12 10	13 6	10 10	11 8	15 12	12 7	13 6	13 3	15 6
213	Breast	M F	- 1	- 3	- -	- 1	- -	- 2	- 2	- 1	- 2	- -	- -
214	Uterine fibromyoma	F	117	126	99	93	87	81	84	71	51	54	60
215	Other benign neoplasm of uterus	F	13	11	25	17	12	7	11	7	10	7	2
216	Ovary	F	113	121	103	122	112	93	86	95	79	78	82
217	Other female genital organs	F	4	2	3	1	1	1	3	3	1	-	2
219	Kidney and other urinary organs	M F	100 28	98 34	87 34	67 34	91 41	75 34	73 36	86 25	82 29	51 26	52 24
221	Pilonidal cyst	M F	- 2	1 -	- 1	- -	2 -	1 1	- 1	- 1	- 1	- -	- -
222	Other benign neoplasm of skin	M F	- 1	- -	1 1	1 -	1 3	- 1	- 1	1 -	1 1	2 -	- -
223	Brain and other parts of nervous system	M F	141 168	125 177	133 178	125 163	131 179	138 158	129 187	139 193	130 180	125 173	130 160
224	Endocrine glands	M F	37 46	37 52	38 48	39 45	38 44	48 55	40 51	51 61	40 60	45 58	47 48
225	Bone and cartilage	M F	18 7	9 4	7 10	6 11	12 8	5 7	5 4	5 9	2 5	1 3	2 7
226	Lipoma	M F	6 6	3 11	4 3	3 1	3 4	1 3	2 3	2 4	3 3	- 3	3 1
227	Other benign neoplasm of muscular and connective tissue	M F	6 5	4 9	5 9	5 12	5 5	7 6	9 9	11 13	9 12	7 11	11 14
228	Haemangioma and lymphangioma	M F	11 12	9 11	12 11	17 8	14 13	13 18	15 15	15 17	15 8	8 15	12 10
229	Other and unspecified organs and tissues	M F	2 7	1 3	5 3	3 4	3 7	3 4	2 4	5 3	3 6	3 8	3 2
230-239	Neoplasm of unspecified nature	M F	475 363	463 347	419 346	435 356	407 337	219 159	225 211	257 222	277 235	273 217	350 290
230	Digestive organs	M F	23 19	31 19	20 23	18 26	26 23	13 26	21 19	15 25	21 30	24 22	25 29
231	Respiratory organs	M F	36 9	27 11	21 11	23 10	14 10	30 8	15 10	34 8	23 10	13 8	31 12
233	Uterus	F	2	3	1	1	-	1	2	-	4	2	-
234	Ovary	F	2	7	4	7	1	2	2	4	3	5	3
236	Other genito-urinary organs	M F	11 6	9 8	6 -	5 4	6 2	4 7	6 5	4 5	8 6	3 3	8 11
237	Brain and other parts of nervous system	M F	390 304	383 274	360 279	375 295	344 279	160 97	171 156	183 163	203 165	210 159	271 207
238	Skin and musculo-skeletal system	M F	6 4	3 6	1 1	1 3	5 5	3 4	7 4	8 3	4 3	9 4	7 5
239	Other and unspecified organs	M F	9 17	10 18	11 26	13 10	12 17	9 14	5 13	13 14	18 14	14 12	8 23
240-289	III ALLERGIC, ENDOCRINE SYSTEM, METABOLIC, AND NUTRITIONAL DISEASES	M F	2,404 4,041	2,359 3,947	2,365 4,100	2,335 4,022	2,138 3,924	2,217 3,980	2,032 3,824	2,133 4,111	2,303 4,364	2,396 4,439	2,576 4,711
240-245	Allergic disorders	M F	976 967	891 881	889 840	812 907	720 798	625 840	539 689	528 684	566 719	605 777	710 982
240	Hay fever	M F	- -	- -	- 2	1 1	- -	- 1	- -	- 1	1 -	1 -	- 1
241	Asthma	M F	971 964	886 877	887 833	806 902	715 792	617 836	534 680	516 672	560 709	587 765	691 964
242	Angioneurotic oedema	M F	4 1	3 2	2 2	5 2	3 4	7 2	- 6	4 6	1 2	1 1	2 1
245	Other allergic disorders	M F	1 1	- 1	- 3	- 2	2 2	- 1	5 3	8 5	4 8	16 11	17 15



TABLE 7 - continued

ICD No.	Causes of death		1953	1954	1955	1956	1957	1958	1959	1960	1961	1962	1963
<b>250-254</b>	<b>Diseases of thyroid gland</b>	<b>M</b>	<b>104</b>	<b>98</b>	<b>95</b>	<b>99</b>	<b>89</b>	<b>96</b>	<b>114</b>	<b>99</b>	<b>90</b>	<b>120</b>	<b>108</b>
		<b>F</b>	<b>525</b>	<b>623</b>	<b>643</b>	<b>597</b>	<b>590</b>	<b>589</b>	<b>621</b>	<b>646</b>	<b>665</b>	<b>697</b>	<b>788</b>
250	Simple goitre	M	6	10	7	7	4	4	7	3	1	2	5
		F	18	26	21	20	22	17	15	10	13	8	16
251	Non-toxic nodular goitre	M	6	6	6	5	2	11	5	3	2	1	1
		F	31	21	42	27	22	25	18	19	27	16	11
252	Thyrotoxicosis with or without goitre	M	65	52	50	50	59	40	55	40	42	64	31
		F	317	342	320	300	314	282	296	311	286	277	264
	0 Toxic diffuse goitre	M	61	51	49	48	57	39	54	40	40	64	31
		F	296	324	303	286	292	262	281	287	278	260	252
	1 Toxic nodular goitre	M	4	1	1	2	2	1	1	-	2	-	-
		F	21	18	17	14	22	20	15	24	8	17	12
253	Myxoedema and cretinism	M	22	27	29	34	22	37	42	50	41	48	67
		F	148	225	249	241	223	250	279	289	327	378	478
254	Other diseases of thyroid gland	M	5	3	3	3	2	4	5	3	4	5	4
		F	11	9	11	9	9	15	13	17	12	18	19
260	Diabetes mellitus	M	1,066	1,048	1,084	1,108	1,013	1,152	1,100	1,193	1,331	1,330	1,371
		F	2,128	1,980	2,207	2,134	2,124	2,163	2,093	2,366	2,538	2,481	2,433
<b>270-277</b>	<b>Diseases of other endocrine glands</b>	<b>M</b>	<b>136</b>	<b>134</b>	<b>114</b>	<b>124</b>	<b>112</b>	<b>135</b>	<b>97</b>	<b>121</b>	<b>119</b>	<b>134</b>	<b>142</b>
		<b>F</b>	<b>194</b>	<b>201</b>	<b>156</b>	<b>146</b>	<b>156</b>	<b>132</b>	<b>141</b>	<b>151</b>	<b>144</b>	<b>152</b>	<b>160</b>
270	Disorders of pancreatic internal secretion other than diabetes mellitus	M	3	5	7	8	4	10	3	6	8	4	15
		F	2	2	4	4	5	-	3	5	6	7	5
271	Diseases of parathyroid gland	M	3	3	5	1	2	2	3	3	2	6	3
		F	5	4	7	11	11	7	12	9	4	9	7
272	Diseases of pituitary gland	M	30	31	36	37	40	38	37	40	45	38	50
		F	80	80	60	58	65	55	55	50	58	49	59
273	Diseases of thymus gland	M	15	11	9	13	6	4	7	1	4	4	8
		F	8	3	4	2	5	4	2	3	3	4	4
274	Diseases of adrenal glands	M	67	70	52	49	42	63	33	57	45	69	58
		F	74	75	52	49	50	48	48	57	54	69	67
277	Polyglandular dysfunction and other diseases of endocrine glands	M	18	14	5	16	18	18	14	14	15	13	8
		F	25	37	29	21	20	18	21	27	19	14	18
<b>280-289</b>	<b>Avitaminoses and other metabolic diseases</b>	<b>M</b>	<b>122</b>	<b>188</b>	<b>183</b>	<b>192</b>	<b>204</b>	<b>209</b>	<b>182</b>	<b>192</b>	<b>197</b>	<b>207</b>	<b>245</b>
		<b>F</b>	<b>227</b>	<b>262</b>	<b>254</b>	<b>238</b>	<b>256</b>	<b>256</b>	<b>280</b>	<b>264</b>	<b>298</b>	<b>332</b>	<b>348</b>
280	Beriberi	M	-	1	1	4	2	1	2	2	1	-	1
		F	3	-	1	-	1	-	-	2	1	1	1
281	Pellagra	M	1	2	-	-	-	1	-	-	1	-	-
		F	4	4	2	1	2	-	1	-	2	-	-
282	Scurvy	M	5	-	3	1	1	4	2	1	1	-	-
		F	2	2	3	1	4	1	-	1	3	-	-
283	Active rickets	M	-	2	-	1	-	-	-	-	-	1	-
		F	-	1	1	2	-	-	-	-	-	-	-
284	Late effects of rickets	M	-	-	2	-	1	-	2	-	-	-	-
		F	1	-	1	2	3	1	-	-	-	-	1
285	Osteomalacia	M	-	-	1	1	-	2	-	-	1	-	-
		F	4	3	1	2	1	1	2	5	6	3	4
286	Other avitaminoses and nutritional deficiency states	M	36	63	48	50	41	50	46	38	53	67	56
		F	58	60	69	69	56	62	64	58	64	84	66
	0 Steatorrhoea and sprue	M	21	27	22	15	22	20	19	22	26	34	19
		F	22	21	22	28	24	22	21	20	25	36	23
	5 Malnutrition, unqualified	M	10	20	17	22	14	24	20	10	14	20	30
		F	25	29	38	31	21	31	28	28	31	32	30
	1-4, 6, 7 Other deficiency states	M	5	16	9	13	5	6	7	6	13	13	7
		F	11	10	9	10	11	9	15	10	8	16	13
287	Obesity, not specified as of endocrine origin	M	30	45	30	41	55	52	41	46	36	46	52
		F	100	136	110	101	127	123	146	127	158	160	176
288	Gout	M	10	17	16	16	17	10	15	14	17	12	13
		F	3	4	2	2	3	6	1	4	5	-	5
289	Other metabolic diseases	M	40	58	82	78	87	89	74	91	87	81	123
		F	52	52	64	58	59	62	66	67	59	84	95
	0 Lipidosis (disturbance of lipid metabolism)	M	5	15	19	16	15	18	7	11	13	16	16
		F	10	14	10	12	7	10	7	9	14	14	14
	1 Amyloidosis	M	12	14	17	18	36	23	30	37	30	21	41
		F	12	12	16	12	21	14	27	24	15	28	33
	2 Other	M	23	29	46	44	36	48	37	43	44	44	66
		F	30	26	38	34	31	38	32	34	30	42	48

TABLE 7 - continued

ICD No.	Causes of death		1953	1954	1955	1956	1957	1958	1959	1960	1961	1962	1963
290-299	IV DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS	M F	772 1,256	817 1,381	796 1,344	707 1,379	741 1,348	742 1,308	756 1,313	777 1,248	764 1,344	776 1,318	739 1,382
290	Pernicious and other hyperchromic anaemias	M F	282 587	279 639	283 628	262 650	260 622	247 578	227 582	253 517	218 544	205 514	214 487
	0 Pernicious anaemia	M F	246 519	246 569	241 547	218 567	216 551	214 502	195 489	198 445	171 471	175 447	171 407
	1 Subacute combined degeneration of spinal cord	M F	27 39	13 37	24 34	18 36	13 28	16 25	11 32	14 20	19 19	10 20	11 10
	2 Other hyperchromic anaemias	M F	9 29	20 33	18 47	26 47	31 43	17 51	21 61	41 52	28 54	20 47	32 70
291	Iron deficiency anaemias (hypochromic anaemias)	M F	59 157	64 180	66 169	70 192	70 193	73 194	100 223	78 221	81 252	95 218	89 274
292	Other anaemias of specified type	M F	191 202	222 242	207 225	189 216	181 237	203 225	203 219	191 196	205 219	210 229	181 286
	4 Aplastic anaemia	M F	145 147	159 173	143 144	128 138	107 151	128 133	118 118	108 105	116 116	126 128	99 173
	0-3, 5-7 Other specified anaemias	M F	46 55	63 69	64 81	61 78	74 86	75 92	85 101	83 91	89 103	84 101	82 113
293	Apaemia of unspecified type	M F	48 78	47 91	47 105	46 108	48 115	53 112	52 85	71 132	69 121	69 140	74 140
294	Polycythaemia	M F	34 18	35 19	45 26	20 32	37 28	45 28	50 42	60 31	47 40	57 49	67 42
295	Haemophilia	M F	13 -	15 -	12 -	9 -	19 -	8 -	16 -	9 -	14 -	17 -	13 1
296	Purpura and other haemorrhagic conditions	M F	66 92	76 81	71 85	59 63	70 73	62 82	52 79	60 62	66 95	67 93	51 85
297	Agranulocytosis	M F	6 21	14 21	10 17	12 20	8 8	10 12	7 13	12 12	10 12	10 20	10 11
298	Diseases of spleen	M F	69 97	58 103	52 87	33 87	38 62	30 60	36 56	22 59	33 42	28 39	17 30
299	Other diseases of blood and blood-forming organs	M F	4 4	7 5	3 2	7 11	10 10	11 17	13 14	21 18	21 19	18 16	23 26
300-326	V MENTAL, PSYCHONEUROTIC AND PERSONALITY DISORDERS	M F	415 708	458 715	438 709	374 764	347 698	341 565	364 644	401 643	392 682	461 708	430 723
300-309	Psychoses	M F	306 575	346 611	313 570	278 643	259 593	243 475	254 519	298 534	305 572	329 571	317 598
300	Schizophrenic disorders (dementia praecox)	M F	25 37	44 39	24 37	28 24	27 23	22 19	21 23	10 17	22 18	19 22	16 28
301	Manic-depressive reaction	M F	26 36	27 46	27 37	17 52	9 30	14 27	8 18	6 17	6 8	7 14	6 10
302	Involuntional melancholia	M F	3 8	3 2	4 5	3 1	5 5	1 3	2 1	2 6	- 2	2 2	- 1
303	Paranoia and paranoid states	M F	- -	- 4	1 -	2 4	- 3	1 -	3 3	- -	1 1	1 -	- 3
304	Senile psychosis	M F	204 416	216 450	202 415	176 500	161 440	151 339	155 381	204 390	212 437	233 436	216 466
305	Presenile psychosis	M F	29 37	28 39	34 42	37 47	43 61	30 66	46 71	46 69	41 69	49 70	53 63
307	Alcoholic psychosis	M F	3 3	2 1	6 -	- 2	3 4	5 1	2 -	7 3	6 2	1 1	3 2
309	Other and unspecified psychoses	M F	16 38	26 30	15 34	15 13	11 27	19 20	15 22	23 32	17 35	17 26	23 25
310-318	Psychoneurotic disorders	M F	11 43	20 35	17 42	16 38	14 36	15 31	23 54	14 39	11 33	15 51	12 34
310	Anxiety reaction without mention of somatic symptoms	M F	- 4	1 2	2 5	2 3	- 1	3 2	3 5	1 2	1 2	- 3	1 -
311	Hysterical reaction without mention of anxiety reaction	M F	5 29	8 26	4 27	4 22	7 23	3 23	6 36	7 26	7 23	4 34	6 24
314	Neurotic-depressive reaction	M F	2 -	1 1	2 4	2 5	- 8	3 1	2 5	2 6	1 4	8 7	3 6
316	Psychoneurosis with somatic symptoms (somatization reaction) affecting digestive system	M F	- 2	2 1	1 1	- 1	1 2	- -	- 3	1 3	- 1	1 -	- 1
317	Psychoneurosis with somatic symptoms (somatization reaction) affecting other systems	M F	- 1	1 1	4 -	5 2	2 -	2 -	4 -	1 -	- -	- 1	- -



TABLE 7 - continued

ICD No.	Causes of death		1953	1954	1955	1956	1957	1958	1959	1960	1961	1962	1963
318	Psychoneurotic disorders, other, mixed and unspecified types	M F	3 6	5 4	4 5	3 4	2 2	2 4	6 5	2 2	2 3	2 5	1 3
320-326	Disorders of character, behaviour, and intelligence	M F	98 90	92 69	108 97	80 83	74 69	83 59	87 71	89 70	76 77	117 86	101 91
320	Pathological personality	M F	- 1	- -	- -	4 1	- -	1 2	- -	- -	- -	- 1	- -
322	Alcoholism	M F	24 13	20 11	22 16	20 18	15 8	25 17	33 15	23 20	24 17	31 20	31 21
	0 Acute	M F	5 1	3 1	3 2	2 -	1 2	5 -	6 3	2 3	3 2	6 2	1 -
	1 Chronic	M F	14 6	15 10	16 9	12 18	10 5	15 15	20 11	15 16	16 13	21 16	24 20
	2 Unspecified	M F	5 6	2 -	3 5	6 -	4 1	5 2	7 1	6 1	5 2	4 2	6 1
323	Other drug addiction	M F	2 3	1 3	2 -	- 1	- 1	2 1	4 1	- 3	1 1	4 2	3 2
325	Mental deficiency	M F	72 73	71 55	84 81	56 62	59 60	55 39	50 55	66 44	51 58	82 63	67 68
330-398	VI DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS	M F	31,481 42,230	33,086 44,386	33,967 46,011	33,707 46,334	33,242 45,959	33,915 47,763	33,593 47,184	33,644 48,191	33,893 49,019	34,443 49,657	35,033 51,176
330-334	Vascular lesions affecting central nervous system	M F	28,762 39,307	30,516 41,626	31,098 43,054	31,034 43,453	30,537 43,132	31,298 44,879	30,897 44,253	31,006 45,216	31,160 45,863	31,673 46,624	32,264 48,076
330	Subarachnoid haemorrhage	M F	1,058 1,618	1,211 1,747	1,094 1,856	1,244 1,902	1,193 1,902	1,214 2,039	1,231 1,934	1,310 2,137	1,328 2,105	1,387 2,299	1,407 2,334
331	Cerebral haemorrhage	M F	12,831 18,274	13,326 18,833	12,861 18,629	12,562 18,192	11,970 17,408	11,923 17,784	11,493 16,791	11,688 17,305	11,444 16,827	11,550 17,136	11,754 17,656
332	Cerebral embolism and thrombosis	M F	12,916 17,025	13,795 18,292	14,813 19,649	14,791 20,366	14,914 20,806	15,452 21,670	15,341 21,863	15,250 22,042	15,311 22,368	15,408 22,464	15,719 23,139
333	Spasm of cerebral arteries	M F	2 2	1 -	1 3	- -	1 -	1 2	1 1	1 1	1 1	3 -	1 -
334	Other and ill-defined vascular lesions affecting central nervous system	M F	1,955 2,388	2,183 2,754	2,329 2,917	2,437 2,993	2,459 3,016	2,708 3,384	2,831 3,664	2,757 3,731	3,076 4,562	3,325 4,725	3,383 4,947
340-345	Inflammatory diseases of central nervous system	M F	662 791	661 729	717 779	653 793	736 787	689 820	685 795	703 818	690 847	700 826	720 836
340	Meningitis, except meningococcal and tuberculous	M F	209 167	190 127	213 143	191 153	233 143	197 142	180 134	209 160	208 164	234 186	212 183
	0 H. influenzae	M F	25 12	15 15	24 20	22 20	29 14	11 10	23 10	25 12	23 13	23 18	26 13
	1 Pneumococcus	M F	80 67	85 56	95 58	98 71	112 60	80 66	79 56	64 65	75 57	84 75	73 65
	2 Due to other specified organism	M F	48 45	41 20	42 28	35 27	39 35	55 29	42 24	49 30	48 41	42 30	37 36
	3 With no organism specified as cause	M F	56 43	49 36	52 37	36 35	53 34	51 37	36 44	71 53	62 53	85 63	76 69
341	Phlebitis and thrombophlebitis of intracranial venous sinuses	M F	10 15	12 10	10 11	6 11	15 16	10 7	9 12	7 13	13 7	8 12	16 18
342	Intracranial and intraspinal abscess	M F	54 27	53 31	53 26	57 32	71 26	41 39	49 16	34 26	37 31	47 15	59 26
343	Encephalitis, myelitis, and encephalo-myelitis (except acute infectious)	M F	69 46	58 42	67 65	49 66	74 62	68 56	60 48	64 43	58 54	59 45	57 75
344	Late effects of intracranial abscess or pyogenic infection	M F	40 25	36 32	30 30	37 38	33 38	47 37	47 34	42 42	38 41	44 50	39 40
345	Multiple sclerosis	M F	280 511	312 487	344 504	313 493	310 502	326 539	340 551	347 534	336 550	308 518	337 494
350-357	Other diseases of central nervous system	M F	1,761 1,925	1,651 1,833	1,916 2,010	1,812 1,925	1,788 1,903	1,761 1,941	1,809 2,005	1,791 1,988	1,871 2,161	1,865 2,081	1,902 2,098
350	Paralysis agitans	M F	655 829	599 812	775 924	675 891	685 838	686 867	726 952	696 946	699 1,001	697 936	698 922
351	Cerebral spastic infantile paralysis	M F	59 50	60 66	66 59	79 61	61 56	65 47	61 53	73 51	62 51	66 61	59 49
352	Other cerebral paralysis	M F	200 272	216 259	233 299	237 295	206 310	214 306	232 301	238 310	240 383	270 341	296 364
353	Epilepsy	M F	406 418	337 348	404 373	387 341	374 319	358 343	346 280	327 312	368 324	373 328	383 331

TABLE 7 - continued

ICD No.	Causes of death		1953	1954	1955	1956	1957	1958	1959	1960	1961	1962	1963
	2 Status epilepticus	M	140	172	163	144	134	124	136	118	140	148	127
		F	176	176	154	131	132	143	115	141	140	148	113
	0, 1, 3 Other epilepsy	M	266	165	241	243	240	234	210	209	248	225	256
		F	242	172	219	210	187	200	165	171	184	180	218
355	Other diseases of brain	M	93	103	98	97	115	104	96	111	135	118	140
		F	105	97	99	111	126	128	121	115	136	157	165
356	Motor neurone disease and muscular atrophy	M	303	307	295	297	317	298	308	311	306	311	290
		F	216	221	218	199	223	231	260	227	230	228	227
	0 Progressive muscular atrophy	M	225	221	183	172	197	184	187	161	165	150	122
		F	141	166	151	138	148	141	147	136	118	122	117
	1 Amyotrophic lateral sclerosis	M	51	56	64	56	44	46	47	36	33	41	38
		F	40	27	36	25	25	40	40	26	26	21	30
	2, 3 Other motor neurone disease	M	27	30	48	69	76	68	74	114	108	120	130
		F	35	28	31	36	50	50	73	65	86	85	80
357	Other diseases of spinal cord	M	44	29	45	40	30	36	40	35	40	29	36
		F	35	30	38	26	30	19	35	27	36	29	39
360-369	Diseases of nerves and peripheral ganglia	M	54	62	40	38	33	49	36	29	52	50	40
		F	49	53	35	42	29	20	35	69	33	39	50
361	Trigeminal neuralgia	M	3	3	2	3	1	2	1	-	-	1	2
		F	7	4	3	5	2	2	4	9	3	2	5
363	Sciatica	M	-	2	1	1	1	2	-	1	-	1	2
		F	1	1	2	1	1	-	-	-	-	1	1
364	Polyneuritis and polyradiculitis	M	25	38	27	28	25	37	22	21	36	39	31
		F	19	30	18	23	19	11	19	43	20	24	31
365	Erythroedema polyneuritica	M	19	8	4	3	2	-	1	1	-	-	1
		F	17	7	3	1	1	1	1	1	-	-	-
366	Other and unspecified forms of neuralgia and neuritis	M	7	9	5	3	2	5	10	3	7	4	2
		F	4	6	5	9	5	5	9	11	7	4	5
368	Other diseases of peripheral nerves except autonomic	M	-	2	1	-	1	2	1	3	7	2	2
		F	-	3	1	1	1	-	1	2	1	5	4
370-379	Inflammatory diseases of eye	M	1	1	8	2	1	1	2	2	2	6	2
		F	9	4	3	7	5	6	3	4	-	4	2
370	Conjunctivitis and ophthalmia	M	-	-	-	-	-	-	1	-	1	-	-
		F	4	-	-	-	-	-	-	-	-	-	-
376	Other inflammation of uveal tract	M	-	-	2	-	1	1	-	-	-	2	2
		F	1	-	2	3	3	-	-	-	-	-	-
377	Inflammation of optic nerve and retina	M	-	-	1	1	-	-	-	-	-	3	-
		F	1	1	-	1	1	3	3	2	-	1	1
379	Other inflammatory diseases of eye	M	1	1	2	-	-	-	-	-	-	-	-
		F	1	1	-	2	1	2	-	1	-	-	-
380-389	Other diseases and conditions of eye	M	17	20	18	18	23	14	26	19	24	24	13
		F	37	32	32	34	34	40	36	34	43	31	30
381	Corneal ulcer	M	-	1	1	-	1	1	-	-	-	-	-
		F	3	-	-	-	-	2	1	2	-	-	-
384	Strabismus	M	1	3	2	1	2	1	1	2	1	2	-
		F	2	4	2	1	-	-	3	3	2	1	-
385	Cataract	M	9	8	7	9	11	6	15	10	8	8	9
		F	17	15	23	21	22	15	22	19	27	15	15
386	Detachment of retina	M	-	2	-	3	2	-	2	1	3	3	-
		F	1	3	2	3	5	3	2	1	3	2	1
387	Glaucoma	M	1	2	1	2	3	3	4	1	7	5	2
		F	6	6	1	4	2	14	5	7	7	10	8
388	Other diseases of eye	M	2	1	2	1	3	1	2	5	2	2	2
		F	2	3	1	3	2	4	3	1	1	2	4
389	Blindness	M	3	3	5	2	1	2	2	-	2	1	-
		F	6	1	3	2	3	2	-	1	1	-	2
390-398	Diseases of ear and mastoid process	M	224	175	170	150	124	103	138	94	94	125	92
		F	112	109	98	80	69	57	57	62	72	52	84
391	Otitis media without mention of mastoiditis	M	172	142	137	121	95	79	109	73	78	98	77
		F	88	91	67	61	52	47	45	48	57	49	74
392	Otitis media with mastoiditis	M	12	6	8	3	6	6	11	7	4	6	5
		F	8	4	10	4	5	2	4	1	-	1	2
393	Mastoiditis without mention of otitis media	M	38	23	24	24	21	16	17	13	9	14	7
		F	14	12	20	14	8	6	5	9	10	2	6
394	Other inflammatory diseases of ear	M	-	1	-	2	-	2	-	-	2	1	1
		F	-	-	-	-	-	-	-	1	-	-	1



TABLE 7 - continued

CD No.	Causes of death		1953	1954	1955	1956	1957	1958	1959	1960	1961	1962	1963
395	Meniere's disease	M F	- -	1 -	- -	- -	1 1	- 1	- -	- -	- 2	1 -	- -
396	Other diseases of ear and mastoid process	M F	1 1	2 1	1 1	- 1	1 1	- 1	- 2	1 3	- 3	4 -	2 1
400-468	VII DISEASES OF THE CIRCULATORY SYSTEM	M F	91,423 90,477	94,637 91,331	96,704 95,222	98,065 95,470	95,784 92,566	99,907 97,738	96,306 95,526	100,244 98,319	102,364 102,394	105,466 102,857	108,513 105,106
400-402	Rheumatic fever	M F	143 167	152 147	103 114	102 106	78 96	70 61	63 63	61 64	56 47	62 44	52 45
400	Rheumatic fever without mention of heart involvement	M F	13 13	8 11	9 5	5 7	3 2	3 3	1 4	2 3	- 3	2 2	1 2
401	Rheumatic fever with heart involvement	M F	123 135	141 113	87 89	92 81	68 61	63 51	57 47	54 46	56 38	59 39	47 39
	0 Active rheumatic pericarditis	M F	39 35	42 27	30 24	29 22	23 14	27 23	21 28	30 22	32 18	31 22	18 24
	1 Active rheumatic endocarditis	M F	34 38	31 18	13 16	15 15	10 17	10 11	19 5	5 6	5 6	10 8	10 7
	2 Active rheumatic myocarditis	M F	7 8	7 8	5 3	2 4	2 9	4 -	4 2	5 1	- -	1 -	5 1
	3 Active rheumatic fever with other and multiple types of heart involvement	M F	43 54	61 60	39 46	46 40	33 41	22 17	13 12	14 17	19 14	17 9	14 7
402	Chorea	M F	7 19	3 23	7 20	5 18	7 13	4 7	5 12	5 15	- 6	1 3	4 4
	0 Without mention of heart involvement	M F	7 17	3 18	6 18	5 17	6 12	1 4	2 8	4 13	- 3	- -	1 -
	1 With heart involvement	M F	- 2	- 5	1 2	- 1	1 1	3 3	3 4	1 2	- 3	1 3	3 4
410-416	Chronic rheumatic heart disease	M F	3,334 5,503	3,144 5,452	2,991 5,356	3,049 5,161	2,989 5,228	2,567 4,867	2,482 4,589	2,469 4,652	2,580 4,892	2,529 4,783	2,382 4,542
410	Diseases of mitral valve	M F	2,296 4,241	2,139 4,241	2,035 4,066	1,989 3,926	1,937 3,933	1,633 3,629	1,551 3,381	1,504 3,433	1,592 3,538	1,549 3,492	1,464 3,293
411	Diseases of aortic valve specified as rheumatic	M F	290 140	302 172	272 156	325 177	342 171	343 187	313 172	332 179	362 198	379 174	344 231
412	Diseases of tricuspid valve	M F	2 2	6 4	4 12	11 6	3 8	7 6	4 11	11 10	11 12	10 15	9 15
414	Other endocarditis specified as rheumatic	M F	276 415	255 361	243 404	259 344	236 347	182 282	163 277	146 266	152 276	147 236	138 169
415	Other myocarditis specified as rheumatic	M F	124 160	96 150	79 151	96 128	77 141	67 112	62 93	46 62	55 89	44 95	38 75
416	Other heart disease specified as rheumatic	M F	346 519	346 524	358 567	369 580	394 628	335 651	389 655	430 702	408 779	400 771	389 759
420-422	Arteriosclerotic and degenerative heart disease	M F	67,022 61,265	69,683 61,519	71,677 63,918	73,012 64,175	71,151 61,598	75,237 65,770	72,700 64,224	76,064 66,194	77,639 68,368	81,063 69,548	83,559 71,256
420	Arteriosclerotic heart disease, including coronary disease	M F	39,449 23,175	42,919 24,925	44,857 26,813	47,476 28,300	48,266 28,910	52,085 31,956	52,193 32,729	56,514 35,447	58,396 37,379	62,686 39,792	65,840 42,016
	0 Arteriosclerotic heart disease so described	M F	198 180	247 247	296 263	273 286	344 364	454 541	406 498	516 623	608 805	676 911	727 891
	1 Heart disease specified as involving coronary arteries	M F	38,764 22,688	42,246 24,411	44,199 26,254	46,909 27,781	47,655 28,339	51,389 31,223	51,576 32,059	55,815 34,657	57,611 36,438	61,864 38,731	64,973 40,994
	2 Angina pectoris without mention of coronary disease	M F	487 307	426 267	362 296	294 233	267 207	242 192	211 172	183 167	177 136	146 150	140 131
421	Chronic endocarditis not specified as rheumatic	M F	1,497 1,372	1,714 1,482	1,606 1,383	1,612 1,371	1,757 1,631	1,675 1,519	1,506 1,520	1,687 1,570	1,611 1,654	1,697 1,645	1,589 1,610
	0 Of mitral valve, specified as non-rheumatic	M F	64 99	54 73	45 80	71 109	97 183	110 195	103 217	96 216	103 219	127 243	94 220
	1 Of aortic valve, not specified as rheumatic	M F	956 577	1,170 734	1,163 723	1,148 773	1,313 913	1,257 879	1,137 910	1,327 986	1,308 1,073	1,350 1,079	1,341 1,126
	2 Of tricuspid valve, specified as non-rheumatic	M F	1 2	2 -	1 1	3 1	1 1	- 1	- 1	2 -	2 -	1 2	1 -
	3 Of pulmonary valve, not specified as rheumatic	M F	2 1	1 1	3 1	- 2	1 3	7 1	4 1	8 7	2 2	5 7	3 1
	4 Other and ill-defined, not specified as rheumatic	M F	474 693	487 674	394 578	390 486	345 531	301 443	262 391	254 361	196 360	214 314	150 263
422	Other myocardial degeneration	M F	26,076 36,718	25,050 35,112	25,214 35,722	23,924 34,504	21,128 31,057	21,477 32,295	19,001 29,975	17,863 29,177	17,632 29,335	16,680 28,411	16,130 27,630
	0 Fatty degeneration	M F	109 212	113 195	101 185	92 166	85 141	78 122	66 128	35 108	53 107	33 77	44 89

TABLE 7 - continued

ICD No.	Causes of death		1953	1954	1955	1956	1957	1958	1959	1960	1961	1962	1963
	1 With arteriosclerosis	M F	11,100 14,611	10,771 14,124	11,093 14,623	10,791 14,375	9,448 13,444	9,830 14,162	8,899 13,440	8,400 13,285	8,350 13,423	8,036 12,872	7,792 12,818
	2 Other	M F	14,867 21,895	14,166 20,793	14,020 20,914	13,041 19,963	11,595 17,472	11,569 18,011	10,036 16,407	9,428 15,784	9,229 15,805	8,611 15,162	8,294 14,723
430-434	Other diseases of heart	M F	4,781 5,814	5,116 5,875	5,127 6,126	5,252 6,435	5,666 6,772	5,845 7,150	5,644 7,120	6,019 7,479	6,429 8,232	6,389 8,213	6,602 8,399
430	Acute and subacute endocarditis	M F	199 140	198 118	208 119	196 121	195 128	187 135	196 112	174 138	198 114	188 120	203 122
	0 Acute and subacute bacterial endocarditis	M F	195 138	196 114	204 116	194 119	193 127	185 129	193 111	168 133	196 111	184 118	203 119
	1 Other acute endocarditis	M F	4 2	2 4	4 3	2 2	2 1	2 6	3 1	6 5	2 3	4 2	3 3
431	Acute myocarditis not specified as rheumatic	M F	84 83	80 65	59 57	77 60	66 72	53 67	74 70	63 65	71 72	78 80	87 85
432	Acute pericarditis specified as non-rheumatic	M F	14 11	17 12	13 17	12 9	15 8	6 13	5 11	13 10	12 8	9 14	16 13
433	Functional disease of heart	M F	2,468 3,706	2,321 3,557	2,080 3,433	2,157 3,441	2,113 3,351	2,164 3,422	1,927 3,268	1,927 3,174	1,868 3,309	1,860 3,083	1,807 3,052
434	Other and unspecified diseases of heart	M F	2,016 1,874	2,500 2,123	2,767 2,500	2,810 2,804	3,277 3,213	3,435 3,513	3,442 3,659	3,842 4,092	4,280 4,729	4,254 4,916	4,489 5,127
440-443	Hypertensive heart disease	M F	5,353 6,263	5,686 6,667	5,834 7,320	5,782 7,251	5,491 7,101	5,173 7,110	4,656 6,719	4,678 6,616	4,495 6,730	4,266 6,265	4,082 6,201
440	Essential benign hypertensive heart disease	M F	80 107	95 108	104 124	97 138	106 150	98 129	95 122	78 135	84 159	83 119	68 120
441	Essential malignant hypertensive heart disease	M F	120 63	104 81	126 46	121 65	110 77	106 80	94 67	107 52	95 58	105 58	74 38
442	Hypertensive heart disease with arteriolar nephrosclerosis	M F	165 175	123 157	129 184	143 138	125 150	116 129	98 107	75 96	68 101	74 72	60 89
443	Other and unspecified hypertensive heart disease	M F	4,998 5,918	5,364 6,321	5,475 6,966	5,421 6,910	5,150 6,744	4,853 6,772	4,369 6,423	4,418 6,333	4,248 6,412	4,004 6,016	3,880 5,954
444-447	Other hypertensive disease	M F	4,214 4,106	4,044 4,176	3,966 4,152	3,776 3,994	3,570 3,684	3,524 3,839	3,268 3,555	3,123 3,407	2,897 3,372	2,599 3,022	2,574 2,901
444	Essential benign hypertension	M F	2,799 3,190	2,809 3,228	2,726 3,330	2,628 3,154	2,482 2,932	2,421 3,037	2,166 2,784	2,080 2,737	2,035 2,733	1,768 2,417	1,696 2,304
445	Essential malignant hypertension	M F	848 420	718 450	738 333	721 378	704 365	701 400	724 379	711 345	559 297	484 253	516 260
446	Hypertension with arteriolar nephrosclerosis	M F	565 494	515 496	500 487	425 460	382 385	398 399	377 391	331 322	300 341	347 351	360 336
447	Other hypertensive disease without mention of heart	M F	2 2	2 2	2 2	2 2	2 2	4 3	2 1	1 3	3 1	- 1	2 1
450-456	Diseases of arteries	M F	5,764 6,088	5,895 6,148	6,000 6,763	6,006 6,689	5,727 6,457	6,411 7,173	6,208 7,368	6,428 7,814	6,713 8,356	6,959 8,549	7,420 8,932
450	General arteriosclerosis	M F	4,751 5,325	4,783 5,252	4,804 5,790	4,723 5,596	4,297 5,367	4,801 5,913	4,578 6,130	4,655 6,378	4,867 6,896	4,816 6,854	5,032 7,172
	0 Without mention of gangrene	M F	4,171 4,829	4,198 4,766	4,225 5,276	4,145 5,106	3,827 4,876	4,273 5,414	4,082 5,611	4,087 5,830	4,355 6,255	4,237 6,273	4,511 6,590
	1 With mention of gangrene as a consequence	M F	580 496	585 486	579 514	578 490	470 491	528 499	496 519	568 548	512 641	579 581	521 582
451	Aortic aneurysm, non-syphilitic, and dissecting aneurysm	M F	730 526	844 663	924 711	1,001 834	1,135 836	1,312 1,003	1,310 946	1,425 1,106	1,466 1,083	1,753 1,289	1,933 1,327
452	Other aneurysm, except of heart and aorta	M F	64 48	69 28	74 45	61 55	63 48	62 36	79 47	56 44	62 36	66 44	68 60
453	Peripheral vascular disease	M F	70 22	55 30	63 16	63 31	59 12	54 21	62 25	69 37	72 35	79 37	76 45
	0 Raynaud's disease	M F	2 8	4 15	8 3	5 10	3 5	1 4	1 7	2 10	2 8	3 7	3 8
	1 Thrombo-angiitis obliterans	M F	52 6	39 8	40 9	45 6	39 1	34 7	32 5	31 11	32 2	27 4	21 3
	2, 3 Other peripheral vascular disease	M F	16 8	12 7	15 4	13 15	17 6	19 10	29 13	36 16	38 25	49 26	52 34
454	Arterial embolism and thrombosis	M F	30 38	21 44	32 53	34 51	36 40	35 43	27 57	48 64	62 67	49 85	75 83
455	Gangrene of unspecified cause	M F	25 24	9 22	11 25	23 6	12 12	19 13	17 22	26 18	26 35	35 25	33 28
456	Other diseases of arteries	M F	94 105	114 109	92 123	101 116	125 142	128 144	135 141	149 167	158 204	161 215	203 217



TABLE 7 - continued

ICD No.	Causes of death	1953	1954	1955	1956	1957	1958	1959	1960	1961	1962	1963
460-468	Diseases of veins and other diseases of circulatory system	M 812 F 1,271	917 1,347	1,006 1,473	1,086 1,659	1,112 1,630	1,080 1,768	1,284 1,888	1,402 2,093	1,555 2,397	1,599 2,433	1,842 2,830
460	Varicose veins of lower extremities	M 50 F 169	52 201	51 196	55 197	53 172	48 172	61 168	57 180	57 173	68 156	69 174
461	Haemorrhoids	M 12 F 13	24 9	22 14	23 13	19 8	18 14	16 11	20 12	15 18	19 10	7 3
462	Varicose veins of other specified sites	M 20 F 25	20 12	20 20	17 24	27 26	26 16	20 24	17 25	30 28	26 21	28 32
463	Phlebitis and thrombophlebitis of lower extremities	M 120 F 236	101 230	141 223	156 261	132 254	131 247	138 256	141 261	134 300	133 280	169 259
464	Phlebitis and thrombophlebitis of other sites	M 10 F 20	12 20	14 20	13 20	14 24	12 17	15 25	20 30	27 23	14 26	20 26
465	Pulmonary embolism and infarction	M 377 F 428	413 433	465 484	457 574	486 565	486 675	630 723	698 807	761 908	784 952	847 1,087
466	Other venous embolism and thrombosis	M 189 F 341	261 399	253 469	332 535	359 545	324 592	371 647	415 735	492 904	521 942	652 1,195
467	Other diseases of circulatory system	M 23 F 31	29 31	31 38	26 29	19 26	26 30	24 25	28 37	35 33	28 36	44 50
468	Certain diseases of lymph nodes and lymph channels	M 11 F 8	5 12	9 9	7 6	3 10	9 5	9 9	6 6	4 10	6 10	6 4
470-527	VIII DISEASES OF THE RESPIRATORY SYSTEM	M 36,799 F 26,364	31,090 20,056	35,381 23,345	36,080 24,428	37,939 24,066	37,024 23,784	40,756 27,796	34,833 22,122	43,372 29,732	42,923 29,871	46,870 33,195
470-475	Acute upper respiratory infections	M 81 F 86	78 83	87 69	68 70	68 72	59 59	57 62	68 57	65 71	60 56	65 64
470	Acute nasopharyngitis (common cold)	M 12 F 15	8 16	8 6	3 4	6 8	2 8	4 4	5 3	3 3	3 10	4 8
471	Acute sinusitis	M 4 F 2	2 4	1 1	3 3	2 1	2 -	1 1	2 3	5 -	- -	- 2
472	Acute pharyngitis	M 9 F 10	9 9	8 8	13 14	7 7	12 4	11 13	9 7	7 12	4 9	5 9
473	Acute tonsillitis	M 16 F 19	18 23	14 18	13 18	17 14	14 12	12 10	17 12	10 14	13 8	12 9
474	Acute laryngitis and tracheitis	M 23 F 25	27 17	26 27	24 18	24 29	19 27	22 21	30 26	32 36	33 27	31 29
475	Acute upper respiratory infection of multiple or unspecified sites	M 17 F 15	14 14	10 9	12 13	12 13	10 8	7 13	5 6	8 6	7 2	13 7
480-483	Influenza	M 2,905 F 3,560	878 933	1,460 1,523	1,272 1,354	3,553 3,163	1,216 1,185	3,898 3,964	553 545	3,487 3,615	1,511 1,797	1,442 1,772
480	Influenza with pneumonia*	M 1,442 F 1,756	459 446	776 774	661 645	2,516 2,236	767 706	2,605 2,533	330 322	2,167 2,227	941 1,104	909 1,116
481	Influenza with other respiratory manifestations, and influenza unqualified*	M 1,427 F 1,753	410 463	664 725	597 693	1,009 892	433 463	1,280 1,408	215 204	1,305 1,566	559 673	519 643
482	Influenza with digestive manifestations, but without respiratory symptoms	M 28 F 38	5 23	12 19	6 14	9 18	8 9	8 16	7 16	8 16	8 17	11 9
483	Influenza with nervous manifestations but without digestive or respiratory symptoms*	M 8 F 13	4 1	8 5	8 2	19 17	8 7	5 7	1 3	7 6	3 3	3 4
490-493	Pneumonia†	M 10,719 F 10,078	9,277 8,838	10,618 10,415	11,169 11,245	11,645 11,203	11,799 11,939	13,203 13,387	11,818 12,525	14,087 15,188	14,472 16,437	16,945 19,118
490	Lobar pneumonia*	M 2,175 F 1,524	1,874 1,469	1,999 1,474	1,977 1,451	1,889 1,354	1,746 1,351	1,778 1,412	1,635 1,357	1,878 1,469	1,900 1,565	2,008 1,652
491	Bronchopneumonia*	M 7,776 F 7,914	6,721 6,801	7,894 8,332	8,439 9,156	8,906 9,156	9,321 9,991	10,628 11,214	9,374 10,440	11,281 12,831	11,694 14,019	14,025 16,545
492	Primary atypical pneumonia*	M 59 F 57	89 79	59 67	86 76	145 115	98 94	133 119	140 140	183 148	170 134	204 166
493	Pneumonia, other and unspecified*	M 709 F 583	593 489	666 542	667 562	705 578	634 503	664 642	669 588	745 740	708 719	708 755

490-493. See 763 (Pneumonia of newborn) for pneumonia deaths at ages under 4 weeks  
 Excluding the following 'late effects' (see note 2 at head of table):

	1958	1959	1960	1961	1962	1963
480 Influenza with pneumonia	M - F -	2 -	2 1	- -	1 -	- -
481 Influenza with other respiratory manifestations, and influenza unqualified	M - F -	2 -	1 1	1 1	2 1	1 1
483 Influenza with nervous manifestations but without digestive or respiratory symptoms	M - F -	- -	- -	- -	1 -	- -
490 Lobar pneumonia	M 1 F 2	1 -	1 2	- 2	2 3	1 -
491 Bronchopneumonia	M 1 F 1	3 3	3 -	4 1	2 -	- 3
492 Primary atypical pneumonia	M - F -	- -	- -	1 -	- -	- -
493 Pneumonia, other and unspecified	M 8 F 2	8 4	3 2	7 3	1 2	3 3

TABLE 7 - continued

ICD No.	Causes of death		1953	1954	1955	1956	1957	1958	1959	1960	1961	1962	1963
500-502	Bronchitis	M F	19,567 11,141	17,163 8,625	19,318 9,675	19,890 10,019	18,956 8,141	20,326 9,070	20,193 8,858	18,997 7,488	22,203 9,160	23,351 9,942	24,832 10,500
500	Acute bronchitis	M F	2,156 2,522	1,496 1,722	1,699 1,893	1,678 2,009	1,397 1,453	1,494 1,599	1,487 1,577	1,149 1,164	1,365 1,500	1,448 1,587	1,605 1,724
501	Bronchitis, unqualified	M F	1,245 1,189	1,065 1,045	1,079 1,052	1,057 1,123	884 845	969 1,003	917 932	767 712	907 923	886 983	967 1,116
502	Chronic bronchitis	M F	16,166 7,430	14,602 5,858	16,540 6,730	17,155 6,887	16,675 5,843	17,863 6,468	17,789 6,349	17,081 5,612	19,931 6,737	21,017 7,372	22,260 7,660
	0 Bronchitis with emphysema	M F	6,792 1,454	6,537 1,293	7,959 1,609	8,369 1,820	8,529 1,563	9,316 1,815	9,223 1,845	8,998 1,682	10,255 1,969	10,724 2,112	11,351 (2,271)
	1 Other	M F	9,374 5,976	8,065 4,565	8,581 5,121	8,786 5,067	8,146 4,280	8,547 4,653	8,566 4,504	8,083 3,930	9,676 4,768	10,293 5,260	10,906 5,389
510-527	Other diseases of respiratory system	M F	3,527 1,499	3,694 1,577	3,918 1,663	3,681 1,740	3,717 1,487	3,624 1,531	3,405 1,525	3,397 1,507	3,530 1,698	3,529 1,639	3,586 1,741
510	Hypertrophy of tonsils and adenoids	M F	24 18	21 12	22 15	16 13	17 5	17 18	13 8	9 8	10 6	11 11	7 6
511	Peritonsillar abscess (quinsy)	M F	7 4	10 8	4 5	4 6	5 6	5 8	5 4	4 8	1 2	2 -	5 5
512	Chronic pharyngitis and nasopharyngitis	M F	1 4	4 1	- 3	3 2	2 2	1 2	1 2	1 1	1 4	- 1	- 1
513	Chronic sinusitis	M F	38 19	31 19	32 13	25 18	28 11	27 20	31 18	17 9	28 12	20 6	27 12
514	Deflected nasal septum	M F	- 1	- -	- -	2 1	- 1	1 -	1 -	1 -	3 -	- -	2 1
515	Nasal polyp	M F	3 2	2 4	4 -	4 4	3 2	2 -	1 1	- 1	6 2	1 1	1 -
516	Chronic laryngitis	M F	- 2	1 -	1 -	- -	1 1	- 2	1 -	- -	- 1	- -	1 1
517	Other diseases of upper respiratory tract	M F	14 12	18 18	10 6	14 10	17 14	20 9	22 14	23 15	32 18	25 17	29 29
518	Empyema	M F	104 58	110 41	87 51	86 44	72 35	83 52	73 38	66 45	63 35	56 29	76 44
519	Pleurisy	M F	57 44	51 45	49 28	59 40	30 24	23 25	27 27	50 54	46 33	43 40	34 25
520	Spontaneous pneumothorax	M F	4 2	6 1	14 1	6 1	5 2	7 2	5 1	5 3	7 4	8 5	13 3
521	Abscess of lung	M F	54 28	55 25	53 29	43 24	58 32	46 16	39 22	55 29	58 29	66 22	45 39
522	Pulmonary congestion and hypostasis	M F	158 378	264 438	247 467	255 474	167 339	198 354	195 382	240 414	215 482	249 489	279 465
523	Pneumoconiosis due to silica and silicates (occupational)	M F	573 6	647 5	714 6	666 9	760 7	713 10	637 9	650 16	700 12	667 15	663 6
524	Other specified pneumoconiosis and pulmonary fibrosis of occupational origin	M F	11 -	12 1	23 1	17 6	16 3	28 2	25 7	12 3	24 3	23 6	11 4
525	Other chronic interstitial pneumonia	M F	174 69	163 92	199 94	204 73	175 93	190 106	169 114	195 97	218 118	225 120	280 153
526	Bronchiectasis	M F	1,447 619	1,405 662	1,479 712	1,273 724	1,305 677	1,199 615	1,133 586	1,060 543	1,079 628	1,025 580	985 601
527	Other diseases of lung and pleural cavity	M F	858 233	894 205	980 232	1,004 291	1,056 233	1,064 290	1,027 292	1,009 261	1,039 309	1,108 297	1,128 346
	0 Pulmonary collapse (1 year and over)	M F	4 8	7 7	5 3	6 7	6 3	4 10	11 6	5 8	6 8	14 9	11 11
	1 Emphysema without mention of bronchitis	M F	798 179	822 159	917 186	926 234	981 182	997 216	939 223	927 211	955 221	1,008 243	1,002 242
	2 Other	M F	56 46	65 39	58 43	72 50	69 48	63 64	77 63	77 42	78 80	86 45	115 93
530-587	IX DISEASES OF THE DIGESTIVE SYSTEM	M F	8,849 6,988	8,966 7,121	8,948 7,251	8,554 7,177	8,336 7,010	8,215 6,948	7,748 7,159	8,002 7,414	7,951 7,488	8,018 7,540	7,714 7,667
530-539	Diseases of buccal cavity and oesophagus	M F	126 121	120 152	129 134	95 138	125 129	110 146	97 150	106 154	105 152	123 160	118 188
530	Dental caries	M F	2 -	2 -	- -	1 -	- -	1 -	1 1	- -	1 3	- -	- -
531	Abscesses of supporting structures of teeth	M F	1 1	2 -	2 -	2 4	2 1	3 3	1 -	- -	1 1	3 1	1 1
532	Other inflammatory diseases of supporting structures of teeth	M F	8 6	6 8	8 4	6 3	8 3	- 1	3 1	1 -	2 1	1 1	2 1



TABLE 7 - continued

CD No.	Causes of death		1953	1954	1955	1956	1957	1958	1959	1960	1961	1962	1963
533	Disorders of occlusion, eruption, and tooth development	M F	18 7	11 15	10 7	6 8	8 8	1 1	- 1	- 1	- 1	2 -	- 1
535	Other diseases of teeth and supporting structures	M F	- -	- -	- -	- -	- -	3 6	6 6	7 7	5 1	3 -	4 7
536	Stomatitis	M F	8 5	6 7	2 3	2 4	3 2	2 -	2 2	1 3	3 5	3 1	2 8
537	Diseases of salivary glands	M F	21 56	19 48	31 43	13 58	25 56	22 64	22 74	27 59	15 61	20 69	23 63
538	Other diseases of buccal cavity	M F	10 6	9 14	11 5	6 6	9 9	8 1	7 1	5 6	2 5	2 4	- 5
539	Diseases of oesophagus	M F	58 40	65 60	65 72	59 55	70 50	70 70	55 64	65 78	76 74	89 84	86 102
540-545	Diseases of stomach and duodenum	M F	3,982 1,463	4,196 1,604	4,154 1,670	3,962 1,671	3,693 1,547	3,552 1,570	3,232 1,576	3,323 1,636	3,109 1,550	3,253 1,679	2,964 1,661
540	Ulcer of stomach	M F	1,818 883	1,873 913	1,864 967	1,803 998	1,665 960	1,608 944	1,455 959	1,487 988	1,386 939	1,398 978	1,339 988
	0 Without mention of perforation	M F	1,310 677	1,353 701	1,356 735	1,318 776	1,214 725	1,189 770	1,102 765	1,119 760	1,044 740	1,004 767	1,025 766
	1 With perforation	M F	508 206	520 212	508 232	485 222	451 235	419 174	353 194	368 228	342 199	394 211	314 222
541	Ulcer of duodenum	M F	1,977 448	2,138 554	2,111 575	1,975 566	1,903 501	1,817 529	1,635 514	1,678 552	1,564 516	1,697 619	1,460 554
	0 Without mention of perforation	M F	1,253 275	1,334 328	1,318 337	1,263 349	1,194 304	1,133 315	1,040 307	1,031 330	1,000 304	1,104 353	901 302
	1 With perforation	M F	724 173	804 226	793 238	712 217	709 197	684 214	595 207	647 222	564 212	593 266	559 252
542	Gastrojejunal ulcer	M F	34 8	46 18	65 14	50 15	33 7	41 10	50 10	55 9	51 11	39 12	40 12
	0 Without mention of perforation	M F	27 6	35 14	49 10	36 9	24 5	27 7	33 8	33 7	42 8	28 10	30 9
	1 With perforation	M F	7 2	11 4	16 4	14 6	9 2	14 3	17 2	22 2	9 3	11 2	10 3
543	Gastritis and duodenitis	M F	62 85	49 75	41 81	49 51	34 38	34 54	31 47	30 46	38 40	34 35	31 53
544	Disorders of function of stomach	M F	14 6	8 16	13 10	11 7	9 6	9 13	5 11	5 8	6 8	9 6	9 8
545	Other diseases of stomach and duodenum	M F	77 33	82 28	60 23	74 34	49 35	43 20	56 35	68 33	64 36	76 29	85 46
550-553	Appendicitis	M F	550 356	547 422	485 360	522 331	497 302	462 328	430 271	367 271	361 284	347 259	299 257
550	Acute appendicitis	M F	465 304	456 347	415 301	425 250	415 252	395 272	371 223	304 225	304 235	302 215	253 214
	0 Without mention of peritonitis	M F	71 45	70 47	66 42	74 41	74 30	58 37	54 31	42 28	49 37	41 29	33 39
	1 With peritonitis	M F	394 259	386 300	349 259	351 209	341 222	337 235	317 192	262 197	255 198	261 186	220 175
551	Appendicitis, unqualified	M F	83 50	86 72	67 55	93 75	79 49	62 50	52 45	60 45	55 47	42 40	44 42
552	Other appendicitis	M F	- 2	2 1	2 3	3 4	2 -	1 6	4 1	2 1	2 2	- 1	1 1
553	Other diseases of appendix	M F	2 -	3 2	1 1	1 2	1 1	4 -	3 2	1 -	- -	3 3	1 -
560-561	Hernia of abdominal cavity	M F	758 821	761 804	830 798	768 865	769 806	707 742	705 839	700 767	747 827	740 848	693 776
560	Hernia of abdominal cavity without mention of obstruction	M F	182 147	192 168	216 159	188 182	210 158	195 179	223 207	217 201	215 236	233 248	219 253
	0 Inguinal	M F	66 6	67 10	78 8	69 7	84 9	66 6	82 10	55 7	64 9	62 14	61 9
	1 Femoral	M F	3 9	4 17	7 13	4 10	8 9	5 8	5 16	5 17	4 8	6 7	4 12
	2 Umbilical	M F	35 33	40 33	30 28	17 36	31 16	26 26	25 24	26 26	36 38	29 39	25 30
	3 Ventral (incisional)	M F	9 23	11 18	11 22	9 32	6 15	5 19	10 24	10 5	8 21	9 19	9 10

TABLE 7 - continued

ICD No.	Causes of death		1953	1954	1955	1956	1957	1958	1959	1960	1961	1962	1963
	4, 5 Other sites	M	69	70	90	89	81	93	101	121	103	127	120
		F	76	90	88	97	109	120	133	146	160	169	192
561	Hernia of abdominal cavity with obstruction	M	576	569	614	580	559	512	482	483	532	507	474
		F	674	636	639	683	648	563	632	566	591	600	523
	0 Inguinal	M	355	342	362	357	330	305	301	301	327	302	281
		F	60	68	58	72	71	66	74	78	68	67	63
	1 Femoral	M	75	90	101	91	96	81	65	62	73	69	68
		F	341	312	321	308	312	271	298	259	275	275	262
	2 Umbilical	M	39	38	40	42	36	41	31	30	33	39	35
		F	98	77	101	104	93	75	85	75	58	93	53
	3 Ventral (incisional)	M	23	32	37	35	33	25	31	36	33	40	31
		F	108	106	90	109	86	77	96	80	95	78	70
	4, 5 Other sites	M	84	67	74	55	64	60	54	54	66	57	59
		F	67	73	69	90	86	74	79	74	95	87	75
570-578	Other diseases of intestines and peritoneum	M	1,991	1,873	1,884	1,781	1,806	1,863	1,814	1,947	2,012	1,979	2,046
		F	2,197	2,065	2,174	2,157	2,207	2,215	2,276	2,498	2,585	2,556	2,708
570	Intestinal obstruction without mention of hernia	M	726	701	653	713	673	693	708	752	778	705	779
		F	685	634	707	720	658	722	731	832	837	848	885
	0 Intussusception	M	65	54	49	32	30	39	31	31	26	33	24
		F	34	40	33	35	27	27	26	25	20	25	25
	1 Paralytic ileus	M	23	6	10	19	6	14	9	13	27	14	20
		F	9	7	4	8	10	11	8	12	16	8	10
	2 Mesenteric infarction	M	184	211	170	203	186	205	206	242	274	259	276
		F	177	187	206	200	240	243	275	323	344	333	347
	3 Volvulus	M	188	188	184	221	201	178	215	168	205	152	185
		F	176	143	163	189	147	156	154	161	141	159	167
	4 Impaction of intestine	M	29	44	35	48	24	22	17	40	20	34	26
		F	63	68	84	79	53	49	50	56	62	62	73
	5 Other	M	237	198	205	190	226	235	230	258	226	213	248
		F	226	189	217	209	181	236	218	255	254	261	263
571	Gastro-enteritis and colitis, except ulcerative age 4 weeks and over	M	546	433	458	357	355	380	359	382	404	455	434
		F	549	467	445	366	397	344	365	439	478	484	459
572	Chronic enteritis and ulcerative colitis	M	465	501	529	493	542	582	561	603	594	589	566
		F	712	739	767	829	887	947	969	996	1,028	967	1,054
	0 Regional enteritis	M	28	24	34	29	39	26	34	36	35	49	49
		F	29	31	34	31	32	46	54	46	40	48	49
	1 Diverticulitis	M	257	323	313	288	318	379	365	391	401	373	363
		F	391	409	450	484	562	617	672	676	739	663	719
	2 Ulcerative colitis	M	162	138	173	162	176	173	157	172	152	161	152
		F	269	289	265	302	280	270	230	258	238	247	275
	3 Other	M	18	16	9	14	9	4	5	4	6	6	2
		F	23	10	18	12	13	14	13	16	11	9	11
573	Functional disorders of intestines	M	21	7	12	15	10	11	10	10	13	9	10
		F	19	17	19	19	15	18	22	17	25	12	22
574	Anal fissure and fistula	M	-	-	1	1	3	-	-	1	-	1	3
		F	-	-	3	1	1	2	2	1	-	3	1
575	Abscess of anal and rectal regions	M	17	16	12	8	20	15	15	11	11	6	9
		F	12	9	10	9	11	4	10	7	4	13	9
576	Peritonitis	M	68	57	50	47	56	55	40	50	48	45	61
		F	41	50	46	48	57	46	48	45	56	48	57
577	Peritoneal adhesion	M	9	6	6	6	5	5	6	7	6	5	9
		F	11	5	5	4	4	13	7	6	9	11	11
578	Other diseases of intestines and peritoneum	M	139	152	163	141	142	122	115	131	158	164	175
		F	168	144	172	161	177	119	122	155	148	170	210
580-587	Diseases of liver, gallbladder and pancreas	M	1,442	1,469	1,466	1,426	1,446	1,521	1,470	1,559	1,617	1,576	1,594
		F	2,030	2,074	2,115	2,015	2,019	1,947	2,047	2,088	2,090	2,038	2,077
580	Acute and subacute yellow atrophy of liver	M	56	63	49	37	45	31	40	40	46	42	33
		F	79	75	67	66	66	62	62	52	67	65	73
581	Cirrhosis of liver	M	650	632	617	618	667	644	617	685	737	697	701
		F	505	535	542	535	539	532	586	587	633	605	621
582	Suppurative hepatitis and liver abscess	M	20	19	12	14	9	13	14	20	19	17	16
		F	13	21	17	11	10	9	11	12	11	6	21
583	Other diseases of liver	M	25	18	25	28	24	45	41	55	52	43	61
		F	30	30	38	33	36	41	34	58	65	58	79



TABLE 7 - continued

CD No.	Causes of death		1953	1954	1955	1956	1957	1958	1959	1960	1961	1962	1963
584	Cholelithiasis	M F	239 613	273 590	278 606	275 572	246 581	276 526	274 543	235 518	213 497	239 461	229 431
585	Cholecystitis and cholangitis, without mention of calculi	M F	206 426	192 452	188 431	191 412	183 386	187 382	173 367	160 393	172 374	149 337	152 318
586	Other diseases of gallbladder and biliary ducts	M F	43 57	33 62	26 50	27 49	29 59	31 59	23 76	43 89	45 88	50 92	66 93
587	Diseases of pancreas	M F	203 307	239 309	271 364	236 337	243 342	294 336	288 368	321 379	333 355	339 414	336 441
	0 Acute pancreatitis	M F	134 218	162 224	172 245	142 235	136 238	176 220	166 241	191 244	197 254	220 283	206 320
	1 Chronic pancreatitis	M F	21 30	24 36	22 41	22 28	33 31	26 33	32 22	16 36	40 30	26 27	27 24
	2 Other diseases of pancreas	M F	48 59	53 49	77 78	72 74	74 73	92 83	90 105	114 99	96 71	93 104	103 97
590-637	X DISEASES OF THE GENITO-URINARY SYSTEM	M F	8,234 3,926	8,370 3,911	7,906 3,893	7,761 3,775	7,336 3,664	7,106 3,677	6,888 3,676	6,821 3,725	6,551 3,849	6,300 3,903	5,946 4,026
590-594	Nephritis and nephrosis	M F	2,706 2,549	2,645 2,453	2,448 2,294	2,554 2,125	2,250 1,945	2,158 1,920	1,923 1,762	2,005 1,709	1,866 1,632	1,769 1,654	1,695 1,484
590	Acute nephritis	M F	139 93	116 95	97 54	121 67	89 68	89 65	72 50	99 62	77 61	70 60	60 45
591	Nephritis with oedema, including nephrosis	M F	193 136	179 147	186 180	207 154	196 143	188 127	144 120	149 92	118 86	136 86	119 94
592	Chronic nephritis	M F	2,168 2,151	2,144 2,035	1,929 1,894	2,004 1,738	1,736 1,572	1,663 1,572	1,512 1,402	1,529 1,347	1,424 1,278	1,277 1,265	1,211 1,081
593	Nephritis not specified as acute or chronic	M F	192 157	195 162	218 150	208 148	218 151	204 148	189 187	215 168	234 195	275 238	289 247
594	Other renal sclerosis	M F	14 12	11 14	18 16	14 18	11 11	14 8	6 3	13 12	13 6	11 5	16 17
600-609	Other diseases of urinary system	M F	1,243 1,081	1,286 1,229	1,261 1,375	1,264 1,430	1,335 1,519	1,274 1,542	1,367 1,722	1,459 1,829	1,523 2,035	1,563 2,077	1,707 2,355
600	Infections of kidney	M F	550 637	578 738	608 873	651 909	716 995	722 1,013	803 1,217	907 1,288	964 1,525	988 1,567	1,161 1,804
	0 Pyelitis, pyelocystitis, and pyelonephritis	M F	520 610	547 707	572 838	622 884	685 968	704 981	779 1,184	868 1,255	942 1,493	961 1,551	1,126 1,764
	1 Abscess of kidney and perirenal tissue	M F	23 24	25 25	29 29	18 19	27 20	15 27	22 26	24 24	17 22	17 13	23 24
	2 Other	M F	7 3	6 6	7 6	11 6	4 7	3 5	2 7	15 9	5 10	10 3	12 16
601	Hydronephrosis	M F	73 61	79 69	80 76	64 86	71 80	75 61	68 58	67 80	82 51	76 57	74 60
602	Calculi of kidney and ureter	M F	151 140	161 146	147 154	136 152	139 154	122 140	135 135	130 134	142 126	136 133	129 141
603	Other diseases of kidney and ureter	M F	40 35	42 27	46 36	42 41	44 38	33 38	48 50	35 44	47 62	61 57	73 65
604	Calculi of other parts of urinary system	M F	45 7	42 9	29 11	33 6	36 14	32 9	33 9	38 11	25 10	26 6	24 9
605	Cystitis	M F	179 161	168 190	142 183	147 186	119 179	148 215	122 195	139 190	105 184	109 180	80 175
606	Other diseases of bladder	M F	85 23	67 25	70 23	61 18	78 27	67 22	72 23	55 26	73 28	56 26	73 32
607	Urethritis (non-venereal)	M F	- -	2 -	1 -	2 1	3 1	2 -	3 1	4 1	4 1	2 -	3 -
608	Stricture of urethra	M F	93 -	118 2	101 3	103 2	94 1	42 3	57 1	46 6	44 3	48 -	37 2
609	Other diseases of urethra	M F	27 17	29 23	37 16	25 29	35 30	31 41	26 33	38 49	37 45	61 51	53 67
610-617	Diseases of male genital organs	M	4,285	4,439	4,197	3,943	3,751	3,674	3,597	3,356	3,162	2,968	2,544
610	Hyperplasia of prostate	M	4,173	4,334	4,090	3,852	3,645	3,577	3,505	3,259	3,075	2,901	2,479
611	Prostatitis	M	82	68	75	50	72	69	56	55	48	37	29
612	Other diseases of prostate	M	9	14	11	16	14	13	11	15	15	11	18
613	Hydrocele	M	3	3	3	3	2	3	1	1	4	1	2
614	Orchitis and epididymitis	M	1	2	2	1	4	4	2	2	2	1	1
615	Redundant prepuce and phimosis	M	4	3	7	8	3	4	6	7	8	7	3

TABLE 7 - continued

ICD No.	Causes of death		1953	1954	1955	1956	1957	1958	1959	1960	1961	1962	1963
617	Other diseases of male genital organs	M	13	15	9	13	11	4	16	16	10	9	12
620-626	Diseases of breast, ovary, Fallopian tube, and parametrium	M	-	-	-	-	-	-	1	1	-	-	-
		F	58	56	61	54	41	28	44	34	38	39	41
621	Other diseases of breast	M	-	-	-	-	-	-	1	1	-	-	-
		F	3	3	3	3	3	2	7	2	2	2	3
622	Acute salpingitis and oophoritis	F	1	2	1	1	5	-	3	4	-	1	-
623	Chronic salpingitis and oophoritis	F	1	5	4	2	3	2	-	2	2	4	-
624	Salpingitis and oophoritis, unqualified	F	29	24	36	28	18	13	25	14	19	17	14
625	Other diseases of ovary and Fallopian tube	F	7	7	5	4	2	1	3	3	2	2	1
626	Diseases of parametrium and pelvic peritoneum (female)	F	17	15	12	16	10	10	6	9	13	13	22
630-637	Diseases of uterus and other female genital organs	F	238	173	163	166	159	187	148	153	144	133	146
630	Infective disease of uterus, vagina, and vulva	F	20	15	15	12	8	17	14	9	11	10	17
631	Uterovaginal prolapse	F	134	101	96	108	106	119	89	103	78	68	63
632	Malposition of uterus	F	1	1	1	1	-	3	3	2	-	2	1
633	Other diseases of uterus	F	41	24	26	18	30	25	15	19	29	28	44
634	Disorders of menstruation	F	25	24	19	17	12	17	19	14	12	15	15
635	Menopausal symptoms	F	5	3	1	-	1	1	-	1	3	-	-
637	Other diseases of female genital organs	F	12	5	3	9	2	4	8	5	10	8	5
640-689	XI DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	F	*495	*446	*405	*374	*333	*328	*290	*310	*274	*299	*243
640-648	Complications of pregnancy	F	186	140	135	144	114	105	96	99	82	105	93
640	Pyelitis and pyelonephritis of pregnancy	F	3	2	2	5	-	4	2	1	-	3	3
641	Other infections of genito-urinary tract during pregnancy	F	-	-	2	-	2	-	1	-	2	-	-
642	Toxaemias of pregnancy	F	132	90	82	82	72	58	50	60	46	50	43
644	Other haemorrhage of pregnancy	F	6	1	2	10	7	9	3	1	2	4	6
645	Ectopic pregnancy	F	35	24	20	21	21	13	12	17	12	22	16
646	Anaemia of pregnancy	F	4	3	3	3	3	2	1	2	1	-	2
648	Other complications arising from pregnancy	F	6	18	23	23	9	19	27	18	19	26	23
650-652	Abortion	F	76	76	66	72	61	63	47	62	54	57	49
650	Abortion without mention of sepsis or toxæmia	F	30	33	27	24	24	25	16	23	18	28	14
651	Abortion with sepsis	F	39	32	36	40	33	35	29	33	32	28	32
652	Abortion with toxæmia, without mention of sepsis	F	7	11	3	8	4	3	2	6	4	1	3
660	Delivery without mention of complication	F	3	5	1	1	7	6	4	3	7	4	6
670-678	Delivery with specified complication	F	149	146	116	96	92	90	85	105	88	82	59
670	Placenta prævia or antepartum haemorrhage	F	33	29	21	23	20	16	18	24	18	19	11
671	Retained placenta	F	27	19	16	10	5	8	3	7	8	3	6
672	Other postpartum haemorrhage	F	24	25	25	14	17	25	20	12	15	17	15
673	Abnormality of bony pelvis	F	3	2	3	1	1	-	1	2	-	2	-
674	Disproportion or malposition of foetus	F	6	9	10	15	10	11	7	10	8	8	3
675	Prolonged labour of other origin	F	22	21	18	18	16	10	10	14	7	10	6
677	With other trauma	F	13	15	12	10	14	10	7	16	12	8	7
678	With other complications of childbirth	F	21	26	11	5	9	10	19	20	20	15	11
680-689	Complications of the puerperium	F	81	79	87	61	59	64	58	41	43	51	36
681	Sepsis of childbirth and the puerperium	F	14	11	13	8	16	9	14	7	4	9	5
682	Puerperal phlebitis and thrombosis	F	27	38	32	27	24	23	19	19	23	25	15
684	Puerperal pulmonary embolism	F	22	13	23	5	8	17	11	8	1	9	5

\* Excluding the following cases in which it was stated that death followed the maternal condition after an interval of more than 12 months: 1953 - 32; 1954 - 34; 1956 - 25; 1957 - 16; 1958 - 22; 1959 - 21; 1960 - 26; 1961 - 11; 1962 - 20; 1963 - 24.



TABLE 7 - continued

No.	Causes of death		1953	1954	1955	1956	1957	1958	1959	1960	1961	1962	1963
685	Puerperal eclampsia	F	7	10	8	8	5	6	6	2	8	3	
686	Other forms of puerperal toxæmia	F	4	4	1	3	-	2	1	1	1	-	1
687	Cerebral haemorrhage in the puerperium	F	4	-	6	5	4	5	3	2	5	2	4
688	Other and unspecified complications of the puerperium	F	2	1	3	1	2	2	4	1	-	2	4
689	Mastitis and other disorders of lactation	F	-	2	1	4	-	-	-	-	1	1	-
690-716	XII DISEASES OF THE SKIN AND CELLULAR TISSUE	M	279	230	187	183	194	204	173	170	197	161	136
		F	356	322	321	292	247	283	282	294	315	248	247
690-698	Infections of skin and subcutaneous tissue	M	96	92	94	72	74	89	83	72	81	61	51
		F	116	102	95	91	74	90	90	88	93	90	81
690	Boil and carbuncle	M	26	18	22	26	25	28	26	21	27	7	8
		F	21	19	12	26	20	16	21	13	15	13	13
691	Cellulitis of finger and toe	M	2	3	3	-	2	3	4	1	3	2	2
		F	10	3	3	1	1	2	5	4	1	1	1
692	Other cellulitis and abscess without mention of lymphangitis	M	58	59	57	42	38	53	44	45	47	40	40
		F	77	69	70	56	43	64	46	59	60	65	53
693	Other cellulitis and abscess with lymphangitis	M	2	-	-	-	-	-	1	-	-	-	-
		F	-	2	-	1	3	1	-	-	-	1	1
695	Impetigo	M	2	1	1	-	-	-	-	-	1	1	-
		F	-	1	1	2	1	-	-	2	-	1	-
698	Other local infections of skin and subcutaneous tissue	M	6	10	11	4	9	3	8	5	3	10	1
		F	7	7	9	5	6	7	17	10	16	9	12
700-716	Other diseases of skin and subcutaneous tissue	M	183	138	93	111	120	115	90	98	116	100	85
		F	240	220	226	201	173	193	192	206	222	158	166
700	Seborrhoeic dermatitis	M	3	1	1	1	-	-	1	-	-	-	-
		F	4	3	1	1	-	2	2	1	-	-	-
701	Eczema	M	15	11	6	7	7	11	4	5	6	6	4
		F	13	4	15	9	6	7	3	6	6	5	7
703	Other dermatitis	M	8	4	2	4	1	2	3	-	3	3	-
		F	8	6	3	2	4	-	1	4	7	2	4
704	Pemphigus	M	51	41	19	28	27	28	20	29	24	16	15
		F	55	56	36	42	40	36	37	31	37	24	20
705	Erythematous conditions	M	43	28	27	23	29	17	22	21	27	23	19
		F	31	30	47	30	24	23	27	26	20	21	23
706	Psoriasis and similar disorders	M	1	5	4	2	3	2	6	4	5	4	5
		F	7	10	4	5	2	5	4	4	7	6	2
708	Pruritus and related conditions	M	2	1	1	1	-	1	-	-	-	1	1
		F	2	2	2	3	1	3	1	1	-	-	-
710	Other hypertrophic and atrophic conditions of skin	M	22	9	11	18	22	24	14	18	26	21	15
		F	36	30	38	47	38	51	59	55	57	48	42
714	Diseases of sweat and sebaceous glands	M	1	-	2	-	2	1	1	1	-	1	-
		F	1	1	-	-	-	-	1	1	1	-	-
715	Chronic ulcer of skin	M	34	34	17	24	23	22	17	19	23	22	26
		F	81	75	77	58	58	64	55	74	85	52	66
716	Other diseases of skin	M	-	1	2	2	1	3	1	-	-	2	-
		F	2	2	1	4	-	-	2	1	2	-	2
720-749	XIII DISEASES OF THE BONES AND ORGANS OF MOVEMENT	M	578	619	614	624	584	613	613	661	669	672	649
		F	982	1,156	1,352	1,236	1,225	1,307	1,331	1,334	1,370	1,382	1,398
720-727	Arthritis and rheumatism, except rheumatic fever	M	296	355	338	351	309	353	355	388	353	356	363
		F	768	890	1,076	951	941	1,019	1,027	1,066	1,053	1,059	1,033
720	Acute arthritis due to pyogenic organisms	M	11	11	9	15	10	16	13	8	8	6	17
		F	18	11	13	5	11	12	18	18	9	15	16
722	Rheumatoid arthritis and allied conditions	M	184	223	214	206	183	222	221	252	246	230	222
		F	558	683	814	729	705	757	754	799	771	798	750
	0 Rheumatoid arthritis	M	173	196	192	189	169	206	208	225	225	209	195
		F	556	680	809	727	700	753	746	791	764	792	746
	1 Spondylitis ankylopoietica	M	11	27	22	17	14	16	13	26	21	21	27
		F	2	3	5	2	5	4	8	7	7	6	4
723	Osteo-arthritis (arthrosis) and allied conditions	M	86	111	107	122	107	103	111	120	84	111	108
		F	171	180	237	212	208	235	240	226	257	231	248
724	Other specified forms of arthritis	M	-	1	1	-	1	4	3	1	-	2	1
		F	2	3	1	2	3	3	6	5	3	3	1
725	Arthritis, unspecified	M	7	3	1	2	-	2	-	4	8	4	8
		F	15	10	3	2	3	7	5	11	4	7	13

TABLE 7 - continued

ICD No.	Causes of death		1953	1954	1955	1956	1957	1958	1959	1960	1961	1962	1963
726	Muscular rheumatism	M	4	4	6	3	6	4	5	3	7	3	6
		F	1	2	3	-	8	3	4	6	9	4	5
727	Rheumatism, unspecified	M	4	2	-	3	2	2	-	-	-	-	1
		F	3	1	5	1	3	2	-	1	-	1	-
730-738	Osteomyelitis and other diseases of bone and joint	M	180	162	167	156	157	137	143	148	167	158	133
		F	136	178	178	189	187	197	206	195	206	204	254
730	Osteomyelitis and periostitis	M	59	51	48	37	43	45	36	38	33	32	25
		F	33	36	27	42	35	28	31	27	17	11	27
731	Osteitis deformans	M	80	87	88	93	76	68	68	68	87	67	62
		F	59	80	102	83	87	93	81	83	81	98	92
733	Other diseases of bone	M	24	11	10	19	18	16	28	27	30	43	28
		F	31	52	43	52	54	66	77	68	95	86	114
735	Displacement of intervertebral disc	M	8	7	16	4	15	5	5	10	9	9	12
		F	7	4	4	7	6	5	7	6	5	6	13
737	Ankylosis of joint	M	-	2	-	1	1	1	-	-	2	3	-
		F	2	-	1	1	1	-	4	-	-	-	1
738	Other diseases of joint	M	9	3	3	2	4	1	6	3	3	4	5
		F	4	6	1	3	3	5	6	9	7	3	7
740-749	Other diseases of musculoskeletal system	M	102	102	109	117	118	123	115	125	149	158	153
		F	78	88	98	96	97	91	98	73	111	119	111
740	Bunion	M	-	1	-	-	-	-	-	1	-	1	-
		F	-	1	-	1	-	1	5	1	2	3	2
741	Synovitis, bursitis, and tenosynovitis, without mention of occupational origin	M	1	1	2	4	-	3	-	2	1	-	6
		F	3	2	1	4	1	2	3	1	-	2	-
743	Infective myositis and other inflammatory diseases of tendon and fascia	M	-	-	1	-	1	-	1	1	-	1	-
		F	3	-	-	1	-	1	2	-	-	1	-
744	Other diseases of muscle, tendon and fascia	M	82	81	91	87	92	105	96	104	126	132	115
		F	52	56	73	63	57	60	62	57	73	79	73
745	Curvature of spine	M	11	14	10	21	22	12	13	14	18	17	27
		F	13	26	16	21	31	18	21	11	29	27	31
747	Hallux valgus and varus	M	-	-	-	-	-	-	-	2	-	1	1
		F	2	1	2	2	2	3	2	1	2	1	1
748	Clubfoot	M	1	2	-	2	1	-	-	1	-	2	1
		F	1	-	1	-	2	1	-	-	1	-	-
749	Other deformities	M	7	3	5	3	2	3	5	-	4	4	3
		F	4	2	5	4	4	5	3	2	4	6	4
750-759	XIV CONGENITAL MALFORMATIONS	M	2,216	2,349	2,431	2,442	2,589	2,589	2,503	2,696	2,671	2,836	2,783
		F	2,045	2,144	2,132	2,133	2,341	2,301	2,408	2,426	2,525	2,590	2,466
750	Monstrosity	M	33	51	41	59	57	59	50	80	67	75	83
		F	77	72	77	73	96	106	115	110	118	130	109
751	Spina bifida and meningocele	M	279	328	343	348	328	340	301	294	258	245	306
		F	394	477	477	462	462	458	411	399	395	368	486
752	Congenital hydrocephalus	M	170	201	185	209	201	201	237	245	265	227	115
		F	198	222	235	221	223	243	275	299	304	310	100
753	Other congenital malformations of nervous system and sense organs	M	43	65	50	48	83	61	69	83	68	60	64
		F	62	62	63	67	74	68	76	78	73	79	83
754	Congenital malformations of circulatory system	M	913	948	1,007	1,017	1,126	1,124	1,102	1,161	1,214	1,330	1,395
		F	786	767	756	791	911	870	921	1,009	1,056	1,087	1,099
755	Cleft palate and harelip	M	13	16	11	16	12	11	11	5	5	8	6
		F	9	8	13	15	10	6	7	5	8	4	8
756	Congenital malformations of digestive system	M	321	292	296	288	294	286	274	295	285	311	270
		F	201	179	164	172	173	179	194	167	185	190	167
	0 Congenital hypertrophic pyloric stenosis	M	52	46	38	25	27	24	20	31	22	30	25
		F	12	5	3	10	7	6	4	5	3	3	8
	1 Imperforate anus	M	28	31	26	27	30	11	21	21	24	23	19
		F	13	8	9	6	11	4	6	9	4	6	6
	2 Other	M	241	215	232	236	237	251	233	243	239	258	226
		F	176	166	152	156	155	169	184	153	178	181	153
757	Congenital malformations of genito-urinary system	M	265	260	279	267	274	261	248	307	273	321	291
		F	161	189	187	178	223	182	224	185	210	201	210
	1 Polycystic disease of kidney	M	147	138	158	141	130	142	131	152	162	165	148
		F	129	139	135	114	170	133	167	131	150	146	163
	0, 2, 3 Other	M	118	122	121	126	144	119	117	155	111	156	143
		F	32	50	52	64	53	49	57	54	60	55	47
758	Congenital malformations of bone and joint	M	27	30	27	30	32	39	29	33	36	41	31
		F	21	28	32	21	39	33	34	27	24	42	25



TABLE 7 - continued

CD No.	Causes of death		1953	1954	1955	1956	1957	1958	1959	1960	1961	1962	1963
759	Other and unspecified congenital malformations, not elsewhere classified	M F	152 136	158 140	192 128	160 133	182 130	207 156	182 151	193 147	200 152	218 179	222 181
760-776	XV CERTAIN DISEASES OF EARLY INFANCY	M F	5,820 4,037	5,690 3,784	5,448 3,719	5,575 3,778	5,616 3,812	5,618 3,800	5,506 3,807	5,698 3,822	5,828 3,925	5,862 3,833	5,600 3,815
760-773	5 With immaturity	M F	1,659 1,071	1,713 1,107	1,670 1,083	1,761 1,119	1,886 1,237	1,950 1,272	1,982 1,272	1,986 1,315	2,158 1,321	2,131 1,303	2,051 1,346
760-769	Birth injuries, asphyxia, and infections of newborn	M F	3,271 2,096	3,232 2,001	3,141 1,950	3,238 2,057	3,322 2,158	3,381 2,158	3,404 2,140	3,356 2,123	3,537 2,211	3,465 2,181	3,307 2,166
760	Intracranial and spinal injury at birth	M F	938 539	936 535	901 506	922 539	885 542	914 536	929 529	902 516	968 540	871 464	852 551
761	Other birth injury	M F	195 137	214 145	238 151	219 176	255 159	221 134	243 150	250 157	336 199	304 223	321 219
762	Postnatal asphyxia and atelectasis	M F	1,432 957	1,478 916	1,407 901	1,460 924	1,628 1,068	1,590 1,057	1,646 1,064	1,597 1,080	1,602 1,045	1,623 1,052	1,532 983
763	Pneumonia of newborn	M F	554 336	473 288	483 300	502 304	429 285	512 325	445 305	451 281	426 278	470 293	401 278
764	Diarrhoea of newborn	M F	36 24	22 18	25 15	27 21	22 13	21 13	30 14	33 13	32 31	32 23	42 23
765	Ophthalmia neonatorum	M F	- -	1 2	1 1	- 3	- -	- -	2 -	- 1	- -	- -	- -
766	Pemphigus neonatorum	M F	5 2	2 6	2 5	4 4	4 4	2 8	4 1	3 1	1 1	- 3	2 2
767	Umbilical sepsis	M F	8 7	9 15	9 8	12 12	17 11	9 3	10 3	10 6	13 7	7 5	9 5
768	Other sepsis of newborn	M F	20 33	25 20	20 14	19 17	22 22	29 19	20 15	27 16	31 25	22 22	35 27
769	Neonatal disorders arising from certain diseases of the mother during pregnancy	M F	83 61	72 56	55 49	73 57	60 54	83 63	75 59	83 52	128 85	136 96	113 78
770-776	Other diseases peculiar to early infancy	M F	2,549 1,941	2,458 1,783	2,307 1,769	2,337 1,721	2,294 1,654	2,237 1,642	2,102 1,667	2,342 1,699	2,291 1,714	2,397 1,652	2,293 1,649
770	Haemolytic disease of newborn (erythroblastosis)	M F	225 185	282 186	196 170	182 171	203 175	182 197	184 176	201 174	172 163	191 164	197 149
771	Haemorrhagic disease of newborn	M F	116 81	132 88	120 90	142 82	120 64	162 87	127 92	124 80	111 79	156 76	127 91
772	Nutritional maladjustment	M F	6 3	5 6	4 3	8 3	6 1	9 2	3 -	4 -	1 1	5 2	8 3
773	Ill-defined diseases peculiar to early infancy	M F	203 125	182 151	196 126	178 110	155 114	172 107	180 123	229 161	294 159	301 167	338 180
774	Immaturity with mention of any other subsidiary condition	M F	73 67	68 58	67 64	64 63	81 48	73 72	76 78	66 60	71 60	72 57	61 51
776	Immaturity, unqualified	M F	1,926 1,480	1,789 1,294	1,724 1,316	1,763 1,292	1,729 1,252	1,639 1,177	1,532 1,198	1,718 1,224	1,642 1,252	1,672 1,186	1,562 1,175
780-795	XVI SYMPTOMS, SENILITY, AND ILL-DEFINED CONDITIONS	M F	3,072 5,289	3,326 5,754	3,703 6,270	3,490 6,030	2,935 5,213	2,989 5,265	2,718 5,094	2,435 4,873	2,454 4,876	2,281 4,476	2,173 4,092
780-789	Symptoms referable to systems or organs	M F	142 163	146 119	158 130	124 140	114 126	96 91	69 65	88 99	106 113	81 83	116 102
780	Certain symptoms referable to nervous system and special senses	M F	17 15	18 13	14 8	11 5	7 4	7 8	4 4	2 4	7 8	5 4	6 5
	2 Convulsions	M F	15 14	17 13	12 8	10 4	5 3	6 8	4 4	2 4	5 6	5 3	3 5
	0, 1, 3-9 Others included under 780	M F	2 1	1 -	2 -	1 1	2 1	1 -	- -	- -	2 2	1 1	3 -
782	Symptoms referable to cardiovascular and lymphatic system	M F	109 125	98 92	105 100	91 109	90 107	41 54	32 31	46 59	53 69	46 53	57 65
	4 Acute heart failure, undefined	M F	105 121	96 88	105 96	88 107	85 102	40 50	29 30	44 56	46 63	39 49	54 63
	0-3,5-9 Other symptoms referable to cardio-	M F	4 4	2 4	- 4	3 2	5 5	1 4	3 1	2 3	7 6	7 4	3 2
783	Symptoms referable to respiratory system	M F	- 2	4 1	3 2	3 4	2 -	1 4	2 1	4 7	2 5	3 4	5 -
784	Symptoms referable to upper gastro-intestinal tract	M F	5 6	8 4	15 16	7 11	5 8	26 16	18 18	11 14	21 18	17 11	19 14
785	Symptoms referable to abdomen and lower gastro-intestinal tract	M F	2 5	9 5	9 1	2 5	3 4	7 2	4 6	8 7	8 7	5 6	9 3
786	Symptoms referable to genito-urinary system	M F	7 4	8 1	8 -	6 2	4 -	9 3	6 1	12 2	7 2	3 1	12 -

TABLE 7 - continued

ICD No.	Causes of death		1953	1954	1955	1956	1957	1958	1959	1960	1961	1962	1963
788	Other general symptoms	M F	1 4	1 1	2 1	2 3	3 3	4 3	3 4	3 5	3 3	2 3	8 11
789	Abnormal urinary constituents of unspecified cause	M F	- 2	- 1	2 1	2 1	- -	- 1	- -	- 1	4 1	- 1	- 1
790-795	Senility and ill-defined diseases	M F	2,930 5,126	3,180 5,635	3,545 6,140	3,366 5,890	2,821 5,087	2,893 5,174	2,649 5,029	2,347 4,774	2,348 4,763	2,200 4,393	2,057 3,990
790	Nervousness and debility	M F	- -	- -	1 -	- 1	- -	- -	- 1	- -	1 -	- 1	- -
792	Uraemia	M F	15 13	21 10	20 10	26 15	12 15	27 16	22 19	20 27	39 19	27 27	38 26
794	Senility without mention of psychosis	M F	2,868 5,085	3,094 5,590	3,475 6,098	3,275 5,844	2,750 5,034	2,817 5,132	2,578 4,970	2,269 4,716	2,253 4,710	2,125 4,335	1,964 3,926
795	Ill-defined and unknown causes of mortality	M F	47 28	65 35	49 32	65 30	59 38	49 26	49 39	58 31	55 34	48 30	55 38
E800-E999	XVII ACCIDENTS, POISONINGS, AND VIOLENCE	M F	12,333 7,531	12,630 8,239	12,932 8,537	12,992 8,878	12,858 8,703	13,343 9,113	13,456 9,379	13,503 9,619	13,654 9,660	13,812 10,085	14,074 10,549
E800-E802	Railway accidents	M F	342 25	249 31	283 34	292 39	288 21	300 46	250 30	219 28	254 29	209 22	215 27
E800	Involving railroad employee	M F	193 -	148 1	166 -	164 -	162 1	119 2	140 2	115 3	139 1	94 -	102 1
E801	Involving passenger	M F	40 8	19 7	35 10	44 19	19 3	97 33	20 11	20 8	30 9	25 7	37 12
E802	Involving other and unspecified person	M F	109 17	82 23	82 24	84 20	107 17	84 11	90 17	84 17	85 19	90 15	76 14
E810-E825	Motor vehicle traffic accidents*	M F	3,225 1,021	3,289 1,158	3,552 1,256	3,655 1,284	3,608 1,219	3,966 1,400	4,345 1,607	4,676 1,881	4,669 1,875	4,451 1,779	4,522 1,754
E810	Involving collision with railway train	M F	12 4	7 1	10 -	11 3	13 2	15 4	8 -	6 -	20 5	6 4	13 -
E812	To pedestrian	M F	1,182 674	1,201 807	1,210 813	1,275 844	1,219 753	1,323 900	1,299 979	1,488 1,174	1,512 1,129	1,421 1,076	1,418 1,099
E813	To pedal cyclist	M F	461 73	457 79	437 84	458 67	428 68	446 56	524 90	477 91	481 74	412 68	431 58
E814	To rider or passenger of motorcycle in collision with non-motor vehicle or object	M F	65 4	49 1	60 2	59 8	62 4	57 3	57 4	65 8	48 2	44 3	50 2
E815	To rider or passenger of motorcycle in collision with other motor vehicle	M F	689 57	696 38	797 59	746 57	730 60	862 63	977 77	1,054 99	925 85	840 65	775 56
E816	Other motor vehicle traffic accident involving two or more motor vehicles	M F	286 91	302 107	389 153	437 165	370 171	533 204	626 253	659 276	746 370	797 339	934 326
E817	To occupant of motor vehicle in collision with pedestrian or pedal cycle	M F	- -	2 -	1 -	1 1	- -	- 1	1 -	2 1	2 -	1 -	- -
E818	Involving collision with animal or animal-drawn vehicle	M F	3 -	3 -	6 -	2 -	1 1	- 1	3 3	- 1	3 2	1 5	1 2
E819	Involving collision with fixed or unspecified object	M F	3 1	4 1	2 1	3 2	10 -	10 3	9 -	10 5	9 1	16 6	19 5
E820	While boarding and alighting	M F	20 19	6 9	12 18	21 8	24 10	11 7	22 13	13 21	7 8	10 10	9 13
E821	To rider of motorcycle without antecedent collision	M F	286 34	304 31	322 28	327 23	387 32	332 38	396 51	410 44	409 38	306 25	315 27
E822	Involving overturning in roadway	M F	49 12	47 15	72 14	48 10	53 16	54 16	55 20	42 13	47 16	82 13	72 15
E823	Involving running off roadway	M F	107 32	130 40	165 49	190 61	231 57	238 61	271 75	349 97	349 101	405 114	379 98
E824	Other non-collision motor vehicle traffic accident	M F	54 19	75 28	62 34	63 31	62 32	64 23	61 26	58 31	66 30	76 25	55 27
E825	Of unspecified nature	M F	8 1	6 1	7 1	13 4	17 13	21 20	36 16	43 20	45 14	34 25	51 26
E830-E835	Motor vehicle non-traffic accidents*	M F	117 12	134 8	104 11	84 13	65 6	68 5	69 5	78 8	84 6	71 5	67 8
E830	To pedestrian	M F	32 10	55 8	52 9	47 9	40 6	37 4	39 4	36 6	50 4	34 5	29 6
E832	To rider or passenger of motorcycle	M F	10 1	8 -	18 -	5 -	5 -	7 -	9 1	10 -	12 -	15 -	11 -
E833	Other motor vehicle non-traffic accident involving two or more motor vehicles	M F	1 -	1 -	3 -	1 -	1 -	3 -	2 -	- -	- -	2 -	4 -
E834	While boarding and alighting	M F	1 -	- -	- 1	- 1	1 -	1 -	- -	1 2	2 1	1 -	- 2

\* E810-E835. Motor vehicle accidents. An analysis of these deaths for years 1953 and on according to the types of vehicle involved (as provided for in the 1955 International Statistical Classification) is not included in this table, but details are available at the General Register Office.



TABLE 7 - continued

ICD No.	Causes of death		1953	1954	1955	1956	1957	1958	1959	1960	1961	1962	1963
E835	Of other and unspecified nature	M F	73 1	70 -	30 1	30 3	16 -	20 1	18 -	29 -	19 1	18 -	23 -
E840-E845	Other road vehicle accidents	M F	181 66	198 60	191 56	157 43	170 50	152 66	112 54	114 46	98 46	99 40	74 34
E840	Street car accident to pedestrian	M F	6 1	5 3	3 2	6 3	- 1	- 1	1 1	- 1	1 -	1 1	1 1
E841	Other street car accident, excluding collision with motor vehicle	M F	3 -	1 1	- -	- 2	- -	1 -	- -	- -	- -	- -	- -
E842	Accident to pedestrian caused by pedal cycle	M F	32 20	46 24	38 27	35 25	38 21	24 32	15 25	19 23	18 22	14 22	9 13
E843	Accident to rider of pedal cycle not involving collision with motor vehicle	M F	113 30	126 23	131 19	101 9	126 21	119 17	81 21	98 14	71 11	77 9	55 10
E844	Accident to pedestrian caused by other non-motor road vehicle	M F	10 5	6 -	2 2	4 1	- -	1 -	1 -	1 1	- 1	- 1	- -
E845	Other non-motor road vehicle accidents	M F	17 10	14 9	17 6	11 3	6 7	7 16	14 7	6 7	8 12	7 7	9 10
E850-E858	Water transport accidents	M F	147 6	127 5	135 4	140 6	156 5	134 4	147 5	168 6	172 13	164 8	166 5
E850	Submersion of occupant of small boat	M F	56 3	38 2	43 3	52 4	62 4	66 3	64 4	86 2	81 7	67 5	73 4
E851	Other water transport injury by submersion	M F	36 3	42 1	32 -	44 -	41 -	33 1	31 -	35 1	58 4	46 2	46 -
E852	Fall on stairs and ladders in water transport	M F	6 -	7 -	4 -	9 -	3 -	3 -	7 -	5 1	2 -	6 -	5 -
E853	Other falls from one level to another in water transport	M F	22 -	13 -	20 1	12 -	15 -	11 -	16 1	18 1	16 -	11 -	14 -
E854	Falls on same level in water transport	M F	2 -	2 -	1 -	- 1	3 -	2 -	1 1	- -	2 -	1 -	3 -
E855	Unspecified falls in water transport	M F	1 -	2 -	2 -	1 -	1 -	2 -	1 -	- -	1 -	- -	- -
E856	Machinery accident in water transport	M F	9 -	3 -	2 -	3 -	7 -	6 -	9 -	6 -	4 -	7 -	9 -
E857	Other specified accidents in water transport	M F	15 -	20 1	30 -	19 1	23 1	9 -	18 -	18 1	8 2	25 1	16 1
E860-E866	Aircraft accidents	M F	190 2	222 3	139 5	130 6	145 12	170 27	75 3	51 -	35 2	68 12	34 -
E860	Accident to personnel in military aircraft	M F	175 -	194 -	106 -	100 1	81 -	63 -	36 -	37 -	13 -	28 -	20 -
E861	Injury to occupant by accident to commercial 'transport' aircraft	M F	3 1	2 2	1 -	7 1	49 7	82 22	25 -	1 -	7 1	18 7	- -
E863	Injury to occupant by accident to other specified aircraft	M F	4 -	13 -	8 -	5 1	6 1	11 1	2 -	4 -	8 1	15 3	9 -
E864	Aircraft accident at airfield to person not in aircraft	M F	3 -	4 -	7 1	3 -	1 -	5 -	1 -	2 -	- -	2 -	1 -
E865	Aircraft accident elsewhere to person not in aircraft	M F	- 1	1 -	7 4	5 3	2 3	2 3	4 3	- -	1 -	1 2	- -
E866	Other and unspecified aircraft accidents	M F	5 -	8 1	10 -	10 -	6 1	7 1	7 -	7 -	6 -	4 -	4 -
E870-E888	Accidental poisoning by solid and liquid substances	M F	136 152	150 165	152 169	165 191	176 177	158 191	175 197	195 253	223 241	260 313	324 348
E870	Morphine and other opium derivatives	M F	1 4	2 -	3 -	- 1	1 1	- 1	3 -	- 1	1 2	1 1	1 2
E871	Barbituric acid and derivatives	M F	84 85	67 117	77 115	91 132	96 112	88 117	96 136	115 178	144 159	176 217	218 264
E872	Aspirin and salicylates	M F	9 23	18 14	16 15	18 21	18 26	13 29	18 25	24 41	30 37	18 36	30 30
E873	Accidental poisoning by bromides	M F	- -	2 -	- -	- 1	- 1	- -	1 -	1 -	1 1	1 -	- -
E874	Other analgesic and soporific drugs	M F	3 9	11 8	7 7	5 6	10 14	10 14	17 10	8 10	3 6	7 9	15 12
E876	Strychnine	M F	2 2	1 -	2 1	- 3	2 -	- 2	1 -	- 1	- 1	- 2	- -
E878	Other and unspecified drugs	M F	5 9	11 10	7 12	14 11	16 7	16 9	16 12	13 14	15 24	28 36	23 24
E880	Alcohol	M F	10 1	11 1	11 6	13 4	15 5	5 4	5 3	15 -	11 1	7 6	17 6

TABLE 7 - continued

ICD No.	Causes of death		1953	1954	1955	1956	1957	1958	1959	1960	1961	1962	1963
E881	Petroleum products	M F	1 1	1 -	5 1	- -	- 1	- -	- -	1 -	2 -	2 -	1 -
E882	Industrial solvents	M F	1 1	4 -	2 1	3 2	4 -	2 1	3 1	- -	2 -	2 1	5 -
E883	Corrosive aromatics, acids, and caustic alkalis	M F	6 5	6 6	8 2	4 6	4 6	8 8	9 7	4 4	8 4	11 2	5 2
E884	Mercury and its compounds	M F	3 3	- -	1 2	1 -	- -	1 1	1 -	- -	1 -	- -	- 1
E885	Lead and its compounds	M F	1 1	4 1	2 -	3 -	- -	5 -	1 1	2 -	1 2	- -	2 2
E888	Other and unspecified solid and liquid substances	M F	8 8	11 7	8 5	12 3	10 3	10 4	4 1	12 3	4 3	7 3	8 4
E890-E895	Accidental poisoning by gases and vapours	M F	322 322	326 391	376 476	360 452	369 464	430 525	433 553	464 560	444 570	562 696	604 796
E890	Utility (illuminating gas)	M F	279 312	280 380	320 464	301 440	309 448	368 502	377 538	412 536	375 550	481 665	527 751
E891	Motor vehicle exhaust gas	M F	17 -	8 2	15 -	15 -	9 1	13 -	10 1	11 1	15 -	17 -	21 2
E892	Other carbon monoxide gas	M F	18 9	23 8	23 10	29 11	27 14	33 21	30 12	28 22	29 20	47 29	40 37
E894	Other specified gases and vapours	M F	8 1	15 1	17 1	14 1	22 1	14 2	16 2	11 1	16 -	15 2	14 6
E895	Accidental poisoning by unspecified gases and vapours	M F	- -	- -	1 -	- -	1 -	2 -	- -	1 -	4 -	1 -	2 -
E900-E904	Accidental falls	M F	1,787 2,812	2,118 3,235	2,019 3,310	2,124 3,459	1,991 3,305	2,010 3,474	2,105 3,538	1,906 3,558	1,889 3,487	2,006 3,490	2,073 3,613
E900	Fall on stairs	M F	326 495	381 555	405 565	412 536	371 545	373 557	385 544	368 529	343 491	345 510	344 483
E901	Fall from ladders	M F	87 5	95 7	81 7	82 11	74 9	78 6	82 11	69 10	77 12	64 14	78 9
E902	Other falls from one level to another	M F	512 222	503 261	498 214	457 254	450 246	458 236	497 279	447 229	429 213	478 246	429 210
E903	Fall on same level	M F	562 1,183	566 1,021	461 991	482 1,024	498 1,100	585 1,307	627 1,521	640 1,652	621 1,684	799 1,923	850 1,991
E904	Unspecified falls	M F	300 907	573 1,391	574 1,533	691 1,634	598 1,405	516 1,368	514 1,183	382 1,139	419 1,087	320 797	372 920
E910-E936	Other accidents	M F	2,569 1,221	2,347 1,151	2,600 1,403	2,413 1,153	2,414 1,100	2,504 1,113	2,360 1,118	2,305 1,078	2,450 1,071	2,375 1,217	2,410 1,388
E910	Blow from falling or projected object or missile	M F	349 16	295 13	297 18	285 20	299 7	319 18	266 14	277 19	252 15	222 16	233 15
E911	Caused by vehicle	M F	83 -	75 -	98 -	67 -	83 -	86 1	59 -	55 -	60 -	59 -	72 -
E912	Caused by machinery	M F	167 5	173 7	243 4	233 10	245 3	254 6	211 5	207 7	241 7	224 6	207 4
E913	Caused by cutting and piercing instruments	M F	17 8	19 14	21 3	15 3	13 6	21 6	13 5	13 5	18 7	8 4	11 3
E914	Caused by electric current	M F	86 25	82 20	92 18	109 14	106 19	101 21	92 29	97 20	111 22	93 19	111 32
E915	Caused by explosion of pressure vessel	M F	9 1	8 -	14 1	7 1	8 1	5 -	7 -	4 -	10 -	9 1	10 2
E916	Caused by fire and explosion of combustible material*	M F	220 359	221 437	257 435	233 439	232 398	226 404	268 422	228 413	297 382	315 494	323 560
E917	Caused by hot substance, corrosive liquid and steam*	M F	71 53	54 69	65 60	70 80	52 54	76 63	52 64	47 42	66 38	46 52	51 52
E919	Caused by firearm	M F	87 5	83 4	66 5	74 3	74 7	82 1	75 6	59 6	77 6	78 2	68 4
E921	Inhalation and ingestion of food, causing obstruction or suffocation	M F	205 163	256 173	259 165	249 185	230 157	228 141	212 154	223 180	271 179	278 210	254 219
E922	Inhalation and ingestion of other object causing obstruction or suffocation	M F	11 3	16 3	21 14	16 11	18 12	35 3	18 14	26 6	8 11	20 5	21 12
E923	Foreign body entering other orifice	M F	22 22	14 23	7 14	9 15	7 5	15 9	12 16	12 16	10 13	13 7	14 11
E924	Accidental mechanical suffocation in bed and cradle*	M F	125 99	132 90	118 70	118 95	93 74	103 77	82 59	76 55	71 51	94 72	94 54
E925	Accidental mechanical suffocation in other and unspecified circumstances	M F	46 3	71 5	65 4	56 1	39 5	31 9	49 7	52 5	63 10	64 14	86 18

\* E916, E917, E924. See footnotes to these causes in Table 18A.



TABLE 7 - continued

CD No.	Causes of death		1953	1954	1955	1956	1957	1958	1959	1960	1961	1962	1963
E926	Lack of care of infants under 1 year of age	M F	53 30	28 28	31 30	28 16	26 34	19 36	30 23	20 12	26 24	23 20	34 27
E927	Accidents caused by bites and stings of venomous animals and insects	M F	2 4	1 2	3 2	1 4	3 3	4 5	3 1	3 1	3 4	5 -	5 3
E928	Other accidents caused by animals	M F	13 3	13 5	20 7	12 3	14 5	12 7	12 8	12 3	14 8	17 3	11 2
E929	Accidental drowning and submersion	M F	719 194	646 189	759 225	637 188	703 227	695 220	719 214	677 197	680 197	591 187	528 174
E931	Excessive heat and insolation	M F	3 1	4 -	3 2	- 1	1 4	- -	3 2	3 1	2 -	- -	2 1
E932	Excessive cold	M F	3 2	17 7	12 10	11 9	4 3	8 2	3 6	9 6	6 2	27 13	69 79
E933	Hunger, thirst, and exposure	M F	14 9	10 9	18 11	24 10	14 12	14 18	16 11	23 7	19 10	24 17	33 28
E934	Cataclysm	M F	122 175	2 3	- 1	7 2	- 1	- -	2 -	1 -	- -	4 4	- 2
E935	Lightning	M F	12 2	5 3	12 3	7 2	7 -	9 2	6 1	6 3	4 3	4 1	2 -
E936	Other and unspecified accidents	M F	130 39	121 47	118 41	145 41	143 62	161 63	150 57	175 74	141 82	155 70	162 81
40-E946	Complications due to non-therapeutic medical and surgical procedures	M F	5 3	5 2	3 2	4 5	6 7	6 7	1 2	6 4	7 2	5 7	1 3
E940	Generalized vaccinia following vaccination	M F	- -	- -	- -	1 -	1 -	- 1	- 1	1 -	2 1	2 1	- -
E941	Postvaccinal encephalitis	M F	3 1	1 -	1 -	1 2	1 2	3 2	1 -	3 1	2 -	2 2	- -
E944	Other complications of prophylactic inoculation	M F	2 1	4 1	2 1	2 2	3 1	3 2	- -	1 1	3 1	1 1	1 -
E946	Other complications due to non-therapeutic medical and surgical procedures	M F	- -	- 1	- -	- -	- 2	- -	- 1	1 2	- -	- -	- 1
50-E959	Therapeutic misadventure and late complications of therapeutic procedures	M F	29 26	35 29	28 28	27 23	23 28	8 5	10 8	4 3	12 8	12 9	7 17
E950	Therapeutic misadventure in surgical treatment	M F	13 15	32 22	23 20	22 19	17 20	4 3	5 2	1 -	5 3	2 3	- 2
E951	Therapeutic misadventure in infusion or transfusion	M F	4 1	- 1	1 1	- -	1 3	1 -	1 1	- 3	1 1	3 -	- 3
E953	Therapeutic misadventure in administration of drugs or biologicals	M F	3 5	- 3	2 -	2 -	2 2	1 1	- 4	1 -	3 1	5 4	4 7
E954	Therapeutic misadventure in anaesthesia	M F	1 1	- 1	- -	- 1	- 2	- -	- -	- -	1 1	1 -	- -
E955	Other and unspecified therapeutic misadventure	M F	7 4	3 2	2 2	3 2	2 -	1 -	3 -	1 -	1 2	1 1	1 1
60-E965	Late effects of injury and poisoning	M F	179 31	154 32	184 19	153 29	159 37	154 25	155 26	136 31	142 30	138 25	142 22
E960	Late effect of motor vehicle accident	M F	8 1	11 2	11 -	9 4	10 2	12 3	13 5	20 6	21 7	22 5	21 3
E961	Late effect of accidental poisoning	M F	1 -	- 2	1 -	- -	1 -	1 -	1 1	1 1	1 -	- -	2 -
E962	Late effect of other accidental injury	M F	76 29	64 28	66 18	44 23	48 32	70 22	63 19	57 23	69 22	73 19	59 19
E965	Late effects of injury due to war operations	M F	94 1	79 -	106 1	100 2	100 2	71 -	78 1	57 -	51 -	43 -	59 -
70-E979	Suicide and self-inflicted injury	M F	3,020 1,734	3,178 1,865	3,060 1,940	3,198 2,084	3,170 2,145	3,175 2,123	3,116 2,091	3,058 2,054	3,025 2,175	3,264 2,324	3,307 2,407
E970	Poisoning by analgesic and soporific substances	M F	193 254	222 312	241 354	314 388	294 401	330 445	327 451	335 504	385 634	544 761	704 976
E971	Poisoning by other solid and liquid substances	M F	101 79	82 51	90 42	104 54	85 55	69 33	75 46	56 48	76 36	78 58	86 67
E972	Poisoning by gases in domestic use	M F	1,271 942	1,356 1,072	1,261 1,073	1,347 1,183	1,399 1,202	1,448 1,189	1,417 1,177	1,421 1,078	1,319 1,060	1,396 1,073	1,367 1,001
E973	Poisoning by other gases	M F	43 3	39 5	41 2	45 8	67 5	67 7	58 6	94 8	109 10	107 10	115 10
E974	Injury by hanging and strangulation	M F	531 126	612 128	573 124	562 117	553 132	485 128	438 120	417 124	456 132	465 145	444 106
E975	Injury by submersion (drowning)	M F	258 216	290 178	282 206	271 213	264 211	251 205	249 197	256 182	232 177	224 172	195 151

TABLE 7 - continued

ICD No.	Causes of death		1953	1954	1955	1956	1957	1958	1959	1960	1961	1962	1963
E976	Injury by firearms and explosives	M	208	197	218	210	189	187	212	168	174	187	152
		F	11	6	10	9	14	8	8	9	12	5	9
E977	Injury by cutting and piercing instruments	M	195	160	162	138	130	131	119	107	97	71	64
		F	25	27	22	35	30	31	17	18	24	14	16
E978	Injury by jumping from high place	M	74	76	59	63	70	68	74	60	70	59	51
		F	47	51	57	43	58	38	41	43	36	35	32
E979	Injury by other and unspecified means	M	146	144	133	144	119	139	147	144	107	133	129
		F	31	35	50	34	37	39	28	40	54	51	39
E980-E985	Homicide and injury purposely inflicted by other persons (not in war)	M	83	97	101	90	116	108	103	123	150	123	128
		F	98	104	84	91	127	102	142	108	105	138	127
E980	Non-accidental poisoning by another person	M	10	14	13	21	24	11	9	11	12	16	18
		F	14	23	11	14	29	15	26	11	11	15	12
E981	Assault by firearm and explosive	M	9	15	6	10	14	4	7	9	14	14	12
		F	10	8	4	10	13	11	13	10	6	15	12
E982	Assault by cutting and piercing instruments	M	9	10	12	10	17	19	17	25	29	20	30
		F	18	16	17	15	19	14	22	20	26	21	23
E983	Assault by other means	M	43	44	59	49	59	70	64	75	88	70	66
		F	55	56	51	52	66	62	81	67	62	87	80
E985	Execution	M	12	14	11	-	2	4	6	3	7	3	2
		F	1	1	1	-	-	-	-	-	-	-	-
E990-E999	Injury resulting from operations of war	M	1	1	5	-	2	-	-	-	-	5*	-
		F	-	-	-	-	-	-	-	-	-	-	-
E999	Injury due to war operations but occurring after cessation of hostilities	M	-	1	5	-	2	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
N800-N999	XVII ALTERNATIVE CLASSIFICATION OF ACCIDENTS, POISONINGS, AND VIOLENCE (NATURE OF INJURY)	M	12,333	12,630	12,932	12,992	12,858	13,343	13,456	13,503	13,654	13,812	14,074
		F	7,531	8,239	8,537	8,878	8,703	9,113	9,379	9,619	9,660	10,085	10,549
N800-N804	Fracture of skull	M	3,143	3,057	3,169	3,125	3,064	3,210	3,233	3,317	3,249	3,068	2,958
		F	855	877	910	972	903	952	1,017	1,136	1,090	1,047	1,013
N805-N809	Fracture of spine and trunk	M	716	759	766	793	782	855	855	888	873	855	962
		F	294	372	389	408	406	449	481	555	550	511	549
N810-N829	Fracture of limbs	M	957	1,191	1,127	1,243	1,205	1,166	1,157	1,142	1,151	1,165	1,164
		F	2,169	2,511	2,599	2,787	2,594	2,825	2,836	2,893	2,822	2,847	2,902
N930-N939	Dislocation without fracture	M	43	40	58	42	43	50	46	39	49	47	38
		F	13	24	30	23	25	27	22	21	21	21	22
N840-N848	Sprains and strains of joints and adjacent muscles	M	2	2	2	4	3	6	6	3	3	7	12
		F	1	1	2	-	3	4	1	4	1	5	4
N850-N856	Head injury (excluding skull fracture)	M	862	932	962	916	896	957	1,067	1,016	1,056	1,072	1,003
		F	360	429	446	432	446	400	495	486	536	526	534
N860-N869	Internal injury of chest, abdomen, and pelvis	M	854	885	934	933	937	1,057	1,150	1,158	1,235	1,206	1,381
		F	200	173	175	186	186	242	294	316	333	329	336
N870-N908	Laceration and open wounds	M	502	429	458	398	395	425	402	372	350	347	318
		F	89	107	108	94	96	104	104	129	133	98	109
N910-N929	Superficial injury, contusion and crushing with intact skin surface	M	40	42	59	54	48	46	43	42	18	38	45
		F	73	90	92	56	58	53	45	60	46	41	41
N930-N936	Effects of foreign body entering through orifice	M	247	289	291	281	265	278	246	265	292	320	294
		F	191	201	193	213	176	156	186	201	201	226	242
N940-N949	Burns	M	288	251	297	265	272	278	269	227	271	278	285
		F	393	480	475	464	406	437	444	402	359	485	522
N960-N979	Effects of poisons	M	2,155	2,271	2,287	2,458	2,509	2,603	2,614	2,667	2,697	3,079	3,341
		F	1,800	2,057	2,159	2,356	2,391	2,450	2,508	2,524	2,639	3,006	3,313
N950-N959	All other and unspecified effects of	M	2,524	2,482	2,522	2,480	2,439	2,412	2,368	2,367	2,410	2,330	2,273
N980-N999	external causes	F	1,093	917	959	887	1,013	1,014	946	892	929	943	962

\* See footnote to page 39



TABLE 7 - continued

Causes of death not included in the tabular series

Primary tuberculosis complex with symptoms, 1953, 1F; 1954, 1F; 1963, 1F.	378	Inflammation of lachrymal glands and ducts, 1953, 1F; 1955, 2M; 1960, 1F; 1962, 2F.
Radiological evidence suggestive of active respiratory tuberculosis not classifiable elsewhere, -.	380	Refractive errors, 1953, 1M.
Early syphilis, 1953, 1F; 1956, 1F; 1961, 1F.	382	Corneal opacity, 1961, 1M; 1962, 3M, 1F.
Latent syphilis, -.	383	Pterygium, -.
Chronic gonococcal infection of genito-urinary system, 1954, 1M; 1958, 1M; 1963, 1M.	390	Otitis externa, 1953, 1M; 1959, 1M; 1961, 1M; 1962, 1M.
Gonococcal infection of joint, -.	397	Deaf mutism, 1957, 1F.
Gonococcal infection of eye, -.	398	Other deafness, 1953, 1F; 1954, 1F; 1957, 1F; 1959, 1F.
Gonococcal infection of other sites, 1954, 2M; 1956, 1M; 1961, 1M.	413	Diseases of pulmonary valve specified as rheumatic, -.
Chancreoid, -.	534	Toothache from unspecified cause, -.
Lymphogranuloma venereum, 1955, 1F; 1957, 1F; 1958, 1F; 1959, 1M; 1960, 1M, 1F.	616	Sterility, male, 1960, 1M.
Granuloma inguinale, venereal, 1954, 1M; 1961, 1M.	620	Chronic cystic disease of breast, -.
Other and unspecified venereal diseases, 1955, 1M, 1F; 1958, 1M; 1960, 1F.	636	Sterility, female, 1955, 2F; 1956, 1F; 1958, 1F; 1961, 1F; 1962, 2F; 1963, 1F.
Cholera, -.	643	Placenta praevia, 1954, 2F; 1955, 1F.
Other protozoal dysentery, 1958, 1F.	647	Pregnancy with malposition of foetus in uterus, -.
Bacterial toxæmia, 1953, 2M; 1955, 1F; 1956, 1F; 1957, 1M; 1960, 1F; 1962, 1F.	676	Delivery with laceration of perineum, without mention of other laceration, -.
Plague, 1962, 1M.	680	Puerperal urinary infection without other sepsis, 1960, 1F.
Tularæmia, -.	683	Puerperia of unknown origin during the puerperium, 1953, 1F.
Leprosy, 1961, 1F.	694	Acute lymphadenitis, 1954, 1M, 1F; 1959, 1F; 1961, 1F.
Relapsing fever, -.	696	Infectious warts, 1953, 1F; 1958, 2M; 1962, 1M; 1963, 1F.
Yaws, -.	697	Molluscum contagiosum, -.
Other spirochaetal and leptospiraetal infections, 1953, 1F; 1955, 1M; 1957, 1F; 1958, 1M; 1960, 1F.	702	Occupational dermatitis, 1954, 1M; 1960, 1M; 1961, 1M.
Acute poliomyelitis specified as non-paralytic, -.	707	Lichen planus, 1954, 1F; 1958, 2M; 1962, 1M.
Dengue, 1953, 1F.	709	Corns and callosities, 1953, 1M; 1954, 1M; 1955, 1M, 1F; 1957, 1M; 1958, 1M.
Yellow fever, -.	711	Other dermatoses, 1955, 1F; 1957, 2M; 1959, 1M; 1960, 1F.
Rabies, 1955, 1M; 1956, 1M.	712	Diseases of nail, 1953, 1M; 1954, 1M; 1956, 1M; 1957, 1M; 1958, 1F; 1960, 1F; 1961, 1M.
Trachoma, -.	713	Diseases of hair and hair follicles, 1953, 1M; 1957, 1M; 1958, 1M, 1F.
Louse-borne epidemic typhus, -.	721	Acute non-pyogenic arthritis, -.
Flea-borne endemic typhus (murine) -.	722-2	Chronic rheumatoid nodular fibrositis, 1960, 1M, 1F.
Brill's disease, not specified as louse- or flea-borne typhus, 1959, 1M; 1963, 1M.	732	Osteochondrosis, 1955, 1M; 1956, 1F; 1958, 1M; 1960, 1F; 1961, 1M, 1F; 1963, 1M.
Tabardillo (Mexican typhus), not specified as louse- or flea-borne, -.	734	Internal derangement of knee joint, 1957, 1F; 1960, 2M, 1F; 1961, 2M.
Tick-borne typhus, -.	736	Affection of sacro-iliac joint, 1954, 1M; 1955, 1M.
Mite-borne typhus, 1953, 1F.	742	Synovitis, bursitis and tenosynovitis, without mention of occupational origin, -.
Volhynian fever (trench fever), -.	746	Flat foot, -.
Typhus, unspecified, -.	781	Other symptoms referable to nervous system and special senses, 1953, 1M; 1954, 1F; 1955, 1F; 1958, 1M; 1960, 2M; 1961, 1M; 1963, 3F.
Other rickettsial diseases, 1960, 1M; 1963, 1F.	787	Symptoms referable to limbs and back, -.
Vivax malaria (benign tertian), 1957, 1M; 1961, 1M.	791	Headache, -.
Malariae malaria (quartan), -.	793	Observation, without need for further medical care, -.
Ovale malaria, -.	E811	Motor vehicle traffic accident involving collision with streetcar, 1956, 1M; 1957, 1M.
Mixed malarial infections, -.	E831	Motor vehicle non-traffic accident to pedal cyclist, 1955, 1M; 1956, 1M; 1957, 2M; 1959, 1M; 1960, 2M; 1961, 1M; 1962, 1M.
Blackwater fever, -.	E858	Water transport accident of unspecified cause, 1954, 1F; 1955, 1M; 1957, 1M; 1958, 2M; 1962, 1M.
Recurrent induced malaria, -.	E862	Other injury in commercial 'transport' aircraft, -.
Leishmaniasis, 1953, 1M; 1958, 1M; 1960, 1M.	E875	Accidental poisoning by sulfonamides, 1953, 1M.
Trypanosomiasis, 1954, 1M; 1957, 2M.	E877	Accidental poisoning by belladonna, hyoscine, and atropine, 1953, 1M; 1955, 1M, 1F.
Other trematode infestation, 1954, 1M; 1961, 1F.	E879	Accidental poisoning by noxious foodstuffs, 1955, 1M; 1956, 1M; 1957, 1F; 1960, 1F.
Filariasis, -.	E886	Accidental poisoning by arsenic and antimony, and their compounds, 1954, 1M, 1F 1955, 1M 1958, 1F 1959, 1F 1961, 1F.
Trichiniasis, 1953, 1M.	E887	Accidental poisoning by fluorides, 1955, 1F; 1956, 1F.
Ankylostomiasis, 1962, 1M.	E893	Accidental poisoning by cyanide gas, 1955, 1F; 1956, 1M; 1957, 1M; 1960, 1M; 1961, 5M; 1962, 1M.
Infestation with worms of other, mixed and unspecified type, 1953, 1M; 1954, 1M; 1955, 2M; 1962, 1M, 1F; 1963, 1F.	E918	Accident caused by radiation, -.
Dermatophytosis, 1953, 2M; 1956, 1M, 1F.	E920	Foreign body entering the eye and adnexa, 1957, 1F.
Coccidioidomycosis, -.	E930	High and low air pressure, 1954, 1M; 1955, 1M; 1962, 2M; 1963, 2M.
Scabies, -.	E942	Other complications of smallpox vaccination, 1953, 1F; 1957, 1M, 1F; 1958, 1F; 1962, 3F.
Pediculosis, 1955, 1F.	E943	Post-immunization jaundice and hepatitis, 1957, 1F.
Other arthropod infestation, -.	E945	Complications of anaesthesia for non-therapeutic purpose, 1955, 1F; 1956, 1F; 1958, 1F; 1963, 2F.
Benign neoplasm of male genital organs, 1959, 1M.	E952	Therapeutic misadventure in local applications, 1953, 1M; 1955, 1F; 1956, 1F; 1958, 1F; 1959, 1F; 1961, 1M; 1963, 1M, 2F.
Benign melanoma of skin, 1961, 1M.	E956	Late complication of surgical operation, 1955, 3F; 1957, 1F; 1961, 1F; 1963, 1F.
Neoplasm of unspecified nature of breast, 1954, 1F; 1955, 1F; 1962, 2F.	E957	Late complication of amputation stump, -.
Neoplasm of unspecified nature of other female genital organs, -.	E958	Late complication of irradiation, 1958, 1M; 1963, 1F.
Urticaria, 1953, 1F; 1954, 1F; 1958, 1M; 1963, 1F.	E959	Late complications of other forms of treatment, 1955, 1F; 1957, 1M; 1959, 1M; 1960, 1M; 1963, 1M.
Allergic eczema, 1954, 2M.	E963	Late effect of self-inflicted injury, 1957, 1F; 1960, 1M; 1961, 1F; 1962, 1F; 1963, 1M.
Ovarian dysfunction, 1956, 1F.	E964	Late effect of injury purposely inflicted by another person (not in war), 1960, 1F.
Testicular dysfunction, -.	E984	Injury by intervention of police, -.
Phobic reaction, 1957, 1M.	E990	War injury by gas and chemicals, -.
Obsessive-compulsive reaction, 1954, 2M; 1957, 1M; 1958, 1M; 1959, 2M; 1962, 1F.	E991	War injury by gunshot, -.
Psychoneurosis with somatic symptoms (somatization reaction) affecting circulatory system, 1953, 1M, 1F; 1956, 1F; 1958, 1M, 1F; 1963, 1M.	E992	War injury by grenade and land mine, -.
Immature personality, 1960, 2F; 1961, 1F.	E993	War injury by bomb, -.
Primary childhood behaviour disorders, -.	E994	War injury by marine bomb, depth charge and torpedo, -.
Other and unspecified character, behaviour and intelligence disorders, 1956, 1F; 1960, 1F.	E995	War injury by explosion of artillery shell, 1953, 1M.
Migraine, 1953, 1M; 1956, 1F; 1957, 1F; 1959, 3F; 1961, 1M; 1962, 1M, 1F; 1963, 1F.	E996	War injury by explosion of undetermined origin, -.
Facial paralysis, 1953, 1F; 1954, 1F; 1955, 1F; 1959, 1M; 1960, 1F; 1961, 1M; 1962, 1F; 1963, 2F.	E997	War injury by aircraft destruction, 1962, *5M.
Brachial neuritis, 1955, 2F.	E998	War injury by other and unspecified means, -.
Other diseases of cranial nerves, 1954, 1F; 1956, 1F; 1958, 1F; 1959, 1F; 1962, 2M.		
Diseases of peripheral automatic nervous system, 1956, 1F; 1957, 1M; 1958, 1M; 1960, 2F; 1961, 1M, 2F; 1962, 1M, 2F; 1963, 2F.		
Blepharitis, 1954, 1F; 1955, 1M; 1961, 1M.		
Hordeolum (stye), 1953, 1F; 1954, 1F; 1956, 1F; 1959, 1M; 1960, 1M; 1962, 1M.		
Iritis, 1956, 1M; 1958, 1F.		
Keratitis, 1955, 1F; 1960, 1M; 1963, 1F.		
Choroiditis, 1962, 1F.		

\* E997. These deaths which occurred on the 11th November 1944 were registered in 1962, and are therefore included in the 1962 deaths.

TABLE 8. Crude death rates per million living from certain causes, by sex at all ages, 1953 to 1963

England and Wales

Note. 1 Rates are based on total deaths and home populations. See explanatory notes.  
2 Footnotes to individual causes in Table 7 apply also to those causes in this table.  
3 The symbols M, F and P in the second column indicate "Males", "Females", and all "Persons" respectively.

ICD No.	Causes of death		1953	1954	1955	1956	1957	1958	1959	1960	1961	1962	1963
	Estimated mid-year population (in thousands)	M F P	21,206 22,903 44,109	21,288 22,986 44,274	21,389 23,052 44,441	21,517 23,150 44,667	21,648 23,259 44,907	21,744 23,365 45,109	21,885 23,501 45,386	22,070 23,685 45,755	22,353 23,852 46,205	22,660 24,049 46,709	22,834 24,194 47,028
	ALL CAUSES	M F P	12,237 10,655 11,416	12,204 10,532 11,336	12,482 10,927 11,675	12,451 10,947 11,672	12,306 10,682 11,465	12,447 10,965 11,679	12,332 10,969 11,626	12,196 10,855 11,502	12,561 11,360 11,941	12,584 11,330 11,939	12,806 11,592 12,182
001-138	I INFECTIVE AND PARASITIC DISEASES	M F P	379 192 282	332 160 243	292 138 212	248 116 180	230 108 166	209 99 152	189 85 135	170 79 123	164 82 122	152 71 111	146 70 107
001-019	Tuberculosis (all forms)	M F P	281 128 202	253 109 178	212 85 146	177 68 120	158 59 107	147 54 99	128 44 85	113 39 75	108 39 72	101 34 66	96 32 63
001-008	Respiratory system	M F P	257 108 179	232 92 160	195 72 131	164 57 109	146 47 95	136 45 89	120 36 77	106 32 68	100 32 65	93 28 59	89 24 55
010-019	Other forms	M F P	24 21 22	21 17 19	17 13 15	13 11 12	12 12 12	12 10 11	9 8 8	7 7 7	7 7 7	8 6 7	7 8 7
010	Meninges and central nervous system	M F P	8 7 8	5 4 4	3 3 3	2 2 2	2 3 2	2 2 2	2 2 2	1 1 1	2 1 1	2 1 1	2 1 2
011	Intestines, peritoneum and mesenteric glands	M F P	3 3 3	2 2 2	2 2 2	2 2 2	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1
012, 013	Bones and joints	M F P	3 3 3	4 3 3	3 2 3	2 2 2	2 2 2	2 2 2	2 2 2	1 2 2	2 1 1	2 1 1	1 2 2
016	Genito-urinary system	M F P	5 3 4	6 3 4	4 2 3	4 2 3	4 2 3	3 2 2	2 2 2	2 1 2	2 2 2	2 1 2	2 1 1
019	Disseminated tuberculosis	M F P	3 2 3	4 3 3	3 2 3	2 2 2	2 2 2	2 1 2	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1
020-029	Syphilis and its sequelae	M F P	40 16 28	38 17 27	37 16 26	36 16 26	34 15 24	30 17 23	29 14 21	28 14 21	25 14 19	22 13 18	21 14 17
022	Aneurysm of aorta	M F P	15 7 11	14 7 11	16 8 11	15 7 11	17 8 12	14 9 12	13 8 11	14 8 11	13 8 10	13 8 11	12 9 10
023	Other cardiovascular syphilis	M F P	13 6 9	13 5 9	13 5 9	13 5 9	11 4 7	10 4 7	8 3 5	8 3 6	7 4 5	6 3 4	5 3 4
024	Tabes dorsalis	M F P	4 1 3	3 1 2	2 1 2	3 1 2	2 1 2	2 1 1	2 1 2	2 1 1	2 1 1	1 0 1	1 1 1
025	General paralysis of insane	M F P	4 1 3	4 2 3	4 2 3	3 1 2	2 1 2	3 1 2	3 1 2	3 1 2	2 1 1	1 1 1	2 0 1
026	Other syphilis of central nervous system	M F P	2 1 1	2 1 2	1 1 1	2 1 1	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1
040-049	Infectious diseases commonly arising in intestinal tract	M F P	2 2 2	2 1 2	3 2 2	2 2 2	2 2 2	2 2 2	2 2 2	2 2 2	2 1 1	2 1 1	2 1 1
050-064	Other bacterial diseases	M F P	20 17 18	15 13 14	11 9 10	12 9 10	10 9 9	8 6 7	8 6 7	7 5 6	8 6 7	8 5 7	8 6 7
053	Septicaemia and pyaemia	M F P	3 2 3	3 3 3	2 2 2	3 2 2	2 2 2	2 2 2	2 1 2	2 1 2	3 2 2	3 2 2	3 2 2
056	Whooping cough	M F P	5 6 6	3 3 3	2 2 2	2 2 2	1 2 2	1 1 1	1 1 1	1 1 1	1 0 1	1 0 1	1 1 1
057	Meningococcal infections	M F P	8 5 7	6 5 6	5 4 5	5 3 4	4 3 4	3 3 3	4 3 4	2 2 2	3 3 3	4 2 3	4 2 3
080-096	Diseases attributable to viruses	M F P	32 27 29	19 17 18	25 23 24	18 17 18	23 21 22	17 17 17	17 16 17	16 16 16	19 19 19	15 16 15	15 14 15
080, 081	Acute poliomyelitis including late effects	M F P	10 6 8	4 2 3	8 5 6	4 3 3	8 4 6	4 3 3	2 1 2	1 1 1	3 1 2	1 1 1	1 0 1



TABLE 8 - continued

CD No.	Causes of death			1953	1954	1955	1956	1957	1958	1959	1960	1961	1962	1963
082, 083	Acute infectious encephalitis including late effects	M F P	8 6 7	6 6 6	6 5 6	7 5 6	5 4 5	6 4 5	5 4 5	5 5 5	5 4 4	5 4 4	5 4 4	5 3 4
085	Measles	M F P	7 4 5	1 1 1	4 4 4	1 1 1	2 2 2	1 1 1	2 2 2	1 1 1	4 3 3	1 1 1	3 1 1	3 3 3
092	Infectious hepatitis	M F P	6 7 7	5 7 6	5 7 6	5 7 6	5 7 6	5 6 5	5 6 5	6 6 7	6 7 6	5 7 6	5 7 6	5 5 5
140-239	II NEOPLASMS	M F P	2,206 1,873 2,033	2,260 1,902 2,074	2,287 1,913 2,093	2,309 1,930 2,112	2,346 1,928 2,130	2,358 1,957 2,150	2,391 1,960 2,168	2,419 1,975 2,189	2,418 1,978 2,191	2,440 1,978 2,202	2,446 1,982 2,207	2,446 1,982 2,207
140-205	Cancer, including Hodgkin's disease, leukaemia and aleukaemia	M F P	2,166 1,933 1,993	2,223 1,861 2,035	2,252 1,873 2,055	2,274 1,891 2,076	2,312 1,890 2,094	2,333 1,929 2,124	2,366 1,929 2,140	2,391 1,943 2,159	2,391 1,948 2,162	2,415 1,949 2,175	2,417 1,952 2,178	2,417 1,952 2,178
140-200, 203, 205	Cancer, excluding Hodgkin's disease, leukaemia and aleukaemia	M F P	2,090 1,777 1,928	2,146 1,804 1,969	2,171 1,817 1,988	2,194 1,831 2,005	2,225 1,831 2,021	2,252 1,869 2,054	2,281 1,863 2,065	2,302 1,876 2,081	2,303 1,884 2,087	2,330 1,880 2,098	2,328 1,885 2,100	2,328 1,885 2,100
140-148	Malignant neoplasm of buccal cavity and pharynx	M F P	66 25 45	71 28 49	66 28 47	57 28 42	58 29 43	58 28 43	57 26 41	51 28 39	48 27 37	47 26 36	43 25 34	43 25 34
140	Lip	M F P	5 0 3	5 1 3	5 1 3	4 1 2	4 0 2	4 0 2	3 0 2	3 1 2	4 0 2	3 0 1	2 0 1	2 0 1
141	Tongue	M F P	20 6 13	21 6 13	18 7 12	17 7 12	16 7 11	17 6 11	17 6 11	14 6 10	12 6 9	13 5 9	12 5 8	12 5 8
142	Salivary gland	M F P	4 2 3	4 3 3	4 3 3	4 2 3	4 3 3	4 3 4	3 3 3	3 3 3	4 2 3	3 3 3	3 2 3	3 2 3
143-148	Other or unspecified parts of buccal cavity and pharynx	M F P	37 16 26	42 18 30	39 18 28	33 18 25	35 19 27	34 19 26	34 16 25	30 19 25	28 18 23	28 18 23	26 17 21	26 17 21
150-159	Malignant neoplasm of digestive organs and peritoneum	M F P	931 788 857	918 793 853	906 791 846	887 780 831	894 769 829	880 786 831	875 791 832	862 779 819	851 768 809	841 766 802	835 762 798	835 762 798
150	Oesophagus	M F P	63 38 50	61 40 50	63 41 52	64 41 52	60 41 50	60 42 51	63 41 51	59 43 50	61 44 52	61 44 52	60 44 52	60 44 52
151	Stomach	M F P	378 270 322	367 271 317	371 267 317	358 266 311	367 257 310	365 264 313	362 262 310	356 258 305	348 252 298	341 244 291	339 245 291	339 245 291
152	Small intestine, including duodenum	M F P	5 4 5	5 4 4	5 4 5	5 4 5	4 3 4	5 5 5	5 6 5	5 6 5	6 4 5	5 4 5	4 5 4	4 5 4
153	Large intestine, except rectum	M F P	196 241 219	189 237 214	183 239 212	176 235 207	175 232 204	170 232 202	165 236 202	164 230 198	165 229 198	163 228 196	156 223 190	156 223 190
154	Rectum	M F P	153 105 128	156 107 131	148 103 125	146 102 124	143 98 120	144 107 125	140 111 125	137 103 120	131 102 116	130 101 115	129 105 116	129 105 116
155	Biliary passages and of liver (stated to be primary site)	M F P	22 32 27	24 33 29	22 33 27	23 35 29	25 34 29	27 39 33	28 37 32	26 37 32	27 36 32	27 39 33	28 37 32	28 37 32
156	Liver (secondary and unspecified)	M F P	26 23 24	24 24 24	22 22 22	21 21 21	23 20 22	13 13 13	13 13 13	14 12 13	14 12 13	14 12 13	13 12 13	13 12 13
157	Pancreas	M F P	81 65 73	83 66 74	85 70 77	85 67 76	87 74 80	91 75 83	95 79 87	94 79 87	93 80 86	93 84 88	98 82 90	98 82 90
158	Peritoneum	M F P	7 10 8	8 9 9	6 10 8	6 8 7	8 10 9	4 7 6	4 7 5	5 8 7	6 7 7	5 8 6	6 8 7	6 8 7
160-165	Malignant neoplasm of respiratory system	M F P	652 112 371	697 116 395	733 121 415	765 124 433	795 128 450	823 132 465	869 136 490	895 145 507	908 153 518	930 158 532	944 163 542	944 163 542
160	Nose, nasal cavities, middle ear and accessory sinuses	M F P	6 4 5	6 5 5	6 4 5	6 4 5	5 4 4	6 4 5	6 4 5	5 5 5	4 4 4	5 5 4	5 4 4	5 4 4
161	Larynx	M F P	35 7 21	31 8 19	32 9 20	31 7 19	31 7 19	30 7 18	29 8 18	31 7 18	29 7 18	28 6 17	28 6 16	28 6 16
162	Bronchus and trachea, and of lung specified as primary	M F P	* * *	* * *	445 67 249	471 72 264	496 75 278	526 79 294	559 80 311	582 89 327	598 92 337	614 97 348	641 104 365	641 104 365

Comparable data not available.

TABLE 8 - continued

ICD No.	Causes of death		1953	1954	1955	1956	1957	1958	1959	1960	1961	1962	1963
163	Lung, unspecified as to whether primary or secondary	M	*	*	245	251	260	258	272	274	273	281	268
		F	*	*	38	38	40	40	43	43	49	48	48
		P	*	*	138	141	146	145	153	154	157	161	155
164	Mediastinum	M	5	4	4	3	3	3	3	2	3	1	2
		F	2	2	2	2	2	1	1	1	1	1	1
		P	3	3	3	2	2	2	2	2	2	1	1
170-181	Malignant neoplasm of breast and genito-urinary organs	M	284	295	298	309	304	313	306	313	312	327	320
		F	712	719	729	736	737	764	749	764	766	766	760
		P	506	515	522	530	528	546	535	546	546	553	547
170	Breast	M	4	4	4	3	3	3	3	3	4	3	3
		F	354	362	367	368	368	383	371	382	389	389	390
		P	186	190	192	192	192	200	193	199	203	202	202
171-174	Uterus	F	171	166	167	169	168	176	170	173	167	167	164
171	Cervix uteri	F	109	104	107	108	106	116	109	110	105	104	102
172	Corpus uteri	F	52	51	49	51	52	51	52	53	52	52	49
173, 174	Other and unspecified parts of uterus	F	11	11	10	11	11	10	10	10	10	10	13
175	Ovary, Fallopian tube and broad ligament	F	111	113	120	121	123	124	125	125	128	127	126
176	Other and unspecified female genital organs	F	21	21	21	21	22	22	23	23	21	22	21
177	Prostate	M	149	156	155	164	160	166	164	166	164	169	166
178	Testis	M	9	10	8	9	8	9	9	10	8	9	9
179	Other and unspecified male genital organs	M	6	6	8	7	6	6	7	5	7	6	6
180	Kidney	M	31	32	33	33	33	35	32	32	34	37	36
		F	19	20	18	20	19	22	20	22	22	21	22
		P	25	26	25	26	25	28	26	27	27	29	29
181	Bladder and other urinary organs	M	86	87	91	93	94	92	92	97	96	103	99
		F	35	37	37	37	37	41	39	39	39	40	38
		P	59	61	63	64	65	64	65	67	67	71	68
190-199	Malignant neoplasm of other and unspecified sites	M	123	128	132	138	135	135	130	134	139	139	136
		F	117	121	118	131	134	124	126	123	128	126	135
		P	120	124	125	135	135	129	128	128	133	132	135
190, 191	Skin	M	22	22	22	22	21	19	19	20	19	18	18
		F	20	20	21	19	22	19	19	19	19	19	18
		P	21	21	21	20	21	19	19	20	19	19	18
192	Eye	M	2	2	2	3	3	3	3	3	3	4	3
		F	2	3	2	2	2	3	3	3	3	3	3
		P	2	3	2	3	2	3	3	3	3	3	3
193	Brain and other parts of nervous system	M	38	39	42	41	41	50	48	50	51	50	49
		F	26	27	27	28	29	34	35	33	36	33	35
		P	32	33	34	35	35	42	41	41	43	41	42
194	Thyroid gland	M	4	5	4	5	4	4	5	5	4	5	4
		F	12	12	12	12	11	10	12	12	12	11	12
		P	8	8	8	9	8	7	8	8	8	8	9
195	Other endocrine glands	M	2	3	3	3	3	3	3	2	2	3	2
		F	2	2	2	2	2	2	2	2	2	2	2
		P	2	2	2	3	3	2	2	2	2	2	2
196	Bone	M	19	17	16	18	16	16	15	15	16	14	12
		F	13	14	12	13	12	13	11	11	11	11	10
		P	16	15	14	15	14	14	13	13	13	12	11
197	Connective tissue	M	4	6	5	6	6	5	5	5	6	6	5
		F	4	5	4	5	4	5	4	4	5	6	5
		P	4	5	5	5	5	5	4	4	5	6	5
198, 199	Other and unspecified sites	M	30	34	37	40	40	35	33	34	38	38	42
		F	38	40	40	50	51	39	40	39	41	42	49
		P	35	37	38	45	46	37	37	37	40	40	46
200-205	Neoplasms of lymphatic and haematopoietic tissues	M	110	114	116	118	126	124	128	137	133	132	139
		F	79	84	86	91	93	95	102	104	106	107	107
		P	94	98	101	104	109	109	114	120	119	119	122
200	Lymphosarcoma and reticulosarcoma	M	21	22	22	21	22	24	25	27	26	27	29
		F	13	15	17	16	16	13	19	19	22	20	20
		P	17	18	19	19	19	21	22	23	24	23	24
201	Hodgkin's disease	M	23	23	23	24	27	22	25	23	24	24	23
		F	13	13	12	13	12	13	14	15	13	15	13
		P	18	18	18	18	19	17	19	19	18	19	18
202	Other forms of lymphoma (reticulosis)	M	4	4	4	4	4	5	3	4	4	4	4
		F	3	3	2	3	3	4	3	3	4	3	3
		P	3	3	3	3	3	4	3	4	4	4	4
203	Multiple myeloma (plasmocytoma)	M	9	10	10	12	12	14	13	15	15	15	16
		F	7	9	11	12	14	12	13	15	15	15	15
		P	8	10	11	12	13	13	13	15	15	15	16

\* Comparable data not available.



TABLE 8 - continued

D No.	Causes of death		1953	1954	1955	1956	1957	1958	1959	1960	1961	1962	1963
204	Leukaemia and aleukaemia	M F P	53 44 48	54 44 49	57 43 50	57 47 52	60 47 53	60 46 53	60 52 56	67 51 59	63 52 57	61 55 58	66 55 60
	0 Lymphatic leukaemia	M F P	13 9 11	14 10 12	14 9 12	13 9 11	16 10 12	12 8 10	13 10 11	14 9 12	14 9 11	14 9 11	14 10 12
	1 Myeloid leukaemia	M F P	12 12 12	12 12 12	13 12 13	14 13 13	14 13 13	11 11 11	11 12 12	10 12 11	11 12 11	11 12 11	12 11 12
	2-4 Other and unspecified leukaemia	M F P	27 23 25	28 23 25	29 22 26	30 24 27	31 24 27	37 28 32	36 30 33	43 31 36	38 34 34	37 34 35	39 34 36
10-229	Benign neoplasm	M F P	17 24 21	15 26 21	15 25 20	14 24 19	15 24 20	15 21 18	14 22 19	16 23 20	15 20 17	13 20 16	13 19 16
214	Uterine fibromyoma	F	5	5	4	4	4	3	4	3	2	2	2
216	Ovary	F	5	5	4	5	5	4	4	4	3	3	3
219	Kidney and other urinary organs	M F P	5 1 3	5 1 3	4 1 3	3 1 2	4 2 3	3 2 2	3 2 2	4 1 2	4 1 2	2 1 2	2 1 2
223	Brain and other parts of nervous system	M F P	7 7 7	6 8 7	6 8 7	6 7 6	6 8 7	6 7 7	6 8 7	6 8 7	6 8 7	6 7 6	6 7 6
230-239	Neoplasm of unspecified nature	M F P	22 16 19	22 15 18	20 15 17	20 15 18	19 14 17	10 7 8	10 9 10	12 9 10	12 10 11	12 9 10	15 12 14
237	Brain and other parts of nervous system	M F P	18 13 16	18 12 15	17 12 14	17 13 15	16 12 14	7 4 6	8 7 7	8 7 8	9 7 8	9 7 8	12 8 10
240-289	III ALLERGIC, ENDOCRINE SYSTEM, METABOLIC AND NUTRITIONAL DISEASES	M F P	113 176 146	111 172 142	111 178 145	109 174 142	99 169 135	102 170 137	93 163 129	97 174 136	103 183 144	106 185 146	113 195 155
240-245	Allergic disorders	M F P	46 42 44	42 38 40	42 36 39	38 39 38	33 34 34	29 36 32	25 29 27	24 29 26	25 30 28	27 32 30	31 41 36
241	Asthma	M F P	46 42 44	42 38 40	41 36 39	37 39 38	33 34 34	28 36 32	24 29 27	23 28 26	25 30 27	26 32 29	30 40 35
250-254	Diseases of thyroid gland	M F P	5 23 14	5 27 16	4 28 17	5 26 16	4 25 15	4 25 15	5 26 16	4 27 16	4 28 16	5 29 17	5 33 19
252	Thyrotoxicosis with or without goitre	M F P	3 14 9	2 15 9	2 14 8	2 13 8	3 14 8	2 12 7	3 13 8	2 13 8	2 12 7	3 12 7	1 11 6
253	Myxoedema and cretinism	M F P	1 6 4	1 10 6	1 11 6	2 10 6	1 10 5	2 11 6	2 12 7	2 12 7	2 14 8	2 16 9	3 20 12
260	Diabetes mellitus	M F P	50 93 72	49 86 68	51 96 74	51 92 73	47 91 70	53 93 73	50 89 70	54 100 78	60 106 84	59 103 82	60 101 81
270-277	Diseases of other endocrine glands	M F P	6 8 7	6 9 8	5 7 6	6 6 6	5 7 6	6 6 6	4 6 5	5 6 6	5 6 6	6 6 6	6 7 6
272	Diseases of pituitary gland	M F P	1 3 2	1 3 3	2 3 2	2 3 2	2 3 2	2 2 2	2 2 2	2 2 2	2 2 2	2 2 2	2 2 2
274	Diseases of adrenal glands	M F P	3 3 3	3 3 3	2 2 2	2 2 2	2 2 2	3 2 2	2 2 2	3 2 2	2 2 2	3 3 3	3 3 3
280-289	Avitaminoses, and other metabolic diseases	M F P	6 10 8	9 11 10	9 11 10	9 10 10	9 11 10	10 11 10	8 12 10	9 11 10	9 12 11	9 14 12	11 14 13
290-299	IV DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS	M F P	36 55 46	38 60 50	37 58 48	33 60 47	34 58 47	34 56 45	35 56 46	35 53 44	34 56 46	34 55 45	32 57 45
290	Pernicious and other hyperchromic anaemias	M F P	13 26 20	13 29 21	13 27 20	12 28 20	12 27 20	11 25 18	10 25 18	11 22 17	10 23 16	9 21 15	9 20 15
	0 Pernicious anaemia	M F P	12 23 17	12 25 18	11 24 18	10 24 18	10 24 17	10 21 16	9 21 15	9 19 14	8 20 14	8 19 13	7 17 12

TABLE 8 - continued

ICD No.	Causes of death		1953	1954	1955	1956	1957	1958	1959	1960	1961	1962	1963
	1 Subacute combined degeneration of spinal cord	M F P	1 2 1	1 2 1	1 1 1	1 2 1	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1	0 1 1	
291	Iron deficiency anaemias (hypochromic anaemias)	M F P	3 7 5	3 9 6	3 7 5	3 8 6	3 8 6	3 8 6	5 9 7	4 9 7	4 11 7	4 9 7	
292	Other anaemias of specified type	M F P	9 9 9	10 11 10	10 10 10	9 9 9	8 10 9	9 10 9	9 9 9	9 8 8	9 9 9	9 10 9	
	4 Aplastic anaemia	M F P	7 6 7	7 8 7	7 6 6	6 6 6	5 6 6	6 6 6	5 5 5	5 4 5	5 5 5	6 5 5	
	0-3, 5-7 Other	M F P	2 2 2	3 3 3	3 4 3	3 3 3	3 4 4	3 4 4	4 4 4	4 4 4	4 4 4	4 4 4	
293	Anaemia of unspecified type	M F P	2 3 3	2 4 3	2 5 3	2 5 3	2 5 4	2 5 4	2 4 3	3 6 4	3 5 4	3 6 4	
300-326	V MENTAL, PSYCHONEUROTIC, AND PERSONALITY DISORDERS	M F P	20 31 25	22 31 26	20 31 26	17 33 25	16 30 23	16 24 20	17 27 22	18 27 23	18 29 23	20 29 25	
300-309	Psychoses	M F P	14 25 20	16 27 22	15 25 20	13 28 21	12 25 19	11 20 16	12 22 17	14 23 18	14 24 19	15 24 19	
304	Senile psychosis	M F P	10 18 14	10 20 15	9 18 14	8 22 15	7 19 13	7 15 11	7 16 12	9 16 13	9 18 14	10 18 14	
320-326	Disorders of character, behaviour, and intelligence	M F P	5 4 4	4 3 4	5 4 5	4 4 4	3 3 3	4 3 3	4 3 3	4 3 3	3 3 3	5 4 4	
325	Mental deficiency	M F P	3 3 3	3 2 3	4 4 4	3 3 3	3 3 3	3 2 2	2 2 2	3 2 2	2 2 2	4 3 5	
330-398	VI DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS	M F P	1,485 1,844 1,671	1,554 1,931 1,750	1,588 1,996 1,800	1,567 2,001 1,792	1,536 1,976 1,764	1,560 2,044 1,811	1,535 2,008 1,780	1,524 2,035 1,789	1,516 2,055 1,794	1,520 2,065 1,801	1,534 2,115 1,835
330-334	Vascular lesions affecting central nervous system	M F P	1,356 1,716 1,543	1,433 1,811 1,629	1,454 1,888 1,669	1,442 1,877 1,668	1,411 1,854 1,640	1,439 1,921 1,689	1,412 1,893 1,656	1,405 1,909 1,666	1,394 1,923 1,667	1,398 1,939 1,676	1,413 1,987 1,705
330	Subarachnoid haemorrhage	M F P	50 71 61	57 76 67	51 81 66	58 82 70	55 82 69	56 87 72	56 82 70	59 90 75	59 88 74	61 96 79	
331	Cerebral haemorrhage	M F P	605 798 705	626 819 726	601 808 709	584 786 689	553 748 654	548 761 659	525 714 623	530 731 634	512 705 612	510 713 614	
332	Cerebral embolism and thrombosis	M F P	609 743 679	649 796 725	693 852 775	687 880 787	689 895 795	711 927 823	701 930 820	691 931 815	685 938 815	680 934 811	
333, 334	Spasm of cerebral arteries and other and ill-defined vascular lesions affecting central nervous system	M F P	92 104 99	103 120 112	109 127 118	113 129 122	114 130 122	125 145 135	129 156 143	125 158 142	138 191 165	147 196 172	
340-345	Inflammatory diseases of central nervous system	M F P	31 35 33	31 32 31	34 34 34	30 34 32	34 34 34	32 35 33	31 34 33	32 34 33	31 36 33	31 34 33	
340	Meningitis, except meningococcal and tuberculous	M F P	10 7 9	9 6 7	10 6 8	9 7 8	11 6 8	9 6 8	8 6 7	9 7 8	9 7 8	10 8 9	
343	Encephalitis, myelitis, and encephalo-myelitis (except acute infectious)	M F P	3 2 3	3 2 2	3 3 3	2 3 3	3 3 3	3 2 3	3 2 2	3 2 2	3 2 2	3 2 2	
345	Multiple sclerosis	M F P	13 22 18	15 21 18	16 22 19	15 21 18	14 22 18	15 23 19	16 23 20	16 23 19	15 23 19	14 22 18	
350-357	Other diseases of central nervous system	M F P	83 84 84	78 80 79	90 87 88	84 83 84	83 82 82	81 85 82	83 85 84	81 84 83	84 91 87	82 87 84	
350	Paralysis agitans	M F P	31 36 34	28 35 32	36 40 38	31 38 35	32 36 34	32 37 34	33 41 37	32 40 36	31 42 37	31 39 35	
351	Cerebral spastic infantile paralysis	M F P	3 2 2	3 3 3	3 3 3	4 3 3	3 2 3	3 2 2	3 2 3	3 2 3	3 2 2	3 3 3	
352	Other cerebral paralysis	M F P	9 12 11	10 11 11	11 13 12	11 13 12	10 13 11	10 13 12	11 13 12	11 13 12	11 16 13	12 14 13	



TABLE 8 - continued

No.	Causes of death		1953	1954	1955	1956	1957	1958	1959	1960	1961	1962	1963
353	Epilepsy	M F P	19 18 19	16 15 15	19 16 17	18 15 16	17 14 15	16 15 16	16 12 14	15 13 14	17 14 15	16 14 15	17 14 15
355	Other diseases of brain	M F P	4 5 4	5 4 5	5 4 4	5 5 5	5 5 5	5 5 5	4 5 5	5 5 5	6 6 6	5 7 6	6 7 6
356	Motor neurone disease and muscular atrophy	M F P	14 9 12	14 10 12	14 9 12	14 9 11	15 10 12	14 10 12	14 11 13	14 10 12	14 10 12	14 9 12	13 9 11
	O Progressive muscular atrophy	M F P	11 6 8	10 7 9	9 7 8	8 6 7	9 6 8	8 6 7	9 6 7	7 6 6	7 5 6	7 5 6	5 5 5
360-369	Diseases of nerves and peripheral ganglia	M F P	3 2 2	3 2 3	2 2 2	2 2 2	2 1 1	2 1 2	2 1 2	1 3 2	2 1 2	2 2 2	2 2 2
390-398	Diseases of ear and mastoid process	M F P	11 5 8	8 5 6	8 4 6	7 3 5	6 3 4	5 2 4	6 2 4	4 3 3	4 3 4	6 2 4	4 3 4
391	Otitis media without mention of mastoiditis	M F P	8 4 6	7 4 5	6 3 5	6 3 4	4 2 3	4 2 3	5 2 3	3 2 3	3 2 3	4 2 3	3 2 3
00-468	VII DISEASES OF THE CIRCULATORY SYSTEM	M F P	4,311 3,950 4,124	4,446 3,973 4,200	4,521 4,131 4,319	4,558 4,124 4,333	4,425 3,980 4,194	4,595 4,183 4,381	4,401 4,065 4,227	4,542 4,151 4,340	4,579 4,293 4,432	4,654 4,277 4,460	4,752 4,344 4,542
00-402	Rheumatic fever	M F P	7 7 7	7 6 7	5 5 5	5 5 5	4 4 4	3 3 3	3 3 3	3 3 3	3 2 2	3 2 2	2 2 2
10-416	Chronic rheumatic heart disease	M F P	157 240 200	148 237 194	140 232 188	142 223 184	138 225 183	118 208 165	113 195 156	112 196 156	115 205 162	112 199 157	104 188 147
410	Diseases of mitral valve	M F P	108 186 149	100 185 144	95 176 137	92 170 132	89 169 131	75 155 117	71 144 109	68 145 108	71 148 111	68 145 108	64 136 101
411	Diseases of aortic valve specified as rheumatic	M F P	14 6 10	14 7 11	13 7 10	15 8 11	16 7 11	16 8 12	14 7 11	15 8 11	16 7 12	17 7 12	15 10 12
12-414	Diseases of tricuspid valve, pulmonary valve specified as rheumatic, and other endocarditis specified as rheumatic	M F P	13 18 16	12 16 14	12 18 15	13 15 14	11 15 13	9 12 11	8 12 10	7 12 9	7 12 10	7 10 9	6 8 7
415	Other myocarditis specified as rheumatic	M F P	6 7 6	5 7 6	4 7 5	4 6 5	4 6 5	3 5 4	3 4 3	2 3 2	2 4 3	2 4 3	2 5 2
416	Other heart disease specified as rheumatic	M F P	16 23 20	16 23 20	17 25 21	17 25 21	18 27 23	15 28 22	18 28 23	19 30 25	18 33 26	18 32 25	17 31 24
120-422	Arteriosclerotic and degenerative heart disease	M F P	3,161 2,675 2,908	3,273 2,676 2,963	3,351 2,773 3,051	3,393 2,772 3,071	3,287 2,648 2,956	3,460 2,815 3,126	3,322 2,733 3,017	3,448 2,795 3,109	3,473 2,866 3,160	3,577 2,892 3,224	3,659 2,945 3,292
420	Arteriosclerotic heart disease, including coronary disease	M F P	1,860 1,012 1,420	2,016 1,084 1,532	2,097 1,163 1,613	2,206 1,222 1,696	2,230 1,243 1,719	2,395 1,368 1,863	2,385 1,393 1,871	2,561 1,497 2,010	2,612 1,567 2,073	2,766 1,655 2,194	2,883 1,737 2,293
	0 Arteriosclerotic heart disease so described	M F P	9 8 9	12 11 11	14 11 13	13 12 13	16 16 16	21 23 22	19 21 20	23 26 25	27 34 31	30 38 34	32 37 34
	1 Heart disease specified as involving coronary arteries	M F P	1,828 991 1,393	1,984 1,062 1,506	2,066 1,139 1,585	2,180 1,200 1,692	2,201 1,218 1,692	2,363 1,336 1,831	2,357 1,364 1,843	2,529 1,463 1,977	2,577 1,528 2,035	2,730 1,611 2,154	2,845 1,694 2,253
	2 Angina pectoris without mention of coronary disease	M F P	23 13 18	20 12 16	17 13 15	14 10 12	12 9 11	11 8 10	10 7 8	8 7 8	8 6 7	6 6 6	6 5 6
421	Chronic endocarditis not specified as rheumatic	M F P	71 60 65	81 64 72	75 60 67	75 59 67	81 70 75	77 65 71	69 65 67	76 66 71	72 69 71	75 68 72	70 67 68
	0 Of mitral valve, specified as non-rheumatic	M F P	3 4 4	3 3 3	2 3 3	3 5 4	4 8 6	5 8 7	5 9 7	4 9 7	5 9 7	6 10 8	4 9 7
	1 Of aortic valve, not specified as rheumatic	M F P	45 25 35	55 32 43	54 31 42	53 33 43	61 39 50	58 38 47	52 39 45	60 42 51	59 45 52	60 45 52	59 47 52
	2-4 Of tricuspid valve, specified as non-rheumatic, pulmonary valve, not specified as rheumatic, and other and ill-defined, not specified as rheumatic	M F P	22 30 27	23 29 26	19 25 22	18 21 20	16 23 20	14 19 17	12 17 15	12 16 14	9 15 12	10 13 12	7 11 9

TABLE 8 - continued

ICD No.	Causes of death		1953	1954	1955	1956	1957	1958	1959	1960	1961	1962	1963
422	Other myocardial degeneration	M	1,230	1,177	1,179	1,112	976	988	868	809	789	736	706
		F	1,603	1,528	1,550	1,490	1,335	1,382	1,275	1,232	1,230	1,169	1,142
		P	1,424	1,359	1,371	1,308	1,162	1,192	1,079	1,028	1,016	959	931
	0 Fatty degeneration	M	5	5	5	4	4	4	3	2	2	1	2
		F	9	9	8	7	6	5	5	5	4	3	4
		P	7	7	6	6	5	4	3	3	3	2	3
	1 With arteriosclerosis	M	523	506	519	502	436	452	407	381	374	355	341
		F	638	614	634	621	578	606	572	561	563	535	530
		P	583	562	579	563	510	532	492	474	471	448	438
	2 Other	M	701	665	655	606	536	532	459	427	413	380	36
		F	956	905	907	862	751	771	698	666	663	630	609
		P	833	790	786	739	647	656	583	551	542	509	489
430-434	Other diseases of heart	M	225	240	240	244	262	269	258	273	288	282	289
		F	254	256	266	278	291	306	303	316	345	342	347
		P	240	248	253	262	277	288	281	295	317	313	319
430	Acute and subacute endocarditis	M	9	9	10	9	9	9	9	8	9	8	9
		F	6	5	5	5	6	6	5	6	5	5	5
		P	8	7	7	7	7	7	7	7	7	7	7
431	Acute myocarditis not specified as rheumatic	M	4	4	3	4	3	2	3	3	3	3	4
		F	4	3	2	3	3	3	3	3	3	3	4
		P	4	3	3	3	3	3	3	3	3	3	4
433	Functional disease of heart	M	116	109	97	100	98	100	88	87	84	82	79
		F	162	155	149	149	144	146	139	134	139	128	126
		P	140	133	124	125	122	124	114	111	112	106	103
434	Other and unspecified diseases of heart	M	95	117	129	131	151	158	157	174	191	188	197
		F	82	92	108	121	139	150	156	173	198	204	212
		P	88	104	119	126	145	154	156	173	195	196	204
440-443	Hypertensive heart disease	M	252	267	273	269	254	238	213	212	201	188	179
		F	273	290	318	313	305	304	286	279	282	261	256
		P	263	279	296	292	280	272	251	247	245	225	219
440	Essential benign hypertensive heart disease	M	4	4	5	5	5	5	4	4	4	4	3
		F	5	5	5	6	6	6	5	6	7	5	5
		P	4	5	5	5	6	5	5	5	5	4	4
441	Essential malignant hypertensive heart disease	M	6	5	6	6	5	5	4	5	4	5	3
		F	3	4	2	3	3	3	3	2	2	2	2
		P	4	4	4	4	4	4	4	3	3	3	2
442	Hypertensive heart disease with arteriolar nephrosclerosis	M	8	6	6	7	6	5	4	3	3	3	3
		F	8	7	8	6	6	6	5	4	4	3	4
		P	8	6	7	6	6	5	5	4	4	3	3
443	Other and unspecified hypertensive heart disease	M	235	252	256	252	238	223	200	200	190	177	170
		F	258	275	302	298	290	290	273	267	269	250	246
		P	247	264	280	276	265	258	238	235	231	215	209
444-447	Other hypertensive disease	M	199	190	185	175	165	162	149	142	130	115	113
		F	179	182	180	173	158	164	151	144	141	126	120
		P	189	186	183	174	162	163	150	143	136	120	116
444	Essential benign hypertension	M	132	132	127	122	115	111	99	94	91	78	74
		F	139	140	144	136	126	130	118	116	115	101	95
		P	136	136	136	129	121	121	109	105	103	90	85
445	Essential malignant hypertension	M	40	34	35	34	33	32	33	32	25	21	23
		F	18	20	14	16	16	17	16	15	12	11	11
		P	29	26	24	25	24	24	24	23	19	16	17
446	Hypertension with arteriolar nephrosclerosis	M	27	24	23	20	18	18	17	15	13	15	16
		F	22	22	21	20	17	17	17	14	14	15	14
		P	24	23	22	20	17	18	17	14	14	15	15
447	Other hypertensive disease without mention of heart	M	0	0	0	0	0	0	0	0	0	-	0
		F	0	0	0	0	0	0	0	0	0	0	0
		P	0	0	0	0	0	0	0	0	0	0	0
450-456	Diseases of arteries	M	272	277	281	279	265	295	284	291	300	307	325
		F	266	267	293	289	278	307	314	330	350	355	369
		P	269	272	287	284	271	301	299	311	326	332	348
450	General arteriosclerosis	M	224	225	225	220	198	221	209	211	218	213	220
		F	233	228	251	242	231	253	261	269	289	285	296
		P	228	227	238	231	215	238	236	241	255	250	260
	0 Without mention of gangrene	M	197	197	198	193	177	197	187	185	195	187	198
		F	211	207	229	221	210	232	239	246	262	261	272
		P	204	202	214	207	194	215	214	217	230	225	236
	1 With mention of gangrene as a consequence	M	27	27	27	27	22	24	23	26	23	26	23
		F	22	21	22	21	21	21	22	23	27	24	24
		P	24	24	25	24	21	23	22	24	25	25	23
451	Aortic aneurysm, non-syphilitic, and dissecting aneurysm	M	34	40	43	47	52	60	60	65	66	77	85
		F	23	29	31	36	36	43	40	47	45	54	55
		P	28	34	37	41	44	51	50	55	55	65	69
452-456	Other diseases of arteries	M	13	13	13	13	14	14	15	16	17	17	20
		F	10	10	11	11	11	11	12	14	16	17	18
		P	12	11	12	12	12	12	13	15	16	17	19



TABLE 8 - continued

D No.	Causes of death		1953	1954	1955	1956	1957	1958	1959	1960	1961	1962	1963
460-468	Diseases of veins and other diseases of circulatory system	M F P	38 55 47	43 59 51	47 64 56	50 72 61	51 70 61	50 76 63	59 80 70	64 88 76	70 100 86	71 101 86	81 117 99
460	Varicose veins of lower extremities	M F P	2 7 5	2 9 6	2 9 6	3 9 6	2 7 5	2 7 5	3 7 5	3 8 5	3 7 5	3 7 5	3 6 5
463	Phlebitis and thrombo-phlebitis of lower extremities	M F P	6 10 8	5 10 7	7 10 8	7 11 9	6 11 9	6 11 8	6 11 9	6 11 9	6 13 9	6 12 9	7 11 9
465	Pulmonary embolism and infarction	M F P	18 19 18	19 19 19	22 21 21	21 25 23	22 24 23	22 29 26	29 31 30	32 34 33	34 38 36	35 40 37	37 45 41
466	Other venous embolism and thrombosis	M F P	9 15 12	12 17 15	12 20 16	15 23 19	17 23 20	15 25 20	17 28 22	19 31 25	22 38 30	23 39 31	29 49 39
470-527	VIII DISEASES OF THE RESPIRATORY SYSTEM	M F P	1,735 1,151 1,432	1,460 873 1,155	1,654 1,013 1,321	1,677 1,055 1,355	1,753 1,035 1,381	1,703 1,018 1,348	1,862 934 1,510	1,578 934 1,245	1,940 1,247 1,582	1,894 1,242 1,558	2,053 1,372 1,703
470-475	Acute upper respiratory infections	M F P	4 4 4	4 4 4	3 3 3	3 3 3	3 3 3	3 3 3	3 3 3	3 3 3	3 3 3	3 2 2	3 3 3
480-483	Influenza	M F P	137 155 147	41 41 41	68 66 67	59 58 59	164 136 150	56 51 53	178 169 173	25 23 24	156 152 154	67 75 71	63 73 68
480	Influenza with pneumonia	M F P	68 77 73	22 19 20	36 34 35	31 28 29	116 96 106	35 30 33	119 108 113	15 14 14	97 93 95	42 46 44	40 46 43
481	Influenza with other respiratory manifestations, and influenza unqualified	M F P	67 77 72	19 20 20	31 31 31	28 30 29	47 38 42	20 20 20	58 60 59	10 9 9	58 57 58	25 28 26	23 27 25
490-493, 763	Pneumonia	M F P	532 455 492	458 397 426	519 465 491	542 499 520	558 494 525	566 525 545	624 583 602	556 541 548	649 648 649	659 696 678	760 802 781
490	Lobar pneumonia (age 4 weeks and over)	M F P	103 67 84	88 64 76	93 64 78	92 63 77	87 58 72	80 58 69	81 60 70	74 57 65	84 62 72	84 65 74	88 68 78
491	Bronchopneumonia (age 4 weeks and over)	M F P	367 346 356	316 296 305	369 361 365	392 396 394	411 394 402	429 428 428	486 477 481	425 441 433	505 538 522	516 583 550	614 684 650
492	Primary atypical pneumonia (age 4 weeks and over)	M F P	3 2 3	4 3 4	3 3 3	4 3 4	7 5 6	5 4 4	6 5 6	6 6 6	8 6 7	8 6 7	9 7 8
493	Pneumonia, other and unspecified	M F P	33 25 29	28 21 24	31 24 27	31 24 28	33 25 29	29 25 22	30 27 29	30 25 27	33 31 32	31 30 31	31 31 31
763	Pneumonia of the newborn*	M F P	1.57 1.01 1.30	1.37 0.88 1.13	1.41 0.93 1.17	1.40 0.89 1.15	1.15 0.81 0.99	1.34 0.90 1.13	1.15 1.84 1.00	1.12 0.74 0.93	1.02 0.71 0.87	1.09 0.72 0.91	0.91 0.67 0.80
500-502	Bronchitis	M F P	923 486 696	806 375 582	903 420 652	924 433 670	876 350 603	935 388 652	923 377 640	861 316 579	993 384 679	1,030 413 713	1,088 434 751
500	Acute bronchitis	M F P	102 110 106	70 75 73	79 82 81	78 87 83	65 62 63	69 68 69	68 57 68	52 49 51	61 63 62	64 66 65	70 71 71
501	Bronchitis, unqualified	M F P	59 52 55	50 45 48	50 46 48	49 49 49	41 36 39	45 43 44	42 40 41	35 30 32	41 39 40	39 41 40	42 46 44
502	Chronic bronchitis	M F P	762 324 535	686 255 462	773 292 524	797 297 538	770 251 501	822 277 539	813 270 532	774 237 496	892 282 577	927 307 608	975 317 636
	0 Bronchitis with emphysema	M F P	320 63 187	307 56 177	372 70 215	389 79 228	394 67 225	428 78 247	421 79 244	408 71 233	459 83 265	473 88 275	497 94 290
	1 Other	M F P	442 261 348	379 199 285	401 222 308	408 219 310	376 184 277	393 199 293	391 192 288	366 166 263	433 200 313	454 219 333	478 223 346
510-527	Other diseases of respiratory system	M F P	166 65 114	174 69 119	183 72 126	171 75 121	172 64 116	167 66 114	156 65 109	154 64 107	158 71 113	156 68 111	157 72 113
518	Empyema	M F P	5 3 4	5 2 3	4 2 3	4 2 3	3 2 2	4 2 3	3 2 2	3 2 2	3 1 2	2 1 2	3 2 3

\* 763. Rates per 1,000 live births (related live births prior to 1957; live birth occurrences from 1957).

TABLE 8 - continued

ICD No.	Causes of death		1953	1954	1955	1956	1957	1958	1959	1960	1961	1962	1963
519	Pleurisy	M F P	3 2 2	2 2 2	2 1 2	3 2 2	1 1 1	1 1 1	1 1 1	2 2 2	2 1 2	2 2 2	1 1 1
522	Pulmonary congestion and hypostasis	M F P	7 17 12	12 19 16	12 20 16	12 20 16	8 15 11	9 15 12	9 16 13	11 17 14	10 20 15	11 20 16	12 19 16
523, 524	Silicosis, and occupational pulmonary fibrosis	M F P	28 0 13	31 0 15	34 0 17	32 1 16	36 0 18	34 1 17	30 1 15	30 1 15	32 1 16	30 1 15	30 0 15
525	Other chronic interstitial pneumonia	M F P	9 3 6	8 4 6	9 4 7	9 3 6	8 4 6	9 5 7	8 5 6	9 4 6	10 5 7	10 5 7	1 0 9
526	Bronchiectasis	M F P	68 27 47	66 29 47	69 31 49	59 31 45	60 29 44	55 26 40	52 25 38	48 23 35	48 26 37	45 24 34	43 25 34
527	Other diseases of lung and pleural cavity	M F P	40 10 25	42 9 25	46 10 27	47 13 29	49 10 29	49 12 30	47 12 29	46 11 28	46 13 29	49 12 30	49 14 31
	1 Emphysema without mention of bronchitis	M F P	38 8 22	39 7 22	43 8 25	43 10 26	45 8 26	46 9 27	43 9 26	42 9 25	43 9 25	44 10 27	44 10 26
530-587	IX DISEASES OF THE DIGESTIVE SYSTEM	M F P	417 305 359	421 310 363	418 315 365	398 310 352	385 301 342	378 297 336	354 305 328	363 313 337	356 314 334	354 314 333	338 317 327
530-539	Diseases of buccal cavity and oesophagus	M F P	6 5 6	6 7 6	6 6 6	4 6 5	6 6 6	5 6 6	4 6 5	5 6 6	5 6 6	5 7 6	5 8 7
540-545	Diseases of stomach and duodenum	M F P	188 64 123	197 70 131	194 72 131	184 72 126	171 67 117	163 67 114	148 67 106	151 69 108	139 65 101	144 70 106	130 69 98
540	Ulcer of stomach	M F P	86 39 61	88 40 63	87 42 64	84 43 63	77 41 58	74 40 57	66 41 53	67 42 54	62 39 50	62 41 51	59 41 49
	0 Without mention of perforation	M F P	62 30 45	64 30 46	63 32 47	61 34 47	56 31 43	55 33 43	50 33 41	51 32 41	47 31 39	44 32 38	45 32 38
	1 With perforation	M F P	24 9 16	24 9 17	24 10 17	23 10 16	21 10 15	19 7 13	16 8 12	17 10 13	15 8 12	17 9 13	14 9 11
541	Ulcer of duodenum	M F P	93 20 55	100 24 61	99 25 60	92 24 57	88 22 54	84 23 52	75 22 47	76 23 49	70 22 45	75 26 50	64 23 43
	0 Without mention of perforation	M F P	59 12 35	63 14 38	62 15 37	59 15 36	55 13 33	52 13 32	48 13 30	47 14 30	45 13 28	49 15 31	39 12 26
	1 With perforation	M F P	34 8 20	38 10 23	37 10 23	33 9 21	33 8 20	31 9 20	27 9 18	29 9 19	25 9 17	26 11 18	24 10 17
550-553	Appendicitis	M F P	26 16 21	26 18 22	23 16 19	24 14 19	23 13 18	21 14 18	20 12 15	17 11 14	16 12 14	15 11 13	13 11 12
550	Acute appendicitis	M F P	22 13 17	21 15 18	19 13 16	20 11 15	19 11 15	18 12 15	17 9 13	14 9 12	14 10 12	13 9 11	11 9 10
	0 Without mention of peritonitis	M F P	3 2 3	3 2 3	3 2 2	3 2 3	3 1 2	3 2 2	2 1 2	2 1 2	2 2 2	2 1 2	1 2 2
	1 With peritonitis	M F P	19 11 15	18 13 15	16 11 14	16 9 13	16 10 13	15 8 11	14 8 11	12 8 10	11 8 10	12 8 10	10 7 8
551-553	Other and unqualified appendicitis	M F P	4 2 3	4 3 4	3 3 3	5 3 4	4 2 3	3 2 3	3 2 2	3 2 2	3 2 2	2 2 2	2 2 2
560, 561	Hernia of abdominal cavity	M F P	36 36 36	36 35 35	39 35 37	36 37 37	36 35 35	33 32 32	32 36 34	32 32 32	33 35 34	33 35 34	30 32 31
560	Hernia of abdominal cavity without mention of obstruction	M F P	9 6 7	9 7 8	10 7 8	9 8 8	10 7 8	9 8 8	10 9 9	10 8 9	10 10 10	10 10 10	10 10 10
561	Hernia of abdominal cavity with obstruction	M F P	27 29 28	27 28 27	29 28 28	27 30 28	26 28 27	24 24 24	22 27 25	22 24 23	24 25 24	22 25 24	21 22 21
570-578	Other diseases of intestines and peritoneum	M F P	94 96 95	88 90 89	88 94 91	83 93 88	83 95 89	86 95 90	83 97 90	88 105 97	90 108 99	87 106 97	90 112 101



TABLE 8 - continued

CD No.	Causes of death			1953	1954	1955	1956	1957	1958	1959	1960	1961	1962	1963		
570	Intestinal obstruction without mention of hernia	M	34	33	31	33	31	32	32	34	35	31	34			
		F	30	28	31	31	28	31	31	35	35	35	37			
		P	32	30	31	32	30	31	32	35	35	33	35			
	2 Mesenteric infarction	M	9	10	8	9	9	9	9	11	12	11	12			
		F	8	8	9	9	10	10	12	14	14	14	14			
		P	8	9	8	9	9	10	11	12	13	13	13			
	3 Volvulus	M	9	9	9	10	9	8	10	8	9	7	8			
		F	8	6	7	8	6	7	7	7	6	7	7			
		P	8	7	8	9	8	7	8	7	7	7	7			
	4 Impaction of intestine	M	1	2	2	2	1	1	1	2	1	2	2			
		F	3	3	4	3	2	2	2	3	3	3	3			
		P	2	3	3	3	2	2	1	2	2	2	2			
	5 Other	M	11	9	10	9	10	11	11	12	10	9	11			
		F	10	8	9	9	8	10	9	11	11	11	11			
		P	10	9	9	9	9	10	10	11	10	10	11			
	571	Gastro-enteritis and colitis except ulcerative (age 4 weeks and over)	M	26	20	21	17	16	17	16	17	18	20	19		
			F	24	20	19	16	17	15	16	19	20	20	19		
			P	25	20	20	16	17	16	16	18	19	20	19		
0 Ages between 4 weeks and 2 years*		M	574	406	409	266	278	243	252	285	280	333	273			
		F	411	313	287	195	197	163	163	196	230	272	202			
		P	494	361	350	231	239	204	209	242	256	303	238			
1 Ages 2 years and over		M	8	7	9	8	7	9	8	8	8	8	9			
		F	12	11	12	11	11	10	11	13	13	11	12			
		P	10	9	10	10	9	10	10	10	11	10	11			
572		Chronic enteritis and ulcerative colitis	M	22	24	25	23	25	27	26	27	27	26	25		
			F	31	32	33	36	38	41	41	42	43	40	44		
			P	27	28	29	30	32	34	34	35	35	33	34		
		1 Diverticulitis	M	12	15	15	13	15	17	17	18	18	16	16		
			F	17	18	20	21	24	26	29	29	31	28	30		
			P	15	17	17	17	20	22	23	23	25	22	23		
		2 Ulcerative colitis	M	8	6	8	8	8	8	7	8	7	7	7		
			F	12	13	11	13	12	12	10	11	10	10	11		
			P	10	10	10	10	10	10	9	9	8	9	9		
	573-578	Other diseases of intestines and peritoneum	M	12	11	11	10	11	10	8	10	11	10	12		
			F	11	10	11	10	11	9	9	10	10	11	13		
			P	11	10	11	10	11	9	9	10	10	10	12		
		580-587	Diseases of liver, gallbladder and pancreas	M	68	69	69	66	67	70	67	71	72	70	70	
				F	89	90	92	87	87	83	87	88	88	85	86	
				P	79	80	81	77	77	77	77	80	80	77	78	
			581	Cirrhosis of liver	M	31	30	29	29	31	30	28	31	33	31	31
					F	22	23	24	23	23	23	25	25	27	25	26
					P	26	26	26	26	27	26	27	28	30	28	28
584			Cholelithiasis	M	11	13	13	13	11	13	13	11	10	11	10	
				F	27	26	26	25	25	23	23	22	21	19	18	
				P	19	19	20	19	18	18	18	16	15	15	14	
585			Cholecystitis and cholangitis, without mention of calculi	M	10	9	9	9	8	9	8	7	8	7	7	
				F	19	20	19	18	17	16	16	17	16	14	13	
				P	14	15	14	13	13	13	12	12	12	10	10	
587			Diseases of pancreas	M	10	11	13	11	11	14	13	15	15	15	15	
				F	13	13	16	15	15	14	16	16	15	17	18	
				P	12	12	14	13	13	14	14	15	15	16	17	
	0 Acute pancreatitis		M	6	8	8	7	6	8	8	9	9	10	9		
			F	10	10	11	10	10	9	10	10	11	12	13		
			P	8	9	9	8	8	9	9	10	10	11	11		
590-637	X DISEASES OF THE GENITO-URINARY SYSTEM	M	388	393	370	361	339	327	315	309	293	278	260			
		F	171	170	169	163	158	157	156	157	161	162	166			
		P	276	277	265	258	245	239	233	230	225	218	212			
590-594	Nephritis and nephrosis	M	128	124	114	119	104	99	88	91	83	78	74			
		F	111	107	100	92	84	82	75	72	68	69	61			
		P	119	115	107	105	93	90	81	81	76	73	68			
	590	Acute nephritis	M	7	5	5	6	4	4	3	4	3	3	3		
			F	4	4	2	3	3	3	2	3	3	2	2		
			P	5	5	3	4	3	3	3	4	3	3	2		
	591	Nephritis with oedema	M	9	8	9	10	9	9	7	7	5	6	5		
			F	6	6	8	7	6	5	5	5	4	4	4		
			P	7	7	8	8	8	7	6	6	5	5	5		
	592	Chronic nephritis	M	102	101	90	93	80	76	69	69	64	56	53		
			F	94	89	82	75	68	67	60	57	54	53	45		
			P	98	94	86	84	74	72	64	63	58	54	49		
	593	Nephritis not specified as acute or chronic	M	9	9	10	10	10	9	9	10	10	12	13		
			F	7	7	7	6	6	6	8	7	8	10	10		
			P	8	8	8	8	8	8	8	8	9	11	11		

571.0 Rates per million population aged under 2 years.

TABLE 8 - continued

ICD No.	Causes of death		1953	1954	1955	1956	1957	1958	1959	1960	1961	1962	1963
600-609	Other diseases of urinary system	M F P	59 47 53	60 53 57	59 60 59	59 62 60	62 65 64	59 66 62	62 73 68	66 77 72	68 85 77	69 86 78	75 97 86
600	Infections of kidney	M F P	26 28 27	27 32 30	28 38 33	30 39 35	33 43 38	33 43 38	37 52 45	41 54 48	43 64 54	44 65 55	51 75 63
	O Pyelitis, pyelocystitis and pyelonephritis	M F P	25 27 26	26 31 28	27 36 32	29 38 34	32 42 37	32 42 37	36 50 43	39 53 46	42 63 53	42 64 54	49 73 61
602	Calculi of kidney and ureter	M F P	7 6 7	8 6 7	7 7 7	6 7 6	6 7 7	6 6 6	6 6 6	6 6 6	6 5 6	6 6 6	6 6 6
605	Cystitis	M F P	8 7 8	8 8 8	7 8 7	7 8 7	5 8 7	7 9 8	6 8 7	6 8 7	5 8 6	5 7 6	4 7 5
608	Stricture of urethra	M F P	4 - 2	6 0 3	5 0 2	5 0 2	4 0 2	2 0 1	3 0 1	2 0 1	2 0 1	2 - 1	2 0 1
610-617	Diseases of male genital organs	M	202	209	196	183	173	169	164	152	141	131	111
610	Hyperplasia of prostate	M	197	204	191	179	168	165	160	148	138	128	109
611	Prostatitis	M	4	3	4	2	3	3	3	2	2	2	1
620-626	Diseases of breast, ovary, Fallopian tube, and parametrium	M F P	- 3 1	- 2 1	- 3 1	- 2 1	- 2 1	- 1 1	0 2 1	0 1 1	- 2 1	- 2 1	- 2 1
630-637	Diseases of uterus and other female genital organs	F	10	8	7	7	7	8	6	6	6	6	6
631	Uterovaginal prolapse	F	6	4	4	5	5	5	4	4	3	3	3
*640-689	XI DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	F	0.71	0.65	0.59	0.52	0.45	0.43	0.38	0.39	0.33	0.35	0.28
*640-649	Deliveries and complications of pregnancy,	F	0.60	0.54	0.50	0.42	0.37	0.35	0.32	0.31	0.27	0.28	0.22
660-689	childbirth and the puerperium, excluding abortion												
*640-648	Complications of pregnancy	F	0.27	0.20	0.20	0.20	0.15	0.14	0.13	0.12	0.10	0.12	0.11
*642	Toxaemias of pregnancy	F	0.19	0.13	0.12	0.11	0.10	0.08	0.07	0.07	0.06	0.06	0.05
*645	Ectopic pregnancy	F	0.05	0.03	0.03	0.03	0.03	0.02	0.02	0.02	0.01	0.03	0.02
†650-652	Abortion	F	8	8	7	8	7	7	5	7	6	6	5
†650	Without mention of sepsis or toxaemia	F	5	4	3	3	3	3	2	3	2	3	1
†651	With sepsis	F	4	3	4	4	4	4	3	4	4	3	3
†652	With toxaemia, without mention of sepsis	F	1	1	0	1	0	0	0	1	0	0	0
*670-678	Delivery with specified complication	F	0.21	0.21	0.17	0.13	0.12	0.12	0.11	0.13	0.11	0.10	0.07
*670	Placenta praevia or antepartum haemorrhage	F	0.05	0.04	0.03	0.03	0.03	0.02	0.02	0.03	0.02	0.02	0.01
*671, 672	Retained placenta, and other postpartum haemorrhage	F	0.07	0.06	0.06	0.03	0.03	0.04	0.03	0.02	0.03	0.02	0.02
*673-675	Abnormality of bony pelvis, disproportion or malposition of foetus, and prolonged labour of other origin	F	0.04	0.05	0.05	0.05	0.04	0.03	0.02	0.03	0.02	0.02	0.01
*680-689	Complications of the puerperium	F	0.12	0.11	0.13	0.09	0.08	0.08	0.08	0.05	0.05	0.06	0.04
*681	Sepsis of childbirth and the puerperium	F	0.02	0.02	0.02	0.01	0.02	0.01	0.02	0.01	0.00	0.01	0.01
*682	Puerperal phlebitis and thrombosis	F	0.04	0.06	0.05	0.04	0.03	0.03	0.02	0.02	0.03	0.03	0.02
*684	Puerperal pulmonary embolism	F	0.03	0.02	0.03	0.01	0.01	0.02	0.01	0.01	0.00	0.01	0.01
*685	Puerperal eclampsia	F	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.00	0.01	0.00	0.00
690-716	XII DISEASES OF THE SKIN AND CELLULAR TISSUE	M F P	13 16 14	11 14 12	9 14 11	9 13 11	9 11 10	9 12 11	8 12 10	8 12 10	9 13 11	7 10 9	6 10 8
690-698	Infections of skin and subcutaneous tissue	M F P	5 5 5	4 4 4	4 4 4	3 4 4	3 4 3	4 4 4	4 4 4	3 4 3	4 4 4	3 4 3	2 3 3
700-716	Other diseases of skin and subcutaneous tissue	M F P	9 10 10	6 10 8	4 10 7	5 9 7	6 7 7	5 8 7	4 8 6	4 9 7	5 9 7	4 7 6	4 7 5
720-749	XIII DISEASES OF THE BONES AND ORGANS OF MOVEMENT	M F P	27 43 35	29 50 40	29 59 44	29 53 42	27 53 40	28 56 43	28 57 43	30 56 44	30 57 44	30 57 44	28 58 44
720-727	Arthritis and rheumatism except rheumatic fever	M F P	14 34 24	17 39 28	16 47 32	16 41 29	14 40 28	16 44 30	16 44 30	18 45 32	16 44 30	16 44 30	16 43 30
722	Rheumatoid arthritis and allied conditions	M F P	9 24 17	10 30 20	10 35 23	10 31 21	8 30 20	10 32 22	10 32 21	11 32 23	11 32 22	10 33 22	10 31 21
	O Rheumatoid arthritis	M F P	8 24 17	9 30 20	9 35 23	9 31 21	8 30 19	9 32 21	10 32 21	10 33 22	10 32 21	9 33 21	9 31 20

\* Rates per 1,000 total (live and still) births.

† Rates per million women age 15-44 years.

TABLE 8 - continued

CD No.	Causes of death			1953	1954	1955	1956	1957	1958	1959	1960	1961	1962	1963
723	Osteo-arthritis (arthrosis) and allied conditions	M F P	4 7 6	5 8 7	5 10 8	6 9 7	5 9 7	5 10 7	5 10 8	5 10 8	4 11 7	5 10 7	5 10 7	5 10 8
	O Osteo-arthritis (arthrosis)	M F P	3 7 5	4 7 5	4 9 7	4 8 6	4 8 6	4 8 6	3 9 6	3 9 6	3 9 6	3 8 6	3 8 6	3 9 6
730-738	Osteomyelitis and other diseases of bone and joint	M F P	8 6 7	8 8 8	8 8 8	7 8 8	7 8 8	6 8 7	7 9 8	7 8 7	7 9 8	7 8 8	7 8 8	6 10 8
730	Osteomyelitis and periostitis	M F P	3 1 2	2 1 2	2 1 2	2 2 2	2 2 2	2 1 2	2 1 1	2 1 1	1 1 1	1 0 1	1 1 1	1 1 1
731	Osteitis deformans	M F P	4 3 3	4 3 4	4 4 4	4 4 4	4 4 4	3 4 4	3 3 3	3 4 3	4 3 4	3 4 4	3 4 4	3 4 3
740-749	Other diseases of musculoskeletal system	M F P	5 3 4	5 4 4	5 4 5	5 4 5	5 4 5	6 4 5	5 4 5	6 5 4	7 5 6	7 5 6	7 5 6	7 5 6
750-759	XIV CONGENITAL MALFORMATIONS	M F P	104 89 97	110 93 101	114 92 103	113 92 102	120 101 110	119 98 108	114 102 108	122 102 112	119 106 112	125 108 116	122 108 112	122 102 112
750	Monstrosity	M F P	2 3 2	2 3 3	2 3 3	3 3 3	3 4 3	3 5 4	2 5 4	4 5 4	3 5 4	3 5 4	3 5 4	4 5 4
751	Spina bifida and meningocele	M F P	13 17 15	15 21 18	16 21 18	16 20 18	15 20 18	16 20 18	14 17 16	13 17 15	12 17 14	11 15 13	11 15 13	13 20 17
752	Congenital hydrocephalus	M F P	8 9 8	9 10 10	9 10 9	10 10 10	9 10 9	9 10 10	11 12 11	11 13 12	12 13 12	10 13 11	5 4 5	5 4 5
753	Other congenital malformations of nervous system and sense organs	M F P	2 3 2	3 3 3	2 3 3	2 3 3	4 3 3	3 3 3	3 3 3	4 3 4	3 3 3	3 3 3	3 3 3	3 3 3
754	Congenital malformations of circulatory system	M F P	43 34 39	45 33 39	47 33 40	47 34 40	52 39 45	52 37 44	50 39 45	53 43 47	54 44 49	59 45 52	61 45 53	61 45 53
756	Congenital malformations of digestive system	M F P	15 9 12	14 8 11	14 7 10	13 7 10	14 7 10	13 8 10	13 8 10	13 7 10	13 8 10	14 8 11	12 7 9	12 7 9
757	Congenital malformations of genito-urinary system	M F P	12 7 10	12 8 10	13 8 10	12 8 10	13 10 11	12 8 10	11 10 10	14 8 10	12 9 10	14 8 11	13 9 11	13 9 11
*760-776	XV CERTAIN DISEASES OF EARLY INFANCY†	M F P	16.56 12.19 14.43	16.39 11.54 14.03	15.87 11.48 13.74	15.55 11.16 13.43	15.08 10.86 13.03	14.75 10.56 12.71	14.28 10.49 12.44	14.10 10.04 12.13	13.95 9.97 12.02	13.58 9.42 11.56	12.77 9.18 11.02	12.77 9.18 11.02
780-795	XVI SYMPTOMS, SENILITY AND ILL-DEFINED CONDITIONS	M F P	145 231 190	156 250 205	173 272 224	162 260 213	136 224 181	137 225 183	124 217 172	110 206 160	110 204 159	101 186 145	95 169 133	95 169 133
780-789	Symptoms referable to systems or organs	M F P	7 7 7	7 5 6	7 6 6	6 6 6	5 5 5	4 4 4	3 3 3	4 4 4	5 5 5	4 3 4	5 4 5	5 4 5
790-795	Senility and ill-defined diseases	M F P	138 224 183	149 245 199	166 266 218	156 254 207	130 219 176	133 221 179	121 214 169	106 202 156	105 200 154	97 183 141	90 165 129	90 165 129
794	Senility without mention of psychosis	M F P	135 222 180	145 243 196	162 265 215	152 252 204	127 216 173	130 220 176	118 211 166	103 199 153	101 197 151	94 180 138	86 162 125	86 162 125
800-E999	XVII ACCIDENTS, POISONINGS AND VIOLENCE (EXTERNAL CAUSE)	M F P	582 329 450	593 358 471	605 370 483	604 383 490	594 374 480	614 390 498	615 399 503	612 406 505	611 405 505	610 419 512	616 436 524	616 436 524
800-E802	Railway accidents	M F P	16 1 8	12 1 6	13 1 7	14 2 7	13 1 7	14 2 8	11 1 6	10 1 5	11 1 6	9 1 5	9 1 5	9 1 5
810-E835	Motor vehicle accidents	M F P	158 45 99	161 51 104	171 55 111	174 56 113	170 53 109	186 60 121	202 69 132	215 80 145	213 79 144	200 74 135	201 73 135	201 73 135
E812	To pedestrian	M F P	56 29 42	56 35 45	57 35 46	59 36 47	56 32 44	61 39 49	59 42 50	67 50 58	68 47 57	63 45 53	62 45 54	62 45 54
E813	To pedal cyclist	M F P	22 3 12	21 3 12	20 4 12	21 3 12	20 3 11	21 2 11	24 4 14	22 4 12	22 3 12	19 3 10	19 2 10	19 2 10

\* For details of causes 760-776, see Table 12.

† Rates per 1,000 live births (related live births prior to 1957; live birth occurrences from 1957).



TABLE 8 - continued

ICD No.	Causes of death		1953	1954	1955	1956	1957	1958	1959	1960	1961	1962	1963
E815	To rider or passenger of motorcycle in collision with other motor vehicle	M F P	32 2 17	33 2 17	37 3 19	35 2 18	34 3 18	40 3 21	45 3 23	48 4 25	41 4 22	37 3 19	34 2 18
E816	Other motor vehicle traffic accident involving two or more motor vehicles	M F P	13 4 9	14 5 9	18 7 12	20 7 13	17 7 12	25 9 16	29 11 19	30 12 20	33 16 24	35 14 24	41 13 27
E821	To rider of motorcycle without antecedent collision	M F P	13 1 7	14 1 8	15 1 8	15 1 8	18 1 9	15 2 8	18 2 10	19 2 10	18 2 10	14 1 7	14 1 7
E823	Involving running off roadway	M F P	5 1 3	6 2 4	9 2 5	9 3 6	11 2 6	11 3 7	12 3 8	16 4 10	16 4 10	18 5 11	17 4 10
E840-E845	Other road vehicle accidents	M F P	9 3 6	9 3 6	9 2 6	7 2 4	8 2 5	7 3 5	5 2 4	5 2 3	4 2 3	4 2 3	3 1 2
E843	Accident to rider of pedal cycle not involving collision with motor vehicle	M F P	5 1 3	6 1 3	6 1 3	5 0 2	6 1 3	5 1 3	4 1 2	4 1 2	3 0 2	3 0 2	2 0 1
E850-E858	Water transport accidents	M F P	7 0 3	6 0 3	6 0 3	7 0 3	7 0 4	6 0 3	7 0 3	8 0 4	8 1 4	7 0 4	7 0 4
E860-E866	Aircraft accidents	M F P	9 0 4	10 0 5	6 0 3	6 0 3	7 1 3	8 1 4	3 1 2	2 0 1	2 0 1	3 0 2	1 - 1
E870-E888	Accidental poisoning by solid and liquid substances	M F P	6 7 7	7 7 7	7 7 7	8 8 8	8 8 8	7 8 8	8 8 8	9 11 10	10 10 10	11 13 12	14 14 14
E871	Barbituric acid and derivatives	M F P	4 4 4	3 5 4	4 5 4	4 5 5	4 5 5	4 5 5	4 6 5	5 8 6	6 7 7	8 9 8	10 11 10
E870, E872-E888	Remainder, accidental poisoning by solid and liquid substances	M F P	2 3 3	4 2 3	4 2 3	3 3 3	4 3 3	3 3 3	4 3 3	4 3 3	4 3 3	4 4 4	5 3 4
E890-E895	Accidental poisoning by gases and vapours	M F P	15 14 15	15 17 16	18 21 19	17 20 18	17 20 19	20 22 21	20 24 22	21 24 22	20 24 22	25 29 27	26 33 30
E890	Utility (illuminating) gas	M F P	13 14 13	13 17 15	15 20 18	14 19 17	14 19 17	17 21 19	17 23 20	19 23 21	17 23 20	21 28 25	23 31 27
E900-E904	Accidental falls	M F P	84 123 104	99 141 121	94 144 120	99 149 125	92 142 118	92 149 122	96 151 124	86 150 119	85 146 116	89 145 118	91 149 121
E910-E936	Other accidents	M F P	121 53 96	110 50 79	122 50 84	112 50 80	112 47 78	115 48 80	108 48 77	104 46 74	110 45 76	105 51 77	106 57 81
E910	Blow from falling or projected object or missile	M F P	16 1 8	14 1 7	14 1 7	13 1 7	14 0 7	15 1 7	12 1 6	13 1 6	11 1 6	10 1 5	10 1 5
E912	Caused by machinery	M F P	8 0 4	8 0 4	11 0 6	11 0 5	11 0 6	12 0 6	10 0 5	9 0 5	11 0 5	10 0 5	9 0 4
E914	Caused by electric current	M F P	4 1 3	4 1 2	4 1 2	5 1 3	5 1 3	5 1 3	4 1 3	4 1 3	5 1 3	4 1 2	5 1 3
E916	Caused by fire and explosion of combustible material	M F P	10 16 13	10 19 15	12 19 16	11 19 15	11 17 14	10 17 14	12 18 15	10 17 14	13 16 15	14 21 17	14 23 19
E917	Caused by hot substance, corrosive liquid, and steam	M F P	3 2 3	3 3 3	3 3 3	3 3 3	2 2 2	3 3 3	2 2 3	2 2 2	3 2 2	2 2 2	2 2 2
E921-E925	Accidental mechanical obstruction or suffocation	M F P	19 13 16	23 13 18	22 12 17	21 13 17	19 11 14	19 10 14	17 11 14	18 11 14	19 11 15	21 13 17	21 13 17
E921	Inhalation and ingestion of food causing obstruction or suffocation	M F P	10 7 8	12 8 10	12 7 10	12 8 10	11 7 9	10 6 8	10 7 8	10 8 9	12 8 10	12 9 10	11 7 10
E924	Accidental mechanical suffocation in bed and cradle	M F P	6 4 5	6 4 5	6 3 4	5 4 5	4 3 4	5 3 4	4 3 3	3 2 3	2 3 3	4 3 4	4 2 3
E929	Accidental drowning and submersion	M F P	34 8 21	30 8 19	35 10 22	30 8 18	32 10 21	32 9 20	33 9 21	31 8 19	30 8 19	26 8 17	23 7 15
E960-E965	Late effects of injury and poisoning	M F P	8 1 5	7 1 4	9 1 5	7 1 4	7 2 4	7 1 4	7 1 4	6 1 4	6 1 4	6 1 3	6 1 3

TABLE 8 - continued

CD No.	Causes of death		1953	1954	1955	1956	1957	1958	1959	1960	1961	1962	1963
70-E979	Suicide and self-inflicted injury	M F P	142 76 108	149 81 114	143 84 113	149 90 118	146 92 118	146 91 117	142 89 115	139 87 112	135 91 113	144 97 120	145 99 122
E970	Poisoning by analgesic and soporific substances	M F P	9 11 10	10 14 12	11 15 13	15 17 16	14 17 15	15 19 17	15 21 18	15 21 22	17 27 22	24 32 28	31 40 36
E971	Poisoning by other solid and liquid substances	M F P	5 3 4	4 2 3	4 2 3	5 2 4	4 2 3	3 1 2	3 2 3	3 2 2	3 2 2	3 2 3	4 3 3
E972	Poisoning by gases in domestic use	M F P	60 41 50	64 47 55	59 47 53	63 51 57	65 52 58	67 51 58	65 50 57	64 46 55	59 44 51	62 45 53	60 41 50
E974	Hanging and strangulation	M F P	25 6 15	29 6 17	27 5 16	26 5 15	26 6 15	22 5 14	20 5 12	19 5 12	20 6 13	21 6 13	19 4 12
E975	Submersion (drowning)	M F P	12 9 11	14 8 11	13 9 11	13 9 11	12 9 11	12 9 10	11 8 10	12 8 10	10 7 9	10 7 8	9 6 7
E976	Firearms and explosives	M F P	10 0 5	9 0 5	10 0 5	10 0 5	9 1 5	9 0 4	10 0 5	8 0 4	8 1 4	8 0 4	7 0 3
E977	Cutting and piercing instruments	M F P	9 1 5	8 1 4	8 1 4	6 2 4	6 1 4	6 1 4	5 1 3	5 1 3	4 1 3	3 1 2	3 1 2
E978	Jumping from high place	M F P	3 2 3	4 2 3	3 2 3	3 2 2	3 2 3	3 2 2	3 2 3	3 2 2	3 2 2	3 1 2	2 1 2
E979	Other and unspecified means	M F P	7 1 4	7 2 4	6 2 4	7 1 4	5 2 3	6 2 4	7 1 4	7 2 4	5 2 3	6 2 4	6 2 4
80-E985	Homicide and injury purposely inflicted by other persons (not in war)	M F P	4 4 4	5 5 5	5 4 4	4 4 4	5 4 5	5 4 5	5 6 5	6 5 5	7 4 6	5 4 6	6 5 5
00-N999	XVII ALTERNATIVE CLASSIFICATION OF ACCIDENTS, POISONINGS, AND VIOLENCE (NATURE OF INJURY)	M F P	582 329 450	593 358 471	605 370 483	604 383 490	594 374 480	614 390 498	615 399 503	612 406 505	611 405 505	610 419 512	616 436 524
00-N804	Fracture of skull	M F P	148 37 91	144 38 89	148 39 92	145 42 92	142 39 88	148 41 92	148 43 94	150 48 97	145 46 94	135 44 88	130 42 84
05-N809	Fracture of spine and trunk	M F P	34 13 23	36 16 26	36 17 26	37 18 27	36 17 26	39 19 29	39 20 29	40 23 32	39 23 31	38 21 29	42 23 32
10-N829	Fracture of limbs	M F P	45 95 71	56 109 84	53 113 84	58 120 90	56 112 85	54 121 88	53 121 88	52 122 88	51 118 86	51 118 86	51 120 86
30-N839	Dislocation without fracture	M F P	2 1 1	2 1 1	3 1 2	2 1 1	2 1 2	2 1 2	2 1 1	2 1 1	2 1 2	2 1 1	2 1 1
40-N848	Sprains and strains of joints and adjacent muscles	M F P	0 0 0	0 0 0	0 0 0	0 - 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	1 0 0
50-N856	Head injury (excluding skull fracture)	M F P	41 16 28	44 19 31	45 19 32	43 19 30	41 19 30	44 17 30	49 21 34	46 21 33	47 22 34	47 22 34	44 22 33
60-N869	Internal injury of chest, abdomen and pelvis	M F P	40 9 24	42 8 24	44 8 25	43 8 25	43 8 25	49 10 29	53 13 32	52 13 32	55 14 34	53 14 33	60 14 37
70-N908	Laceration and open wounds	M F P	24 4 13	20 5 12	21 5 13	18 4 11	18 4 11	20 4 12	18 4 11	17 5 11	16 6 10	15 4 10	14 5 9
10-N929	Superficial injury, contusion and crushing with intact skin surface	M F P	2 3 3	2 4 3	3 4 3	3 2 2	2 2 2	2 2 2	2 2 2	2 2 2	1 2 1	2 2 2	2 2 2
30-N936	Effects of foreign body entering through orifice	M F P	12 8 10	14 9 11	14 8 11	13 9 11	12 8 10	13 7 10	11 8 10	12 8 10	13 8 11	14 9 12	13 10 11
40-N949	Burns	M F P	14 17 15	12 21 17	14 21 17	12 20 16	13 17 15	13 19 16	12 19 16	10 17 14	12 15 14	12 20 16	12 22 17
60-N979	Effects of poisons	M F P	102 79 90	107 89 98	107 94 100	114 102 108	116 103 109	120 105 112	119 107 113	121 107 113	121 111 115	136 125 130	146 137 141
0-N959, 80-N999	All other and unspecified effects of external causes	M F P	119 48 82	117 40 77	118 42 78	115 38 75	113 44 77	111 43 76	108 40 73	107 38 71	108 39 72	103 39 70	100 40 69

**TABLE 9. Standardised Mortality Ratios (base years 1950-1952)  
by sex for certain causes of death, 1953 to 1963**

England and Wales

Note. 1 The S.M.R. shows the number of deaths registered in each of the years to which the table refers as a percentage of the numbers which would have been expected in those years had the sex/age mortality of a standard period (1950-1952) been experienced in those years. For years to 1957 inclusive causes of death were classified according to the sixth (1948) revision of the International Statistical Classification; from 1958 the seventh (1955) revision has been used, necessary adjustments being made for the standard period to make the figures comparable with those for other years.

2 Footnotes to Table 7 for individual causes apply also to this table.

3 See explanatory notes.

ICD No.	Causes of death		1953	1954	1955	1956	1957	1958	1959	1960	1961	1962	1963
	ALL CAUSES	M F P	96 94 95	95 91 93	97 93 95	96 92 94	94 88 91	95 90 92	94 89 91	92 87 89	96 90 93	96 89 92	98 91 94
001-138	Infective and parasitic diseases	M F	73 68	64 57	56 49	48 42	44 39	40 36	36 31	33 28	32 30	29 26	28 25
001-019	Tuberculosis, all forms	M F	69 61	62 52	52 41	43 33	38 28	36 26	31 21	27 19	26 19	24 16	23 15
001-008	Tuberculosis, respiratory	M F	70 61	63 52	53 41	44 32	39 27	36 26	32 21	28 19	27 18	25 16	24 14
010-019	Tuberculosis, other forms	M F	60 62	52 50	42 38	31 33	30 34	29 29	21 24	18 21	18 20	19 16	18 22
020-029	Syphilis and its sequelae	M F	83 84	79 87	77 80	74 82	70 73	62 82	58 69	57 66	51 70	46 63	43 67
053	Septicaemia and pyaemia	M F	105 86	86 109	58 64	88 65	58 63	68 58	57 51	69 46	91 61	91 69	86 61
057	Meningococcal infections	M F	112 98	94 95	72 79	74 63	63 70	47 57	63 47	29 37	40 47	53 36	52 40
080, 081	Acute poliomyelitis, including late effects	M F	87 72	35 27	68 60	32 33	69 50	34 40	22 19	13 8	23 12	10 10	10 6
082, 083	Acute infectious encephalitis, including late effects	M F	107 89	83 79	82 68	87 68	71 58	76 60	73 56	70 70	62 58	63 56	60 41
092	Infectious hepatitis	M F	97 116	83 107	88 111	87 108	89 119	81 92	87 98	101 112	88 114	80 110	75 80
140-239	Neoplasms	M F	102 97	103 98	104 97	104 97	105 96	105 97	106 96	107 96	108 96	109 96	110 96
140-205	Malignant neoplasms including neoplasms of lymphatic and haematopoietic tissues	M F	102 98	103 98	104 98	105 97	106 96	106 97	107 97	108 97	108 96	110 96	111 96
140-148	Buccal cavity and pharynx	M F	90 87	95 97	89 97	76 96	77 97	77 94	75 87	66 92	63 88	62 86	57 81
150-159	Digestive organs and peritoneum	M F	96 95	94 94	92 93	90 90	90 88	88 88	87 88	85 86	85 84	84 84	84 83
150	Oesophagus	M F	88 99	85 104	88 106	88 104	82 103	81 104	85 99	79 102	82 106	84 104	83 105
151	Stomach	M F	98 93	95 92	95 90	91 89	93 84	92 85	91 83	88 81	87 79	86 76	86 76
153	Large intestine, except rectum	M F	97 95	93 92	89 91	86 89	84 86	81 85	79 85	78 82	79 81	79 81	76 79
154	Rectum	M F	90 96	91 96	86 91	84 90	82 84	82 91	79 93	77 86	74 84	74 84	74 86
157	Pancreas	M F	104 99	105 100	108 105	107 98	108 107	113 107	117 111	115 111	114 111	115 116	122 113
160-165	Respiratory system	M F	112 102	119 105	124 108	129 111	133 113	136 115	143 118	146 125	149 131	153 135	156 140
162, 163	Lung, bronchus and trachea	M F	114 104	122 107	128 111	133 115	138 118	142 121	149 124	153 132	156 141	161 146	164 152
170-181	Breast and genito-urinary organs	M F	102 98	104 98	105 99	109 99	106 98	108 100	106 98	108 99	108 99	114 99	112 99
170	Breast	M F	128 99	125 100	119 100	105 100	105 99	109 101	92 97	92 100	118 102	114 102	102 102
171	Cervix uteri	F	94	90	92	91	89	96	90	90	87	86	84



TABLE 9 - continued

ICD No.	Causes of death		1953	1954	1955	1956	1957	1958	1959	1960	1961	1962	1963
172	Corpus uteri	F	98	95	91	92	93	90	91	92	91	91	85
175	Ovary, Fallopian tube, and broad ligament	F	100	101	106	106	107	106	107	107	109	109	108
177	Prostate	M	103	107	105	111	107	111	109	110	110	114	113
180	Kidney	M	106	108	112	110	109	117	107	106	111	123	120
		F	103	104	95	103	95	109	98	109	107	103	106
181	Bladder and other urinary organs	M	101	101	106	108	108	105	104	109	109	117	113
		F	103	107	106	105	104	101	110	106	104	107	100
190-199	Other and unspecified sites	M	98	101	104	108	104	103	99	102	106	106	104
		F	106	108	105	114	115	107	108	104	109	107	114
190	Malignant melanoma of skin	M	123	133	150	150	130	112	143	147	135	148	159
		F	111	122	139	117	157	130	138	139	143	153	143
193	Brain and other parts of nervous system	M	107	109	117	114	114	136	131	136	139	138	135
		F	114	120	117	125	126	149	153	146	156	143	155
194	Thyroid gland	M	99	107	101	119	93	95	102	103	97	109	99
		F	101	101	100	100	95	87	98	94	95	93	100
196	Bone, including jaw bone	M	90	81	78	86	77	77	71	72	74	67	58
		F	91	95	79	89	83	86	75	71	72	70	65
200-205	Neoplasms of lymphatic and haematopoietic tissues	M	109	112	114	116	123	121	124	133	129	129	135
		F	109	115	117	123	125	126	135	138	140	142	141
201	Hodgkin's disease	M	106	107	106	108	124	100	114	106	112	112	106
		F	106	105	104	112	104	113	118	125	108	122	105
204	Leukaemia and aleukaemia	M	108	110	117	116	122	121	121	134	127	124	133
		F	109	110	107	115	115	113	125	124	125	131	131
210-229	Benign neoplasm	M	98	87	87	80	85	82	81	90	82	70	75
		F	89	95	89	85	85	76	79	81	71	69	66
230-239	Neoplasm of unspecified nature	M	97	94	84	86	80	43	43	49	52	51	65
		F	89	85	84	85	80	37	49	51	53	49	65
240-289	Allergic endocrine system, metabolic and nutritional diseases	M	86	83	82	79	71	71	65	67	72	74	79
		F	86	82	84	82	78	79	75	80	84	84	88
240-245	Allergic disorders	M	83	75	74	67	59	50	43	41	44	47	54
		F	90	81	76	81	71	74	60	58	61	65	82
250-254	Diseases of thyroid gland	M	91	85	81	84	74	80	93	80	72	95	84
		F	68	79	81	74	72	71	74	76	77	80	90
252	Thyrotoxicosis, with or without goitre	M	95	75	72	71	82	55	75	54	56	84	41
		F	67	72	67	62	64	57	59	61	55	53	50
260	Diabetes mellitus	M	89	87	89	90	81	92	87	93	103	103	105
		F	86	78	86	82	80	80	77	85	90	87	84
270-277	Diseases of other endocrine glands	M	95	93	79	85	76	91	65	79	77	85	89
		F	94	97	75	70	74	62	66	70	66	69	73
290-299	Diseases of the blood and blood-forming organs	M	90	95	92	81	84	85	86	87	85	86	81
		F	82	88	85	86	82	80	79	74	79	76	79
290	Pernicious and other hyperchromic anaemias	M	75	73	73	67	66	62	57	62	53	50	52
		F	74	79	76	77	72	66	65	57	59	55	52
300-326	Mental, psychoneurotic and personality disorders	M	84	92	87	74	67	66	70	76	74	86	79
		F	90	89	87	92	83	66	74	72	76	78	78
330-398	Diseases of the nervous system and sense organs	M	99	102	104	102	99	101	99	98	98	99	100
		F	96	99	101	99	96	99	96	96	96	96	98
330-334	Vascular lesions affecting central nervous system	M	99	104	105	104	100	102	100	99	99	100	102
		F	97	100	101	100	97	99	96	96	96	97	99
340-345	Inflammatory diseases of central nervous system	M	94	94	101	92	103	92	90	92	89	89	90
		F	102	93	99	101	99	100	97	98	101	98	99
345	Multiple sclerosis	M	84	94	102	92	90	95	98	99	95	87	94
		F	103	97	100	97	98	105	107	103	106	99	95
350-357	Other diseases of central nervous system	M	89	83	95	89	87	86	88	86	89	88	89
		F	91	85	93	87	85	86	88	85	92	87	87
350	Paralysis agitans	M	96	87	112	96	96	96	101	95	95	94	94
		F	93	89	100	95	87	89	96	93	97	90	87
353	Epilepsy	M	87	72	86	82	79	75	72	68	79	75	76
		F	97	81	86	79	73	78	64	70	72	73	73

TABLE 9 - continued

ICD No.	Causes of death		1953	1954	1955	1956	1957	1958	1959	1960	1961	1962	1963
356	Motor neurone disease and muscular atrophy	M	96	97	92	92	96	90	92	91	89	89	88
		F	104	105	103	93	102	105	117	100	101	99	98
390-398	Diseases of ear and mastoid process	M	90	70	68	60	49	40	54	36	35	46	33
		F	77	75	68	55	47	39	38	41	47	33	53
400-468	Diseases of circulatory system	M	95	97	98	99	95	98	94	96	98	100	103
		F	92	90	92	91	86	89	85	86	88	87	88
400-402	Rheumatic fever	M	74	78	53	52	39	35	31	30	27	30	25
		F	69	61	47	43	39	25	25	25	19	17	18
410-416	Chronic rheumatic heart disease	M	84	78	74	75	72	62	59	58	60	59	55
		F	83	82	79	76	75	70	65	65	68	66	62
420-422	Arteriosclerotic and degenerative heart disease	M	95	97	99	99	95	100	96	99	101	104	107
		F	91	89	90	88	82	86	82	83	84	84	85
420	Arteriosclerotic heart disease, including coronary disease	M	104	112	116	121	122	129	128	137	141	150	156
		F	103	108	115	119	119	129	130	138	144	151	158
421	Chronic endocarditis not specified as rheumatic	M	99	113	105	104	112	105	93	103	97	102	95
		F	105	112	102	100	116	107	105	107	111	109	106
422	Other myocardial degeneration	M	84	80	79	75	65	65	57	53	53	49	48
		F	85	79	78	74	64	66	60	57	56	53	51
430-434	Other diseases of heart	M	115	128	131	133	145	143	137	144	153	151	155
		F	109	110	117	124	131	144	141	145	158	155	157
440-443	Hypertension with mention of heart disease	M	75	79	80	79	74	69	61	61	58	55	52
		F	76	79	85	83	79	78	73	70	70	64	63
444-447	Hypertension without mention of heart	M	149	143	140	131	121	121	112	105	97	87	85
		F	147	148	147	136	125	122	111	104	102	90	86
450-456	Diseases of arteries	M	95	95	96	95	88	99	95	97	101	104	111
		F	95	93	100	96	90	97	98	101	106	107	110
460-468	Diseases of veins and other diseases of circulatory system	M	103	115	124	133	134	129	152	164	180	184	211
		F	108	113	121	135	130	139	147	160	182	182	211
470-527	Diseases of the respiratory system	M	100	83	94	95	98	96	104	88	109	107	116
		F	96	71	81	83	80	79	91	71	94	93	102
480-483	Influenza	M	85	25	42	36	99	34	107	15	94	40	38
		F	91	23	37	33	74	27	90	12	79	39	38
490-493, 763	Pneumonia (including newborn)	M	105	90	102	107	109	110	121	107	125	127	147
		F	104	90	104	110	107	112	123	113	134	143	163
490	Lobar pneumonia	M	95	81	86	84	79	73	73	66	76	76	80
		F	94	89	88	85	78	77	79	75	80	84	88
491	Bronchopneumonia	M	109	93	109	115	120	125	141	122	146	150	178
		F	107	90	109	118	115	124	136	124	150	161	187
500-502	Bronchitis	M	99	86	96	98	92	98	96	89	104	108	114
		F	91	68	76	77	61	68	65	54	65	69	72
510-527	Other diseases of respiratory system	M	98	103	108	101	100	96	90	88	91	90	91
		F	93	96	99	102	85	88	86	84	93	89	93
530-587	Diseases of the digestive system	M	93	94	93	88	84	83	77	78	77	77	74
		F	95	96	96	94	90	88	89	91	91	90	91
540-545	Diseases of stomach and duodenum	M	92	96	94	88	81	78	70	71	66	68	62
		F	98	106	109	107	97	97	96	98	91	98	96
540	Ulcer of stomach	M	88	90	89	85	77	74	66	67	62	62	59
		F	96	97	101	103	97	94	94	95	89	92	92
541	Ulcer of duodenum	M	96	102	100	93	88	83	74	75	70	75	64
		F	106	128	131	127	111	115	111	117	108	128	114
550-553	Appendicitis	M	81	80	70	75	71	65	60	51	49	47	40
		F	70	82	69	63	57	61	50	49	51	46	45
560-561	Hernia of abdominal cavity	M	91	90	98	90	88	81	80	78	83	81	75
		F	92	88	86	92	84	76	85	76	81	82	74
570-578	Other diseases of intestines and peritoneum	M	93	87	88	82	82	84	81	85	87	84	86
		F	96	90	93	91	92	91	92	99	101	99	103
580-587	Diseases of liver, gallbladder and pancreas	M	105	105	104	100	100	105	100	105	108	104	105
		F	101	101	102	95	94	89	93	93	92	89	90
581	Cirrhosis of liver	M	105	101	98	97	103	99	94	103	110	103	103
		F	104	109	110	107	106	104	113	112	120	113	116

TABLE 9 - continued

ICD No.	Causes of death		1953	1954	1955	1956	1957	1958	1959	1960	1961	1962	1963
584	Cholelithiasis	M	101	114	115	113	99	111	109	92	83	92	88
		F	100	95	96	89	88	79	80	75	71	65	60
585	Cholecystitis without mention of calculi	M	115	106	102	103	97	99	90	82	88	76	77
		F	91	94	88	82	76	74	70	73	69	61	57
587	Diseases of pancreas	M	96	112	126	109	111	133	129	142	145	146	144
		F	114	114	133	121	121	118	127	129	119	138	145
590-637	Diseases of the genito-urinary system	M	89	90	84	82	76	72	70	68	65	62	59
		F	86	85	83	80	76	74	73	73	74	75	76
590-594	Nephritis and nephrosis	M	86	83	76	79	69	66	58	60	55	52	50
		F	80	76	70	64	58	57	51	49	46	46	41
600-609	Other diseases of urinary system	M	103	106	103	102	106	100	107	112	117	119	129
		F	102	114	126	129	134	135	148	155	170	172	193
610-617	Diseases of male genital organs	M	88	90	84	78	73	71	70	64	60	56	48
610	Hyperplasia of prostate	M	90	92	86	80	74	73	71	65	61	58	49
640-689	Deliveries and complications of pregnancy, childbirth and the puerperium	F	96	87	80	74	67	66	59	63	55	60	48
690-716	Diseases of the skin and cellular tissue	M	101	83	67	65	68	71	59	57	66	53	45
		F	100	89	87	78	65	73	72	73	77	60	59
720-749	Diseases of the bones and organs of movement	M	107	113	111	112	103	108	107	113	114	113	109
		F	96	111	127	114	111	116	117	115	116	116	116
720-727	Arthritis and rheumatism except rheumatic fever	M	104	123	116	120	104	118	117	126	114	115	117
		F	98	111	131	114	110	117	116	118	115	114	110
722	Rheumatoid arthritis and allied conditions	M	108	129	123	117	102	123	122	137	133	123	118
		F	96	115	134	118	111	118	116	120	114	117	108
723	Osteo-arthritis (arthrosis and allied conditions)	M	103	131	125	141	121	116	124	132	92	121	117
		F	102	104	134	117	112	124	124	114	128	113	120
730-738	Osteomyelitis and other diseases of bone and joint	M	109	97	99	92	91	79	82	83	93	88	73
		F	87	112	111	115	112	116	120	111	116	113	139
750-759	Congenital malformations	M	96	103	107	107	112	111	106	111	108	111	107
		F	98	104	104	104	113	110	113	112	114	113	106
800-E999	Accidents, poisonings and violence	M	101	103	105	105	103	106	106	105	105	105	106
		F	104	112	115	118	113	117	119	120	119	122	127
810-E835	Motor vehicle accidents	M	103	105	111	113	111	121	131	140	138	129	129
		F	97	109	117	119	111	126	143	165	162	152	149
890-E895	Accidental poisoning by gases and vapours	M	135	136	156	148	150	173	173	184	174	218	233
		F	109	129	155	144	145	162	168	167	168	203	230
900-E904	Accidental falls	M	104	122	115	120	111	112	116	104	103	108	112
		F	106	118	118	120	111	115	115	113	108	107	109
910-E936	Other accidents	M	97	89	98	90	89	92	86	83	87	83	83
		F	106	100	98	98	92	92	91	86	84	94	106
970-E979	Suicide and self-inflicted injury	M	106	110	105	109	107	106	104	101	99	105	106
		F	108	115	119	126	129	127	124	121	127	135	140



**TABLE 10. Death rates per 100,000 population at all ages and at ages over one year and infant mortality rates (deaths under 1 year per 1,000 live births) from certain causes, by sex, in each year 1959 to 1963**

England and Wales

Age	Males					Females				
	1959	1960	1961	1962	1963	1959	1960	1961	1962	1963
<b>All causes</b>										
All ages	1,233	1,220	1,256	1,258	1,281	1,097	1,085	1,136	1,133	1,159
1-4	100	95	104	94	98	81	78	81	77	83
5-14	43	45	43	43	44	31	30	28	28	28
15-24	103	103	101	100	99	44	40	45	41	39
25-44	179	179	180	175	180	130	125	127	129	129
45-64	1,350	1,337	1,385	1,404	1,444	734	723	742	745	758
65-74	5,362	5,246	5,474	5,526	5,604	3,053	2,947	3,087	3,020	3,069
75 and over	13,786	13,496	14,227	14,381	14,920	10,641	10,446	10,896	10,848	11,121
Infant mortality	24.51	24.52	23.91	24.50	23.72	19.78	18.92	18.81	18.70	18.39
<b>All diseases (ICD Nos: 001-795)</b>										
All ages	1,172	1,158	1,195	1,197	1,219	1,057	1,045	1,096	1,091	1,116
1-4	75	71	79	69	74	64	64	63	61	66
5-14	26	27	26	26	26	23	22	23	21	21
15-24	40	37	37	39	37	33	28	31	30	27
25-44	135	133	132	129	133	117	111	112	113	111
45-64	1,282	1,268	1,318	1,337	1,374	701	688	708	709	721
65-74	5,236	5,139	5,362	5,410	5,492	2,975	2,869	3,007	2,942	2,986
75 and over	13,468	13,190	13,918	14,057	14,602	10,325	10,138	10,596	10,534	10,799
Infant mortality	23.79	23.85	23.20	23.74	22.94	19.19	18.41	18.31	18.08	17.76
<b>Tuberculosis, all forms (ICD Nos: 001-019)</b>										
All ages	13	11	11	10	9.6	4.4	3.9	3.9	3.4	3.2
1-4	1.5	0.56	0.47	0.66	0.63	1.1	0.51	0.50	0.55	0.80
5-14	0.25	0.08	0.08	0.29	0.12	0.35	0.24	0.18	0.09	0.18
15-24	0.62	0.40	0.58	0.68	0.54	0.73	0.54	0.72	0.47	0.39
25-44	5.9	4.4	4.1	3.4	3.6	4.4	3.8	3.4	2.8	2.7
45-64	23	21	20	18	18	5.8	5.1	5.6	5.1	4.7
65-74	55	52	50	51	43	10	9.5	8.6	7.5	6.6
75 and over	51	45	44	43	46	12	12	12	10	11
Infant mortality	0.02	0.01	0.01	0.01	0.01	0.02	0.02	0.02	0.01	0.00
<b>All malignant neoplasms (ICD Nos: 140-205)</b>										
All ages	237	239	239	242	242	193	194	195	195	195
1-4	11	10	12	10	12	9.4	10	9.0	9.5	8.2
5-14	6.7	8.0	6.7	6.4	7.6	6.3	5.9	6.0	5.7	5.7
15-24	9.8	9.9	10	11	10	6.9	6.2	6.2	6.6	6.3
25-44	37	37	36	34	35	46	45	43	47	45
45-64	372	376	379	387	388	260	261	269	269	270
65-74	1,162	1,166	1,180	1,209	1,228	611	620	614	611	602
75 and over	1,751	1,762	1,787	1,837	1,836	1,091	1,077	1,060	1,052	1,077
Infant mortality	0.06	0.07	0.09	0.06	0.09	0.07	0.07	0.04	0.07	0.06
<b>Malignant neoplasm of stomach (ICD No: 151)</b>										
All ages	36	36	35	34	34	26	26	25	24	25
1-4	-	-	-	-	-	-	-	-	-	-
5-14	-	0.03	-	-	-	-	-	-	-	-
15-24	0.10	0.20	0.10	0.12	0.09	0.14	0.07	0.07	0.13	0.09
25-44	3.9	3.8	3.9	3.3	3.9	2.4	2.4	2.5	2.5	2.0
45-64	54	54	53	53	52	23	23	22	22	22
65-74	193	185	182	178	182	95	95	93	85	83
75 and over	295	285	286	283	279	212	202	194	193	199
Infant mortality	-	-	-	-	-	-	-	-	-	-
<b>Malignant neoplasm of trachea, bronchus and lung (ICD Nos: 162, 163)</b>										
All ages	83	86	87	89	91	12	13	14	15	15
1-4	-	-	-	0.07	0.06	0.08	-	0.07	0.07	-
5-14	0.06	-	0.06	-	0.06	0.06	0.03	-	-	0.06
15-24	0.35	0.20	0.36	0.34	0.18	0.21	0.10	0.10	0.09	0.03
25-44	10	9.5	9.5	9.3	8.6	2.9	3.1	3.1	3.0	2.7
45-64	174	176	178	183	184	21	22	24	25	27
65-74	417	432	453	478	495	41	46	48	48	53
75 and over	297	333	346	360	388	45	50	53	55	55
Infant mortality	-	-	-	-	-	-	-	-	-	-
<b>Malignant neoplasm of breast (ICD No: 170)</b>										
All ages	0.28	0.29	0.36	0.35	0.31	37	38	39	39	39
1-4	-	-	-	-	-	-	-	-	-	-
5-14	-	-	-	-	-	-	-	-	-	-
15-24	-	-	-	-	-	0.07	0.20	0.03	0.09	0.09
25-44	0.02	0.03	0.03	0.08	0.05	12	12	11	13	13
45-64	0.43	0.32	0.57	0.55	0.51	64	66	69	69	70
65-74	1.3	1.6	2.0	1.1	1.2	105	105	104	105	102
75 and over	2.8	2.9	2.6	3.9	3.1	153	161	165	158	164
Infant mortality	-	-	-	-	-	-	-	-	-	-

TABLE 10 - continued

Age	Males					Females				
	1959	1960	1961	1962	1963	1959	1960	1961	1962	1963
Malignant neoplasm of uterus (ICD Nos: 171-174)										
1 ages						17	17	17	17	16
-4						0.15	-	0.14	-	-
-14						0.06	0.03	-	-	-
-24						0.28	0.17	0.13	0.06	0.15
-44						7.0	7.4	6.3	7.0	6.7
-64						28	29	29	28	28
-74						51	50	48	50	46
and over						65	65	62	59	62
infant mortality						-	-	-	-	-
Leukaemia and aleukaemia (ICD No: 204)										
1 ages	6.0	6.7	6.3	6.1	6.6	5.2	5.1	5.2	5.5	5.5
-4	5.5	4.9	6.0	5.0	5.0	4.5	4.6	3.9	4.0	4.0
-14	3.4	3.6	3.0	2.7	3.4	3.0	2.4	2.4	2.3	2.7
-24	2.4	2.5	2.7	2.6	2.6	1.9	1.6	1.5	1.8	1.5
-44	3.1	3.3	2.7	2.5	2.9	2.4	2.0	2.2	2.7	2.3
-64	6.9	7.6	7.8	7.6	7.9	6.0	6.0	6.1	6.1	6.5
-74	19	23	21	21	24	13	14	13	15	13
and over	30	35	30	35	36	18	19	20	20	22
infant mortality	0.02	0.03	0.04	0.01	0.02	0.02	0.02	0.02	0.03	0.03
Diabetes mellitus (ICD No: 260)										
1 ages	5.0	5.4	6.0	5.9	6.0	8.9	10	11	10	10
-4	0.07	0.14	0.41	-	0.44	0.15	0.51	0.07	0.28	0.07
-14	0.11	0.17	0.28	0.23	0.38	0.35	0.21	0.38	0.15	0.24
-24	0.41	0.37	0.32	0.37	0.24	0.31	0.44	0.43	0.28	0.12
-44	1.3	1.2	1.4	1.3	1.1	0.54	1.0	0.78	1.2	0.79
-64	4.8	5.3	5.4	5.6	6.3	6.9	7.0	7.3	7.1	6.9
-74	25	27	29	30	29	37	39	43	42	41
and over	56	61	73	70	73	69	81	85	80	79
infant mortality	0.00	0.01	0.00	0.01	0.01	0.01	0.00	0.01	0.01	-
Vascular lesions of central nervous system (ICD Nos: 330-334)										
1 ages	141	140	139	140	141	188	191	192	194	199
-4	0.65	0.69	0.27	0.39	0.44	0.38	0.51	0.21	0.14	0.13
-14	0.48	0.65	0.76	0.66	0.46	0.50	0.44	0.24	0.69	0.40
-24	1.3	1.3	1.8	1.7	1.6	1.1	1.3	1.1	1.4	1.2
-44	7.4	7.9	7.9	7.6	8.0	8.0	8.3	7.5	8.0	7.7
-64	108	109	107	105	107	97	96	92	93	92
-74	667	671	662	672	670	567	559	558	549	551
and over	2,215	2,146	2,205	2,259	2,337	2,115	2,127	2,148	2,166	2,239
infant mortality	0.03	0.04	0.04	0.04	0.03	0.02	0.03	0.01	0.01	0.02
Arteriosclerotic heart disease (ICD No: 420)										
1 ages	238	256	261	277	288	139	150	157	165	174
-4	-	-	-	-	-	-	0.07	-	-	0.07
-14	-	0.03	0.05	-	-	-	-	-	0.03	-
-24	0.28	0.27	0.42	0.40	0.42	0.14	0.14	0.07	0.13	0.09
-44	25	28	27	31	32	3.4	3.4	3.8	4.2	4.7
-64	346	367	383	407	433	88	92	94	101	105
-74	1,236	1,307	1,333	1,419	1,472	554	578	594	615	640
and over	2,083	2,274	2,352	2,529	2,649	1,277	1,374	1,447	1,530	1,607
infant mortality	0.01	-	0.00	0.01	-	-	-	0.00	0.00	0.00
All cardiovascular diseases (ICD Nos: 401-468)										
1 ages	440	454	458	465	475	406	415	429	428	434
-4	0.72	0.56	0.54	0.66	0.76	0.45	1.0	0.64	0.97	0.87
-14	0.73	1.2	0.90	0.60	0.87	0.80	0.89	0.65	0.63	0.46
-24	4.8	4.1	3.9	4.3	4.3	3.8	2.7	3.3	3.5	3.0
-44	42	44	44	46	49	20	20	20	20	19
-64	473	494	508	531	558	189	191	196	199	200
-74	2,016	2,067	2,087	2,149	2,184	1,159	1,155	1,186	1,175	1,194
and over	5,754	5,853	5,999	6,040	6,179	4,755	4,800	4,921	4,859	4,910
infant mortality	0.03	0.05	0.04	0.04	0.05	0.05	0.04	0.03	0.05	0.03
All diseases of respiratory system (ICD Nos: 470-527)										
1 ages	186	158	194	189	205	118	93	125	124	137
-4	23	23	25	19	23	20	17	18	18	21
-14	4.4	4.0	3.5	4.8	3.8	4.1	2.5	3.4	3.7	3.3
-24	5.8	4.2	4.7	4.9	4.1	5.3	2.5	4.1	3.2	2.6
-44	14	11	12	12	11	11	6.3	9.7	7.8	8.6
-64	192	155	191	185	194	59	44	57	53	60
-74	904	745	953	905	962	315	222	317	297	318
and over	2,181	1,902	2,404	2,437	2,796	1,265	1,030	1,350	1,387	1,526
infant mortality	2.95	3.05	2.81	3.26	3.72	2.45	2.43	2.27	2.42	2.86

TABLE 10 - continued

Age	Males					Females				
	1959	1960	1961	1962	1963	1959	1960	1961	1962	1963
Influenza (ICD Nos: 480-483)										
All ages	18	2.5	16	6.7	6.3	17	2.3	15	7.5	7.3
1-4	1.5	0.76	1.2	0.46	0.51	1.3	0.59	0.86	0.90	0.54
5-14	0.85	0.11	0.51	0.57	0.20	0.97	0.18	0.41	0.36	0.18
15-24	1.9	0.47	1.2	0.92	0.27	1.6	0.17	1.0	0.78	0.24
25-44	2.7	0.78	2.3	1.1	0.85	2.4	0.39	2.0	1.0	0.24
45-64	18	2.9	15	6.3	5.7	9.6	1.5	7.5	3.5	3.1
65-74	85	9.3	73	27	25	49	6.1	43	18	16
75 and over	203	24	196	91	97	170	21	158	81	86
Infant mortality	0.10	0.03	0.05	0.05	0.05	0.09	0.03	0.03	0.04	0.04
Pneumonia (ICD Nos: 490-493, 763)										
All ages	62	56	65	66	76	58	54	65	70	80
1-4	15	15	15	13	15	13	12	12	12	15
5-14	2.0	2.6	2.0	2.8	2.6	2.1	1.7	2.0	2.1	1.9
15-24	2.6	2.4	2.2	2.7	2.4	2.5	1.5	2.0	1.8	1.3
25-44	5.3	4.4	4.6	4.9	4.3	4.6	3.1	4.0	3.4	4.2
45-64	43	32	40	37	44	21	19	23	21	25
65-74	229	191	238	225	260	134	109	138	139	159
75 and over	898	831	1,005	1,075	1,285	654	621	743	823	944
Infant mortality	3.32	3.46	3.19	3.57	3.81	2.60	2.65	2.49	2.61	2.87
Bronchitis (ICD Nos: 500-502)										
All ages	92	86	99	103	109	38	32	38	41	43
1-4	4.0	4.4	5.6	3.5	4.4	3.2	2.8	3.4	3.5	3.8
5-14	0.62	0.56	0.53	0.63	0.58	0.35	0.33	0.50	0.54	0.82
15-24	0.52	0.47	0.52	0.55	0.71	0.45	0.24	0.49	0.34	0.27
25-44	3.3	3.5	3.2	3.5	3.5	1.9	1.5	2.0	1.9	2.3
45-64	107	99	113	119	123	21	18	21	23	25
65-74	513	466	559	575	598	116	92	119	123	125
75 and over	962	916	1,075	1,138	1,264	388	328	384	420	434
Infant mortality	0.57	0.52	0.44	0.57	0.59	0.47	0.40	0.34	0.41	0.48
Ulcer of stomach and duodenum (ICD Nos: 540-541)										
All ages	14	14	13	14	12	6.3	6.5	6.1	6.6	6.4
1-4	0.07	0.07	-	0.07	0.06	-	0.07	-	-	-
5-14	0.06	-	-	-	0.03	0.03	0.03	0.03	-	-
15-24	0.28	0.20	0.19	0.31	0.18	0.10	0.10	-	0.03	0.09
25-44	2.2	2.3	1.6	1.8	1.6	0.54	0.57	0.46	0.48	0.67
45-64	19	17	17	16	15	4.7	4.2	4.4	4.5	4.3
65-74	67	71	65	71	58	18	19	18	21	19
75 and over	143	149	143	149	148	62	66	60	64	61
Infant mortality	0.01	0.00	0.01	0.01	0.00	0.01	0.01	-	0.01	0.01
Appendicitis (ICD Nos: 550-553)										
All ages	2.0	1.7	1.6	1.5	1.3	1.2	1.1	1.2	1.1	1.1
1-4	0.93	0.76	0.61	1.0	0.63	1.2	0.81	0.43	0.21	0.27
5-14	0.96	0.90	0.53	0.46	0.43	0.53	0.47	0.35	0.42	0.24
15-24	0.76	0.57	0.65	0.58	0.48	0.14	0.37	0.26	0.41	0.27
25-44	0.83	0.50	0.64	0.55	0.40	0.24	0.34	0.36	0.30	0.33
45-64	2.1	2.2	2.0	2.0	1.4	0.95	0.91	1.2	0.83	1.0
65-74	7.4	4.8	5.1	6.4	5.5	3.5	2.8	3.3	2.9	3.1
75 and over	13	12	12.4	10	11	7.0	7.7	6.8	7.5	6.8
Infant mortality	0.01	0.01	0.01	0.01	0.00	0.01	-	0.00	-	-
Nephritis and nephrosis (ICD Nos: 590-594)										
All ages	8.8	9.1	8.3	7.8	7.4	7.5	7.2	6.8	6.9	6.1
1-4	0.50	0.76	0.61	0.39	0.63	0.45	0.73	0.36	0.41	0.4
5-14	0.82	1.2	0.59	0.57	0.72	0.91	0.80	0.77	0.60	0.5
15-24	2.9	2.9	2.1	2.3	2.0	1.7	1.8	1.8	1.7	1.9
25-44	4.6	5.0	4.3	4.1	4.0	3.0	2.6	2.3	2.8	2.1
45-64	12	12	12	11	9.9	7.6	8.1	6.9	7.4	6.4
65-74	30	28	27	26	26	23	19	20	17	17
75 and over	63	69	67	59	60	44	44	43	44	37
Infant mortality	0.04	0.02	0.02	0.02	0.01	0.01	0.02	0.01	0.01	0.0
All violent causes (ICD Nos: E800-E999)										
All ages	61	61	61	61	62	40	41	40	42	44
1-4	25	23	26	25	24	17	14	18	16	17
5-14	17	18	18	18	18	7.4	7.9	5.6	7.1	6.8
15-24	64	67	64	62	62	12	12	14	12	12
25-44	44	40	48	45	47	13	15	15	16	18
45-64	68	69	67	68	70	33	35	34	36	37
65-74	126	107	112	116	112	78	78	80	79	83
75 and over	318	306	309	324	317	316	308	300	314	322
Infant mortality	0.72	0.67	0.71	0.75	0.78	0.58	0.51	0.51	0.62	0.6



TABLE 10 - continued

Age	Males					Females				
	1959	1960	1961	1962	1963	1959	1960	1961	1962	1963
Motor vehicle traffic accidents (ICD Nos: E810-E825)										
ages	20	21	21	20	20	6.8	7.9	7.9	7.4	7.2
4	9.1	7.6	8.9	8.0	8.8	6.5	4.9	7.6	5.6	5.7
14	6.9	8.2	7.9	8.3	9.2	3.2	4.1	2.9	4.1	3.7
24	42	44	42	39	38	6.3	7.0	7.8	6.1	5.3
44	15	17	17	15	16	3.0	3.7	3.9	3.3	3.4
64	17	19	17	17	18	6.3	7.9	6.8	6.8	7.4
74	32	30	32	29	27	15	17	18	16	16
and over	62	67	75	64	60	29	31	30	30	27
ant mortality	0.02	0.01	0.02	0.02	0.01	0.01	0.01	0.03	0.01	0.01
Accidents in the home and residential institutions (ICD Nos: E870.0 and 7 - E936.0 and 7)										
ages	12	11	11	12	13	19	19	18	20	21
4	8.3	8.3	9.1	10	9.8	7.3	6.1	6.9	7.6	8.5
14	1.8	1.6	1.6	1.7	1.5	1.6	1.8	1.0	1.3	1.5
24	1.8	2.4	2.0	2.3	3.3	1.1	1.3	1.7	1.5	1.5
44	2.5	3.6	3.2	3.8	3.9	1.8	1.9	2.0	2.5	3.0
64	7.3	7.7	7.5	8.0	9.4	6.6	8.0	6.2	7.6	8.2
74	28	23	24	30	32	36	33	34	34	37
and over	162	154	147	166	166	234	229	218	231	233
ant mortality	0.60	0.56	0.58	0.63	0.67	0.45	0.42	0.40	0.52	0.50
Suicide and self-inflicted injury (ICD Nos: E970-E979)										
ages	14	14	14	14	14	8.9	8.7	9.1	9.7	9.9
4	-	-	-	-	-	-	-	-	-	-
14	0.08	0.11	0.06	0.17	0.12	0.03	0.09	0.06	0.09	0.06
24	4.1	5.7	5.1	6.5	6.9	2.3	2.6	2.2	2.3	3.1
44	12	13	13	14	14	7.0	7.1	7.5	8.2	9.6
64	25	25	24	25	26	17	16	17	18	17
74	42	33	33	36	34	19	19	19	21	20
and over	41	38	39	44	39	14	12	13	15	18
ant mortality	-	-	-	-	-	-	-	-	-	-

TABLE 11. Deaths of infants under 1 year from certain causes, 1953 to 1963

England and Wales

See explanatory notes.

ICD No.	Causes of death	1953	1954	1955	1956	1957	1958	1959	1960	1961	1962	1963
	<b>ALL CAUSES</b>	<b>18,324</b>	<b>17,160</b>	<b>16,613</b>	<b>16,554</b>	<b>16,720</b>	<b>16,685</b>	<b>16,629</b>	<b>17,118</b>	<b>17,393</b>	<b>18,187</b>	<b>18,042</b>
010	Tuberculosis of meninges and central nervous system	16	10	11	5	3	3	4	3	7	5	2
001-008, 011-019	Other tuberculosis	47	26	17	8	10	9	11	7	5	1	2
056	Whooping cough	167	95	60	63	68	18	16	26	19	18	22
057	Meningococcal infections	123	105	77	71	76	72	62	47	57	60	5
085	Measles	57	14	38	4	20	15	23	6	29	4	24
Rem. of 001-138	Other infective and parasitic diseases	113	91	62	79	63	74	76	78	68	86	74
140-199	Malignant neoplasms	27	20	34	26	26	33	32	29	25	31	42
200-205	Neoplasms of lymphatic and haematopoietic tissues	23	29	12	17	29	28	19	26	28	26	22
250-277	Diseases of the endocrine glands	56	53	47	47	40	45	37	32	38	55	48
295,296,771	Haemorrhagic conditions	207	233	222	234	192	256	225	214	196	247	226
340-343	Inflammatory diseases of central nervous system	180	142	149	149	166	175	131	140	187	195	170
390-398	Diseases of ear and mastoid process	100	73	68	61	43	36	49	41	34	56	60
480-483	Influenza	77	31	48	30	77	33	71	26	33	38	36
490-493	Pneumonia	2,050	1,629	1,532	1,495	1,464	1,461	1,472	1,676	1,606	1,842	2,183
500-502	Bronchitis	430	335	357	311	291	348	389	364	319	412	459
470-475, 510-527	Other respiratory diseases	95	99	94	90	86	103	92	89	108	97	141
571, 764	Gastro-enteritis	665	461	439	319	318	270	301	343	387	450	397
750	Monstrosity	110	123	117	130	152	165	165	186	184	204	192
751	Spina bifida and meningocele	629	759	758	758	733	737	666	654	613	572	711
752	Congenital hydrocephalus	294	342	342	351	342	351	414	451	455	448	141
754.0- 754.5	Congenital malformations of heart	1,045	1,069	984	1,108	1,151	1,117	1,130	1,173	1,236	1,368	1,352
757	Congenital malformations of genito-urinary system	97	107	128	116	145	135	115	161	142	180	177
Rem. of 750-759	Other congenital malformations	759	766	764	752	825	884	908	924	974	1,066	1,010
760, 761	Injury at birth	1,797	1,818	1,786	1,845	1,830	1,805	1,851	1,825	2,043	1,862	1,943
762	Postnatal asphyxia and atelectasis	2,388	2,392	2,306	2,381	2,694	2,645	2,709	2,676	2,647	2,673	2,513
763	Pneumonia of newborn	890	761	783	806	714	637	750	732	704	763	679
766-768	Pemphigus and sepsis of newborn	75	76	57	68	80	70	53	63	78	59	80
770	Haemolytic disease of newborn	408	461	363	349	371	377	360	372	334	353	342
774, 776	Immaturity	3,546	3,208	3,171	3,181	3,108	2,960	2,884	3,068	3,024	2,987	2,849
E900-E904	Accidental falls	9	8	14	11	17	13	23	19	21	22	31
E916, E917	Accident by fire or hot substance	14	23	17	10	9	13	20	19	15	22	27
E921, E922	Obstruction by inhalation or ingestion	219	251	238	249	200	200	186	186	223	252	248
E924, E925	Accidental mechanical suffocation	202	183	179	192	162	175	140	134	118	160	145
Rem. of E900-E965	Other accidents	127	84	100	77	96	97	94	80	98	90	126
	All other causes	1,282	1,283	1,239	1,161	1,119	1,125	1,151	1,248	1,338	1,483	1,502

**TABLE 12. Infant mortality rates (deaths under 1 year per 1,000 live births\*) from certain causes, 1953 to 1963**

England and Wales

See explanatory notes

D No.	Causes of death	1953	1954	1955	1956	1957	1958	1959	1960	1961	1962	1963
	<b>ALL CAUSES</b>	<b>26.82</b>	<b>25.42</b>	<b>24.91</b>	<b>23.75</b>	<b>23.11</b>	<b>22.53</b>	<b>22.22</b>	<b>21.81</b>	<b>21.44</b>	<b>21.68</b>	<b>21.13</b>
010	Tuberculosis of meninges and central nervous system	0.02	0.01	0.02	0.01	0.00	0.00	0.01	0.00	0.01	0.01	0.00
1-008, 11-019	Other tuberculosis	0.07	0.04	0.02	0.01	0.01	0.01	0.01	0.01	0.01	0.00	0.00
056	Whooping cough	0.24	0.14	0.09	0.09	0.09	0.02	0.02	0.03	0.02	0.02	0.03
057	Meningococcal infections	0.18	0.15	0.11	0.10	0.11	0.10	0.08	0.06	0.07	0.07	0.07
085	Measles	0.08	0.02	0.06	0.00	0.03	0.02	0.03	0.01	0.04	0.00	0.03
em. of 01-158	Other infective and parasitic diseases	0.17	0.14	0.09	0.11	0.09	0.10	0.10	0.10	0.08	0.10	0.09
40-199	Malignant neoplasms	0.04	0.03	0.05	0.04	0.04	0.04	0.04	0.04	0.03	0.04	0.05
00-205	Neoplasms of lymphatic and haematopoietic tissues	0.03	0.04	0.02	0.02	0.04	0.04	0.03	0.03	0.03	0.03	0.03
50-277	Diseases of the endocrine glands	0.08	0.08	0.07	0.06	0.06	0.06	0.05	0.04	0.05	0.07	0.06
96,771	Haemorrhagic conditions	0.30	0.34	0.33	0.33	0.27	0.35	0.30	0.27	0.24	0.29	0.26
40-343	Inflammatory diseases of central nervous system	0.26	0.21	0.22	0.21	0.23	0.24	0.18	0.18	0.23	0.23	0.20
90-398	Diseases of ear and mastoid process	0.14	0.10	0.10	0.09	0.06	0.05	0.07	0.05	0.04	0.07	0.07
80-483	Influenza	0.11	0.04	0.07	0.04	0.11	0.04	0.09	0.03	0.04	0.05	0.04
90-493	Pneumonia	3.01	2.42	2.29	2.14	2.02	1.97	1.97	2.14	1.98	2.20	2.56
00-502	Bronchitis	0.63	0.49	0.53	0.45	0.40	0.47	0.52	0.46	0.39	0.49	0.54
0-475, 10-527	Other respiratory diseases	0.14	0.14	0.14	0.13	0.12	0.14	0.12	0.11	0.13	0.12	0.17
1,764	Gastro-enteritis	0.97	0.68	0.66	0.46	0.44	0.36	0.40	0.44	0.48	0.54	0.46
750	Monstrosity	0.16	0.18	0.18	0.19	0.21	0.22	0.22	0.24	0.23	0.24	0.22
751	Spina bifida and meningocele	0.92	1.12	1.13	1.09	1.01	0.99	0.89	0.83	0.76	0.68	0.83
752	Congenital hydrocephalus	0.43	0.50	0.51	0.50	0.47	0.47	0.55	0.57	0.56	0.53	0.17
754.0-754.5	Congenital malformations of heart	1.53	1.58	1.47	1.59	1.59	1.51	1.51	1.49	1.52	1.63	1.58
757	Congenital malformations of genito-urinary system	0.14	0.16	0.19	0.16	0.20	0.18	0.15	0.21	0.18	0.21	0.21
em. of 50-759	Other congenital malformations	1.11	1.14	1.14	1.08	1.14	1.19	1.21	1.18	1.20	1.27	1.18
0,761	Injury at birth	2.62	2.70	2.68	2.64	2.53	2.44	2.47	2.32	2.52	2.22	2.28
762	Postnatal asphyxia and atelectasis	3.49	3.55	3.45	3.40	3.72	3.57	3.62	3.41	3.26	3.19	2.94
763	Pneumonia of newborn	1.30	1.13	1.17	1.16	0.99	1.13	1.00	0.93	0.87	0.91	0.80
66-768	Pemphigus and sepsis of newborn	0.11	0.11	0.08	0.10	0.11	0.09	0.07	0.08	0.10	0.07	0.09
770	Haemolytic disease of newborn	0.59	0.68	0.54	0.50	0.51	0.51	0.48	0.47	0.41	0.42	0.40
4,776	Immaturity	5.18	4.76	4.75	4.55	4.30	4.00	3.85	3.91	3.73	3.56	3.34
0-E904	Accidental falls	0.01	0.01	0.02	0.01	0.02	0.02	0.03	0.02	0.03	0.03	0.04
,E917	Accident by fire or hot substance	0.02	0.03	0.02	0.01	0.01	0.02	0.03	0.02	0.02	0.03	0.03
,E922	Obstruction by inhalation or ingestion	0.32	0.37	0.36	0.36	0.28	0.27	0.25	0.24	0.27	0.30	0.29
,E925	Accidental mechanical suffocation	0.29	0.27	0.27	0.27	0.22	0.24	0.19	0.17	0.15	0.19	0.17
em. of 0-E965	Other accidents	0.19	0.12	0.15	0.11	0.13	0.13	0.13	0.10	0.12	0.11	0.15
	All other causes	1.87	1.90	1.86	1.67	1.55	1.52	1.54	1.59	1.65	1.77	1.76

\*Based on related live births prior to 1957



**TABLE 13. Home population, births, deaths, infant mortality and perinatal mortality, 1963** England and Wales, standard regions, Wales, conurbations, hospital regions, counties, boroughs, urban and rural districts

Note. The perinatal mortality rate is the number of deaths under one week plus stillbirths per 1,000 total live and still births.

See explanatory notes. For explanation of symbol \* used in this table see note 10.

Area	Estimated home population as at 30th June 1963	Live births						Deaths						Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate				
		Legitimate			Illegitimate			Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate	M	F	Total	Crude rate per 1,000 home population					Comparability factor	Ratio of local adjusted death rate to national rate	Number	
		M	F	Total	M	F	Total															Rate per 1,000 live births	
																							3
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22		
ENGLAND AND WALES	47,022,700	408,256	386,695	30,220	28,884	854,055	18.2	1.00	1.00	292,410	280,458	572,868	12.2	1.00	1.00	18,042	21	12,173	10,498	14,989	29		
Standard regions and conurbations:																							
Northern	3,294,190	29,400	27,754	1,545	1,575	60,274	18.3	0.99	1.00	21,020	18,552	39,572	12.0	1.14	1.12	1,370	23	955	836	1,178	33		
Tyneside Conurbation	855,060	7,494	7,159	460	477	15,590	18.2	0.98	0.98	5,593	4,900	10,493	12.3	1.18	1.19	1,359	22	331	200	348	33		
Remainder of Northern	2,439,130	21,906	20,595	1,085	1,098	44,684	18.3	1.00	1.01	15,427	13,652	29,079	11.9	1.13	1.10	1,051	23	724	636	860	33		
East and West Ridings	4,230,250	36,431	34,865	2,631	2,663	76,590	18.1	1.01	1.00	27,151	25,419	52,570	12.4	1.09	1.11	1,857	24	1,197	1,012	1,373	31		
West Yorkshire Conurbation	1,722,850	14,490	14,163	1,344	1,341	31,338	18.2	1.03	1.03	11,539	11,673	23,212	13.5	1.06	1.17	796	25	526	445	549	31		
Remainder of East and West Ridings	2,507,400	21,941	20,702	1,287	1,322	45,252	18.0	1.00	0.99	15,612	13,746	29,358	11.7	1.11	1.06	1,061	23	671	567	824	30		
North Western	6,655,690	59,835	56,395	4,126	3,887	124,243	18.7	1.02	1.05	43,976	42,274	86,250	13.0	1.09	1.16	3,107	25	2,022	1,769	2,442	33		
South East Lancashire Conurbation	2,450,010	22,074	20,656	1,933	1,836	46,499	19.0	1.02	1.06	15,951	15,823	31,574	12.9	1.12	1.18	1,181	25	757	665	891	33		
Merseyside Conurbation	1,390,640	13,783	13,332	852	831	28,798	20.7	0.96	1.09	8,491	7,986	16,477	11.8	1.20	1.16	1,757	26	476	415	583	34		
Remainder of North Western	2,815,040	23,978	22,407	1,341	1,220	48,946	17.4	1.06	1.01	19,534	18,665	38,199	13.6	1.01	1.13	1,469	24	789	689	968	33		
North Midland	3,730,890	33,272	31,419	2,242	2,179	69,112	18.5	1.01	1.03	21,976	20,011	41,987	11.3	1.08	1.00	1,369	20	890	788	1,212	28		
Midland	4,893,300	44,576	42,050	3,251	3,141	93,018	19.0	0.97	1.01	27,946	24,998	52,944	10.8	1.19	1.05	1,943	21	1,308	1,108	1,758	30		
West Midlands Conurbation	2,391,730	21,903	20,565	1,972	1,914	46,354	19.4	0.96	1.02	13,593	12,201	25,794	10.8	1.24	1.10	1,010	22	647	545	901	31		
Remainder of Midland	2,501,570	22,673	21,485	1,279	1,227	46,664	18.7	0.98	1.01	14,353	12,797	27,150	10.9	1.14	1.02	933	20	861	763	1,057	30		
Eastern	3,901,770	34,773	32,812	2,058	1,858	71,501	18.3	0.99	1.00	22,201	21,389	43,590	11.2	1.02	0.99	1,194	17	851	732	1,171	26		
London and South Eastern	11,190,820	90,926	86,696	9,288	8,927	195,837	17.5	0.97	0.93	69,009	71,224	140,233	12.5	0.97	0.99	3,847	20	2,640	2,278	3,035	27		
Greater London	8,172,600	67,207	64,539	7,811	7,448	146,705	18.0	0.94	0.93	48,650	48,855	97,485	11.9	1.04	1.01	2,936	20	2,011	1,735	2,251	27		
Remainder of South Eastern	3,018,220	23,719	22,157	1,477	1,479	49,132	16.3	1.09	0.98	20,379	22,369	42,748	14.2	0.81	0.94	911	19	629	543	784	27		
Southern	2,971,890	27,020	25,443	1,951	1,770	56,184	18.9	1.00	1.04	17,452	17,233	34,685	11.7	0.98	0.94	1,076	19	734	642	873	27		
South Western	3,491,810	29,054	27,455	1,959	1,790	60,258	17.3	1.07	1.02	23,125	23,149	46,274	13.3	0.92	1.00	1,123	19	785	667	993	27		
Wales	2,662,090	22,969	21,806	1,469	1,094	47,038	17.7	1.05	1.02	18,554	16,209	34,763	13.1	1.06	1.14	1,156	25	791	666	954	34		
Wales I (South East)	1,914,570	16,908	16,002	872	793	34,572	18.1	1.02	1.01	13,492	11,136	24,628	12.7	1.12	1.17	912	26	638	537	719	36		
Wales II (remainder)	747,720	6,064	5,804	297	301	12,466	16.7	1.10	1.01	5,362	5,073	10,435	14.0	0.93	1.07	244	20	153	129	235	29		
Urban/Rural aggregates:																							
*Conurbations	16,982,890	146,951	140,114	14,372	13,847	315,284	19.6	0.96	0.98	103,797	101,239	205,035	12.1	1.10	1.09	7,019	22	4,648	4,005	5,493	30		
*Areas outside conurbations:																							
Urban areas with populations of 100,000 and over	6,292,680	53,944	50,702	4,833	4,484	113,963	18.1	1.02	1.01	40,312	39,236	79,548	12.5	1.06	1.09	2,529	22	1,700	1,463	2,076	30		
*Urban areas with populations of 50,000 and under 100,000	4,373,620	38,529	36,363	2,534	2,536	79,962	18.3	1.00	1.01	26,778	26,027	52,805	12.1	1.02	1.01	1,670	21	1,118	958	1,409	29		
*Urban areas with populations under 50,000	9,749,030	84,190	79,738	4,507	4,347	172,782	17.7	1.03	1.00	63,659	61,594	125,253	12.8	0.97	1.02	3,521	20	2,417	2,056	3,149	30		
*Rural districts	9,624,480	84,642	79,778	3,974	3,670	172,064	17.9	1.03	1.01	57,884	55,363	111,227	11.6	1.01	0.96	3,303	19	2,290	2,016	2,863	28		
Hospital regions:																							
Newcastle	3,054,300	27,412	26,013	1,446	1,487	56,358	18.5	0.99	1.01	19,384	16,856	36,240	11.9	1.18	1.15	1,292	23	903	790	1,114	33		
Leeds	3,148,400	26,767	25,502	2,043	2,053	56,365	17.9	1.03	1.01	20,579	20,163	40,742	12.9	1.04	1.10	1,370	24	907	762	976	30		
Sheffield	4,476,700	39,763	37,722	2,584	2,527	82,596	18.5	1.00	1.02	26,656	23,641	50,297	11.2	1.12	1.03	1,750	21	1,405	971	1,506	29		

East Anglia	1,585,300	12,984	12,226	838	832	26,880	17.0	1.03	0.96	9,920	9,547	19,467	12.3	0.93	0.94	478	18	337	292	456	27
	4,183,400	36,721	34,878	3,852	3,544	78,995	18.9	0.90	0.93	22,811	22,577	45,388	10.8	1.10	0.97	1,432	18	1,012	887	1,235	26
	3,270,900	28,059	26,751	2,240	2,077	59,127	18.1	0.98	0.97	19,137	18,060	37,197	11.4	1.08	1.01	1,157	20	797	679	977	28
	3,378,800	27,483	26,162	2,358	2,331	58,334	17.3	1.05	1.00	22,391	23,400	45,791	13.6	0.89	0.99	1,151	20	783	676	965	28
	3,202,600	25,619	24,325	2,404	2,308	54,656	17.1	0.98	0.92	19,676	21,511	41,187	12.9	0.91	0.96	1,038	19	712	611	725	24
	1,817,700	15,425	14,479	1,195	1,067	32,166	17.7	1.06	1.03	11,831	11,925	23,756	13.1	0.90	0.97	638	20	441	380	529	28
	1,711,800	16,252	15,470	1,031	1,003	33,758	19.7	1.00	1.08	9,529	9,052	18,581	10.9	1.04	0.93	599	18	414	365	526	26
	2,931,600	24,017	22,579	1,662	1,513	49,771	17.0	1.07	1.00	19,682	19,853	39,535	13.5	0.90	1.00	921	19	635	538	812	27
	2,662,100	22,969	21,806	1,169	1,094	47,038	17.7	1.05	1.02	18,554	16,209	34,763	13.1	1.06	1.14	1,156	25	791	666	954	34
	4,893,300	44,576	42,050	3,251	3,141	93,048	19.0	0.97	1.01	27,946	24,998	52,944	10.8	1.19	1.05	1,943	21	1,308	1,108	1,758	30
ENGLAND	4,493,500	38,565	36,402	2,956	2,750	80,673	18.0	1.05	1.04	30,811	29,997	60,808	13.5	1.05	1.16	1,988	25	1,285	1,114	1,569	33
	2,242,300	21,644	20,330	1,191	1,157	44,322	20.0	0.97	1.07	13,503	12,669	26,172	11.8	1.18	1.14	1,129	25	743	659	887	34
	403,790	4,344	4,130	312	237	9,023	22.3	0.93	1.14	2,121	1,917	4,038	10.0	1.16	0.95	140	16	102	90	158	27
	267,730	2,985	2,795	249	180	6,209	23.2	0.93	1.19	1,438	1,319	2,757	10.3	1.19	1.00	101	16	72	66	104	27
	4,110	38	33	4	1	76	18.5	0.97	0.99	37	18	55	13.4	0.58	0.64	1	13	1	1	2	38
	65,370	645	688	74	50	1,457	22.3	0.92	1.13	335	330	665	10.2	1.12	0.94	24	16	19	16	27	29
	8,580	82	60	2	4	148	17.3	1.04	0.99	60	61	121	14.1	0.69	0.80	2	14	1	1	5	39
	27,200	315	290	17	11	633	23.3	0.86	1.10	126	114	240	8.8	1.42	1.02	9	14	5	5	10	23
	9,520	86	75	2	-	183	17.1	1.05	0.99	60	66	126	13.2	1.04	1.13	3	18	2	2	1	18
	12,500	157	147	12	7	333	26.6	0.88	1.29	59	57	116	9.3	1.24	0.85	6	18	5	5	7	35
	136,390	1,625	1,455	136	107	3,323	24.4	0.94	1.26	740	644	1,884	10.1	1.26	1.04	56	17	39	36	51	26
BERKSHIRE	4,080	37	37	2	-	76	18.6	1.04	1.06	21	29	50	12.3	1.00	1.01	-	-	-	-	1	17
	136,060	1,359	1,335	63	57	2,814	20.7	0.93	1.06	683	598	1,281	9.4	1.08	0.83	39	14	30	24	54	27
	27,880	283	243	3	13	522	18.7	1.03	1.06	125	151	276	9.9	0.99	0.80	4	8	3	3	14	32
	35,390	327	332	26	17	702	19.8	0.98	1.07	198	135	333	9.4	0.98	0.76	6	9	4	4	11	21
	30,220	281	266	10	10	547	18.1	1.04	1.03	183	176	359	11.9	0.91	0.89	11	20	11	8	29	8
	42,570	508	494	24	17	1,043	24.5	0.79	1.06	177	136	313	7.4	1.52	0.92	18	17	12	9	21	28
	538,810	5,303	4,914	365	322	10,904	20.2	0.96	1.07	2,828	2,798	5,626	10.4	1.04	0.89	201	18	128	113	192	27
	121,450	1,119	989	114	102	2,324	19.1	1.01	1.06	759	725	1,484	12.2	0.99	0.99	45	19	24	19	52	30
	417,360	4,184	3,825	251	220	8,580	20.6	0.94	1.06	2,069	2,073	4,142	9.9	1.05	0.85	156	18	104	94	140	27
	126,600	1,151	1,154	74	72	2,451	19.4	0.95	1.01	741	783	1,524	12.0	0.92	0.90	57	23	43	37	36	29
Administrative county	15,200	149	130	6	7	282	19.2	0.96	1.01	71	96	157	10.3	1.34	1.13	6	21	4	4	4	27
	37,280	329	350	26	24	759	19.6	0.93	1.00	209	230	439	11.8	0.88	0.85	21	29	15	12	6	24
	21,040	208	194	14	12	428	20.4	1.02	1.14	137	112	249	11.9	0.85	0.83	4	9	4	3	8	25
	28,270	250	252	19	15	536	19.0	0.86	0.90	158	143	301	10.6	1.17	1.02	16	30	11	9	9	33
	5,140	55	44	1	2	102	19.8	0.94	1.02	43	66	109	21.2	0.53	0.92	2	20	2	2	4	57
	6,520	44	56	2	3	105	16.1	1.04	0.92	35	42	77	11.8	0.77	0.74	1	10	1	1	2	28
	13,160	116	128	6	9	259	19.7	1.08	1.17	88	104	192	14.6	0.65	0.78	7	27	6	6	3	34
	290,760	3,033	2,771	177	148	6,129	21.1	0.94	1.09	1,328	1,290	2,618	9.0	1.14	0.84	99	16	61	57	104	26
	33,270	380	292	22	18	672	20.2	0.93	1.03	136	127	263	7.9	1.26	0.82	8	12	6	6	8	21
	31,810	378	328	19	24	749	23.5	0.91	1.18	136	158	274	9.6	1.19	0.93	5	11	5	5	9	18
Rural districts	17,410	164	153	13	2	342	17.9	0.93	0.91	97	77	169	9.7	1.14	0.91	4	13	4	4	8	38
	49,050	545	509	25	29	1,106	22.5	0.83	1.03	191	168	359	7.5	1.39	0.83	20	18	14	12	15	24
	14,740	172	149	10	3	334	22.7	1.02	1.27	65	87	152	10.3	1.16	0.98	8	24	4	3	1	12
	4,450	53	71	17	15	176	16.8	1.09	1.01	60	54	114	10.9	0.80	0.71	3	17	2	2	5	39
	21,580	203	198	15	13	428	19.4	0.98	1.04	84	85	169	7.7	1.11	0.70	14	14	4	8	28	8
	17,330	203	188	18	10	416	21.5	1.04	1.23	111	129	240	12.4	0.82	0.83	17	4	10	10	10	51
	17,580	191	171	5	11	378	21.5	0.97	1.15	98	77	175	10.0	1.19	0.98	6	16	3	3	5	21
	126,600	1,151	1,154	74	72	2,451	19.4	0.95	1.01	741	783	1,524	12.0	0.92	0.90	57	23	43	37	36	29
	15,200	149	130	6	7	282	19.2	0.96	1.01	71	96	157	10.3	1.34	1.13	6	21	4	4	4	27
	37,280	329	350	26	24	759	19.6	0.93	1.00	209	230	439	11.8	0.88	0.85	21	29	15	12	6	24



TABLE 13 - continued

Area	Estimated home population as at 30th June 1963	Live births						Deaths						Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate		
		Legitimate		Illegitimate		Total	Grande rate per 1,000 home population	Comparability Factor	Ratio of local to national rate	M	F	Total	Grude rate per 1,000 home population	Comparability Factor	Ratio of local to national rate					Number	Rate per 1,000 live births
		M	F	M	F																
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
BERKSHIRE - continued																					
Rural districts - continued																					
Windsor	16,300	117	112	14	13	256	15.7	0.94	0.81	120	118	238	14.6	0.80	0.96	5	20				
Wokingham	58,890	630	623	31	20	1,304	22.1	0.95	1.15	230	235	465	7.9	1.18	0.76	17	13				
BUCKINGHAMSHIRE																					
Municipal boroughs and urban districts																					
Aylesbury M.B.	258,080	2,565	2,456	198	164	5,383	20.9	0.95	1.09	1,284	1,126	2,410	9.3	1.22	0.93	95	18				
Beaconsfield	31,030	330	356	28	21	735	23.7	0.90	1.17	169	142	311	10.0	1.22	1.00	10	14				
Bletchley	10,540	88	83	6	4	181	17.2	0.99	0.94	48	43	91	8.6	1.12	0.79	5	28				
Buckingham M.B.	19,390	226	206	11	8	451	23.3	0.92	1.18	80	57	137	7.1	1.44	0.84	9	20				
	4,530	40	42	3	2	87	19.2	1.07	1.13	18	16	34	7.5	1.03	0.63	2	23				
Chesham	18,310	231	186	15	6	438	23.9	0.84	1.10	71	78	149	8.1	1.15	0.76	4	9				
Eton	5,110	31	32	1	2	66	12.9	1.13	0.80	27	21	48	9.4	1.55	1.19	3	45				
High Wycombe M.B.	53,440	525	536	40	41	1,142	21.4	0.92	1.11	244	207	451	8.4	1.23	0.85	20	18				
Linslade	4,340	49	36	2	4	91	21.0	1.02	1.18	21	28	49	11.3	1.04	0.96	1	11				
Marlow	9,210	90	101	4	2	197	21.4	0.95	1.12	62	40	102	11.1	1.15	1.05	6	30				
Newport Pagnell	5,000	42	47	1	3	93	18.6	1.14	1.17	50	53	103	20.6	0.49	0.83	1	11				
Slough M.B.	84,210	821	736	81	65	1,703	20.2	0.94	1.04	396	350	746	8.9	1.42	1.04	31	18				
Wolverton	12,970	92	95	6	6	199	15.3	1.19	1.00	98	91	189	14.6	0.86	1.03	3	15				
Rural districts																					
Amersham	257,840	2,251	2,151	99	108	4,579	17.8	1.00	0.98	1,368	1,333	2,701	10.5	1.07	0.92	80	17				
Aylesbury	59,170	503	518	14	27	1,062	18.3	0.98	0.99	302	301	603	10.4	1.03	0.88	19	18				
Buckingham	34,590	315	310	13	17	655	18.9	1.03	1.07	203	219	422	12.2	0.99	0.99	9	14				
Eton	69,330	564	560	36	25	1,185	17.1	0.93	0.87	319	294	613	8.8	1.26	0.91	20	17				
Newport Pagnell	14,270	109	100	10	5	224	15.7	1.18	1.02	94	100	194	13.6	0.84	0.94	2	9				
Wing	9,110	66	64	4	5	139	15.3	1.06	0.89	71	51	122	13.4	0.95	1.04	4	29				
Winslow	8,200	69	79	3	3	154	18.8	1.17	1.21	79	80	159	19.4	0.71	1.13	6	39				
Wycombe	54,630	521	451	17	24	1,013	18.5	0.98	1.00	245	249	494	9.0	1.12	0.83	18	18				
CAMBRIDGESHIRE																					
Cambridge M.B.																					
Rural districts	99,320	930	891	34	27	1,882	18.9	0.98	1.02	592	552	1,144	11.5	0.91	0.86	36	19				
Chesterton	47,540	455	472	17	11	955	20.1	0.94	1.04	265	270	535	11.3	0.91	0.84	12	13				
Newmarket	21,150	188	180	6	2	376	17.8	1.02	1.00	128	108	236	11.2	0.93	0.85	12	32				
South Cambridgeshire	30,630	287	239	11	14	551	18.0	1.02	1.01	199	174	373	12.2	0.85	0.85	12	22				
CHESHIRE																					
County boroughs	1,410,140	12,809	12,196	612	569	26,186	18.6	1.01	1.03	8,796	8,524	17,320	12.3	1.07	1.08	552	21				
Birkenhead	449,160	4,111	3,978	275	262	8,626	19.2	1.01	1.07	2,945	2,838	5,783	12.9	1.08	1.14	222	26				
Birkenhead	143,680	1,398	1,433	92	90	3,013	21.0	0.99	1.14	902	848	1,750	12.2	1.14	1.14	90	30				
Chester	59,370	550	490	36	35	1,111	18.7	1.02	1.05	373	345	718	12.1	1.11	1.10	23	21				
Stockport	142,740	1,240	1,190	84	72	2,594	18.2	1.02	1.02	938	941	1,879	13.2	1.07	1.16	61	24				
Wallasey	103,570	923	857	63	65	1,908	18.5	1.03	1.05	732	704	1,436	13.9	1.01	1.15	48	25				
Administrative county	960,980	8,698	8,218	337	307	17,560	18.3	1.01	1.02	5,851	5,686	11,537	12.0	1.07	1.05	330	19				
*Municipal boroughs and urban districts																					
Alderley Edge	740,500	6,799	6,449	263	242	13,753	18.6	1.00	1.02	4,476	4,382	8,858	12.0	1.08	1.06	269	20				
Alsager	5,680	25	28	2	1	154	14.7	1.19	0.96	32	33	65	17.7	0.77	1.42	1	19				
	8,710	87	86	3	2	178	20.4	0.83	0.93	45	32	77	8.8	1.34	0.97	4	22				





TABLE 13 - continued

Area	Estimated home population as at 30th June 1963	Live births						Deaths						Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate				
		Legitimate			Illegitimate			Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local to national rate	M	F	Total	Crude rate per 1,000 home population					Comparability factor	Ratio of local to national rate	Number	Rate per 1,000 live births
		M	F	3	4	5	6																
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22		
CORNWALL - continued																							
Rural districts	150,510	1,121	1,023	62	64	2,270	15.1	1.14	0.95	1,075	1,026	2,101	14.0	0.88	1.01	47	21	34	29	44	32		
Camelford	6,880	53	50	-	2	105	15.3	1.24	1.04	51	49	100	14.5	0.78	0.93	2	19	2	6	5	19		
Kerrier	22,200	157	155	11	4	327	14.7	1.09	0.88	150	154	304	13.7	0.94	1.06	8	24	7	6	-	33		
Launceston	5,970	51	40	3	4	98	16.4	1.11	1.00	38	38	76	12.7	0.90	0.94	3	31	2	2	1	20		
Liskeard	13,420	86	89	5	10	190	14.2	1.20	0.94	89	90	179	13.3	0.86	0.94	3	16	5	5	3	21		
St. Austell	21,740	166	167	9	12	354	16.3	1.07	0.96	158	149	307	14.1	1.00	1.16	6	17	5	5	12	46		
St. Germans	14,710	112	98	5	4	219	14.9	1.25	1.02	109	102	211	14.3	0.83	0.97	3	14	3	3	4	31		
Scilly, Isles of	1,790	19	15	-	-	34	19.0	0.91	0.95	11	5	16	8.9	1.17	0.85	1	29	1	-	-	-		
Stratton	4,740	31	35	3	3	72	15.2	1.25	1.04	37	25	62	13.1	0.90	0.97	1	14	-	-	1	14		
Truro	27,540	217	189	8	16	430	15.6	1.18	1.01	190	182	372	13.5	0.82	0.91	11	26	6	5	11	36		
Wadebridge	14,560	131	82	41	5	229	15.7	1.11	0.96	107	84	191	13.1	0.93	1.00	4	17	1	1	4	21		
West Penwith	16,960	98	103	7	4	212	12.5	1.15	0.79	135	148	283	16.7	0.88	1.20	5	24	5	4	4	37		
CUMBERLAND	295,580	2,612	2,438	136	121	5,307	18.0	1.01	1.00	1,983	1,824	3,807	12.9	1.11	1.17	120	23	94	78	106	34		
Carlisle C.B.	70,950	672	620	41	31	1,364	19.2	0.98	1.03	490	504	994	14.0	1.13	1.30	33	24	21	18	28	33		
Administrative county	224,630	1,940	1,818	95	90	3,943	17.6	1.02	0.99	1,493	1,320	2,813	12.5	1.10	1.13	87	22	73	60	78	34		
Municipal boroughs and urban districts	91,060	759	685	37	38	1,519	16.7	0.98	0.90	568	498	1,066	11.7	1.14	1.09	23	15	20	15	38	34		
Cockermouth	5,950	40	27	3	1	91	15.3	1.00	0.84	40	30	70	11.8	1.09	1.05	3	15	-	-	1	11		
Keswick	4,600	30	29	3	4	66	14.3	1.12	0.88	40	40	81	17.6	0.83	1.20	3	45	3	2	-	30		
Maryport	12,310	91	94	4	5	194	15.8	0.96	0.83	80	71	151	12.3	1.18	1.19	5	26	4	3	5	40		
Penrith	10,790	89	83	6	4	182	16.9	1.00	0.93	81	70	151	12.3	1.18	1.19	5	26	4	3	5	40		
Whitehaven M.B.	27,600	256	213	10	16	495	17.9	0.93	0.91	149	131	280	10.1	1.25	1.03	5	10	3	2	17	37		
Workington M.B.	29,810	253	219	11	8	491	16.5	1.00	0.91	198	155	353	11.8	1.18	1.14	7	14	7	6	12	36		
Rural districts	133,570	1,181	1,133	58	52	2,424	18.1	1.05	1.04	925	822	1,747	13.1	1.08	1.16	64	26	53	45	40	34		
Alston with Garrigill	2,060	13	11	-	-	24	11.7	1.25	0.80	18	15	33	16.0	0.86	1.13	2	83	1	1	3	148		
Border	30,740	256	230	14	15	515	16.8	1.12	1.03	233	219	452	14.7	0.98	1.10	13	25	11	9	12	40		
Cockermouth	20,880	155	175	4	9	343	16.4	1.02	0.92	132	105	237	11.4	1.10	1.03	9	26	7	4	6	29		
Ennerdale	31,840	330	305	21	7	663	20.8	0.99	1.13	219	178	397	12.5	1.25	1.28	18	27	14	12	7	28		
Millom	14,980	130	139	4	6	278	18.6	1.08	1.10	98	80	178	11.9	1.26	1.23	7	25	6	5	2	25		
Penrith	11,430	5	80	7	3	185	16.2	1.07	0.95	76	66	142	12.4	1.03	1.05	1	36	-	4	2	21		
Wigton	21,640	202	194	8	12	416	19.2	1.05	1.11	149	159	308	14.2	0.97	1.13	15	36	14	14	6	47		
DERBYSHIRE	897,720	7,509	7,207	418	369	15,503	17.3	1.01	0.96	5,314	4,787	10,101	11.3	1.10	1.02	303	20	194	173	269	28		
Derby C.B.	131,630	1,081	1,047	115	113	2,326	17.7	1.09	1.06	898	859	1,757	13.3	0.98	1.07	48	21	33	33	46	33		
Administrative county	766,090	6,428	6,190	303	256	13,177	17.2	0.99	0.94	4,416	3,928	8,344	10.9	1.13	1.01	255	19	161	140	223	27		
Municipal boroughs and urban districts	372,310	2,955	2,917	156	131	6,159	16.5	1.02	0.92	2,262	2,082	4,344	11.7	1.08	1.04	117	19	80	73	108	29		
Alfreton	23,020	159	174	8	10	351	15.2	1.06	0.89	150	107	257	11.2	1.14	1.05	5	14	3	2	6	22		
Ashbourne	5,660	49	35	2	2	89	15.5	1.10	0.94	29	29	58	15.5	0.85	1.08	1	11	1	1	-	11		
Bakewell	3,900	22	23	1	1	47	12.1	1.12	0.74	10	10	20	23.5	0.44	0.78	-	-	-	4	-	-		
Belper	15,530	94	108	2	3	207	13.2	1.06	0.77	103	105	208	13.3	0.73	0.80	5	24	4	4	5	42		
Bolsover	11,840	99	103	5	2	209	17.7	0.95	0.92	68	42	110	9.3	1.38	1.05	6	29	5	5	6	51		
Buxton M.B.	19,400	166	148	8	8	330	17.0	1.05	0.96	115	167	282	14.5	0.94	1.12	6	18	4	4	4	21		
Chesterfield M.B.	68,230	531	515	36	30	1,112	16.3	1.02	0.91	459	419	878	12.9	1.01	1.07	23	21	18	15	23	33		



Clay Cross	9,320	72	79	4	1	156	16.7	1.05	0.96	56	45	101	10.8	1.18	1.04	6	38	2	2	2	1	19
Dronfield	12,740	146	144	10	3	232	23.2	0.75	0.96	38	38	86	6.8	1.41	0.79	3	70	2	2	4	4	21
Glossop M.B.	16,070	164	151	10	3	338	19.5	1.12	1.14	135	144	277	15.3	0.92	1.15	4	12	4	7	7	5	31
Heanor	24,290	181	189	4	6	390	15.6	1.05	0.90	135	124	259	10.7	1.16	1.02	8	27	7	7	8	8	29
Ilkeston M.B.	35,050	283	251	16	14	564	16.1	1.01	0.89	188	163	371	10.8	1.23	1.07	11	20	3	3	8	2	13
Long Eaton	31,380	268	268	15	15	553	17.6	0.99	0.92	168	138	302	9.7	1.12	0.88	14	25	8	8	2	1	24
Matlock	19,210	145	140	10	5	300	15.6	1.01	0.97	89	198	187	9.7	1.05	0.83	5	17	3	3	2	1	24
New Mills	8,710	69	85	7	5	165	13.9	1.07	1.11	55	59	114	13.1	1.01	1.08	4	24	3	3	2	1	24
Ripley	17,760	121	126	7	5	259	14.6	1.07	0.86	115	83	198	11.1	1.06	0.86	3	12	2	2	1	7	30
Staveley	18,280	157	185	11	6	359	19.6	1.01	1.09	109	82	191	10.4	1.24	1.06	4	11	3	3	3	12	40
Swadlincote	19,500	144	125	16	3	278	14.3	1.07	0.84	124	95	219	11.2	1.13	1.04	4	74	4	4	4	6	32
Whaley Bridge	5,290	43	34	1	1	79	14.9	1.16	0.95	43	31	74	14.4	0.99	1.14	4	25	2	2	5	83	32
Wirksworth	5,030	53	34	2	2	91	18.1	0.99	0.98	37	21	58	11.5	1.17	1.10	3	33	2	2	2	5	83
<b>Rural districts</b>	<b>393,780</b>	<b>3,473</b>	<b>3,273</b>	<b>147</b>	<b>125</b>	<b>7,018</b>	<b>17.8</b>	<b>0.96</b>	<b>0.94</b>	<b>2,154</b>	<b>1,846</b>	<b>4,000</b>	<b>10.2</b>	<b>1.19</b>	<b>0.99</b>	<b>138</b>	<b>20</b>	<b>81</b>	<b>67</b>	<b>115</b>	<b>26</b>	<b>43</b>
Ashbourne	11,390	81	86	2	6	175	15.4	1.12	0.95	167	124	259	10.3	1.05	0.87	2	17	1	1	1	1	28
Bakewell	18,590	151	137	8	12	302	16.2	1.09	0.97	141	124	259	12.6	0.93	0.86	3	10	1	3	3	8	35
Belvoir	36,060	312	311	7	9	639	17.7	0.99	0.96	218	147	302	10.9	1.07	0.93	9	14	5	5	5	10	23
Blackwell	44,280	402	360	16	12	792	17.9	1.00	0.98	259	192	451	10.2	1.25	0.93	24	30	9	7	12	24	43
Chapel en le Frith	18,100	128	141	6	4	279	15.4	1.11	0.94	140	128	268	14.8	0.91	1.10	6	22	4	4	4	5	32
Chesterfield	104,130	899	823	49	34	1,805	17.3	0.96	0.91	519	412	931	8.9	1.33	1.01	43	24	25	18	32	27	76
Clowne	19,990	165	166	11	8	350	17.5	1.02	0.98	116	89	205	10.3	1.17	1.03	9	26	4	5	11	24	24
Repton	39,800	340	305	9	11	665	16.7	0.97	0.89	210	219	428	10.8	1.07	0.93	5	8	5	13	18	23	24
South East Derbyshire	101,440	995	944	37	35	2,011	19.8	0.87	0.95	514	446	960	9.5	1.26	0.93	37	18	25	20	39	56	24
<b>DEVON</b>	<b>833,050</b>	<b>6,270</b>	<b>6,127</b>	<b>473</b>	<b>429</b>	<b>13,299</b>	<b>16.0</b>	<b>1.13</b>	<b>0.99</b>	<b>6,089</b>	<b>6,222</b>	<b>12,311</b>	<b>14.8</b>	<b>0.82</b>	<b>0.99</b>	<b>251</b>	<b>19</b>	<b>172</b>	<b>148</b>	<b>213</b>	<b>27</b>	<b>28</b>
<b>*County boroughs</b>	<b>289,780</b>	<b>2,405</b>	<b>2,385</b>	<b>187</b>	<b>191</b>	<b>5,168</b>	<b>17.8</b>	<b>1.01</b>	<b>0.99</b>	<b>1,905</b>	<b>1,962</b>	<b>3,867</b>	<b>13.3</b>	<b>1.00</b>	<b>0.99</b>	<b>99</b>	<b>19</b>	<b>62</b>	<b>52</b>	<b>74</b>	<b>24</b>	<b>24</b>
*Exeter	79,690	641	641	45	46	1,314	16.5	0.99	0.90	508	604	1,412	14.0	0.85	0.98	21	16	13	13	18	23	24
Plymouth	210,090	1,823	1,744	142	145	3,854	18.3	1.02	1.03	1,397	1,358	2,755	13.1	1.06	1.14	78	20	49	39	56	24	24
<b>*Administrative county</b>	<b>543,270</b>	<b>3,865</b>	<b>3,742</b>	<b>286</b>	<b>238</b>	<b>8,131</b>	<b>15.0</b>	<b>1.20</b>	<b>0.99</b>	<b>4,184</b>	<b>4,260</b>	<b>8,444</b>	<b>15.5</b>	<b>0.75</b>	<b>0.95</b>	<b>152</b>	<b>19</b>	<b>110</b>	<b>96</b>	<b>139</b>	<b>28</b>	<b>28</b>
<b>Municipal boroughs and urban districts</b>	<b>278,010</b>	<b>1,858</b>	<b>1,787</b>	<b>168</b>	<b>138</b>	<b>3,951</b>	<b>14.2</b>	<b>1.23</b>	<b>0.96</b>	<b>2,283</b>	<b>2,533</b>	<b>4,816</b>	<b>17.3</b>	<b>0.67</b>	<b>0.95</b>	<b>76</b>	<b>19</b>	<b>52</b>	<b>45</b>	<b>72</b>	<b>29</b>	<b>29</b>
Ashburton	2,720	16	24	3	2	45	16.5	1.15	1.04	27	25	52	19.1	0.67	1.05	2	44	4	4	8	36	36
Barnstaple M.B.	15,890	148	143	17	14	322	20.3	1.05	1.17	111	124	235	14.8	0.84	1.02	5	16	4	4	6	43	43
Bideford M.B.	10,820	78	95	2	5	180	16.6	1.13	1.03	107	68	175	15.1	0.78	0.93	6	33	2	2	1	2	16
Brixham	11,150	84	82	7	8	181	16.2	1.14	1.01	107	68	175	15.7	0.78	0.93	2	11	1	1	1	1	11
Buckfastleigh	2,510	13	12	-	-	25	10.0	1.33	0.73	23	23	46	18.3	0.73	1.10	1	40	1	1	1	77	77
Budleigh Salterton	3,700	13	22	2	2	40	10.8	1.80	1.07	45	49	93	25.1	0.49	1.01	3	75	3	3	3	75	75
Crediton	4,440	27	23	2	-	52	11.7	1.06	0.68	31	29	60	13.5	0.90	1.00	1	19	1	-	-	-	-
Dartmouth M.B.	6,420	45	44	5	4	98	15.3	1.18	0.99	48	36	84	13.1	0.85	0.91	1	10	-	-	-	-	-
Dawlish	7,620	37	43	5	2	87	11.4	1.35	0.85	45	60	105	13.8	0.70	0.79	-	-	-	-	-	-	-
Exmouth	20,340	140	143	13	10	306	15.0	1.28	1.05	161	209	370	18.2	0.62	0.92	4	13	3	2	2	13	13
Great Torrington M.B.	2,860	17	14	12	35	12.2	1.19	0.80	0.80	23	33	56	19.6	0.62	1.00	-	-	-	2	2	2	2
Holsworthy	1,580	10	6	-	1	16	7.0	1.18	0.65	19	17	36	22.8	0.40	0.75	1	63	1	1	1	63	63
Honiton M.B.	4,640	44	32	1	1	78	16.8	1.24	1.14	37	35	72	15.5	0.60	0.76	1	13	1	1	1	63	63
Ilfracombe	8,420	47	59	9	8	123	14.6	1.28	1.03	68	89	157	18.6	0.68	1.04	2	16	2	-	-	2	48
Kingsbridge	3,200	28	25	3	4	60	18.9	1.17	1.21	24	24	48	15.0	0.89	1.09	1	17	-	-	-	1	16
Lynnton	1,680	9	9	8	9	18	7.0	1.10	0.65	16	15	31	18.5	0.66	1.00	2	11	4	2	2	11	11
Newton Abbot	18,240	146	137	8	9	300	16.4	1.11	1.00	150	167	317	17.4	0.60	0.86	7	23	4	3	3	5	26
Northam	6,640	53	47	1	1	102	15.4	1.27	1.07	44	62	106	16.0	0.69	0.90	1	10	1	1	1	10	10
Okehampton M.B.	3,800	16	20	1	3	40	10.5	1.13	0.65	38	36	74	19.5	0.70	1.12	2	50	-	-	-	2	48
Ottery St. Mary	4,130	29	24	2	2	57	13.8	1.20	0.91	32	33	65	15.7	0.80	1.03	1	18	1	1	1	34	34
Paignton	30,180	201	168	22	15	406	13.5	1.33	0.99	255	288	543	18.0	0.61	0.90	10	25	7	5	6	27	27
Salcombe	2,360	13	10	-	-	23	9.7	1.33	0.71	25	22	47	19.9	0.68	1.11	-	-	-	-	-	1	42
Seaton	3,540	17	12	2	-	31	8.8	1.43	0.69	32	44	76	21.5	0.48	0.85	-	-	-	-	-	-	-
Sidmouth	10,030	51	56	5	1	113	11.3	1.60	0.99	113	130	243	24.2	0.47	0.93	2	18	2	2	2	35	35
South Molton M.B.	2,920	23	18	-	-	41	14.0	1.23	0.95	45	56	101	34.6	0.64	1.82	1	24	-	1	1	24	24
Taivstock	6,370	46	36	3	-	85	13.3	1.18	0.86	61	63	128	19.5	0.63	1.01	2	24	2	2	1	24	24
Taivmouth	11,260	66	66	8	9	137	12.2	1.41	0.95	115	113	228	20.2	0.58	0.96	4	29	3	3	6	63	63
Tiverton M.B.	13,070	132	114	7	4	257	19.7	1.06	1.15	81	91	172	13.2	0.88	0.95	5	19	5	5	5	6	63
Torquay M.B.	51,970	297	31	36	34	628	12.1	1.27	0.84	375	451	826	15.9	0.66	0.86	7	11	5	5	15	30	30
Totnes M.B.	5,510	26	32	1	4	65	11.8	1.19	0.77	55	56	111	20.1	0.50	0.8							



TABLE 13 - continued

Area	Estimated home population as at 30th June 1963	Live births						Deaths						Deaths under 1 year		Deaths under 1 week	Stillbirths	Perinatal mortality rate			
		Legitimate		Illegitimate		Total	Grande rate per 1,000 population	Comparability factor	Ratio of local adjusted birth rate to national rate	M	F	Total	Grude rate per 1,000 home population	Comparability factor	Ratio of local adjusted death rate to national rate				Number	Rate per 1,000 live births	
		M	F	M	F																
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
DEVON - continued																					
Rural districts - continued																					
Credon	9,750	92	75	4	2	173	17.7	1.12	1.09	64	62	126	12.9	0.94	0.99	2	12	1	1	2	17
Holworthy	5,750	46	35	5	3	88	15.3	1.14	0.96	51	38	89	15.5	0.87	1.11	1	11	1	1	3	33
Honiton	7,020	56	54	5	3	113	16.1	1.17	1.04	37	35	72	10.3	0.93	0.79	2	18	1	1	3	18
Kingsbridge	11,400	69	86	6	9	170	14.9	1.22	1.00	85	50	135	11.8	0.82	0.79	5	73	-	2	8	25
Newton Abbot	26,660	187	172	14	13	366	14.5	1.20	0.96	217	183	400	15.0	0.75	0.92	-	-	3	-	-	-
Okehampton	11,270	89	79	2	6	176	15.6	1.28	1.10	92	78	170	15.1	0.82	1.01	2	11	2	2	3	28
Plymouth St. Mary	42,210	360	373	18	6	757	17.9	1.04	1.02	295	282	577	13.7	0.96	1.08	11	15	7	7	15	28
St. Thomas	36,650	266	272	14	13	565	15.4	1.12	0.95	247	265	512	14.0	0.77	0.88	12	21	8	6	8	24
South Molton	8,410	54	55	3	3	115	13.7	1.19	0.90	57	36	93	11.1	0.90	0.82	2	17	2	2	4	5
Tavistock	15,390	119	109	14	5	247	16.0	1.24	1.09	127	87	214	13.9	0.84	0.96	4	16	4	4	3	28
Tiverton	20,720	154	164	10	9	337	16.3	1.13	1.01	132	127	259	12.5	0.90	0.92	10	30	8	6	7	38
Torrington	7,200	52	32	5	7	92	12.8	1.19	0.84	55	41	96	13.3	0.88	0.96	5	54	4	4	1	54
Totnes	15,120	105	98	5	7	215	14.2	1.27	0.99	151	130	281	18.6	0.71	1.08	7	33	7	7	1	37
DORSET	322,060	2,522	2,452	147	141	5,262	16.3	1.14	1.02	2,233	2,233	4,466	13.9	0.86	0.98	91	17	65	57	100	29
Municipal boroughs and urban districts																					
Blandford Forum M.B.	198,800	1,499	1,458	90	100	3,147	15.8	1.14	0.99	1,418	1,440	2,858	14.4	0.86	1.02	56	18	40	33	64	30
Blandford M.B.	3,480	33	29	3	3	68	19.5	1.18	1.26	33	35	68	19.5	0.75	1.20	-	68	-	-	-	-
Bridport M.B.	6,450	48	28	4	3	83	12.9	1.20	0.85	55	60	115	17.8	0.72	1.05	6	72	5	5	9	82
Dorchester M.B.	12,890	97	73	5	3	178	13.8	1.07	0.81	86	99	185	14.4	0.78	0.92	5	28	5	3	6	64
Lyme Regis M.B.	3,470	13	16	2	1	32	9.2	1.41	0.71		24	36	17.3	0.73	1.04	1	31	1	1	1	61
Poole M.B.	93,750	739	708	44	54	1,544	16.5	1.12	1.02	683	695	1,378	14.7	0.86	1.04	28	18	16	12	23	22
Portland	11,600	83	80	2	3	166	14.5	1.30	1.04	57	49	106	9.1	1.30	0.97	2	12	1	1	6	40
Shaftesbury M.B.	37,290	22	24	1	1	46	14.6	1.25	1.00	24	24	48	14.6	0.78	0.93	-	-	-	2	2	40
Sherborne	7,250	34	51	1	2	87	12.0	1.42	0.94	48	41	89	12.3	0.94	0.95	2	23	2	2	3	56
Swanage	7,470	43	48	5	5	101	13.5	1.32	0.98	60	63	123	16.5	0.71	0.96	-	-	-	-	3	29
Wareham M.B.	3,180	22	33	-	2	57	17.9	1.21	1.19	36	47	83	26.1	0.49	1.05	-	-	-	-	1	17
Weymouth and Melcombe Regis M.B.	41,840	335	342	22	22	721	17.2	1.07	1.01	276	257	533	12.7	0.92	0.96	11	15	9	8	14	30
Wimborne Minster	4,130	31	26	2	1	60	14.5	1.18	0.94	36	34	70	16.9	0.85	1.18	1	17	1	1	17	17
Rural districts																					
Beaminster	123,260	1,023	994	57	41	2,115	17.2	1.14	1.08	815	793	1,608	13.0	0.87	0.93	35	17	25	24	36	28
Blandford	18,290	75	85	5	4	141	17.0	1.18	1.10	67	57	114	14.0	0.75	0.86	4	28	3	3	4	42
Blandford	17,520	99	95	5	4	203	17.6	1.12	1.08	57	57	114	9.9	1.10	0.89	-	-	-	3	4	19
Bridport	17,810	47	54	5	2	108	13.8	1.36	1.03	55	59	114	14.6	0.75	0.90	1	9	1	1	2	27
Dorchester	16,240	168	148	13	6	335	18.4	1.18	1.19	126	180	306	16.8	0.69	0.95	8	24	6	6	8	41
Shaftesbury	9,730	54	74	5	3	136	14.0	1.15	0.88	84	66	147	15.1	0.83	1.03	3	22	2	2	3	36
Sherborne	8,140	51	54	1	-	106	17.3	1.14	1.08	41	35	76	12.4	0.98	1.00	1	19	1	1	1	9
Sturminster	9,330	72	65	-	-	137	13.8	1.28	0.97	68	75	143	14.4	0.71	0.84	3	22	2	2	5	56
Wareham and Purbeck	22,290	203	207	13	10	433	19.4	1.00	1.07	113	102	215	9.6	1.16	0.91	8	18	5	5	7	27
Wimborne and Cranborne	26,310	254	232	15	15	516	17.6	1.12	1.08	207	170	377	12.9	0.84	0.89	7	14	5	4	3	13
DURHAM	1,534,540	13,789	13,258	679	681	28,407	18.5	0.97	0.99	9,690	8,250	17,940	11.7	1.20	1.15	646	23	442	395	550	33
County boroughs																					
Darlington	564,960	5,270	4,935	294	327	10,826	19.2	0.96	1.01	3,584	3,071	6,655	11.8	1.19	1.15	251	23	179	161	205	33
Gateshead	83,410	590	580	53	53	1,406	16.7	1.02	0.94	557	503	1,060	12.6	1.03	1.06	33	24	26	26	33	40
South Shields	105,600	989	907	56	56	1,988	19.4	0.97	1.03	687	583	1,270	12.4	1.19	1.21	44	24	32	24	33	29
Sunderland	190,810	858	823	61	68	2,010	18.4	0.98	0.99	730	647	1,377	12.6	1.18	1.22	39	19	25	24	42	35
West Hartlepool	150,810	1,869	1,722	86	114	3,791	19.9	0.94	1.03	1,147	956	2,103	11.0	1.25	1.13	96	25	71	63	72	35
	76,600	794	771	32	35	1,633	20.8	0.93	1.05	463	382	845	10.8	1.26	1.12	39	24	25	24	25	30

Administrative county	969,580	8,519	8,323	385	354	17,581	18-1 0-98	0-97	6,106	5,179	11,285	11-6 1-21	1-15	395	22	263	234	345	32
Municipal boroughs and urban districts	661,960	5,838	5,697	277	249	12,061	18-2 0-98	0-98	4,199	3,492	7,691	11-6 1-23	1-17	264	22	180	156	224	31
Barnard Castle	5,290	49	40	3	3	95	18-0 1-08	1-07	60	58	118	22-3 0-72	1-32	4	42	2	2	2	41
Billingham	32,850	329	349	17	19	714	21-7 0-99	1-06	157	109	266	8-1 1-67	1-11	12	17	8	8	13	29
Bishop Auckland	35,530	317	297	25	19	658	18-6 1-01	1-03	250	194	434	12-3 1-17	1-18	14	21	9	8	7	23
Blaydon	30,930	277	256	6	17	556	18-0 0-98	0-97	226	158	384	12-4 1-18	1-20	13	23	10	8	6	25
Boldon	24,310	250	258	8	5	521	21-4 0-92	1-08	146	122	268	11-0 1-17	1-05	17	33	11	11	11	41
Brandon and Byshottles	19,890	184	170	10	8	372	18-7 0-99	1-02	136	102	238	12-0 1-20	1-18	13	35	8	5	6	29
Chester-le-Street	33,920	376	162	12	4	356	18-5 1-03	1-05	160	123	283	14-7 1-01	1-22	3	8	2	2	4	17
Consett	38,660	337	292	48	9	856	17-0 1-00	0-93	276	204	480	12-4 1-20	1-22	15	23	9	8	8	24
Crook and Willington	24,830	170	178	11	8	367	14-8 1-06	0-86	197	152	349	14-1 1-00	1-16	7	19	5	3	9	32
Durham M.B.	22,740	150	135	15	4	294	12-9 1-05	0-74	158	135	293	12-9 0-89	0-94	6	20	3	3	4	23
Felling	38,090	357	365	15	7	744	19-5 0-93	1-00	204	173	377	9-9 1-50	1-22	17	23	7	5	20	33
Hartlepool M.B.	18,210	159	164	17	10	340	18-7 0-98	1-01	100	64	164	9-0 1-41	1-04	5	15	4	3	5	23
Hebburn	25,050	253	238	12	10	513	20-5 0-93	1-05	160	143	303	12-1 1-36	1-35	11	21	9	7	12	36
Hetton	17,330	124	101	10	4	239	13-8 1-02	0-77	101	103	204	11-8 1-23	1-19	3	13	2	4	25	
Houghton-le-Spring	30,790	271	288	13	10	582	18-9 0-97	1-01	199	161	360	11-7 1-18	1-13	9	15	8	7	9	27
Jarrow M.B.	27,730	236	228	14	6	484	17-5 1-03	0-99	196	182	378	13-6 1-23	1-37	10	21	7	6	12	36
Ryton	13,980	115	115	7	9	240	17-2 1-04	0-98	197	84	181	12-9 1-09	1-15	6	25	6	5	3	33
Seaham	25,570	217	220	7	9	453	17-7 0-99	0-96	177	141	318	12-4 1-29	1-31	9	20	6	6	12	39
Shildon	14,020	126	95	4	3	228	16-3 1-03	0-92	92	79	171	12-2 1-23	1-23	4	18	3	7	43	
Spennymoor	18,990	151	156	9	3	319	16-8 1-01	0-93	115	122	237	12-5 1-22	1-25	14	44	11	8	4	37
Stanley	46,360	355	314	9	16	694	15-0 1-02	0-94	297	249	546	11-8 1-18	1-14	23	33	16	16	20	50
Stockton-on-Tees M.B.	83,690	802	857	49	61	1,769	21-1 0-95	1-10	426	416	842	10-1 1-33	1-19	36	20	24	20	30	28
Tow Law	21,920	21	23	1	1	46	15-3 1-06	0-92	19	22	41	14-0 1-04	1-19	1	22	-	-	2	42
Washington	19,500	190	191	5	3	339	19-9 0-95	1-04	95	86	181	9-3 1-56	1-04	6	15	5	5	4	23
Whickham	25,680	220	205	4	3	432	16-8 0-97	0-90	155	120	275	10-7 1-22	1-07	6	14	5	10	34	
Rural districts	307,620	2,681	2,626	108	105	5,520	17-9 0-96	0-94	1,907	1,687	3,594	11-7 1-17	1-12	131	24	83	78	121	35
Barnard Castle	16,940	134	129	9	14	275	16-3 1-05	0-94	105	102	207	12-2 1-08	1-08	5	18	4	4	5	32
Chester-le-Street	43,090	364	354	12	20	750	17-4 0-98	0-94	271	231	502	11-7 1-23	1-18	17	23	14	14	23	48
Darlington	26,400	264	265	14	17	550	21-1 0-83	0-96	110	87	207	7-9 1-65	1-07	15	27	11	10	8	32
Durham	36,290	306	281	14	14	618	17-0 0-94	0-88	203	188	391	10-8 1-21	1-07	10	16	6	13	30	
Easington	86,450	790	824	32	28	1,674	19-4 0-94	1-00	496	392	888	10-3 1-32	1-11	49	29	29	26	35	36
Lanchester	14,580	116	112	3	3	232	16-9 1-03	0-90	121	149	270	18-5 0-82	1-34	6	26	2	2	8	42
Sedgefield	36,330	298	273	12	4	639	18-2 1-03	0-92	257	244	501	13-8 0-87	0-98	14	24	8	7	14	35
Stockton	10,930	96	92	4	7	199	18-2 1-03	1-03	59	59	98	9-0 1-24	0-91	6	30	6	6	4	49
Sunderland	28,850	273	250	12	7	594	16-8 0-93	0-96	216	161	397	13-8 1-11	1-26	8	15	3	3	10	24
Weardale	8,090	40	47	3	1	51	11-2 1-16	0-71	69	64	153	16-4 0-83	1-12	1	11	-	1	1	11
ELY, ISLE OF	89,880	730	640	27	34	1,431	15-9 1-03	0-90	555	562	1,117	12-4 0-94	0-96	33	23	16	13	28	28
Municipal borough and urban districts	55,720	446	401	18	15	890	15-8 1-02	0-89	364	389	753	13-5 0-87	0-96	20	23	11	8	14	25
Chatteris	5,500	47	41	1	1	89	16-2 1-06	0-94	83	92	170	14-3 1-02	1-21	2	22	-	-	2	22
Ely	9,920	83	65	1	2	151	15-2 0-97	0-81	79	93	172	17-3 0-60	0-85	2	13	-	-	3	19
March	13,240	100	103	4	2	209	15-6 1-05	0-91	77	74	151	11-4 1-01	0-84	1	5	1	1	1	10
Whittlesey	9,540	77	67	5	5	154	15-4 1-01	0-89	154	154	410	11-5 1-03	1-08	5	32	2	2	6	50
Wisbech M.B.	17,520	139	125	7	6	277	15-6 1-03	0-89	114	126	240	13-7 0-75	0-82	10	36	6	5	2	25
Rural districts	34,160	284	239	9	19	551	16-1 1-04	0-92	191	173	364	10-7 1-06	0-93	13	24	5	5	14	34
Ely	14,520	121	118	2	8	249	17-1 1-07	1-01	133	172	155	10-7 1-02	0-89	6	24	3	3	7	39
North Witchford	4,620	28	20	2	2	52	11-3 1-02	0-63	23	31	54	11-7 1-04	1-00	4	77	1	1	-	19
Thorney	2,270	28	15	-	1	44	19-4 1-06	1-43	9	8	47	7-5 1-27	0-78	3	15	-	1	1	22
Wisbech	12,750	107	86	5	8	206	16-2 1-01	0-90	76	62	138	10-8 1-03	0-96	3	15	1	1	6	33
ESSEX	2,346,640	19,939	18,881	1,236	1,059	41,115	17-5 1-00	0-96	13,482	12,867	26,349	11-2 1-06	0-97	754	18	538	466	672	27
County boroughs	428,220	3,538	3,355	365	326	7,584	17-7 1-05	1-02	2,884	2,837	5,721	13-4 0-97	1-07	165	22	118	101	141	31
East Ham	105,190	894	784	71	62	1,811	17-2 1-03	0-97	1,634	1,593	2,664	11-9 1-05	1-03	22	23	36	28	39	36
Southend-on-Sea	1,152	1,409	1,25	105	105	2,491	15-0 1-18	0-97	1,281	1,383	2,664	16-1 0-78	1-03	51	20	35	27	40	26
West Ham	157,120	1,492	1,462	169	159	3,282	20-9 0-95	1-09	989	1,044	1,809	11-5 1-24	1-17	72	22	47	46	62	32
Administrative county	1,918,420	16,401	15,526	871	733	33,531	17-5 0-99	0-95	10,598	10,030	20,628	10-8 1-08	0-96	589	18	420	365	531	26
Municipal boroughs and urban districts	1,649,550	13,929	13,286	743	632	28,590	17-3 0-98	0-93	8,880	8,409	17,289	10-5 1-12	0-96	505	18	358	306	450	26
Barking M.B.	72,070	458	514	31	19	1,022	14-2 1-05	0-82	405	345	750	10-4 1-23	1-05	30	29	13	13	24	37
Basildon	99,580	1,252	1,409	45	39	2,445	24-6 0-79	1-07	403	335	738	7-4 1-50	0-91	33	13	29	24	28	21
Benfleet	36,420	403	328	12	19	762	20-9 0-96	1-10	219	201	420	11-5 0-95	0-90	11	14	9	8	14	28
Brentree and Bocking	20,970	169	194	15	20	398	19-0 0-99	1-03	141	138	279	13-3 0-78	0-85	1	15	5	5	4	22



TABLE 13 - continued

Area	Estimated home population at 30th June 1963	Live births					Deaths					Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate				
		Legitimate		Illegitimate		Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate	M	F	Total	Crude rate per 1,000 home population					Comparability factor	Ratio of local adjusted death rate to national rate	Number	Rate per 1,000 live births
		M	F	M	F																
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
ESSEX - continued																					
Municipal boroughs and urban districts - continued																					
Brentwood	52,930	462	400	13	18	893	16.9	0.93	0.86	267	318	585	11.1	0.95	0.77	13	15	9	9	7	17
Brightlingsea	4,950	42	35	1	3	81	16.4	1.23	1.11	41	47	88	17.6	0.71	1.04	2	25	2	2	48	2
Burnham-on-Crouch	4,200	37	22	1	3	63	15.0	1.25	1.03	22	26	48	11.9	0.76	0.71	1	16	1	1	16	1
Canvey Island	18,110	177	201	9	11	398	22.0	1.11	1.54	124	105	229	12.6	0.96	0.99	9	23	4	1	15	39
Chelmsford M.B.	52,230	501	536	23	27	1,087	20.8	0.91	1.04	255	215	450	8.6	1.20	0.85	19	17	15	13	8	15
Chigwell	62,240	394	334	25	20	773	12.4	1.12	0.76	259	244	502	9.1	1.38	0.82	16	21	14	11	10	27
Chingford M.B.	46,230	304	290	13	5	612	13.2	1.10	0.80	243	201	444	9.6	1.14	0.80	5	8	2	1	6	71
Clacton	29,420	200	177	13	10	400	13.6	1.36	1.02	264	293	557	18.9	0.60	0.93	10	25	9	6	11	41
Colchester M.B.	67,430	613	601	40	31	1,285	19.1	1.01	1.06	413	408	821	12.2	0.88	0.88	27	21	16	16	19	27
Dagenham M.B.	108,950	709	700	48	34	1,491	13.7	1.03	0.78	595	431	1,026	9.4	1.44	1.11	27	18	17	16	26	28
Epping	10,070	87	79	7	5	178	17.7	0.88	0.86	37	51	88	8.7	1.02	0.73	2	11	2	1	7	17
Frinton and Walton	9,900	52	62	2	1	117	11.8	1.09	0.97	97	102	199	20.1	0.55	0.81	1	9	1	1	2	17
Halstead	6,590	65	49	1	4	119	18.1	1.06	1.05	50	43	93	14.1	0.86	0.93	3	25	3	5	2	33
Harlow	61,140	734	718	28	12	1,492	24.4	0.74	0.99	136	99	235	3.8	2.64	0.92	14	9	9	5	24	21
Harwich M.B.	13,810	127	114	4	3	248	18.0	1.06	1.05	89	75	164	11.9	1.10	1.07	1	14	1	1	1	1
Hornchurch	1,265	1,194	1,250	82	69	2,545	19.1	0.89	0.93	656	596	1,252	9.4	1.25	0.96	35	14	23	20	40	23
Ilford M.B.	176,550	1,348	1,250	60	44	2,598	15.6	1.01	0.87	1,089	1,109	2,198	12.3	0.96	0.97	56	20	39	36	39	27
Leyton M.B.	92,550	742	661	60	44	1,507	16.3	1.02	0.91	860	710	1,570	14.8	0.79	0.86	29	19	21	19	26	29
Malden M.B.	10,990	106	106	9	5	224	20.4	1.06	1.19	98	84	182	16.6	0.64	0.87	1	4	1	1	4	18
Rayleigh	20,290	186	199	7	4	386	19.0	0.90	0.84	109	108	217	10.7	1.14	1.00	8	21	6	5	9	35
Romford M.B.	115,960	980	874	65	42	1,861	16.9	0.96	0.89	467	432	899	7.8	1.56	1.00	34	17	27	24	46	35
Saffron Walden M.B.	8,350	71	66	4	5	147	17.6	1.10	1.06	67	54	121	14.5	0.65	0.77	2	14	1	1	1	14
Thurrock	117,150	951	1,031	48	41	2,071	17.7	0.99	0.96	509	467	976	8.3	1.46	0.99	44	21	28	23	35	28
Waltham Holy Cross	12,150	133	143	8	7	291	24.0	0.83	1.09	58	47	105	9.6	1.46	1.03	6	21	3	3	7	34
Walthamstow M.B.	107,260	790	777	61	48	1,668	15.5	1.06	0.90	694	628	1,322	12.2	1.01	1.01	37	22	24	20	29	28
Wanstead and Woodford M.B.	61,360	432	385	17	32	868	14.1	1.06	0.82	342	404	746	12.2	0.93	0.93	18	21	14	13	9	25
West Mersea	3,460	18	26	1	2	47	14.9	1.32	1.08	31	35	66	20.9	0.67	1.15	4	23	2	1	1	17
Witham	9,860	86	77	4	4	171	17.3	1.08	1.03	76	41	117	11.9	0.95	0.93	4	23	2	2	3	57
Wivenhoe	3,300	45	44	3	4	96	29.1	1.08	1.73	15	17	32	9.7	0.91	0.72	2	21	2	2	3	51
Rural districts																					
Braintree	268,870	2,472	2,240	128	101	4,941	18.4	1.03	1.04	1,718	1,621	3,339	12.4	0.88	0.89	84	17	62	59	81	28
Chelmsford	23,100	197	172	9	10	388	16.8	1.04	0.96	143	111	254	11.0	0.93	0.94	9	23	7	7	9	33
Dumow	51,800	512	465	30	23	1,030	20.0	0.97	1.07	326	319	645	12.5	0.94	0.96	16	16	14	13	11	17
Epping and Ongar	21,460	182	181	6	7	378	17.8	1.03	1.01	127	119	246	11.6	0.98	0.93	5	13	4	3	6	24
Halstead	38,500	371	353	24	13	761	19.8	0.93	1.01	171	182	353	9.2	1.18	0.99	19	25	15	16	13	37
Harlow	16,400	136	105	8	5	254	15.5	1.19	1.01	138	111	249	15.2	0.90	1.00	9	35	6	8	5	42
Lexden and Winstree	23,930	224	187	9	10	430	19.0	1.48	1.01	164	144	308	12.9	0.71	0.75	7	16	6	4	8	32
Maldon	16,450	161	129	11	4	305	19.5	1.19	1.21	115	91	206	12.5	0.85	0.87	6	20	4	4	3	23
Rochford	34,240	368	320	16	12	716	20.9	0.92	1.06	241	253	494	14.4	0.72	0.85	9	13	6	6	11	23
Saffron Walden	18,140	159	134	6	8	307	16.9	1.12	1.04	115	109	223	12.3	0.90	0.91	3	10	3	3	6	29
Tendring	25,340	162	194	9	9	374	14.8	1.16	0.94	178	183	361	14.2	0.76	0.69	1	3	1	1	9	26
GLOUCESTERSHIRE																					
County boroughs	1,024,090	9,136	8,592	686	663	19,077	18.6	1.01	1.03	6,346	6,214	12,560	12.3	1.02	1.03	378	20	255	225	261	25
Bristol	504,740	4,216	3,981	437	432	9,066	18.0	1.02	1.01	3,380	3,254	6,634	13.1	0.99	1.06	196	22	138	113	144	28
Gloucester	433,920	3,325	3,225	354	346	7,560	17.4	1.03	0.98	2,923	2,842	5,765	13.3	0.97	1.08	155	21	104	96	121	28
Administrative county	70,820	681	656	83	86	1,506	21.3	0.99	1.16	457	412	869	12.3	1.09	1.10	41	27	24	17	23	26
	519,350	4,920	4,611	249	231	10,011	19.3	0.99	1.05	2,966	2,960	5,926	11.4	1.06	0.99	182	18	127	112	117	23





TABLE 13 - continued

Area	Estimated home population as at 30th June 1963	Live births					Deaths										Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate
		Legitimate		Illegitimate		Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local to national rate	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local to national rate	Number	Rate per 1,000 live births					
		M	F	M	F																	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	
HEREFORDSHIRE - continued																						
Municipal boroughs and urban districts - continued																						
Hereford M.B.	42,430	412	414	18	20	864	20.4	0.94	1.05	195	205	400	9.4	1.13	0.87	15	17	7	7	20	31	
Kington	1,880	13	16	2	1	32	17.0	1.13	1.06	21	19	40	21.3	0.84	1.12	2	63	1	1	1	61	
Lebury	3,630	28	31	-	2	61	16.8	1.09	1.01	24	26	50	13.8	0.83	0.94	1	76	1	1	1	76	
Leominster M.B.	6,530	52	43	3	3	101	15.5	1.07	0.91	47	55	102	15.6	0.79	1.01	1	70	1	1	1	20	
Ross-on-Wye	5,780	45	51	4	2	102	17.6	1.11	1.07	50	48	98	16.6	0.90	1.22	4	39	4	3	3	57	
Rural districts																						
Bromyard	72,160	547	506	46	42	1,141	15.8	1.15	1.00	480	395	875	12.1	0.91	0.90	36	32	30	23	18	35	
Dore and Bredwardine	6,830	49	43	5	1	98	14.3	1.15	0.90	51	50	101	14.8	0.74	0.90	2	20	2	2	1	30	
Hereford	7,800	71	57	2	2	132	16.9	1.13	1.05	51	35	86	11.0	1.02	0.92	4	30	3	3	4	51	
Kington	18,600	120	129	11	10	270	14.5	1.13	0.90	118	94	212	11.4	0.83	0.78	3	11	2	1	1	15	
Lebury	4,400	28	34	4	2	68	15.5	1.19	1.01	28	32	60	13.6	0.87	0.97	3	44	3	1	3	44	
Leominster and Wigmore	7,930	68	47	8	5	128	16.1	1.13	1.00	59	51	110	13.9	0.92	1.05	12	94	10	9	3	92	
Ross and Whitechurch	11,470	79	74	8	6	167	17.4	1.16	1.11	75	53	128	13.4	0.89	0.98	2	12	2	1	2	78	
Weobley	5,550	45	41	5	4	183	16.0	1.17	1.03	63	55	118	10.3	0.82	0.78	7	38	6	4	3	38	
HEREFORDSHIRE																						
	873,870	7,872	7,347	404	366	15,989	18.3	0.95	0.96	4,236	4,217	8,453	9.7	1.13	0.90	241	15	168	142	251	24	
Municipal boroughs and urban districts																						
Baldock	618,250	5,836	5,440	296	261	11,833	19.1	0.93	0.98	2,984	2,851	5,835	9.4	1.18	0.91	168	14	116	96	183	23	
Barnet	6,750	54	47	4	3	108	16.0	1.06	0.93	26	32	58	8.6	1.31	0.92	-	-	-	-	-	23	
Berkhamsted	27,590	219	194	11	11	435	15.8	0.98	0.85	142	158	300	10.9	0.99	0.88	5	17	5	5	5	23	
Bishop's Stortford	13,990	117	122	6	4	249	17.8	1.03	1.01	62	75	137	9.8	1.09	0.88	5	20	4	3	1	16	
Bushey	20,070	216	212	8	14	450	22.4	0.85	1.05	103	95	198	9.9	0.94	0.76	5	11	3	1	7	18	
Cheshunt	22,520	209	200	6	5	420	18.7	0.96	0.99	117	87	204	9.1	1.20	0.90	3	7	3	3	3	14	
Chorleywood	37,530	419	367	12	8	806	21.5	0.84	0.99	145	140	285	7.6	1.54	0.96	14	17	10	5	16	26	
East Barnet	7,100	38	37	3	-	78	11.0	1.05	0.63	26	31	57	8.0	1.13	0.74	-	-	-	-	1	13	
Harpenden	24,440	226	245	24	26	521	21.3	0.95	1.11	168	171	338	13.8	0.87	0.98	12	21	7	6	10	27	
Hemel Hempstead M.B.	18,550	164	189	9	9	371	20.0	0.90	0.99	83	90	173	9.3	1.16	0.88	5	15	5	4	6	30	
Hitchin	41,000	278	257	13	14	572	14.0	1.07	0.82	201	215	416	10.1	1.07	0.89	12	21	7	6	10	27	
Hoddeston	19,800	167	156	4	5	332	16.8	1.02	0.94	89	107	196	9.9	1.09	0.88	5	15	5	4	6	30	
Lechworth	60,460	614	555	36	19	1,224	20.2	0.85	0.94	231	197	428	7.1	1.50	0.87	13	11	8	7	20	22	
Royston	17,290	172	157	7	10	346	20.0	0.97	1.07	73	81	154	8.9	1.12	0.82	4	12	4	4	4	23	
St. Albans M.B.	24,440	226	245	24	26	521	21.3	0.95	1.11	168	171	338	13.8	0.87	0.98	12	21	7	6	10	27	
Sawbridgeworth	18,550	164	189	9	9	371	20.0	0.90	0.99	83	90	173	9.3	1.16	0.88	5	15	5	4	6	30	
Stevenage	26,480	204	187	9	9	389	14.7	0.97	0.78	134	102	236	8.9	1.17	0.85	5	13	5	4	7	25	
Rickmansworth	29,690	245	186	8	3	442	14.9	1.07	0.88	160	128	288	9.7	1.19	0.95	6	14	4	3	4	16	
Royston	6,600	68	52	5	2	125	18.9	0.95	0.99	34	40	74	11.2	1.01	0.93	1	8	-	-	3	23	
St. Albans M.B.	50,500	482	412	24	24	942	18.7	0.99	1.02	300	291	591	11.7	1.04	1.00	18	19	12	11	13	25	
Sawbridgeworth	4,820	30	31	-	1	62	12.9	1.14	0.81	27	27	54	11.2	1.08	0.99	1	16	1	-	-	25	
Stevenage	50,270	664	640	22	22	1,348	26.8	0.73	1.07	113	91	204	4.1	2.41	0.81	19	14	11	9	26	-	
Tring	7,410	81	66	3	1	151	21.2	1.02	1.19	39	40	79	11.1	1.03	0.94	1	7	-	-	3	19	
Ware	11,570	120	125	8	6	259	22.4	0.97	1.19	118	109	227	19.6	0.58	0.93	2	8	2	2	2	15	
Watford M.B.	75,780	672	629	57	56	1,414	18.7	0.98	1.01	468	441	909	12.0	0.98	0.96	24	17	16	15	22	26	
Welwyn Garden City	38,350	379	384	17	9	789	20.6	0.87	0.98	125	104	229	6.0	1.86	0.91	12	15	8	7	11	23	
Rural districts																						
Berkhamsted	255,620	2,036	1,907	108	105	4,156	16.3	1.00	0.90	1,252	1,366	2,618	10.2	1.03	0.86	73	18	52	46	68	27	
Braughing	6,450	53	57	3	5	118	18.3	1.08	1.09	38	38	76	11.3	0.99	0.92	4	34	4	4	2	5	
Elstree	10,430	76	72	6	3	157	15.5	1.14	0.97	62	67	129	12.7	0.98	1.02	2	13	2	1	3	25	
Elstree	29,660	211	226	15	11	465	15.7	1.05	0.91	133	133	266	10.7	0.95	0.83	3	6	3	3	9	25	



Hatfield	42,310	400	361	17	22	800	19.9	0.91	0.95	183	186	369	8.7	1.23	0.89	24	30	14	12	14	32
Hemel Hempstead	13,810	114	113	8	7	242	17.5	1.04	1.00	77	82	129	9.3	1.06	0.81	5	16	5	5	3	37
Hertford	10,510	93	77	6	9	185	17.8	1.06	1.03	49	33	88	8.4	1.33	0.85	3	17	2	2	3	27
Hitchin	23,150	175	161	7	10	353	15.2	1.09	0.91	124	120	244	10.3	1.04	0.90	4	11	3	3	10	36
St. Albans	40,180	352	345	13	9	719	17.9	0.91	0.90	220	326	546	13.6	0.73	0.81	6	8	2	2	9	15
Ware	12,290	74	68	5	2	149	12.1	1.18	0.78	77	64	138	11.2	1.06	0.97	3	20	1	1	1	13
Watford	60,000	422	354	27	26	829	13.8	0.98	0.74	261	274	538	9.9	1.35	0.94	18	22	15	13	1	13
Welwyn	7,130	66	71	1	1	139	19.5	0.93	1.00	28	23	51	7.2	1.21	0.71	1	7	-	-	1	7
<b>HUNTINGDONSHIRE</b>	<b>88,000</b>	<b>845</b>	<b>823</b>	<b>58</b>	<b>42</b>	<b>1,768</b>	<b>20.1</b>	<b>0.99</b>	<b>1.09</b>	<b>454</b>	<b>410</b>	<b>864</b>	<b>9.8</b>	<b>1.15</b>	<b>0.92</b>	<b>34</b>	<b>19</b>	<b>11</b>	<b>19</b>	<b>31</b>	<b>28</b>
<b>Municipal boroughs and urban districts</b>	<b>39,710</b>	<b>432</b>	<b>432</b>	<b>28</b>	<b>17</b>	<b>909</b>	<b>22.9</b>	<b>0.93</b>	<b>1.17</b>	<b>221</b>	<b>218</b>	<b>439</b>	<b>11.1</b>	<b>1.00</b>	<b>0.91</b>	<b>21</b>	<b>23</b>	<b>13</b>	<b>11</b>	<b>14</b>	<b>27</b>
Huntingdon and Godmancaster M.B.	10,700	137	139	12	5	293	27.4	0.95	1.43	60	70	130	12.1	0.69	0.68	9	31	5	4	3	24
Old Fletton	12,420	101	104	6	12	218	18.0	0.87	0.86	53	55	108	8.9	1.34	0.98	2	9	1	1	6	31
Ramsey	5,730	50	51	4	1	106	18.5	0.99	1.01	40	30	70	12.2	1.10	1.10	3	28	1	1	1	37
St. Ives M.B.	4,480	68	50	2	2	122	27.2	0.93	1.39	36	35	71	15.8	1.06	1.37	4	33	3	3	2	25
St. Neots	6,680	76	88	4	2	170	25.4	0.94	1.31	32	28	60	9.0	1.00	0.74	3	78	2	2	2	23
<b>Rural districts</b>	<b>48,290</b>	<b>413</b>	<b>391</b>	<b>30</b>	<b>25</b>	<b>859</b>	<b>17.8</b>	<b>1.06</b>	<b>1.04</b>	<b>233</b>	<b>192</b>	<b>425</b>	<b>8.8</b>	<b>1.27</b>	<b>0.92</b>	<b>13</b>	<b>15</b>	<b>9</b>	<b>8</b>	<b>17</b>	<b>29</b>
Huntingdon	14,620	125	110	12	9	256	17.5	1.22	1.17	61	46	107	7.3	1.62	0.97	4	7	3	3	6	31
Norman Cross	9,220	94	77	8	1	180	19.5	0.99	1.06	43	40	83	9.0	1.21	0.89	2	11	1	1	4	27
St. Ives	16,510	135	147	8	10	300	18.2	0.96	0.96	75	62	143	8.3	1.20	0.82	6	20	1	1	4	27
St. Neots	7,940	59	57	2	5	123	15.5	1.07	0.91	54	44	98	12.3	1.03	1.04	1	8	-	-	3	24
<b>KENT</b>	<b>1,748,440</b>	<b>14,701</b>	<b>14,007</b>	<b>856</b>	<b>825</b>	<b>30,389</b>	<b>17.4</b>	<b>1.04</b>	<b>0.99</b>	<b>10,927</b>	<b>11,340</b>	<b>22,267</b>	<b>12.7</b>	<b>0.93</b>	<b>0.97</b>	<b>574</b>	<b>19</b>	<b>394</b>	<b>339</b>	<b>543</b>	<b>29</b>
Canterbury C.B.	31,030	235	233	17	12	497	16.0	1.07	0.94	163	252	415	13.4	0.76	0.83	11	22	7	5	13	35
<b>Administrative county</b>	<b>1,717,410</b>	<b>14,466</b>	<b>13,774</b>	<b>839</b>	<b>813</b>	<b>29,892</b>	<b>17.4</b>	<b>1.04</b>	<b>0.99</b>	<b>10,764</b>	<b>11,088</b>	<b>21,852</b>	<b>12.7</b>	<b>0.94</b>	<b>0.98</b>	<b>563</b>	<b>19</b>	<b>387</b>	<b>334</b>	<b>530</b>	<b>28</b>
<b>Municipal boroughs and urban districts</b>	<b>1,331,150</b>	<b>11,029</b>	<b>10,446</b>	<b>656</b>	<b>641</b>	<b>22,772</b>	<b>17.1</b>	<b>1.04</b>	<b>0.98</b>	<b>8,232</b>	<b>8,633</b>	<b>16,865</b>	<b>12.7</b>	<b>0.94</b>	<b>0.98</b>	<b>432</b>	<b>19</b>	<b>289</b>	<b>245</b>	<b>404</b>	<b>28</b>
Asford	28,760	234	226	21	19	500	17.4	1.05	1.00	185	156	341	11.9	0.97	0.95	16	32	10	9	9	37
Beckingham M.B.	77,010	534	512	34	21	1,101	14.3	1.05	0.83	425	483	908	11.8	0.93	0.90	18	76	10	10	1	37
Bexley M.B.	89,790	681	717	29	26	1,453	16.2	1.03	0.92	418	446	864	9.6	1.15	0.90	26	18	20	17	23	29
Broadstairs and St. Peter's	17,860	105	85	6	5	201	11.3	1.42	0.88	147	173	320	17.9	0.60	0.88	3	15	3	3	3	29
Bromley M.B.	68,840	473	470	28	28	999	14.5	1.04	0.83	381	472	853	12.4	0.92	0.94	10	10	8	7	13	20
Chatham M.B.	50,220	555	466	31	29	1,081	14.5	0.82	1.04	236	228	228	10.1	1.23	1.02	1	19	8	7	15	20
Chislehurst and Sidcup	89,130	739	659	32	20	1,450	16.3	1.02	0.91	466	486	952	10.7	1.18	1.03	28	19	17	14	13	30
Crayford	32,620	301	296	6	10	613	18.8	0.92	0.95	143	118	261	8.0	1.37	0.90	9	15	8	7	13	28
Dartford M.B.	46,450	395	344	15	23	777	16.7	0.92	0.84	292	313	605	13.0	0.85	0.91	13	17	8	7	13	25
Deal M.B.	25,240	200	185	9	14	408	16.2	1.13	1.01	162	184	346	13.7	0.86	0.97	6	15	2	1	4	12
Dover M.B.	36,180	302	286	15	20	623	17.2	1.10	1.04	236	221	457	12.6	0.98	1.01	13	21	8	8	4	12
Erith M.B.	48,450	399	369	22	23	813	17.9	1.05	1.03	281	243	524	11.5	1.12	1.06	14	17	12	10	11	29
Faversham M.B.	13,340	124	121	5	6	256	19.2	1.10	1.16	102	137	239	17.9	0.67	0.98	6	23	3	3	16	34
Folkestone M.B.	45,590	312	320	38	22	692	15.9	1.21	1.06	316	418	734	16.8	0.74	1.02	9	13	7	4	13	24
Gillingham M.B.	75,770	678	647	35	54	1,414	18.7	1.02	1.05	456	420	876	11.6	1.07	1.02	31	22	16	13	33	32
Gravesend M.B.	53,280	522	522	16	36	1,174	22.0	0.92	1.11	271	281	552	10.4	1.19	1.01	21	18	13	12	28	41
Herne Bay	21,780	117	117	15	15	264	12.1	1.54	1.02	238	298	536	24.6	0.51	1.03	9	34	9	2	5	50
Hythe M.B.	10,150	63	63	5	3	134	13.2	1.32	0.98	86	94	160	17.7	0.63	0.91	2	15	2	2	5	40
Lyed M.B.	4,000	33	34	3	3	73	18.3	1.21	1.22	22	9	31	7.8	0.93	0.59	-	-	-	-	1	14
Maldstone M.B.	61,330	460	436	30	35	959	15.6	1.02	0.87	346	365	711	11.6	1.00	0.95	20	21	12	9	24	34
Margate M.B.	45,350	29	269	34	34	616	13.6	1.30	0.87	420	415	835	18.4	0.60	0.90	15	24	11	10	9	30
New Romney M.B.	23,860	31	25	1	2	59	19.9	1.42	1.22	27	12	39	13.2	0.85	0.92	2	34	1	1	3	65
Northfleet	23,850	350	239	12	9	510	21.7	0.93	1.11	112	99	211	9.0	1.27	0.94	14	27	10	8	13	40
Orrington	81,570	610	674	27	25	1,536	16.4	0.97	0.87	423	364	787	9.6	1.13	0.89	16	12	11	9	20	21
Penge	26,120	297	278	38	40	653	25.0	0.87	1.20	174	194	358	13.7	1.09	1.22	17	26	11	10	11	32
Queensborough M.B.	8,100	36	27	1	4	68	21.9	1.31	1.51	19	19	19	12.3	1.10	1.11	3	44	2	2	1	43
Ramsgate M.B.	37,670	294	257	29	28	606	16.1	1.49	1.05	288	316	604	16.0	0.77	1.01	12	20	9	7	11	29
Rochester M.B.	54,820	493	483	23	23	862	18.7	0.97	1.00	296	266	582	10.9	1.10	0.98	18	19	13	12	21	33
Royal Tunbridge Wells M.B.	40,380	325	291	23	23	862	16.4	1.10	0.99	315	489	804	19.9	0.63	1.03	15	23	9	8	5	19
Sandwich M.B.	4,440	37	36	1	-	74	16.7	1.18	1.08	38	27	65	14.5	0.70	0.84	2	27	2	4	1	27
Sevenoaks	17,670	128	131	6	3	269	15.2	1.13	0.94	101	103	204	11.5	0.84	0.79	5	19	4	2	3	37
Sheerness	13,720	111	127	14	14	268	19.4	1.13	1.20	100	102	202	14.7	0.90	1.08	8	30	5	4	9	47
Sittingbourne and Milton	24,720	230	223	12	11	478	19.3	1.02	1.08	166	156	322	13.0	0.79	0.84	3	6	2	2	7	14
Southborough	9,730	69	61	3	2	135	13.9	1.14	0.87	64	66	130	13.4	0.83	0.91	2	15	1	1	4	36
Swanscombe	9,410	80	84	6	4	154	16.9	0.97	0.90	51	47	98	10.8	1.22	1.08	1	6	-	-	2	13
Tenterden M.B.	5,060	24	23	5	2	67	13.2	1.25	0.91	49	67	116	22.9	0.49	0.92	1	-	-	-	2	29
Tonbridge	24,080	271	271	14	6	569	23.6	0.98	1.27	151	145	298	12.3	0.97	1.08	15	26	10	7	8	31
Whitstable	19,540	143	146	6	6	501	15.4	1.59	1.18	187	211	398	20.4	0.61	1.02	9	30	8	10	6	42



TABLE 13 - continued

Area	Estimated home population as at 30th June 1963	Live births						Deaths						Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate				
		Legitimate			Illegitimate			Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate	M	F	Total	Crude rate per 1,000 home population					Comparability factor	Ratio of local adjusted death rate to national rate	Number	Rate per 1,000 live births
		M	F	M	M	F	Total																
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22		
KENT - continued																							
Rural districts	386,260	3,437	3,328	183	172	7,120	18.4	1.05	1.06	2,532	2,455	4,987	12.9	0.89	0.94	131	18	98	89	126	30		
Bridge-Blean	20,900	182	137	47	9	333	15.9	1.43	1.03	185	174	359	17.2	0.52	0.73	6	18	3	3	6	27		
Cranbrook	18,600	112	109	42	7	242	15.5	1.45	0.98	87	124	211	13.5	0.74	0.82	5	21	5	5	33	33		
Dartford	56,320	605	552	21	17	1,195	21.2	0.88	1.03	306	272	578	10.3	1.10	0.93	20	17	13	11	20	26		
Dover	12,100	78	81	5	6	170	14.0	1.24	0.95	86	91	177	14.6	0.80	0.96	5	29	4	2	3	29		
East Ashford	10,980	78	86	2	1	167	15.2	1.48	0.99	73	73	146	13.3	0.79	0.86	4	24	4	4	3	41		
Eastly	22,830	168	188	11	7	374	16.4	1.43	1.02	193	167	360	15.8	0.71	0.92	6	16	5	5	8	34		
Elham	10,050	56	182	7	6	124	12.0	1.44	0.75	132	110	242	24.1	0.51	1.01	2	17	1	1	1	16		
Hollingbourn	17,750	164	151	9	16	339	19.1	1.10	1.45	109	99	208	11.7	0.97	0.93	12	35	7	7	8	43		
Maidstone	21,750	208	208	11	9	436	20.0	1.08	1.19	159	171	330	15.2	0.71	0.98	8	18	7	7	7	32		
Malling	43,620	430	455	23	21	929	21.3	0.96	1.12	258	268	526	12.1	1.12	1.11	17	18	12	12	14	28		
Romney Marsh	4,760	31	53	4	3	88	19.5	1.20	1.22	33	30	63	13.2	0.87	0.94	3	34	3	3	3	1		
Sevenoaks	41,220	324	325	45	41	675	16.4	1.07	0.96	214	220	434	10.5	1.04	0.90	10	15	7	6	14	29		
Sheppey	10,840	96	79	41	13	194	17.9	1.27	1.25	83	67	150	13.8	0.93	1.05	3	15	3	2	4	30		
Strood	31,560	344	320	13	15	692	22.1	1.08	1.17	165	136	301	9.6	1.24	0.98	13	19	9	8	11	27		
Swale	24,620	194	176	9	9	398	17.9	1.06	1.04	123	123	246	11.4	1.02	0.95	5	13	4	4	6	25		
Tenterden	7,580	48	50	2	6	106	14.0	1.43	0.91	51	48	99	13.1	0.87	0.93	2	19	2	1	10	30		
Tonbridge	25,960	236	222	15	15	498	18.8	1.03	1.06	202	168	370	14.2	0.87	1.01	6	12	5	5	5	43		
West Ashford	11,000	83	84	10	6	183	16.8	1.20	1.09	73	114	187	17.0	0.87	0.93	4	22	4	3	5	43		
LANCASHIRE																							
County boroughs	2,907,920	26,080	24,647	2,460	2,381	55,568	19.1	1.02	1.07	20,063	19,077	39,140	13.5	1.10	1.22	1,567	28	971	840	1,176	36		
Barrow-in-Furness	65,310	572	502	78	78	1,130	17.3	1.05	1.00	543	412	925	14.2	1.03	1.20	29	25	20	18	16	30		
Blackburn	104,980	822	767	76	77	1,735	16.5	1.41	1.01	827	884	1,711	16.3	0.93	1.24	39	22	20	14	36	28		
Blackpool	151,000	935	824	121	97	2,075	13.7	1.20	0.90	1,276	1,285	2,561	17.0	0.80	1.11	65	31	41	34	39	35		
Bolton	159,780	1,295	1,208	105	105	2,713	17.0	1.08	1.01	1,103	1,124	2,227	13.9	1.07	1.22	88	32	53	44	45	32		
Bootle	83,330	906	856	40	38	1,840	22.4	0.91	1.11	446	327	773	9.3	1.61	1.23	64	35	29	24	27	27		
Burnley	80,200	600	501	59	50	1,310	16.3	1.12	1.00	669	616	1,285	16.0	0.98	1.23	45	34	25	20	31	38		
Bury	61,740	624	533	40	37	1,234	20.3	1.03	1.13	420	487	907	14.7	1.02	1.23	26	21	17	16	21	29		
Liverpool	739,740	7,438	7,161	545	536	15,680	21.2	0.94	1.09	4,669	4,296	8,965	12.1	1.22	1.21	415	26	260	219	349	35		
Manchester	654,670	5,932	5,659	832	831	13,254	20.2	1.00	1.11	4,344	4,160	8,504	13.0	1.18	1.26	391	30	247	220	283	37		
Oldham	114,220	963	914	113	108	2,098	18.4	1.07	1.08	860	809	1,669	14.6	1.06	1.27	63	30	33	28	35	30		
Preston	111,670	906	860	101	95	1,856	18.4	1.08	1.09	727	705	1,432	12.8	1.13	1.19	57	28	34	32	47	37		
Rochdale	86,300	720	683	88	87	1,555	18.0	1.08	1.07	635	626	1,261	14.6	1.04	1.24	28	18	19	17	37	34		
St. Helens	107,480	930	889	44	43	1,876	17.5	1.00	0.96	724	609	1,333	12.4	1.23	1.25	51	27	35	31	64	49		
Salford	152,570	1,501	1,320	165	156	3,142	20.6	1.01	1.14	1,041	987	2,028	13.3	1.17	1.29	99	31	63	57	72	40		
Southport	80,160	583	432	33	31	1,089	13.6	1.20	0.90	702	800	1,502	18.7	0.70	1.07	29	27	23	22	20	38		
Warrington	75,980	723	619	50	41	1,433	18.9	1.05	1.09	534	478	1,012	13.3	1.18	1.29	41	29	31	28	23	35		
Wigan	78,780	632	649	33	30	1,344	17.1	1.05	0.99	573	472	1,045	13.3	1.13	1.23	39	29	21	16	31	34		
Administrative county	2,268,060	20,376	18,993	1,022	910	41,301	18.2	1.03	1.03	14,631	14,144	28,775	12.7	1.09	1.13	966	23	667	586	750	32		
Municipal boroughs and urban districts	1,923,230	17,187	16,064	919	840	35,010	18.2	1.03	1.03	12,427	12,133	24,560	12.8	1.10	1.15	847	24	585	511	630	32		
Abram	6,200	57	57	1	1	116	18.7	1.00	1.03	29	23	61	9.8	1.39	1.12	3	26	2	2	3	42		
Accrington M.B.	38,940	299	307	26	23	655	16.8	1.43	1.04	297	286	583	15.0	0.97	1.19	13	20	12	10	10	30		
Aslington	4,620	41	40	3	1	85	18.4	1.00	1.01	30	16	46	10.0	1.06	0.87	2	24	2	2	3	57		

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
Ash-ton-in-Makerfield	241	20,480	241	208	7	4	428	20.9	1.00	1.15	115	134	249	12.2	1.20	1.20	6	14	3	2	6	19
Ash-ton-under-Lyne M.B.	47	49,540	47	53	25	35	847	17.1	0.98	0.85	349	389	758	14.9	1.01	1.23	30	35	19	15	12	31
Aspull	52	6,900	52	53	1	2	108	18.7	0.98	0.85	41	32	73	10.6	1.39	1.21	1	-	6	3	2	18
Atherton	19,890	170	140	140	5	5	324	18.3	1.04	0.95	156	180	286	14.4	0.98	1.16	6	30	3	4	6	30
Audenshaw	12,050	105	88	88	5	5	203	18.3	1.03	0.95	72	65	137	11.4	1.11	1.04	9	28	6	3	2	24
Bacup M.B.	17,130	147	147	147	11	7	312	19.2	1.06	1.06	131	140	271	15.8	1.09	1.41	12	38	9	8	9	50
Barrowford	4,620	31	28	28	-	2	61	13.1	0.93	0.96	23	40	63	13.6	0.83	0.93	2	33	2	1	1	48
Billingdale-and-Winstanley	7,950	86	78	78	-	2	166	23.1	0.93	0.86	53	44	107	13.6	0.89	0.99	4	24	2	2	6	47
Blackrod	3,980	35	35	35	-	3	19	13.3	0.91	0.97	25	17	42	10.6	1.21	1.05	2	26	1	2	2	51
Brierfield	7,260	58	51	51	3	4	116	18.0	1.11	0.98	40	42	102	11.3	1.02	0.94	2	26	1	1	1	17
Carnforth	4,080	32	35	35	1	1	69	16.9	1.04	0.97	28	14	42	10.3	1.15	0.97	1	14	1	1	-	14
Chaderton	32,870	296	245	245	14	11	586	17.2	0.99	0.94	251	202	416	12.7	1.14	1.19	14	25	8	7	7	24
Chorley M.B.	31,210	57	277	277	16	22	552	17.7	1.07	1.04	183	229	418	13.4	1.04	1.14	12	22	10	9	10	34
Church	5,890	51	50	50	3	3	107	18.2	1.05	1.05	53	36	79	13.4	1.23	1.35	5	47	1	1	1	19
Clayton-le-Moors	6,510	49	51	51	2	8	110	16.9	1.07	0.99	58	44	102	15.7	1.09	1.40	3	27	3	3	2	45
Clitheroe M.B.	12,370	118	97	97	5	2	272	17.9	1.17	1.15	87	134	221	17.9	1.03	1.22	4	18	2	2	1	13
Colne M.B.	19,260	129	116	116	16	13	274	14.2	1.21	0.94	156	123	278	14.5	0.86	1.14	9	33	5	4	6	36
Crompton	13,610	145	104	104	8	5	262	19.3	1.05	1.01	98	109	199	14.5	1.08	1.28	9	34	7	7	5	45
Crosby M.B.	59,510	547	559	559	16	28	1,150	19.3	1.03	1.03	384	469	833	14.0	0.88	1.12	27	23	16	15	15	26
Dalton-in-Furness	10,310	76	75	75	5	1	157	15.2	1.05	0.88	83	77	160	15.5	1.06	1.35	4	25	2	2	4	31
Darwen M.B.	29,440	230	242	242	12	22	506	17.2	1.11	1.05	229	222	451	15.3	1.00	1.25	16	32	12	9	13	42
Denton	32,250	333	342	342	17	10	702	21.8	0.88	1.05	168	145	317	9.8	1.30	1.04	13	19	8	7	20	37
Droylsden	25,660	226	200	200	15	9	450	17.5	1.02	0.98	135	123	237	10.0	1.28	1.03	14	31	11	8	11	41
Eccles M.B.	42,850	376	312	312	26	26	739	17.2	1.04	0.98	283	263	566	13.2	0.99	1.07	10	14	9	8	13	28
Falsworth	21,050	230	193	193	5	7	435	20.7	0.95	1.08	111	116	227	10.8	1.23	1.09	8	18	4	3	9	27
Farnworth M.B.	27,230	259	235	235	18	9	521	19.1	1.10	1.05	195	185	390	14.0	0.91	1.04	17	33	15	14	5	36
Fleetwood M.B.	26,220	261	224	224	24	16	525	18.5	1.05	1.07	189	207	386	14.0	0.91	1.20	16	30	10	1	12	34
Formby	13,290	144	126	126	3	1	274	20.6	1.06	1.02	74	67	141	10.9	0.90	0.97	3	11	2	1	6	25
Fulwood	17,280	159	156	156	2	4	321	18.6	1.01	1.03	128	150	273	10.9	0.99	0.97	2	5	2	2	7	27
Golborne	22,900	240	228	228	2	9	479	20.9	0.86	0.99	130	127	257	11.2	1.37	1.26	11	23	7	6	8	29
Grange	2,820	8	15	15	-	2	25	8.9	1.77	0.82	32	38	70	24.8	0.49	1.02	-	-	-	-	-	-
Great Harwood	10,760	79	78	78	4	4	165	15.3	0.99	0.97	67	71	138	12.8	0.97	1.02	1	6	1	1	6	35
Haslingden M.B.	14,240	123	114	114	13	12	262	18.4	1.12	1.13	95	117	212	14.9	0.98	1.20	3	11	1	1	1	1
Haydock	12,440	128	106	106	-	4	238	19.1	0.95	1.00	75	59	134	10.8	1.15	1.02	8	34	4	4	4	33
Heywood M.B.	25,450	245	224	224	24	18	511	20.1	1.06	1.17	167	174	341	13.4	1.13	1.24	15	29	11	9	11	38
Hindley	20,850	175	180	180	8	5	368	17.8	1.02	1.00	154	135	289	14.0	1.19	1.35	8	22	5	4	11	40
Horwich	16,240	127	122	122	7	3	259	15.9	1.08	0.94	117	103	220	13.5	1.07	1.19	22	31	7	7	5	45
Ruyton-with-Roby	66,910	724	681	681	29	29	1,463	21.9	0.91	1.10	306	254	560	8.4	1.74	1.20	41	37	28	25	1	38
Ince-in-Makerfield	18,000	143	142	142	3	6	294	16.3	1.03	0.92	132	83	245	11.9	1.27	1.24	10	34	8	5	5	40
Irlam	16,190	159	179	179	4	5	347	21.4	1.02	1.20	96	82	178	11.0	1.19	1.07	7	20	5	5	4	26
Kearsley	10,490	87	83	83	3	4	177	16.9	1.09	1.01	53	78	131	12.5	1.16	1.19	5	28	3	3	3	33
Kirkby	56,550	620	559	559	29	28	1,236	21.9	0.97	1.17	129	120	249	4.4	3.14	1.13	38	30	27	27	16	33
Kirkham	5,860	48	46	46	1	5	100	17.1	1.10	1.03	33	31	64	10.9	1.21	1.08	2	20	17	15	1	16
Lancaster M.B.	48,460	360	372	372	30	24	786	18.2	1.11	0.99	350	397	747	15.4	0.73	0.92	24	31	17	15	1	1
Lees	3,730	33	29	29	1	-	63	16.9	1.23	1.14	35	29	64	17.2	0.68	1.24	1	16	-	-	-	-
Leigh M.B.	46,530	414	357	357	14	19	804	17.3	1.10	1.05	322	268	590	12.7	1.14	1.19	22	27	15	13	12	31
Leyland	20,330	190	178	178	3	8	379	18.6	0.97	0.99	117	93	210	10.3	1.40	1.18	10	26	9	8	12	31
Litherland	25,170	256	241	241	10	8	515	20.5	0.97	1.09	144	116	260	10.3	1.46	1.23	13	25	8	8	14	42
Littleborough	10,740	107	93	93	9	8	215	20.0	1.07	1.18	85	69	154	14.3	1.09	1.28	7	33	6	6	4	42
Little Lever	5,550	69	66	66	1	2	138	24.9	0.97	1.33	32	26	58	10.5	1.17	1.01	3	22	2	1	3	28
Longridge	4,960	53	58	58	6	2	119	24.0	1.06	1.40	35	31	66	13.3	1.19	1.30	1	8	-	-	-	33
Lytham St. Anne's M.B.	36,300	211	204	204	14	16	445	12.3	1.25	0.84	294	358	652	18.0	0.70	1.03	12	27	10	-	4	20
Lythamton M.B.	58,860	528	501	501	27	32	1,088	18.5	0.97	0.99	304	276	580	9.9	1.54	1.25	32	28	27	25	28	43
Millarow	8,310	82	71	71	2	1	108	18.8	1.13	1.17	70	69	139	16.7	0.98	1.34	3	13	6	6	2	28
Morecambe and Heysham M.B.	40,000	240	237	237	37	13	527	13.2	1.26	0.91	366	356	722	18.1	0.72	1.07	9	17	7	6	10	30
Mossley M.B.	9,800	75	86	86	1	10	172	17.6	1.15	1.11	65	75	140	14.3	1.08	1.27	12	23	-	-	-	-
Nelson M.B.	32,000	252	224	224	23	20	519	16.2	1.14	1.01	241	252	493	15.4	0.91	1.15	12	23	6	6	7	25
Newton-le-Willows	21,990	201	186	186	10	6	373	17.0	1.01	0.94	138	146	284	12.9	1.15	1.22	13	35	10	10	7	45
Ormskirk	23,740	233	200	200	12	7	452	19.0	1.01	1.05	147	135	280	11.8	1.00	0.97	7	15	6	6	4	22
Orrell	11,330	104	89	89	2	2	197	17.4	0.97	0.93	72	60	132	11.7	1.24	1.19	5	25	4	4	4	40
Oswaldtwistle	12,300	105	83	83	5	9	202	16.4	1.10	0.99	100	85	185	15.0	0.99	1.22	2	10	2	2	5	34
Radcliffe	10,030	171	121	121	6	7	171	17.0	1.11	1.04	75	87	162	16.1	1.01	1.33	4	23	4	3	3	34
Radcliffe-le-Fylde	15,630	136	121	121	6	3	266	19.1	1.02	1.06	95	81	176	12.5	1.00	1.02	3	11	-	-	4	15
Reesall	6,890	16	9	9	-	3	25	9.3	1.00	0.86	28	18	46	17.1	0.76	1.07	1	19	1	1	1	40
Prescot	13,230	142	115	115	4	8	269	20.3	0.95	1.06	90	74	164	12.4	1.26	1.28	5	19	5	5	3	29
Prestwich M.B.	34,160	218	210	210	17	12	457	13.4	1.07	0.79	259	272	531	15.5	0.79	0.99	4	9	4	4	4	17
Radcliffe M.B.	26,960	263	217	217	20</																	



TABLE 13 - continued

Area	Estimated home population as at 30th June 1963	Live births					Deaths							Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate		
		Legitimate		Illegitimate		Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local to national rate	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local to national rate					Number	Rate per 1,000 live births
		M	F	M	F																
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
LANCASHIRE - continued																					
Municipal boroughs and urban districts - continued																					
Rainford	5,810	76	45	1	2	124	21.3	0.87	1.02	23	33	56	9.6	1.30	1.02	5	24	3	3	3	47
Ramsbottom	13,950	111	101	9	5	226	16.2	1.12	1.00	88	103	191	13.7	0.98	1.10	5	22	5	4	4	39
Rawtenstall M.B.	23,830	196	169	12	14	394	16.4	1.10	0.99	188	205	393	16.5	0.95	1.26	7	13	5	1	1	28
Rochdale	5,440	27	43	1	1	71	13.1	1.13	0.81	44	40	84	15.4	0.94	1.19	1	14	1	1	1	20
Royton	15,140	146	139	4	6	295	19.5	1.04	1.11	98	92	190	12.5	1.10	1.13	8	27	6	4	4	20
Skelmersdale	6,420	58	53	4	1	116	18.1	1.04	1.03	35	31	66	10.5	1.25	1.06	2	17	1	1	1	25
Standish-with-Longtree	10,020	81	83	2	4	170	17.0	0.98	0.92	65	48	113	11.3	1.22	1.13	6	35	6	5	5	57
Stretford M.B.	60,560	532	527	73	49	1,181	19.5	1.02	1.09	392	333	725	12.0	1.22	1.20	31	26	14	12	25	31
Swinton and Pendlebury M.B.	41,230	348	331	13	13	710	17.2	1.02	0.98	247	242	489	11.9	1.17	1.14	9	13	6	6	13	26
Thornton Cleveleys	21,250	162	146	13	3	324	15.2	1.20	1.00	201	179	380	17.9	0.76	1.12	6	19	5	4	6	36
Tottington	5,940	38	32	1	-	71	12.0	1.12	0.74	45	50	95	16.0	0.84	1.10	1	14	-	-	1	14
Trawden	1,900	19	12	-	-	31	16.3	1.26	1.13	12	15	27	14.2	0.94	1.09	-	7	-	-	-	-
Turton	15,690	168	176	3	3	350	22.3	0.89	1.09	102	83	185	11.8	1.04	1.04	6	17	4	4	6	28
Tyldesley	17,180	145	135	7	4	284	16.9	1.10	1.02	107	97	204	11.9	1.13	1.03	3	20	2	2	1	27
Ulverston	10,490	69	74	1	3	147	14.0	1.09	0.94	92	93	185	17.6	0.85	1.23	3	70	1	1	1	37
Up Holland	8,610	102	84	3	1	190	22.1	0.92	1.12	55	41	96	11.1	1.33	1.21	4	21	2	2	4	37
Urmston	43,120	425	395	17	15	852	19.8	0.95	1.03	198	223	421	9.8	1.26	1.01	15	18	10	7	13	23
Walton-le-Dale	20,440	265	231	11	5	512	25.0	0.89	1.22	109	95	204	10.1	1.31	1.07	15	29	10	9	5	27
Wardle	4,390	24	33	4	4	65	14.8	0.96	0.78	33	40	73	16.6	0.85	1.16	3	46	3	3	3	46
Westthorpe	16,920	153	152	4	4	313	18.5	0.99	1.01	122	88	210	12.4	1.08	1.10	13	42	5	5	4	28
Whitefield	15,180	171	143	5	3	322	21.2	0.95	1.11	106	83	189	12.5	1.19	1.22	11	34	7	5	5	37
Whitworth	7,070	71	68	9	5	153	21.6	1.01	1.20	44	64	108	15.3	1.15	1.44	6	39	5	5	4	57
Widnes M.B.	53,620	551	547	24	25	1,147	21.4	0.94	1.11	321	259	580	10.8	1.41	1.25	43	37	32	26	21	40
Withnell	2,850	48	14	1	-	33	11.6	1.23	0.78	18	22	40	14.0	0.83	0.95	-	10	-	-	1	29
Worsley	43,040	355	331	12	16	714	16.6	1.03	0.94	234	236	470	10.9	1.35	1.21	7	10	4	4	11	27
Rural districts	344,830	3,189	2,929	103	70	6,291	18.2	0.99	0.99	2,204	2,011	4,215	12.2	0.98	0.98	119	19	82	75	130	30
Blackburn	16,300	107	113	3	-	223	13.7	0.94	0.71	103	134	216	13.3	0.93	1.01	8	36	7	6	4	44
Bury	16,090	128	114	9	4	255	15.8	1.14	0.99	125	134	259	16.1	0.89	1.17	4	16	3	3	3	19
Chorley	29,420	255	232	10	5	522	17.7	1.07	1.04	195	179	374	12.7	1.08	1.12	11	21	8	7	9	30
Culteroe	9,440	50	49	1	3	103	10.9	1.13	0.68	75	44	119	12.6	0.89	0.92	2	19	2	2	2	56
Fylde	17,700	160	163	7	4	334	18.9	1.01	1.20	44	64	108	15.3	1.15	1.44	6	39	5	5	4	27
Garstang	15,060	145	135	10	2	292	19.4	1.08	1.15	111	67	178	11.8	0.99	0.96	2	17	3	3	1	29
Lancaster	14,820	90	72	2	3	167	11.5	1.23	0.76	141	97	238	16.1	0.75	0.99	3	18	3	2	2	3
Lunesdale	8,950	88	74	1	1	164	18.5	1.00	1.02	59	52	111	12.5	0.94	0.96	2	12	2	2	2	41
North Lonsdale	15,850	110	106	2	3	221	13.9	1.17	0.89	124	132	256	16.1	0.63	0.83	3	14	2	2	3	22
Preston	45,110	392	341	16	7	756	16.8	1.08	1.00	341	328	669	14.8	1.08	1.31	10	13	5	4	19	30
Warrington	34,900	405	348	11	14	778	22.3	0.88	1.08	203	186	389	11.1	0.95	0.86	13	17	7	6	9	19
West Lancashire	60,100	656	597	15	14	1,282	21.3	0.90	1.05	315	254	569	9.5	1.23	0.95	25	20	18	17	26	33
Whiston	50,380	506	457	14	4	981	19.5	0.89	0.95	215	229	444	8.1	1.07	0.77	22	22	16	15	24	39
Wigan	10,710	97	108	2	6	213	19.9	0.94	1.03	58	52	110	10.3	1.25	1.06	8	38	4	4	7	50
LEICESTERSHIRE																					
	696,880	6,309	5,860	434	420	13,023	18.7	1.00	1.03	4,086	3,894	7,980	11.5	1.06	1.00	241	19	177	159	241	30
Leicester C.B.	270,390	2,336	2,121	281	278	5,016	18.6	1.07	1.09	1,770	1,788	3,558	13.2	0.99	1.07	107	21	75	67	99	32
Administrative county	426,490	3,973	3,739	153	142	8,007	18.8	0.97	1.00	2,316	2,106	4,422	10.4	1.10	0.94	134	17	102	92	142	29



Municipal borough and urban districts	192,000	1,749	1,686	69	77	3,581	18.7	0.97	1.00	1,035	982	2,017	10.5	1.12	0.96	61	17	46	42	54	26
Asby de la Zouch	7,560	66	69	2	4	141	13.7	1.00	1.03	42	36	78	10.3	1.00	0.84	2	14	1	1	14	30
Asby Wolds	3,370	25	24	-	1	50	14.8	1.07	0.87	17	16	33	9.8	1.18	0.95	3	60	3	3	60	30
Coatville	26,840	193	230	6	12	441	16.4	1.02	0.92	160	135	285	11.0	1.14	1.03	4	176	4	4	24	24
Hinckley	42,000	356	320	24	11	711	16.9	0.99	0.92	214	218	432	10.3	1.21	1.02	13	178	6	5	15	28
Leighborough M.B.	38,990	358	302	14	17	691	17.7	1.03	1.00	235	235	470	12.1	1.10	1.09	11	16	9	9	26	36
Market Harborough	12,020	102	102	7	3	214	17.8	1.03	1.01	82	82	164	13.6	0.81	0.90	2	9	2	2	36	36
Melton Mowbray	16,310	163	162	8	9	342	21.0	0.98	1.13	102	93	195	12.0	0.84	0.83	9	26	8	6	29	29
Oadby	14,050	145	146	1	3	296	21.1	0.83	0.96	50	44	94	6.7	1.27	0.70	4	14	4	4	3	27
Shepshed	7,420	65	67	1	3	136	13.3	0.95	0.96	35	46	81	10.9	1.15	1.03	4	29	3	3	27	27
Wigston	23,440	276	264	6	13	559	23.8	0.83	1.09	98	77	175	7.5	1.39	0.85	6	11	6	5	21	21
Rural districts	234,490	2,224	2,053	84	65	4,426	18.9	0.96	1.00	1,281	1,124	2,405	10.3	1.09	0.92	73	16	56	50	31	31
Asby de la Zouch	13,680	102	91	2	197	14.4	1.03	0.81	1.00	81	62	143	10.5	1.09	0.94	1	5	1	1	30	30
Barrow upon Soar	60,200	607	569	22	19	1,217	20.2	0.96	1.07	300	257	557	9.3	1.15	0.98	19	15	14	14	30	30
Bilblesdon	20,810	199	173	7	6	385	18.5	0.83	0.84	80	68	148	7.1	1.61	0.84	6	16	3	3	23	23
Elaby	60,390	652	620	16	14	1,302	21.6	0.86	1.02	330	299	629	10.4	1.00	0.85	22	17	18	16	32	32
Castle Donington	10,040	76	69	9	5	159	15.8	1.08	0.94	50	41	91	9.1	1.11	0.83	2	13	1	1	31	31
Lutterworth	13,060	116	109	3	7	235	18.0	1.10	1.09	66	60	126	9.6	1.09	0.86	3	13	2	2	29	29
Market Bosworth	28,240	249	236	15	6	506	17.9	1.04	1.02	203	195	398	14.1	0.89	1.03	9	18	6	6	33	33
Market Harborough	9,310	93	63	2	2	160	17.2	1.15	1.09	81	61	142	15.3	0.93	1.17	8	24	5	5	55	55
Melton and Belvoir	18,770	130	123	8	4	265	14.1	1.10	0.85	90	81	471	9.1	1.02	0.76	5	19	5	5	2	19
LINCOLNSHIRE PARTS OF HOLLAND	104,580	809	765	47	53	1,674	16.0	1.00	0.88	603	571	1,174	11.2	1.02	0.94	32	19	21	18	33	30
Municipal borough and urban district	40,080	322	318	22	28	690	17.2	1.01	0.95	247	259	506	12.6	0.97	1.00	13	19	9	7	27	27
Boston M.B.	25,010	209	196	15	22	442	17.7	1.01	0.95	136	140	276	11.0	1.08	0.97	9	20	5	5	3	27
Spalding	15,070	113	122	7	6	248	16.5	1.00	0.91	141	119	230	15.3	0.77	0.97	4	16	4	4	3	28
Rural districts	64,500	487	447	25	25	984	15.3	1.00	0.84	356	312	668	10.4	1.06	0.90	19	19	12	11	32	32
Boston	22,800	191	152	7	11	361	15.8	0.99	0.86	129	110	239	10.5	1.06	0.91	14	14	4	3	5	22
East Elloe	162	160	162	7	8	337	15.2	1.02	0.95	145	122	267	12.1	0.98	0.97	8	24	5	5	9	40
Spalding	19,590	134	135	11	6	286	14.6	0.98	0.79	82	80	162	8.3	1.14	0.78	6	21	3	3	7	34
LINCOLNSHIRE PARTS OF KESTEVEN	141,540	1,300	1,217	63	64	2,644	18.7	1.00	1.03	865	807	1,672	11.8	0.95	0.92	46	17	33	29	41	26
Municipal boroughs and urban districts	51,120	422	403	21	23	869	17.0	1.06	0.99	330	320	650	12.7	0.87	0.91	15	17	10	8	16	27
Bourne	5,430	38	47	1	1	87	16.0	1.00	0.88	25	31	56	10.3	1.00	0.84	1	10	6	5	22	22
Grantham M.B.	25,420	207	212	13	15	447	17.6	1.07	1.03	156	142	298	11.7	1.00	0.96	11	25	6	5	6	24
Stamford	7,750	64	57	2	1	124	16.0	1.07	0.94	76	72	148	19.1	0.60	0.94	3	24	3	2	54	54
Stamford M.B.	12,520	113	87	5	6	211	16.9	1.05	0.98	73	75	148	11.8	0.85	0.82	4	5	1	1	3	19
Rural districts	90,420	878	814	42	41	1,775	19.6	0.98	1.06	535	487	1,022	11.3	1.01	0.94	31	17	23	21	25	26
East Kesteven	21,010	183	199	8	13	403	19.2	1.04	1.10	101	103	204	9.7	1.16	0.92	6	15	4	4	6	24
North Kesteven	35,890	354	352	17	14	767	21.4	0.95	1.12	226	211	437	12.2	0.85	0.85	13	17	10	9	2	22
South Kesteven	15,260	143	117	8	7	275	18.0	1.03	1.02	91	87	178	11.7	1.04	1.00	5	18	5	4	9	46
West Kesteven	18,260	168	146	9	7	330	18.1	0.92	0.91	417	86	203	11.1	1.11	1.01	7	21	4	4	3	21
LINCOLNSHIRE PARTS OF LINDSEY	518,110	4,730	4,463	287	299	9,779	18.9	1.03	1.07	3,195	2,738	5,933	11.5	1.05	0.99	192	20	86	110	195	31
County boroughs	173,790	1,612	1,477	115	119	3,323	19.1	1.02	1.07	1,084	906	1,990	11.5	1.07	1.01	62	19	39	32	68	29
Grimsby	96,350	821	848	68	80	1,917	19.9	1.02	1.12	588	479	1,077	11.2	1.12	1.03	37	19	22	19	39	30
Lincoln	77,440	891	829	47	59	1,406	18.2	1.02	1.02	486	427	913	11.6	1.01	0.98	25	18	17	13	29	29
Administrative county	344,320	3,118	2,986	172	180	6,456	18.8	1.03	1.06	2,111	1,832	3,943	11.5	1.04	0.98	130	20	86	78	127	31
Municipal boroughs and urban districts	170,470	1,483	1,428	120	108	3,139	18.4	1.03	1.04	1,058	978	2,036	11.9	1.06	1.03	72	23	46	40	76	36
Alford	2,170	12	16	-	-	28	12.9	1.26	0.89	17	11	28	12.9	0.67	0.71	-	-	-	-	1	34
Barton-upon-Humber	6,590	51	46	5	1	103	15.6	1.07	0.92	54	34	88	13.4	0.89	0.98	1	10	-	-	1	34
Brigg	4,910	40	41	5	5	91	18.5	1.06	1.08	44	35	79	16.1	0.96	1.27	3	33	2	2	3	28
Cleethorpes M.B.	33,220	335	271	22	21	649	19.5	1.01	1.08	191	221	412	12.4	1.06	1.08	11	17	6	5	10	23
Gainsborough	17,240	123	139	11	8	280	16.3	1.05	0.94	108	124	232	13.5	0.90	1.00	9	32	5	4	9	45
Horncastle	3,850	33	25	2	3	62	16.1	1.02	0.90	22	23	50	13.0	0.97	1.03	1	16	1	1	5	30
Louth M.B.	11,400	84	95	4	3	186	16.3	1.09	0.98	77	96	173	15.2	0.81	1.01	4	27	3	2	5	30
Mablethorpe and Sutton	5,280	55	53	4	4	114	21.6	1.29	1.53	42	47	89	16.9	0.72	1.00	1	9	1	1	5	37
Market Rasen	2,300	14	26	2	3	45	19.6	1.21	1.30	21	24	45	19.6	0.79	1.27	1	22	1	1	1	17
Scunthorpe M.B.	68,890	627	621	48	54	1,350	19.6	0.97	1.04	365	227	592	8.6	1.51	1.06	35	26	22	19	30	36
Skegness	12,410	85	82	15	9	191	15.4	1.20	1.02	98	96	194	15.6	0.78	1.00	5	26	5	8	1	65
Woodhall Spa	2,240	24	14	2	-	40	17.9	1.40	1.38	19	35	54	24.1	0.59	1.17	-	-	-	-	1	-

TABLE 13 - continued

Area	Estimated home population as at 30th June 1963	Live births						Deaths						Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
		Legitimate			Illegitimate			Grande rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate	M	F	Total	Grande rate per 1,000 home population	Comparability factor					Ratio of local adjusted death rate to national rate	Number	Rates per 1,000 live births																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
		M	F	Total	M	F	Total																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
																						3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
1	2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								</



	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
Edmonton M.B.	90,770	610	625	39	40	1,313	14.5	1.03	0.82	511	529	1,040	11.5	1.04	0.98	32	24	26	19	12	23
Enfield M.B.	109,570	777	751	47	44	1,619	14.8	1.02	0.83	664	510	1,176	10.7	1.07	0.94	33	20	18	16	29	27
Feltham	52,040	517	496	28	18	1,059	20.3	0.91	1.02	229	210	439	8.4	1.48	1.02	31	20	19	18	12	26
Finchley M.B.	64,530	512	515	39	34	1,100	15.0	0.96	0.84	389	485	854	12.3	0.90	0.81	18	16	16	16	18	23
Friern Barnet	28,530	179	183	10	17	369	13.0	1.09	0.78	251	276	527	18.6	0.65	0.99	18	22	7	6	9	40
Harrow M.B.	209,520	1,550	1,434	92	81	3,157	15.1	1.02	0.85	1,092	1,079	2,171	10.4	1.08	0.92	52	16	39	36	53	28
Haves and Harlington	58,630	534	582	39	34	1,289	19.8	0.93	0.76	348	237	585	8.5	1.49	1.03	19	17	15	15	15	26
Hendon M.B.	150,200	1,043	955	77	79	2,154	14.3	0.97	0.88	855	839	1,684	11.2	1.01	0.93	39	18	24	24	24	26
Heston and Isleworth M.B.	101,860	714	665	60	47	1,486	14.6	1.02	0.82	611	539	1,450	11.3	1.01	0.94	11	12	19	20	19	19
Hornsey M.B.	96,190	1,014	1,042	158	164	2,378	24.2	0.83	1.10	574	650	1,224	12.5	0.97	0.99	54	23	35	29	35	27
Potters Bar	23,870	244	467	9	7	397	16.6	1.00	0.91	103	108	211	8.8	1.20	0.87	5	13	3	5	20	20
Ruislip-Northwood	74,790	504	550	21	29	1,074	14.4	1.02	0.81	357	349	706	9.4	1.17	0.90	14	12	12	12	15	25
Southern M.B.	53,980	587	544	41	51	1,213	22.5	1.03	0.87	389	408	776	14.4	0.84	0.99	27	22	19	19	19	29
Southgate M.B.	71,210	495	446	44	27	1,012	14.2	1.10	0.86	456	509	965	13.6	0.81	0.90	9	9	7	10	17	17
Staines	52,430	515	454	20	26	1,015	19.4	0.89	0.95	275	235	510	9.7	1.28	1.02	20	20	15	14	13	31
Sunbury-on-Thames	35,630	340	340	9	13	757	21.2	0.84	0.98	171	185	356	10.0	1.23	1.01	17	22	10	8	11	25
Tottenham M.B.	112,700	1,022	960	122	137	2,241	19.9	0.98	1.07	743	686	1,439	12.8	1.02	1.07	56	25	42	36	32	30
Twickenham M.B.	102,110	756	755	40	43	1,539	15.7	1.02	0.88	651	661	1,324	13.0	0.91	0.97	23	23	23	19	13	23
Uxbridge M.B.	64,930	526	513	40	32	1,111	17.1	0.94	0.88	308	373	681	10.5	1.21	1.04	12	11	18	17	13	18
Wembley M.B.	124,610	860	818	61	54	1,793	14.4	1.05	0.83	687	620	1,287	10.3	1.10	0.93	24	13	17	14	27	23
Willesden M.B.	172,130	1,947	1,842	419	390	4,568	26.5	0.83	1.21	940	875	1,815	10.5	1.17	1.04	96	21	65	57	96	33
Wood Green M.B.	47,060	416	373	49	49	887	18.3	1.03	1.06	286	287	583	12.4	0.97	0.99	45	17	9	9	14	26
Windsor and West Drayton	24,190	224	218	13	12	467	19.3	0.95	1.01	109	103	212	8.9	1.43	1.03	13	28	9	8	34	34
<b>NORFOLK</b>																					
County boroughs	172,120	1,251	1,143	133	127	2,644	15.4	1.06	0.90	1,217	1,165	2,382	13.8	0.92	1.04	47	18	33	27	38	24
Great Yarmouth	52,670	376	357	41	43	847	15.1	1.03	0.92	405	408	811	15.4	0.84	1.06	17	10	9	12	25	25
Norwich	119,450	875	786	82	84	1,827	15.3	1.03	0.83	812	759	1,571	13.2	0.95	1.03	30	16	23	18	26	24
Administrative county	396,920	3,172	3,012	168	175	6,527	16.4	1.05	0.95	2,559	2,588	5,147	13.0	0.87	0.93	106	16	79	66	107	26
Municipal boroughs and urban districts	78,130	637	589	48	49	1,323	16.9	1.03	0.96	551	565	1,116	14.3	0.82	0.96	31	23	23	19	19	28
Cromer	4,790	24	28	3	5	60	12.5	1.05	0.79	49	67	116	24.2	0.57	1.13	-	-	-	-	-	-
Diss	3,720	28	26	2	2	56	12.1	1.05	0.76	33	19	32	8.6	0.87	0.61	1	18	1	1	1	52
Downham Market	2,850	23	20	-	3	46	18.1	1.43	1.00	35	26	59	20.7	0.45	0.78	-	-	-	-	-	42
East Dereham	7,420	53	48	4	1	106	14.3	1.09	0.85	52	49	101	13.6	0.85	0.95	1	9	1	1	1	9
Hunstanton	3,810	27	31	4	5	67	17.6	0.80	0.77	20	37	57	15.0	0.75	0.92	2	30	2	1	1	29
King's Lynn M.B.	27,500	239	238	21	21	519	19.9	0.99	1.03	181	151	342	12.4	0.98	1.00	14	27	8	6	9	28
North Walsham	5,050	31	29	3	1	64	12.7	1.15	0.80	40	37	77	15.2	0.78	0.97	3	47	3	3	1	62
Sheringham	4,620	20	24	3	4	51	11.0	1.25	0.76	38	48	83	18.0	0.65	0.96	-	-	-	-	-	-
Swafton	3,250	32	24	2	-	55	16.9	0.96	0.89	19	25	44	13.5	0.87	0.96	-	-	-	-	-	-
Thetford M.B.	6,750	90	72	4	4	170	25.2	0.96	1.33	35	47	82	12.1	0.73	0.72	5	29	5	4	4	46
Wells-next-the-Sea	2,450	19	19	-	1	39	15.9	1.14	1.00	49	33	45	19.4	0.85	1.29	2	51	1	1	1	26
Wymondham	5,920	51	33	2	4	90	15.2	1.04	0.97	45	33	78	13.2	0.93	1.01	3	33	2	2	-	22
Rural districts	318,790	2,535	2,423	120	126	5,204	16.3	1.05	0.94	2,008	2,023	4,031	12.6	0.88	0.91	75	14	56	47	88	26
Elfield and Flegg	35,950	247	236	8	9	499	13.9	1.11	0.85	287	246	533	17.6	0.82	0.89	6	12	2	2	7	18
Depwade	17,500	119	130	5	7	260	14.9	1.19	0.97	109	125	233	13.4	0.80	0.86	1	4	-	3	3	30
Docking	18,080	136	119	8	11	274	15.2	1.05	0.89	125	111	236	13.1	0.80	0.86	5	18	3	3	3	22
Downham	25,650	221	205	9	10	445	17.3	1.04	0.99	100	95	195	7.6	1.20	0.75	4	9	2	2	5	16
Erpingham	18,700	119	125	11	12	267	14.3	1.18	0.93	153	123	276	14.8	0.73	0.89	2	7	2	1	3	15
Forehoe and Henstead	28,090	206	172	15	11	449	16.0	1.02	0.90	210	209	419	14.9	0.70	0.85	12	27	11	10	14	52
Freebridge Lynn	12,270	117	122	11	8	258	21.0	0.99	1.14	67	69	135	11.1	0.94	0.83	5	19	4	4	1	15
Loddon	12,350	91	89	6	4	190	15.4	1.03	0.87	66	73	139	11.3	0.80	0.83	2	17	2	1	1	45
Marshland	17,320	140	137	4	11	292	16.9	1.02	0.95	99	76	175	10.1	1.13	0.94	2	7	1	1	3	14
Mitford and Launditch	17,810	142	107	6	4	259	14.5	1.11	0.88	132	114	246	13.8	0.79	0.89	4	15	4	4	1	19
St. Faith's and Aylsham	48,400	476	470	12	13	971	20.1	0.90	0.96	275	300	575	11.9	0.98	0.95	14	14	13	10	15	28
Smallburgh	17,240	108	87	8	6	209	12.1	1.15	0.76	117	112	233	13.3	0.87	0.95	4	19	2	2	3	24
Swafton	9,360	94	86	7	3	190	20.3	1.05	1.17	48	44	92	9.8	1.03	0.97	3	16	1	1	3	45
Walsingham	20,410	157	165	9	10	341	16.7	1.09	1.00	107	111	218	10.7	1.10	0.86	5	15	4	2	2	20
Wayland	19,660	163	128	1	8	300	15.3	1.11	0.93	113	115	228	11.6	0.97	0.82	6	20	5	4	4	26
<b>NORTHAMPTONSHIRE</b>																					
County boroughs	411,160	3,739	3,500	249	257	7,745	18.8	1.05	1.08	2,503	2,329	4,832	11.8	0.98	0.95	136	18	93	85	116	26
Northampton C.B.	105,420	946	868	96	96	2,006	19.0	1.06	1.11	719	697	1,405	13.3	0.91	0.99	34	17	23	22	27	24
Administrative county	305,740	2,793	2,632	153	161	5,739	18.8	1.04	1.07	1,784	1,642	3,426	11.2	1.01	0.93	102	18	70	63	89	26



TABLE 13 - continued

Area	Estimated home population as at 30th June 1963	Live births						Deaths						Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate				
		Legitimate			Illegitimate			Total	Grande rate per 1,000 home population	Comparability Factor	Ratio of local to national rate	M	F	Total	Grande rate per 1,000 home population					Comparability Factor	Ratio of local to national rate	Number	Rates per 1,000 live births
		M	F		M	F																	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22		
NORTHAMPTONSHIRE - continued Municipal boroughs and urban districts	169,570	1,625	1,514	92	105	3,336	19.7	1.02	1.10		956	1,863	11.0	1.05	0.95	58	17	40	34	57	27		
	3,610	39	40	1	2	82	22.7	1.11	1.38		19	28	13.0	0.95	1.01	1	12	-	-	1	14		
	4,410	33	35	2	1	71	16.1	1.13	1.00		27	53	13.0	0.93	1.01	1	14	-	-	1	14		
	41,390	590	508	25	27	1,150	27.8	0.83	1.27		122	89	5.1	2.54	1.06	23	20	18	14	19	27		
	6,060	45	55	3	2	105	17.3	0.91	0.87		47	26	12.0	0.77	0.76	10	10	1	1	1	28		
	4,560	30	28	2	1	59	12.9	0.91	0.91		34	29	13.8	0.89	1.01	2	34	1	1	1	33		
	3,850	21	26	-	1	48	12.5	1.20	0.82		16	20	9.4	1.03	0.79	1	21	1	1	1	21		
	5,200	49	41	2	-	92	17.7	1.03	1.00		29	25	10.4	1.05	0.90	1	11	1	1	1	32		
	38,780	328	298	18	33	677	17.5	1.10	1.06		252	247	12.9	0.86	0.91	12	18	6	5	15	29		
	3,380	17	30	2	1	50	14.8	1.32	1.07		24	29	15.7	0.82	0.67	1	20	1	1	1	20		
	4,620	28	31	1	-	60	13.0	1.20	0.86		34	38	15.6	0.84	1.07	1	17	1	1	1	48		
	4,760	33	23	3	-	59	12.4	1.24	0.84		37	32	14.3	0.89	1.06	1	17	1	1	1	33		
	17,540	146	154	10	12	322	18.4	1.08	1.09		108	118	12.9	0.86	1.02	5	16	5	4	8	30		
	31,410	266	247	23	25	561	17.9	1.05	1.03		207	200	13.0	0.89	0.93	8	14	5	5	8	23		
	Rural districts	136,170	1,168	1,118	61	56	2,403	17.6	1.07	1.03		828	735	11.5	0.96	0.90	44	18	30	29	32	25	
11,650		106	95	5	6	212	18.2	1.12	1.12		56	49	9.0	1.03	0.77	2	9	1	1	2	14		
18,800		130	150	8	8	296	15.7	1.07	0.92		91	118	11.1	0.79	0.72	3	10	2	2	2	23		
16,520		154	137	16	7	314	19.0	1.15	1.20		118	84	12.2	0.94	0.94	4	13	3	2	5	22		
11,720		81	79	5	4	169	14.4	1.13	0.89		78	64	12.1	1.02	1.01	6	36	5	5	5	57		
29,540		279	271	6	5	561	19.0	0.95	0.99		167	185	11.9	0.86	0.84	9	16	7	7	5	21		
18,460		164	150	7	7	328	17.8	1.11	1.09		124	89	11.3	1.03	0.87	12	37	7	7	5	30		
15,640		143	145	6	10	304	19.4	1.09	1.16		117	64	11.6	0.96	0.90	2	7	2	2	5	23		
13,840		111	91	8	9	219	15.8	1.10	0.95		77	82	15.1	0.96	0.90	6	27	3	3	2	23		
826,470		6,998	6,591	378	438	14,405	17.4	1.01	0.97		5,517	4,928	12.6	1.10	1.14	321	22	227	199	294	34		
County boroughs		335,270	2,886	2,691	232	254	6,063	18.1	1.00	0.99		2,290	2,005	12.8	1.12	1.18	146	24	106	92	135	37	
Newcastle upon Tyne		283,360	2,213	2,055	189	215	4,872	17.7	1.00	0.97		1,830	1,583	13.0	1.11	1.18	105	22	80	69	110	37	
Tynesouth		71,910	673	636	43	39	1,391	19.3	0.98	1.04		460	422	12.3	1.15	1.17	41	29	26	23	25	34	
Administrative county	491,200	4,112	3,900	146	184	8,342	17.0	1.01	0.94		3,227	2,923	12.5	1.08	1.11	175	21	121	107	159	31		
Municipal boroughs and urban districts	379,680	3,227	3,083	126	149	6,585	17.3	0.99	0.94		2,388	2,131	11.9	1.15	1.12	134	20	90	80	121	30		
	7,610	58	58	3	3	124	16.3	1.12	1.00		42	45	87	1.11	1.04	-	-	-	-	2	16		
	4,960	57	42	-	1	100	20.2	1.03	1.14		30	28	58	11.7	0.99	2	20	1	1	2	20		
	26,920	223	222	5	4	454	16.9	1.04	0.97		173	141	11.7	1.21	1.16	7	15	6	8	5	41		
	30,640	284	242	11	12	549	17.9	0.98	0.96		192	146	11.0	1.28	1.15	18	33	9	8	14	39		
	12,090	134	106	5	14	259	24.4	1.04	1.22		85	89	14.4	0.97	1.14	4	15	3	3	3	27		
	36,440	312	321	14	19	665	18.2	0.99	0.98		206	206	11.3	1.27	1.18	11	17	9	9	10	28		
	26,800	230	186	9	12	437	16.3	0.97	0.87		204	173	14.1	0.85	0.98	6	24	1	1	9	28		
	9,680	57	60	2	5	124	12.8	1.06	0.75		77	58	13.9	0.88	1.00	3	14	3	3	5	62		
	47,930	395	401	12	12	820	17.1	0.87	0.82		227	192	16.8	1.08	1.08	12	15	8	8	10	22		
	13,490	122	104	2	3	231	17.1	0.99	0.93		118	109	16.8	0.80	1.10	5	22	4	4	3	30		
	40,010	181	65	5	8	156	15.6	1.01	0.87		53	48	10.1	1.26	1.04	5	22	4	4	4	38		
	30,100	286	274	4	12	576	19.1	0.97	1.02		163	170	11.1	1.26	1.15	14	24	8	8	9	29		
	Newbiggin-by-the-Sea	30,400	287	79	7	1	174	16.8	0.94	0.87		70	61	13.1	1.27	1.21	5	29	5	5	1	34	
	Pudhoe	10,330	87	79	7	1	324	12.5	1.10	1.13		171	153	12.5	1.10	1.13	8	20	6	6	4	35	
	Sutton Valley	25,950	197	182	7	7	393	15.2	1.04	0.86		322	258	11.7	1.32	1.27	24	27	15	12	15	30	
	Walsend M.B.	49,600	395	442	20	22	879	17.7	0.99	0.96		322	258	11.7	1.32	1.27	24	27	15	12	15	30	
Whitley Bay M.B.	37,170	309	299	21	15	644	17.3	1.06	1.01		255	254	13.7	0.91	1.02	10	16	8	6	11	26		





TABLE 13 - continued

Area	Estimated home population as at 30th June 1963	Live births						Deaths						Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
		Legitimate			Illegitimate			Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local to national rate	M	F	Total	Crude rate per 1,000 home population					Comparability factor	Ratio of local to national rate	Number	Rate per 1,000 live births																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
		M	F		M	F																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
																						3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
1	2																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														



Clevedon	11,270	84	4	-	183	16-2 1-26	1-12	78	102	180	16-0 0-63	0-83	2	2	2	1	16
Crewkerne	4,450	29	4	3	74	16-6 1-21	1-10	29	33	182	13-9 0-91	0-86	1	1	1	2	39
Frome	11,630	90	6	13	227	19-5 1-09	1-17	75	85	190	13-8 0-76	0-86	5	5	5	9	59
Glastonbury M.B.	6,040	66	50	2	418	19-5 1-09	1-17	40	42	38	13-6 0-89	1-10	2	2	2	1	25
Ilminster	2,820	22	-	-	42	14-9 0-98	0-60	16	22	38	13-5 0-98	1-08	-	-	-	-	-
Keynsham	16,120	164	3	3	282	17-5 0-98	0-84	85	93	178	11-0 0-96	0-87	3	3	3	3	18
Minehead	7,520	51	31	5	89	11-8 1-35	0-88	64	83	147	14-5 0-86	0-90	1	1	1	1	22
Norton-Radstock	12,920	123	99	3	1	226	17-5 1-03	0-99	73	144	11-1 1-04	0-90	1	1	1	1	22
Portishead	7,040	62	56	4	123	17-5 1-10	1-06	38	39	77	10-9 1-14	1-02	1	1	1	1	17
Shepton Mallet	5,620	39	34	2	77	13-7 1-05	0-79	37	34	71	12-6 0-85	0-88	-	-	-	-	32
Street	7,030	65	1	1	135	19-2 0-97	1-02	42	30	72	10-2 1-09	0-91	-	-	-	-	49
Taunton M.B.	36,410	294	23	20	591	16-2 1-02	0-91	210	220	430	11-8 0-95	0-92	-	-	-	-	15
Wachet	2,610	14	23	1	39	14-9 1-15	0-94	20	16	36	13-8 0-91	1-03	6	6	6	8	23
Wellington	7,730	61	50	4	5	120	15-5 1-14	0-97	65	59	124	10-6 0-74	0-97	7	7	7	48
Wells M.B.	7,150	55	-	-	109	15-2 1-06	0-89	69	74	143	20-0 0-63	1-03	1	1	1	1	18
Weston-super-Mare M.B.	43,150	296	22	19	615	14-3 1-19	0-94	328	364	692	16-0 0-69	0-90	5	5	5	10	24
Yeovil M.B.	24,650	178	21	7	382	15-5 1-06	0-90	163	151	314	12-7 0-93	0-97	6	6	6	11	43
Rural districts	276,770	2,126	123	88	4,660	16-8 1-10	1-02	1,696	1,768	3,464	12-5 0-90	0-92	36	36	36	65	21
Abridge	31,980	238	15	15	474	14-8 1-20	0-98	107	194	390	12-2 0-92	0-92	1	1	1	1	13
Bathavon	21,020	163	10	2	335	15-9 1-06	0-93	106	136	243	11-6 0-94	0-89	1	1	1	1	23
Briggwater	23,040	224	209	13	5	451	19-6 1-05	1-13	144	151	295	12-8 0-99	1-04	4	4	4	3
Chard	12,470	105	73	1	180	14-4 1-22	0-97	82	84	166	13-3 0-85	0-93	-	-	-	-	6
Clutton	18,220	139	3	2	272	14-9 1-08	0-88	114	112	226	12-4 0-92	0-94	1	1	1	1	15
Dulverton	4,300	35	30	1	67	15-6 1-24	1-06	26	24	50	11-6 0-90	0-86	1	1	1	1	15
Frome	11,040	99	86	4	3	192	17-4 1-13	1-08	65	64	129	11-7 0-99	0-95	1	1	1	26
Langport	13,340	89	103	8	3	203	15-2 1-14	0-95	73	81	154	11-5 0-88	0-83	1	1	1	6
Long Ashton	31,850	331	299	17	15	662	20-8 1-02	1-17	182	176	358	11-2 0-93	0-85	8	8	8	22
Shepton Mallet	10,550	84	6	3	175	16-6 1-10	1-00	72	67	139	13-2 0-89	0-96	2	2	2	2	17
Taunton	22,610	177	15	13	362	16-0 1-10	0-97	160	178	338	14-9 0-76	0-93	1	1	1	1	22
Wellington	8,270	58	60	3	4	125	15-1 1-14	0-95	45	69	114	13-8 0-85	0-96	3	3	3	5
Wells	10,720	95	97	2	2	196	19-3 1-05	1-06	84	112	196	18-3 0-58	0-87	1	1	1	26
Williton	13,770	106	7	7	213	15-5 1-29	1-10	100	105	205	14-9 0-71	0-87	2	2	2	2	33
Wincanton	16,860	154	8	8	291	17-5 1-17	1-13	110	91	201	12-1 0-78	0-77	4	4	4	4	20
Yeovil	26,930	229	213	46	4	462	17-2 0-95	0-90	136	124	260	9-7 1-12	0-89	11	11	11	28
STAFFORDSHIRE	1,787,270	15,337	906	902	33,552	18-8 0-95	0-98	10,182	8,883	19,065	10-7 1-24	1-09	402	402	402	681	32
County boroughs	753,790	6,169	540	528	14,001	18-6 0-99	1-01	4,648	4,094	8,742	11-6 1-21	1-15	171	171	171	307	33
Burton upon Trent	50,590	495	53	46	993	19-6 1-01	1-09	340	289	629	12-4 1-03	1-05	18	18	18	22	33
Sneadwick	88,510	631	67	56	1,355	19-8 1-05	1-14	442	389	831	12-1 1-09	1-08	11	11	11	33	33
Stoke-on-Trent	266,410	1,930	114	105	4,345	16-3 1-00	0-90	1,632	1,441	3,073	11-5 1-28	1-21	11	11	11	44	33
Walsall	120,590	1,079	75	73	2,382	19-8 0-97	1-06	730	618	1,348	11-2 1-24	1-14	28	28	28	53	33
West Bromwich	97,710	917	59	78	1,888	19-3 0-92	0-98	500	453	953	9-8 1-44	1-16	45	45	45	4	33
Wolverhampton	150,280	1,430	172	172	3,038	20-2 1-03	1-14	1,004	904	1,908	12-7 1-12	1-17	24	24	24	60	33
Administrative county	1,033,480	9,623	366	374	19,551	18-9 0-91	0-95	5,534	4,789	10,323	10-0 1-27	1-04	241	241	241	374	31
Municipal boroughs and urban districts	770,230	7,296	272	287	14,622	19-0 0-91	0-95	4,173	3,610	7,783	10-1 1-31	1-08	200	200	200	291	31
Adridge	56,850	672	15	11	1,514	23-1 0-72	0-91	166	151	317	5-6 1-86	0-85	16	16	16	21	24
Amblecote	3,080	26	5	3	56	18-2 1-06	1-06	30	17	47	15-3 1-00	1-25	1	1	1	1	18
Biddulph	14,410	141	1	1	274	19-0 0-92	0-96	72	70	142	9-9 1-38	1-12	6	6	6	6	32
Bilston M.B.	33,300	280	14	18	578	17-4 0-95	0-91	219	133	352	10-6 1-42	1-23	3	3	3	3	34
Brierley Hill	59,550	583	16	18	1,133	19-4 0-89	0-95	320	283	583	10-0 1-30	1-07	12	12	12	11	19
Brownhills	28,100	354	9	12	682	24-6 0-84	1-14	141	98	239	8-5 1-51	1-05	20	20	20	11	35
Cannock	44,300	430	18	20	888	20-0 0-99	1-09	271	225	496	11-2 1-15	1-06	17	17	17	20	41
Coseley	41,070	408	7	16	965	19-6 0-81	0-87	181	170	351	8-5 1-63	1-14	11	11	11	15	24
Darlaston	21,980	150	5	7	319	14-5 0-97	0-77	133	99	232	10-6 1-44	1-25	7	7	7	8	34
Kidsgrove	20,460	206	6	11	386	19-4 0-90	0-86	104	95	199	9-7 1-54	1-22	5	5	5	4	49
Leek	19,290	189	9	4	306	15-3 1-10	0-96	133	138	271	14-0 0-90	1-03	4	4	4	16	49
Lichfield M.B.	16,490	201	6	7	306	24-7 0-81	1-23	91	81	172	10-0 0-92	0-78	5	5	5	4	13
Newcastle-under-Lyme M.B.	76,910	621	25	27	1,281	16-7 0-95	0-97	444	415	859	11-2 1-29	1-18	4	4	4	7	27
Rowley Regis M.B.	49,330	230	11	13	669	15-6 0-97	0-72	296	261	557	11-3 1-31	1-21	17	17	17	27	34
Rugeley	14,320	177	13	15	409	28-6 0-90	1-41	59	57	115	8-0 1-44	0-94	8	8	8	11	32
Sedgley	30,990	299	6	4	573	28-5 0-86	0-85	137	204	401	12-9 0-84	0-89	7	7	7	8	36
Stafford M.B.	49,170	500	27	24	1,023	18-0 0-94	1-02	288	309	597	12-1 0-96	0-95	19	19	19	15	31
Stone	9,730	79	4	1	176	19-1 1-03	1-04	96	77	130	13-4 0-88	0-78	7	7	7	5	55
Tamworth M.B.	15,370	127	8	4	265	17-2 1-04	0-92	98	77	175	11-4 0-83	0-78	4	4	4	4	22
Tettenhall	15,530	90	8	4	198	12-7 1-04	0-73	80	80	160	10-5 1-24	1-05	2	2	2	5	34

TABLE 13 - continued

Area	Estimated home population as at 30th June 1963	Live births						Deaths						Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate				
		Legitimate			Illegitimate			Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local to national rate	M	F	Total	Crude rate per 1,000 home population					Comparability factor	Ratio of local to national rate	Number	Rate per 1,000 live births
		M	F	M	M	P	Illegitimate																
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22		
STAFFORDSHIRE - continued Municipal boroughs and urban districts - continued	38,190	347	306	20	18	691	18.1	0.95	0.94	247	173	420	11.0	1.46	1.32	9	13	7	6	18	34		
	8,330	67	72	2	3	144	17.3	1.00	0.95	40	46	86	10.3	1.12	0.95	3	21	2	1	2	21		
	34,900	284	250	6	16	558	16.0	0.98	0.86	218	135	353	10.1	1.38	1.14	15	27	10	9	14	40		
	34,730	387	336	12	16	731	21.0	0.75	0.87	218	119	337	8.5	1.96	1.04	18	25	12	12	22	45		
	34,850	369	338	17	14	738	21.2	0.89	1.04	171	131	302	8.7	1.46	1.04	7	9	4	4	14	24		
	263,250	2,397	2,351	94	87	4,929	18.7	0.94	0.97	1,361	1,179	2,540	9.6	1.17	0.92	107	22	80	66	83	30		
	32,560	385	387	16	19	787	24.2	0.83	1.10	152	107	259	8.0	1.35	0.89	18	23	12	11	16	34		
	41,120	349	341	12	9	711	17.3	0.97	0.92	254	216	470	11.4	0.96	0.90	22	31	15	11	13	33		
	20,310	187	186	4	5	382	18.8	0.93	0.96	104	84	188	9.3	1.29	0.90	5	13	2	2	6	21		
	41,950	385	373	20	11	769	18.3	0.98	0.99	240	212	452	10.8	0.97	0.86	10	13	8	8	10	23		
Rural districts	18,420	131	110	4	5	250	13.6	0.96	0.72	114	102	216	11.7	1.09	1.05	10	40	7	6	4	39		
	39,820	382	374	15	12	783	19.7	0.83	0.90	164	146	310	7.8	1.41	0.90	20	26	15	11	15	33		
	19,580	189	181	9	10	389	19.9	1.00	1.09	91	81	172	8.8	1.21	0.87	7	18	6	6	4	25		
	19,130	162	157	6	7	342	16.3	0.95	0.85	96	86	182	9.5	1.12	0.87	6	19	5	5	8	41		
	18,540	156	167	5	5	333	18.0	1.00	0.99	80	91	171	9.2	1.16	0.87	5	15	5	4	3	27		
	11,820	111	95	3	4	213	18.0	1.21	1.20	66	54	120	10.2	1.31	1.10	4	19	4	3	1	19		
	357,410	2,843	2,670	229	224	5,966	16.7	1.07	0.98	2,341	2,192	4,533	12.7	0.89	0.93	115	19	85	75	106	30		
	119,440	1,036	962	129	108	2,235	18.7	1.01	1.04	761	657	1,418	11.9	0.98	0.96	42	19	27	24	39	28		
	237,970	1,807	1,708	100	116	3,731	15.7	1.09	0.94	1,580	1,535	3,115	13.1	0.85	0.91	73	20	58	51	67	31		
	105,540	787	766	49	63	1,665	15.8	1.09	0.95	715	776	1,491	14.1	0.83	0.96	36	22	28	22	32	32		
SUFFOLK, EAST	2,970	25	15	-	1	41	13.8	1.10	0.83	21	24	45	15.2	0.65	0.81	-	19	-	-	1	24		
	7,440	57	43	1	3	104	14.0	1.08	0.83	60	65	125	16.8	0.88	1.21	2	19	2	1	3	37		
	3,650	27	26	2	1	56	15.3	1.03	0.87	24	48	72	19.7	0.70	1.13	2	36	1	1	1	35		
	1,550	9	10	1	3	23	14.8	1.32	1.07	19	22	41	26.5	0.29	0.83	1	43	1	1	1	83		
	17,860	153	159	16	10	338	18.9	1.07	1.11	136	137	273	15.3	0.73	0.92	9	27	6	5	6	32		
	2,340	14	15	-	-	29	12.4	1.20	0.82	20	14	34	14.5	0.89	1.06	2	69	2	1	1	67		
	4,920	48	44	5	7	104	21.1	1.17	1.36	32	40	72	14.6	0.79	0.95	1	70	1	1	1	19		
	47,070	343	346	21	29	739	15.7	1.05	0.91	289	282	571	12.1	0.92	0.91	14	19	11	8	13	28		
	1,500	6	8	-	1	15	7.0	1.17	0.64	14	16	30	20.0	0.86	1.41	-	-	-	-	-	-		
	2,200	13	5	-	-	18	8.2	1.75	0.79	22	19	41	18.6	0.48	0.73	-	-	-	-	-	-		
Administrative county	7,940	53	62	1	8	124	15.6	1.07	0.92	40	52	92	11.6	1.03	0.98	2	16	2	2	1	24		
	6,100	39	33	2	-	74	12.1	1.16	0.77	38	57	95	15.6	0.84	1.07	3	41	2	2	2	4		
	132,430	1,020	942	51	53	2,066	15.6	1.11	0.95	865	759	1,624	12.3	0.85	0.86	37	18	30	29	35	30		
	19,000	156	134	14	9	313	16.5	1.15	1.04	143	134	277	14.6	0.70	0.84	15	16	4	4	1	16		
	34,730	281	262	12	12	564	16.2	1.07	0.95	231	216	447	12.9	0.85	0.90	15	27	10	10	9	33		
	20,540	168	146	5	11	330	16.1	1.09	0.96	133	98	231	11.2	0.84	0.77	7	21	2	2	6	36		
	16,210	125	106	5	5	241	14.9	1.14	0.93	98	81	179	11.0	0.87	0.78	2	8	2	2	5	28		
	17,110	138	114	8	8	288	15.7	1.06	0.91	111	93	204	11.9	0.90	0.88	4	15	4	4	7	40		
	18,500	109	135	3	4	285	13.8	1.26	0.96	107	105	212	11.5	0.91	0.86	3	12	3	3	4	27		
	6,340	43	45	4	3	95	15.0	1.09	0.90	42	52	94	11.7	1.02	0.98	1	11	1	1	3	31		



SUFFOLK, WEST																							
Municipal boroughs and urban districts	137,760	1,168	1,163	60	53	2,444	17.7	1.03	1.00	804	786	1,590	11.5	0.95	0.90	40	16	28	26	54	32		
	Bury St. Edmunds M.B.	50,170	424	415	26	23	888	17.7	1.00	0.97	322	364	686	13.7	0.82	0.92	16	18	12	11	21	35	
	Hadleigh	22,150	169	169	10	10	358	16.2	0.98	0.87	132	136	268	12.1	0.84	0.83	5	14	3	3	9	33	
	Haverhill	5,450	29	20	3	2	54	15.7	1.07	0.92	28	23	51	14.8	0.94	1.14	3	37	2	2	5	37	
	Newmarket	6,820	74	97	8	3	161	24.3	0.93	1.24	36	41	77	11.6	1.08	1.03	5	19	2	2	5	42	
	Sudbury M.B.	11,850	111	91	2	1	223	19.6	0.96	1.03	64	69	133	11.7	0.95	0.91	5	22	4	3	5	35	
		6,800	41	46			92	13.9	1.16	0.89	62	95	157	23.8	0.50	0.98	1	11	1	1	2	32	
	Rural districts	87,590	744	748	34	30	1,556	17.8	1.06	1.04	482	422	904	10.3	1.03	0.87	24	15	16	15	33	30	
	Clare	9,500	62	69	6	1	138	14.5	1.13	0.90	62	45	107	11.3	0.92	0.85	1	7	1	1	1	3	
	Cosford	9,110	66	72	1	1	140	15.4	1.17	0.99	72	52	124	13.6	0.87	0.91	1	7	1	1	1	3	
Melford	13,940	99	105	6	10	220	15.8	1.11	0.96	81	92	173	12.4	0.92	0.88	1	5	1	1	1	3		
Mildenhall	23,780	240	241	13	7	501	21.1	0.94	1.09	97	74	171	7.2	1.42	0.84	10	20	7	6	9	29		
Thedwastre	9,470	75	84	7	5	171	18.1	1.08	1.07	58	63	121	12.8	0.87	0.91	5	29	4	4	2	35		
Thingoe	21,790	202	177	1	6	386	17.7	1.06	1.03	112	96	208	9.5	1.14	0.89	5	16	2	2	12	35		
SURREY	1,756,460	13,486	12,888	864	835	28,073	16.0	1.02	0.90	10,215	11,104	21,319	12.1	0.94	0.93	492	18	341	293	337	22		
Croydon C.B.	254,130	2,082	2,087	246	209	4,624	18.2	1.00	1.00	1,512	1,768	3,280	12.9	0.94	0.99	91	20	59	47	69	25		
Administrative county	1,502,330	11,404	10,801	618	626	23,449	15.6	1.02	0.87	8,703	9,336	18,039	12.0	0.93	0.91	401	17	282	246	268	22		
Municipal boroughs and urban districts	1,316,610	9,838	9,322	544	551	20,255	15.4	1.02	0.86	7,737	8,350	16,087	12.2	0.93	0.90	334	16	242	211	229	21		
Banstead	41,350	285	212	15	11	503	12.2	1.13	0.76	219	287	506	12.2	0.80	0.80	10	20	6	5	6	22		
Barnes M.B.	38,700	282	236	26	19	563	14.5	1.01	0.80	245	296	541	14.0	0.82	0.94	13	23	8	8	3	19		
Beddington and Wallington M.B.	32,560	245	205	13	7	470	14.4	1.09	0.86	176	184	360	11.1	0.95	0.86	8	17	6	6	4	21		
Carshalton	56,020	318	333	26	19	696	12.4	1.03	0.70	354	292	646	11.1	1.08	1.02	8	11	6	5	3	11		
Caterham and Warlingham	35,390	282	274	15	15	586	16.6	0.98	0.89	180	196	376	10.6	0.98	0.85	8	14	5	5	8	22		
Chertsey	42,720	396	415	12	24	847	19.8	0.85	0.92	220	175	395	9.2	1.20	0.90	12	14	7	7	13	23		
Coulsdon and Purley	74,200	561	496	25	24	1,106	14.9	1.09	0.89	415	579	994	13.4	0.77	0.85	17	15	13	10	12	20		
Dorking	22,700	166	178	10	6	360	15.9	0.97	0.85	135	127	262	11.5	0.91	0.86	4	11	3	3	5	22		
Egham	31,220	221	230	4	12	467	15.0	0.91	0.75	177	152	329	10.5	1.01	0.89	5	11	5	4	6	21		
Epsom and Ewell M.B.	70,700	426	410	32	18	886	12.5	1.13	0.78	497	617	1,114	15.8	0.63	0.82	24	27	20	16	14	33		
Esner	61,010	412	390	28	21	851	13.9	1.03	0.83	307	327	634	10.4	1.03	0.88	12	18	12	10	9	22		
Farnham	27,990	221	210	10	14	455	16.3	1.08	0.97	198	208	406	14.5	0.72	0.88	3	7	3	2	6	17		
Frimley and Camberley	33,140	416	365	14	13	828	25.0	0.87	1.20	128	134	262	7.9	1.30	0.84	18	22	13	13	16	34		
Godalming M.B.	17,210	132	152	2	10	296	17.2	0.99	0.94	117	95	212	12.3	0.98	0.93	5	17	5	5	3	27		
Guildford M.B.	54,340	428	393	21	24	856	15.8	0.95	0.82	303	285	588	10.8	0.96	0.85	17	20	12	9	18	31		
Haslemere	13,020	75	70	7	7	456	12.0	1.16	0.76	92	106	198	15.2	0.75	0.85	8	51	1	1	1	13		
Kingston-upon-Thames M.B.	36,050	307	306	24	28	665	18.4	1.00	1.01	222	257	479	13.3	0.83	0.87	9	14	7	5	3	12		
Leatherhead	36,890	264	266	6	8	544	14.7	1.08	0.87	182	183	365	9.1	0.93	0.88	11	20	6	4	2	11		
Malden and Coombe M.B.	46,710	295	265	14	9	583	12.5	1.04	0.771	257	309	566	12.3	0.98	0.96	11	19	7	6	4	17		
Merton and Morden	67,090	398	423	30	24	875	13.0	1.14	0.81	425	400	825	12.3	0.99	1.00	15	17	11	9	12	24		
Mitcham M.B.	63,420	482	446	24	26	990	15.6	1.03	0.88	374	332	706	11.1	1.15	1.05	10	10	10	10	9	19		
Reigate M.B.	54,890	403	376	16	25	820	14.9	1.03	0.85	362	336	748	13.6	0.83	0.93	15	18	12	11	6	21		
Richmond M.B.	40,630	295	293	26	38	652	16.0	0.98	0.86	315	345	660	16.2	0.74	0.98	7	11	4	4	5	14		
Surbiton M.B.	63,450	506	453	27	35	1,021	16.1	1.00	0.88	370	393	763	12.0	1.05	1.03	14	14	13	11	7	18		
Sutton and Cheam M.B.	78,770	602	571	34	32	1,239	15.7	1.00	0.86	512	568	1,080	13.7	0.87	0.98	21	17	16	13	16	23		
Walton and Weybridge	46,720	358	338	19	16	731	15.6	1.06	0.81	233	285	518	11.1	0.82	0.94	8	17	6	6	7	18		
Wimbledon M.B.	56,980	464	426	35	31	956	16.8	0.95	0.88	344	404	748	13.1	0.80	0.92	25	26	15	14	16	31		
Woking	72,740	618	580	29	26	1,253	17.2	0.99	0.94	378	428	806	11.1	0.90	0.82	13	10	10	9	15	19		
Rural districts	185,720	1,566	1,479	74	75	3,194	17.2	1.02	0.96	966	986	1,952	10.5	0.99	0.85	67	21	40	35	39	23		
Bagshot	16,840	167	148	6	8	329	19.5	0.97	1.07	92	106	172	10.2	1.00	0.84	7	21	3	3	5	24		
Dorking and Horley	32,780	291	262	15	12	580	17.7	1.00	0.97	476	161	353	10.2	1.10	0.92	16	28	8	8	10	31		
Godstone	41,900	339	297	15	15	666	15.9	1.02	0.89	235	264	459	11.9	1.03	0.88	18	27	12	9	8	25		
Guildford	58,600	524	529	23	26	1,102	18.8	1.02	1.05	276	260	536	9.1	1.10	0.82	17	15	13	12	9	19		
Hambledon	35,600	245	243	15	14	517	14.5	1.08	0.86	191	221	412	11.6	0.88	0.94	9	17	4	3	7	19		
SUSSEX, EAST	680,010	4,433	4,194	405	395	9,427	13.9	1.21	0.92	5,429	6,508	11,937	17.6	0.66	0.95	167	18	120	104	132	25		
County boroughs	291,560	1,875	1,793	210	210	4,088	14.0	1.18	0.91	2,410	2,898	5,308	18.2	0.65	0.97	74	18	52	43	60	25		
Brighton	162,910	1,099	1,065	141	135	2,440	15.0	1.11	0.91	1,263	1,464	2,687	15.4	0.74	0.90	47	19	35	29	39	27		
Eastbourne	62,010	349	343	25	13	749	12.1	1.28	0.85	548	669	1,217	10.6	0.56	0.50	13	17	8	7	5	16		
Hastings	66,640	427	395	44	43	899	13.5	1.27	0.94	599	825	1,424	21.4	0.55	0.56	14	16	9	7	16	25		
Administrative county	388,450	2,558	2,401	195	185	5,339	13.7	1.24	0.93	3,019	3,610	6,629	17.1	0.67	0.94	93	17	68	61	72	25		



TABLE 13 - continued

Area	Estimated home population as at 30th June 1963	Live births					Deaths							Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate		
		Legitimate		Illegitimate		Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted death rate to national rate						
		M	F	M	F																
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
SUSSEX, EAST - continued																					
Municipal boroughs and urban districts																					
Bexhill M.B.	211,970	1,359	1,284	118	116	2,877	13.6	1.24	0.93	1,673	2,113	3,786	17.9	0.65	0.95	47	16	34	29	32	21
Burgess Hill	30,860	138	122	9	9	278	9.0	1.57	0.78	314	351	665	21.5	0.49	0.86	3	11	1	1	4	18
Cuckfield	15,010	135	117	4	4	260	17.3	1.01	0.96	88	68	156	10.4	1.04	0.89	2	8	1	1	4	23
East Grinstead	21,300	156	134	10	9	309	14.5	1.13	0.90	140	239	379	17.8	0.62	0.90	4	13	4	4	4	5
Hove M.B.	15,930	137	146	14	6	303	19.0	1.01	1.05	107	144	251	15.8	0.72	0.95	6	20	4	4	2	19
Lewes M.B.	71,980	377	382	57	61	877	12.2	1.36	0.91	618	899	1,517	21.1	0.55	0.85	14	16	11	9	6	17
	13,870	102	88	3	8	201	14.5	1.14	0.91	95	96	191	15.8	0.92	1.04	5	25	4	3	5	39
Newhaven	8,790	66	66	5	6	143	16.3	1.13	1.01	57	80	137	15.6	0.79	1.01	3	21	3	3	2	34
Portsmouth-by-Sea	17,140	151	139	11	8	309	18.0	0.97	0.96	132	81	213	12.4	1.02	1.04	7	23	5	4	1	19
Rye M.B.	4,370	33	28	-	2	63	14.4	1.18	0.93	30	30	60	13.7	0.84	0.94	1	12	1	-	3	45
Seaford	12,730	64	62	5	3	134	10.5	1.66	0.96	92	125	217	17.0	0.68	0.95	2	15	1	-	1	7
Rural districts																					
Battle	176,480	1,199	1,117	77	69	2,462	14.0	1.23	0.95	1,346	1,497	2,843	16.1	0.69	0.91	46	19	34	32	40	29
Chichester	34,000	178	167	13	19	377	12.2	1.32	0.88	244	288	532	17.2	0.66	0.93	8	21	6	6	3	24
Chichester M.B.	24,020	164	159	6	6	335	13.9	1.25	0.95	187	241	428	17.8	0.60	0.89	4	12	4	3	7	29
Cuckfield	34,000	271	232	9	11	523	16.9	1.10	1.02	220	201	421	13.6	0.84	0.94	6	17	5	4	8	23
Hailsham	44,920	274	267	21	18	580	12.9	1.29	0.91	392	427	819	18.2	0.62	0.92	15	26	10	10	11	36
Uckfield	45,540	312	292	28	15	647	14.2	1.22	0.95	303	340	643	14.1	0.75	0.87	13	20	9	9	11	30
SUSSEX, WEST																					
Municipal boroughs and urban districts																					
Arundel M.B.	255,650	1,898	1,756	116	104	3,874	15.2	1.12	0.94	1,829	2,255	4,084	16.0	0.71	0.93	76	20	58	47	52	25
Bognor Regis	2,640	24	12	2	-	38	14.4	1.27	1.00	22	23	45	17.0	0.69	0.96	13	32	11	9	6	37
Chichester M.B.	28,620	184	175	24	19	402	14.0	1.32	1.02	246	292	538	18.8	0.62	0.96	4	13	11	4	3	16
Crawley	19,560	128	104	8	7	247	12.6	1.04	0.72	168	206	374	19.1	0.59	0.92	1	14	1	1	3	25
	56,790	621	598	18	20	1,257	22.1	0.79	0.96	168	177	345	6.1	2.05	1.03	24	19	4	4	9	21
Horsham	22,430	194	171	10	6	361	17.0	1.06	0.99	100	130	230	10.3	0.91	0.77	9	24	9	7	5	31
Littlehampton	16,220	137	130	6	15	288	17.8	1.13	1.11	124	121	245	15.1	0.78	0.97	4	14	3	2	5	24
Shoreham-by-Sea	17,690	126	111	11	9	257	14.5	1.04	0.83	100	103	203	11.5	0.89	0.84	3	12	3	3	3	23
Southwick	11,990	86	60	1	9	156	13.0	1.14	0.81	84	86	170	14.2	0.82	0.95	4	26	4	4	1	32
Worthing M.B.	79,710	398	395	36	19	848	10.6	1.52	0.89	817	1,117	1,934	24.3	0.47	0.94	17	20	11	9	9	21
Rural districts																					
Chichester	170,060	1,175	1,139	77	76	2,467	14.5	1.19	0.95	1,234	1,316	2,550	15.0	0.74	0.91	38	15	28	24	40	26
Chichester M.B.	23,320	178	153	7	6	344	14.8	1.20	0.98	164	176	340	14.6	0.78	0.93	2	6	2	2	5	20
Chichester	53,650	367	370	32	21	790	14.7	1.15	0.93	293	269	562	10.5	0.91	0.78	11	14	10	8	15	29
Horsham	25,280	196	201	10	12	419	16.6	1.04	0.95	134	125	259	10.2	0.94	0.79	8	19	4	4	8	28
Midhurst	17,890	140	111	10	8	269	15.0	1.12	0.92	163	190	353	19.7	0.65	1.05	5	19	4	3	5	29
Petworth	9,920	76	72	4	5	157	15.8	1.22	1.06	64	70	134	13.5	0.77	0.85	2	13	1	1	1	13
Worthing	40,000	218	232	14	24	488	12.2	1.38	0.93	416	486	902	22.6	0.54	1.00	10	20	7	6	6	24
WARWICKSHIRE																					
County boroughs																					
Birmingham	1,429,530	13,400	12,739	1,565	1,469	29,173	20.4	0.99	1.11	8,167	7,444	15,611	10.9	1.22	1.09	664	23	443	378	558	31
Coventry	1,115,630	10,289	9,768	1,295	1,228	22,580	20.2	0.99	1.10	6,514	6,157	12,671	11.4	1.17	1.03	530	23	343	293	430	31
	313,900	3,111	2,971	270	241	6,593	21.0	0.96	1.11	1,653	1,287	2,940	9.4	1.38	1.06	134	20	100	85	128	32
Administrative county	647,120	5,896	5,657	278	300	12,131	18.7	0.95	0.98	3,309	3,004	6,313	9.8	1.19	0.96	212	17	147	124	204	27

Municipal boroughs and urban districts		418,730	3,794	3,597	198	210	7,799	18.6	0.95	0.97	2,141	1,997	4,138	9.9	1.19	0.97	128	16	82	72	142	27
Bedworth		34,250	318	300	15	15	1,648	18.9	0.90	0.93	2,253	1,997	4,138	12.5	1.01	1.03	12	19	7	7	14	32
Kenilworth		16,410	146	153	16	8	313	19.1	1.01	1.06	66	195	428	7.9	1.21	0.78	21	20	1	15	19	6
Nuneaton M.B.		39,330	506	505	15	44	1,051	17.7	0.98	0.95	299	280	579	9.8	1.25	1.00	21	16	16	10	28	40
Royal Leamington Spa M.B.		53,540	418	414	54	25	930	21.4	0.96	1.13	262	262	544	12.5	1.02	1.05	16	17	14	2	16	27
Rugby M.B.		54,290	501	494	36	33	1,064	19.6	1.05	1.13	295	277	572	10.5	1.08	0.93	21	20	11	11	18	27
Solihull M.B.		100,880	977	814	32	35	1,758	17.5	0.90	0.87	444	391	825	8.2	1.37	0.92	30	17	17	15	21	20
Stratford-upon-Avon M.B.		17,040	139	111	11	12	273	16.0	1.02	0.90	87	40	207	12.1	0.93	0.92	12	12	12	12	3	18
Sutton Coldfield M.B.		76,570	754	678	20	27	1,479	19.3	0.88	0.93	329	313	844	8.4	1.26	0.87	13	13	12	10	32	28
Warwick M.B.		16,620	135	128	9	11	283	17.0	1.04	0.97	106	104	210	12.6	1.03	1.06	6	2	2	2	4	21
Rural districts		228,390	2,102	2,060	80	90	4,332	19.0	0.94	0.98	1,168	1,007	2,175	9.5	1.19	0.93	84	19	65	52	62	26
Alcester		17,120	174	163	8	8	353	20.6	1.02	1.15	120	107	227	13.3	0.93	1.01	13	25	8	6	3	25
Atherstone		25,340	234	195	5	10	444	17.5	0.99	0.95	149	125	274	10.8	1.22	1.08	12	13	9	9	35	33
Meriden		62,430	575	582	21	18	1,176	18.4	0.85	0.88	249	213	583	7.4	1.52	0.92	15	13	9	7	18	23
Rugby		23,700	217	197	11	12	437	18.4	0.98	0.99	110	115	225	9.3	1.29	1.00	9	7	7	5	4	20
Shipston on Stour		8,780	83	68	3	3	157	17.9	1.12	1.10	54	67	124	13.8	0.65	0.74	2	13	2	2	13	13
Southam		16,740	147	158	6	5	316	18.9	1.06	1.10	94	80	154	3.2	1.28	0.97	7	22	6	4	6	31
Stratford-on-Avon		24,800	195	218	9	10	432	17.4	1.03	0.98	143	126	259	10.8	1.13	1.00	13	30	10	8	36	36
Tamworth		21,170	206	236	5	11	458	21.6	0.90	1.07	111	111	166	8.4	1.31	0.90	11	24	9	7	8	32
Warwick		28,310	271	263	12	13	559	19.7	0.92	1.00	138	127	265	9.4	0.88	0.68	6	17	5	4	6	18
WESTMORLAND		66,950	503	471	25	26	1,025	15.3	1.12	0.94	426	510	936	14.0	0.90	1.03	14	14	9	7	18	24
Municipal boroughs and urban districts		32,630	252	214	16	13	495	15.2	1.07	0.89	230	275	505	15.5	0.87	1.11	6	12	4	4	7	22
Appleby M.B.		1,790	14	11	1	1	26	14.5	1.08	0.86	9	12	21	13.7	0.97	1.05	1	12	4	4	7	22
Kendal M.B.		19,700	159	135	14	8	316	16.9	1.07	0.99	131	173	304	16.3	0.92	1.33	5	16	3	3	5	25
Lakes		5,510	34	21	1	2	58	10.5	0.98	0.57	31	35	66	12.0	0.81	0.60	1	17	1	1	2	31
Windermere		6,630	45	47	1	2	95	14.3	1.18	0.93	59	55	114	17.2	0.73	1.03	1	17	1	1	2	31
Rural districts		34,320	251	257	9	13	530	15.4	1.16	0.98	196	235	431	12.6	0.93	0.96	8	15	5	3	11	26
North Westmorland		15,470	115	123	4	5	247	16.3	1.10	0.99	79	106	185	12.6	0.93	0.99	4	16	3	3	4	28
South Westmorland		19,150	136	134	5	8	283	14.8	1.22	0.99	117	129	246	12.8	0.89	0.93	4	14	2	2	7	24
WIGHT, ISLE OF		93,710	585	565	59	49	1,258	13.4	1.25	0.92	757	767	1,524	16.3	0.74	0.99	24	19	16	13	32	35
Municipal boroughs and urban districts		75,460	477	450	49	44	1,020	13.5	1.24	0.92	621	648	1,269	16.8	0.73	1.01	24	24	16	13	28	39
Cowes		17,080	129	117	8	9	283	15.4	1.19	1.01	125	118	243	14.2	0.86	1.00	6	23	4	3	9	44
Newport M.B.		18,950	127	139	12	15	283	14.9	1.20	0.98	145	181	326	17.2	0.82	0.87	7	25	4	4	8	44
Ryde M.B.		19,820	124	104	19	10	253	12.8	1.19	0.84	160	155	315	15.9	0.74	0.96	6	24	6	4	8	41
Sandown-Shanklin		13,510	65	61	7	8	141	10.4	1.36	0.78	122	126	248	18.4	0.74	1.12	4	28	4	2	6	39
Ventnor		6,100	32	42	4	2	80	13.1	1.45	1.04	69	68	137	22.5	0.64	1.18	1	13	2	2	5	48
Isle of Wight R.D.		18,250	108	115	10	5	238	13.0	1.31	0.94	136	119	255	14.0	0.75	0.86	1	13	1	2	5	48
WILTSHIRE		447,320	4,253	4,111	251	240	8,855	19.8	1.02	1.11	2,576	2,438	5,014	11.2	1.03	0.95	184	21	132	106	153	29
Municipal boroughs and urban districts		224,310	2,122	1,991	140	137	4,390	19.6	0.98	1.06	1,361	1,313	2,674	11.9	1.00	0.98	90	21	69	56	87	32
Bradford-on-Avon		5,920	50	42	2	4	98	16.6	1.10	1.00	34	42	76	12.8	0.91	0.95	1	10	1	1	3	40
Calne M.B.		6,790	73	60	1	3	137	20.2	1.02	1.13	39	31	70	10.3	1.09	0.92	1	7	1	1	4	35
Chippenham M.B.		18,080	184	169	11	7	371	20.5	0.97	1.09	119	106	225	12.4	0.87	0.88	9	24	8	7	6	34
Devizes M.B.		8,810	66	58	5	5	132	15.0	1.00	0.92	46	55	101	11.5	0.66	0.62	2	15	1	2	15	15
Malmesbury M.B.		2,810	24	32	2	2	58	22.2	1.05	1.28	19	18	37	14.2	0.96	1.12	1	17	1	1	1	34
Marlborough M.B.		5,650	37	39	2	1	79	14.0	1.32	1.02	29	38	67	11.8	1.06	1.03	1	17	1	1	2	34
Melksham		8,880	87	80	9	2	184	20.8	0.97	1.11	36	38	74	8.4	1.24	0.85	5	27	4	4	2	52
Salisbury M.B.		35,580	309	281	33	24	627	17.6	1.00	0.97	283	310	593	16.7	0.65	0.89	9	14	6	6	11	37
Swindon M.B.		96,210	981	923	65	67	2,036	21.2	0.93	1.08	522	430	952	9.9	1.25	1.01	46	23	34	27	44	34
Trowbridge		16,200	123	155	6	11	295	18.2	1.05	1.05	105	118	223	13.8	1.00	1.13	5	17	4	2	8	33
Warminster		10,110	99	83	2	8	192	19.0	1.08	1.13	65	72	137	13.6	0.92	1.03	2	10	1	1	2	47
Westbury		5,490	54	44	3	5	106	19.3	1.04	1.21	49	36	85	15.5	1.01	1.28	6	57	5	4	1	33
Wilton M.B.		3,990	35	39	1	7	75	13.8	0.99	1.02	15	19	34	8.5	1.26	0.88	3	40	3	2	1	39
Rural districts		223,010	2,131	2,120	111	103	4,465	20.0	1.06	1.16	1,215	1,125	2,340	10.5	1.06	0.91	94	21	63	50	66	26
Amesbury		25,510	328	324	16	16	484	26.8	0.98	1.44	85	73	158	6.2	1.56	0.79	18	26	10	9	8	22
Bradford and Melksham		12,850	95	95	14	14	438	15.4	1.21	1.02	79	97	176	13.7	0.80	0.90	3	15	1	4	6	25
Calne and Chippenham		33,720	269	306	19	14	608	18.0	1.12	1.11	142	125	267	7.9	1.29	0.84	9	15	6	4	12	26
Cricklade and Wootton Bassett		19,900	203	190	6	6	405	20.4	1.03	1.15	102	75	177	8.9	1.24	0.90	3	7	3	2	2	10
Devizes		14,500	119	99	6	3	227	15.7	1.13	0.97	107	132	239	16.5	0.66	0.89	5	22	2	1	3	17
Highworth		29,920	330	323	19	14	686	22.9	0.92	1.16	204	185	389	13.0	0.91	0.97	21	31	15	11	18	41



TABLE 13 - continued

Area	Estimated home population as at 30th June 1963	Live births					Deaths										Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate
		Legitimate		Illegitimate		Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted death rate to national rate	Number	Rate per 1,000 live births					
		M	F	M	F																	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	
WILTSHIRE - continued																						
Rural districts - continued																						
Malmesbury	10,800	102	100	7	7	216	20.0	0.97	1.07	59	51	110	10.2	1.14	0.95	6	28	4	3	3	27	
Marlborough and Ramsbury	10,160	87	105	6	5	203	20.0	1.10	1.21	65	45	110	10.8	0.99	0.88	6	30	5	5	3	39	
Mere and Tisbury	11,290	80	77	5	7	169	15.0	1.19	0.98	63	55	118	10.5	0.82	0.74	4	24	3	2	1	18	
Pewsey	21,110	244	236	4	15	499	23.6	1.03	1.34	107	88	195	19.2	1.22	0.92	9	18	7	6	3	13	
Salisbury and Wilton	19,640	170	163	12	7	352	17.9	1.03	1.01	118	113	229	11.7	0.97	0.93	6	17	5	5	6	31	
Warminster and Westbury	13,610	104	102	7	5	218	16.0	1.21	1.06	86	86	172	12.6	0.92	0.95	4	18	2	2	4	27	
WORCESTERSHIRE																						
County boroughs	131,430	1,099	1,069	69	84	2,321	17.7	0.98	0.95	831	698	1,529	11.6	1.15	1.09	47	20	32	24	48	30	
Dudley	64,110	520	547	48	47	1,160	18.1	0.99	0.98	403	307	710	11.1	1.26	1.15	25	22	16	10	29	33	
Worcester	67,320	579	522	23	37	1,161	17.2	0.97	0.92	428	391	819	12.2	1.06	1.06	22	19	16	14	19	28	
Administrative county	456,760	3,897	3,645	207	184	7,933	17.4	0.99	0.95	2,748	2,549	5,297	11.6	1.08	1.03	144	18	100	85	122	26	
Municipal boroughs and urban districts																						
Bewdley M.B.	325,000	2,727	2,604	154	129	5,614	17.3	0.98	0.93	1,976	1,855	3,831	11.8	1.11	1.07	106	19	76	64	85	26	
Bromsgrove	5,160	43	34	5	2	84	16.3	0.98	0.88	33	33	66	12.8	1.00	1.05	9	14	5	5	12	12	
Droitwich M.B.	35,980	337	300	8	14	659	18.3	0.90	0.90	204	219	422	11.7	1.02	0.99	5	38	4	4	23	23	
Evesham M.B.	12,930	92	106	5	4	207	16.0	1.01	0.89	97	118	215	16.6	0.69	0.94	5	24	4	3	2	24	
Halesowen M.B.	45,160	397	314	17	5	733	16.2	0.97	0.86	250	249	499	11.0	1.22	1.10	16	22	10	8	16	32	
Kidderminster M.B.	43,090	346	388	15	17	766	17.8	1.00	0.98	265	267	532	12.5	1.03	1.04	15	20	10	10	10	23	
Malvern	27,420	221	194	26	21	462	16.8	1.18	1.09	186	165	351	12.8	0.97	1.02	11	24	10	10	9	40	
Oldbury M.B.	54,280	412	393	30	20	855	15.8	0.99	0.86	297	262	559	10.3	1.36	1.15	14	16	11	7	15	25	
Redditch	35,430	326	341	20	22	709	20.0	0.97	1.07	218	183	401	11.3	1.20	1.11	17	24	11	11	11	31	
Stourbridge M.B.	44,860	356	369	19	19	763	17.0	0.95	0.89	303	241	544	12.1	1.11	1.10	11	14	8	8	21	16	
Stourport-on-Severn	12,700	136	101	5	4	246	19.4	0.97	1.03	67	68	135	10.6	1.24	1.09	13	12	3	2	2	16	
Rural districts																						
Bromsgrove	131,760	1,170	1,041	53	55	2,319	17.6	1.02	0.99	772	694	1,466	11.1	0.99	0.90	38	16	24	21	37	25	
Droitwich	37,040	395	328	13	15	751	20.3	0.91	1.02	203	168	371	10.0	1.22	1.00	10	17	6	5	13	24	
Evesham	14,380	135	126	4	5	270	18.8	1.06	1.08	81	72	153	10.6	1.09	0.95	2	17	4	2	3	18	
Kidderminster	17,490	140	115	5	4	264	15.1	1.13	0.94	97	94	191	10.9	0.98	0.88	5	19	4	4	6	37	
Martley	12,140	100	99	5	1	205	16.9	0.92	0.85	72	48	120	9.9	1.14	0.93	4	20	2	4	4	24	
Pershore	12,190	111	92	4	8	215	17.6	1.05	1.02	61	64	125	10.3	1.02	0.86	3	14	3	3	3	28	
Tenbury	18,840	169	154	12	10	345	18.3	1.10	1.11	96	106	202	10.7	1.00	0.88	9	26	5	4	5	26	
Upton upon Severn	5,340	35	39	4	1	79	14.8	1.14	0.93	35	25	60	11.2	0.98	0.90	1	13	5	4	2	25	
YORKSHIRE, EAST RIDING	14,370	85	88	6	11	190	13.2	1.16	0.84	127	117	244	17.0	0.49	0.69	4	21	2	2	1	16	
Kingston upon Hull C.B.	533,170	4,717	4,481	321	315	9,834	18.4	1.01	1.02	3,295	3,018	6,313	11.8	1.06	1.03	236	24	157	125	166	29	
Administrative county	301,000	2,801	2,691	231	231	5,954	19.8	0.97	1.06	1,755	1,571	3,326	11.0	1.23	1.11	155	26	98	79	101	30	
Municipal boroughs and urban districts	232,170	1,916	1,790	90	84	3,880	16.7	1.06	0.97	1,540	1,447	2,987	12.9	0.89	0.94	81	21	59	46	65	28	
Beverley M.B.	116,510	963	906	42	42	1,953	16.8	1.08	1.00	846	794	1,640	14.1	0.82	0.95	35	18	27	18	30	24	
Bridlington M.B.	16,290	142	139	5	5	291	17.9	1.01	0.99	94	91	185	11.4	1.04	0.97	8	27	6	7	5	30	
Driffield	26,000	174	173	14	14	375	14.4	1.24	0.98	249	215	464	17.8	0.65	0.95	7	19	4	4	4	29	
Filly	6,930	60	56	2	2	120	17.3	1.04	0.99	61	77	138	19.9	0.87	0.93	5	42	3	2	1	25	
Haltemprice	4,490	35	38	3	5	81	18.0	1.23	1.22	36	34	70	15.6	0.83	1.06	1	12	1	1	1	12	
	44,750	383	372	14	11	780	17.4	0.99	0.95	265	252	517	11.6	0.95	0.90	8	10	6	3	16	24	



91

TABLE 13 - continued

Area	Estimated home population as at 30th June 1963	Live births					Deaths								Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate	
		Legitimate		Illegitimate		Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate	M	F	Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted death rate to national rate						
		M	F	M	F																
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
YORKSHIRE, WEST RIDING - continued County boroughs - continued Wakefield York	60,430	454	410	18	25	907	15.0	1.02	0.84	430	445	875	14.5	1.00	1.19	25	28	12	8	18	28
	104,250	879	756	66	70	1,771	17.0	1.02	0.95	697	693	1,390	13.3	1.01	1.10	40	23	30	25	24	27
	1,696,220	14,903	14,215	767	782	30,667	18.1	1.01	1.00	10,561	9,757	20,318	12.0	1.11	1.09	707	23	461	390	587	31
	1,210,910	10,456	9,946	565	590	21,557	17.8	1.03	1.01	7,867	7,515	15,382	12.7	1.07	1.11	495	23	329	275	426	32
	18,400	153	151	12	10	336	18.3	1.04	1.05	100	87	187	10.2	1.31	1.10	10	30	9	7	7	41
	28,220	206	207	17	8	438	15.5	1.12	0.95	173	225	398	14.1	0.80	0.92	8	18	6	5	5	78
	12,640	108	108	6	3	226	17.9	1.03	1.01	70	86	156	12.3	1.05	1.06	3	13	2	3	1	18
	10,180	76	76	4	1	157	15.4	1.13	0.96	69	67	136	13.4	1.06	1.16	2	13	2	2	1	19
	40,040	388	332	31	24	775	19.4	1.05	1.12	259	253	512	12.8	1.12	1.18	25	32	19	15	16	39
	23,310	251	230	18	19	518	22.2	0.94	1.15	143	120	263	11.3	1.40	1.50	26	50	11	10	13	43
Municipal boroughs and urban districts Adwick le Street Aireborough Baildon Barnoldswick Batley M.B. Bentley with Arksey Bingley Brighouse M.B. Castleford M.B. Cole Valley Conisbrough Cudworth Darfield Darton Dearne Denby Dale Denholme Dodworth Earby Elland Featherstone Garforth Goole M.B. Harrrogate M.B. Hebden Royd Heddon Hemsworth Holmfirth Horbury Horsforth Hoyland Nether Ilkley Kilnsey Kelighley M.B. Kirkburton Knaresborough Knottingley Malby Meltham	23,350	208	203	9	13	433	18.5	1.03	1.05	160	132	292	12.5	1.02	1.05	10	23	6	5	8	29
	31,540	272	246	13	19	550	17.4	1.09	1.04	241	242	483	14.4	1.00	1.18	10	18	8	8	10	32
	40,300	344	295	13	21	673	16.7	1.04	0.95	241	193	434	10.8	1.26	1.12	20	30	8	6	15	31
	21,210	174	161	9	18	382	17.1	1.12	1.05	149	137	286	13.5	1.03	1.14	9	25	7	7	5	33
	17,840	184	143	5	6	338	18.9	0.99	1.03	104	101	205	11.5	1.32	1.24	13	38	9	5	9	38
	9,140	73	81	1	3	158	17.3	0.93	0.88	57	43	100	10.3	1.40	1.16	9	37	6	5	5	50
	6,910	57	62	4	4	127	18.4	0.92	0.93	59	55	112	10.4	1.26	1.07	6	47	1	1	4	46
	14,500	116	113	3	3	235	16.2	0.99	0.88	77	59	136	9.4	1.27	0.96	2	9	1	1	2	21
	26,950	250	254	12	14	530	19.7	0.98	1.06	159	98	257	9.5	1.47	1.14	9	17	3	3	17	37
	9,600	85	77	2	2	166	17.3	1.11	1.06	70	51	121	12.9	1.03	1.03	5	30	3	2	2	24
County boroughs and urban districts Wakefield York	2,560	18	17	1	1	36	14.1	1.20	0.93	14	20	34	15.3	1.01	1.10	1	28	1	1	1	54
	4,110	29	35	1	1	64	15.6	0.96	0.82	17	23	40	8.7	1.31	1.04	2	31	2	1	4	88
	5,130	27	35	1	1	63	12.3	1.20	0.81	25	30	55	10.7	1.09	0.96	1	16	1	1	1	76
	18,400	124	164	15	16	319	17.3	1.10	1.05	143	121	264	14.3	0.99	1.16	7	22	6	4	8	37
	14,850	133	141	9	8	291	19.6	0.95	1.02	107	48	122	8.2	1.42	0.95	6	23	8	4	6	34
	16,110	150	147	5	5	307	19.1	0.96	1.01	107	68	169	10.5	1.23	1.06	7	21	7	6	8	38
	18,820	179	144	12	12	347	18.4	1.00	1.01	125	118	243	12.9	1.04	1.10	12	35	9	7	10	48
	57,480	460	415	30	35	940	16.4	1.06	0.96	345	410	755	13.1	0.82	0.88	12	13	8	7	14	22
	9,260	67	61	5	10	143	15.4	1.22	1.03	83	74	157	17.0	0.85	1.18	5	35	5	2	2	28
	8,630	70	63	7	4	144	16.7	1.04	0.95	54	56	110	12.7	1.15	1.20	4	28	4	4	10	34
County boroughs and urban districts Wakefield York	14,820	137	150	8	11	306	20.9	0.94	1.08	83	99	182	12.4	1.03	1.06	5	16	5	4	10	44
	18,560	149	148	10	10	317	17.1	1.11	1.04	120	125	302	16.3	0.79	1.06	1	16	3	3	1	7
	8,760	72	63	3	2	140	16.0	0.97	0.85	51	46	97	11.1	1.12	1.02	1	16	4	1	1	7
	15,590	138	130	2	7	277	17.8	0.97	0.95	84	73	157	10.1	1.10	0.91	3	11	2	2	2	14
	15,830	116	126	6	7	255	16.1	1.01	0.89	103	75	178	11.2	1.17	1.07	6	24	3	1	5	23
	18,520	139	115	4	6	264	14.3	1.12	0.88	124	155	279	15.1	0.76	0.94	5	19	5	1	5	19
	56,670	475	433	45	36	989	17.5	1.00	0.96	421	449	870	15.4	0.97	1.22	24	24	16	14	20	34
	18,530	134	136	4	5	279	15.1	1.11	0.92	139	133	332	17.9	0.60	0.88	6	22	3	2	6	28
	9,560	88	60	3	4	155	16.2	1.08	0.96	90	88	178	18.6	0.57	0.87	2	13	2	2	2	25
	12,280	140	104	2	2	248	20.2	0.91	1.01	54	58	112	9.1	1.50	1.12	3	12	1	1	7	31
County boroughs and urban districts Wakefield York	14,300	153	138	7	7	305	21.3	0.91	1.07	65	49	115	8.0	1.56	1.02	6	20	3	3	7	32
	5,550	41	43	4	1	89	16.0	1.15	1.01	28	38	66	11.9	1.09	1.06	3	34	2	2	1	44



Methborough	16,840	128	12	5	281	16.7	1.03	0.95	114	89	203	12.1	1.13	1.12	3	11	-	-	7	24
Mirfield	13,110	104	13	22	228	17.4	1.06	1.01	82	74	156	11.9	1.10	1.07	5	22	4	4	3	30
Morley M.B.	42,200	358	13	22	769	18.2	1.03	1.03	265	256	521	12.3	1.17	1.10	16	21	9	6	14	26
Normanton	18,490	163	5	6	354	19.1	1.02	1.07	125	84	209	11.3	1.19	1.18	10	28	8	8	8	44
Ossett M.B.	15,510	154	5	10	342	22.1	0.96	1.17	97	92	189	12.2	1.22	1.22	8	23	4	2	10	34
Otley	11,750	83	3	2	183	15.6	1.09	0.93	85	77	162	13.8	0.97	1.10	8	44	5	4	2	32
Penistone	7,200	53	1	4	108	15.9	1.04	0.86	52	37	89	12.4	1.13	1.15	1	9	1	1	1	3
Pontefract M.B.	27,970	292	15	15	597	21.3	0.91	1.07	171	128	299	10.7	1.19	1.04	10	18	9	7	9	26
Pudsey M.B.	36,660	340	23	19	703	19.2	0.95	1.00	218	166	384	10.5	1.15	0.99	11	14	7	7	16	32
Queensbury and Shelf	9,450	83	3	5	162	17.1	0.96	0.90	75	66	141	14.9	1.11	1.36	1	6	1	1	1	3
Rawmarsh	19,740	197	13	8	405	20.5	1.00	1.13	114	90	204	10.3	1.31	1.11	9	22	7	7	12	46
Ripon M.B.	10,680	98	4	5	204	19.1	0.91	0.86	77	96	173	16.2	0.78	1.04	8	29	1	4	2	24
Ripponden	4,950	31	4	4	78	13.1	1.04	1.03	45	27	72	14.5	1.03	1.22	2	26	1	1	1	3
Rothwell	26,350	214	13	5	443	18.7	1.07	0.98	186	209	395	13.2	1.02	1.07	10	20	9	6	8	28
Royston	8,590	81	3	5	167	19.4	0.91	0.92	135	223	418	15.9	0.76	0.99	10	23	7	7	2	47
Saddleworth	17,480	135	11	9	266	15.2	1.10	0.97	128	132	280	14.9	0.95	1.16	3	11	3	3	1	29
Selby	10,500	90	3	3	194	18.3	1.04	1.03	84	68	152	14.3	0.94	1.10	5	26	5	5	2	19
Shipley	29,860	224	12	19	496	18.7	1.07	0.98	186	209	395	13.2	1.02	1.07	10	20	9	6	8	28
Silsden	5,250	38	4	5	84	16.0	1.12	0.88	30	39	89	13.1	1.00	1.07	2	24	2	2	2	47
Skipton	13,190	94	1	6	196	14.9	1.14	0.93	104	116	250	16.7	0.79	1.08	1	5	1	1	1	3
Sowerby Bridge	17,320	154	14	6	321	18.5	1.07	1.09	111	138	249	14.4	1.01	1.19	8	25	6	5	10	45
Spennorth M.B.	37,370	308	19	20	637	17.0	1.09	1.08	243	252	485	13.2	1.05	1.14	18	28	14	14	14	43
Stanley	17,470	146	17	6	314	19.0	0.99	1.08	108	103	208	11.9	1.17	1.16	5	25	6	5	7	37
Stocksbridge	11,390	98	2	4	200	17.6	1.02	0.89	86	53	139	12.2	1.26	1.26	5	25	4	4	1	25
Swinton	13,990	161	4	6	300	21.4	0.92	1.08	84	77	161	11.5	1.30	1.23	5	17	2	1	6	23
Tickhill	2,600	12	1	-	34	13.1	1.06	0.76	19	14	33	12.7	0.99	1.03	-	37	-	5	-	-
Todmorden M.B.	17,050	113	14	7	243	14.3	1.20	0.94	128	137	265	15.5	0.93	1.08	9	37	5	5	4	36
Wath upon Dearne	15,300	149	5	4	301	19.7	0.93	1.04	115	70	178	11.4	1.24	1.16	7	33	2	2	3	35
Wombwell	19,120	184	11	11	388	20.3	1.03	1.11	113	101	246	11.3	1.26	1.17	13	34	11	7	11	45
Worsbrough	15,180	126	9	9	260	17.1	0.93	0.87	96	94	160	11.9	1.36	1.33	8	37	4	4	2	23
Rural districts	485,310	4,269	202	192	9,110	18.8	0.97	1.00	2,694	2,242	4,936	10.2	1.03	1.03	212	23	115	161	30	30
Bowland	4,720	38	-	36	64	13.6	1.15	0.86	25	27	82	13.7	1.01	1.08	2	57	1	1	26	29
Doncaster	70,100	764	36	35	1,587	22.6	0.88	1.09	360	250	500	10.0	1.48	1.06	33	21	21	21	4	4
Goole	8,990	67	25	25	1,030	15.8	0.98	0.85	53	47	100	11.1	1.08	0.95	35	4	4	4	55	55
Hensworth	52,780	469	25	25	1,030	19.5	0.93	1.00	281	198	479	9.1	1.44	1.07	26	25	12	7	22	28
Hepton	3,710	36	4	-	67	18.1	1.10	1.09	32	25	57	15.4	0.94	1.19	2	30	1	1	2	43
Kiveton Park	20,210	203	10	13	418	20.7	1.00	1.14	115	78	175	10.0	1.16	0.93	9	22	7	7	13	46
Niddersdale	16,320	137	2	2	239	14.6	1.16	0.93	97	78	175	10.7	1.08	0.93	2	13	1	1	3	77
Ogilderscross	8,570	68	7	2	152	17.7	1.01	0.98	48	40	88	10.3	1.17	0.92	2	13	1	1	4	32
Penistone	7,410	52	2	1	121	16.3	0.96	0.86	42	31	73	9.9	1.16	0.94	1	8	-	-	5	40
Ripon and Pateley Bridge	13,540	119	7	3	229	16.9	1.11	1.03	78	61	139	10.3	1.03	0.87	4	17	3	2	1	13
Rotherham	62,380	643	30	30	1,329	21.3	0.88	1.01	291	234	525	8.4	1.52	1.05	35	26	27	22	30	38
Sedburgh	3,750	30	1	2	52	13.9	1.36	1.04	21	20	41	18.9	1.10	0.98	2	38	1	1	8	73
Selby	6,730	46	4	4	105	15.6	1.06	0.91	36	24	60	8.9	1.04	0.76	4	19	2	2	1	25
Settle	13,730	107	5	6	202	14.7	1.14	0.92	101	99	200	14.6	0.93	1.11	4	20	4	4	1	25
Skipton	23,970	179	5	6	339	14.1	1.11	0.86	164	155	319	13.3	0.96	1.05	6	18	3	1	5	17
Tadcaster	29,090	265	13	8	551	18.9	1.02	1.06	175	133	308	10.6	1.13	0.98	13	24	8	7	11	32
Thorne	36,090	384	20	24	785	21.8	0.94	1.13	189	136	325	9.0	1.49	1.10	28	36	12	10	4	47
Wakerfield	21,300	199	13	10	408	19.2	0.94	0.99	126	100	236	10.6	1.30	1.13	16	39	12	10	4	36
Wetherby	24,430	170	8	7	348	14.2	1.13	0.88	120	131	251	10.3	1.09	0.92	8	23	4	4	6	28
Wharfedale	7,100	64	1	3	115	16.2	1.02	0.91	41	48	89	12.5	0.75	0.77	1	9	1	1	1	17
Wortley	50,390	414	10	14	827	16.4	1.03	0.93	299	308	607	12.0	1.05	1.03	11	13	1	1	6	18
WALS																				
ANGLESEY	51,830	466	28	21	942	18.2	1.13	1.13	373	342	715	13.8	0.96	1.09	15	16	5	3	23	27
Municipal borough and urban districts	20,490	208	13	4	430	21.0	1.08	1.25	148	138	276	13.5	0.99	1.10	8	19	3	1	10	25
Amwlch	2,940	19	1	1	43	14.6	1.18	0.95	28	19	47	16.0	0.85	1.11	3	70	2	1	1	45
Baunmairis M.B.	1,920	11	1	-	20	10.4	1.16	0.66	12	12	24	12.5	0.87	0.89	-	4	3	-	2	91
Holyhead	10,330	112	7	2	234	22.7	1.09	1.36	81	67	148	14.3	1.01	1.18	-	17	1	-	5	21
Llangefni	3,130	38	4	-	84	26.8	0.92	1.35	15	18	33	10.5	1.17	1.01	-	12	-	-	1	12
Menai Bridge	2,170	22	2	1	49	22.6	1.14	1.42	12	12	24	11.1	1.02	0.93	-	-	-	-	1	20
Rural districts	31,340	219	15	17	512	16.3	1.16	1.04	225	214	439	14.0	0.93	1.07	7	14	2	2	13	29
Aethy	10,510	73	9	6	155	14.7	1.16	0.94	76	78	154	14.7	0.86	1.05	3	19	1	1	2	25
Twrclynn	7,950	65	2	8	123	15.5	1.21	1.03	68	59	127	16.0	0.86	1.13	4	31	2	2	4	31
Valley	12,880	104	4	3	234	18.2	1.12	1.12	81	77	158	12.3	1.06	1.07	3	13	-	-	7	29



TABLE 13 - continued

Area	Estimated home population as at 30th June 1963	Live births						Deaths						Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate		
		Legitimate			Illegitimate			Total	Grande rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate	M	F	Total	Ratio of local adjusted death rate to national rate					Number	Rates per 1,000 live births
		M	F		M	F															
		3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
BRECONSHIRE	54,390	463	402	17	20	902	16.6	1.13	1.03	420	389	809	14.9	0.97	1.18	21	23	12	10	22	35
Municipal boroughs and urban districts	15,580	123	108	4	4	239	15.3	1.12	0.94	125	129	254	16.3	0.88	1.18	7	29	4	3	11	56
Brecknock M.B.	5,800	42	36	3	1	82	14.1	1.16	0.90	45	47	92	15.9	0.89	1.16	1	12	1	1	1	24
Brynmawr	6,400	58	45	1	3	107	16.7	1.02	0.94	43	46	89	13.9	1.00	1.14	5	47	2	2	10	103
Builth Wells	1,560	17	18	-	-	35	22.4	1.26	1.55	12	15	27	17.3	0.77	1.09	1	67	1	-	-	-
Hay	1,320	6	9	-	-	15	7.4	1.22	0.76	19	17	36	27.3	0.59	1.32	1	67	1	-	-	-
Llanwrtyd Wells	1,500	-	-	-	-	-	-	1.48	-	6	4	10	20.0	0.62	1.02	-	-	-	-	-	-
Rural districts	38,810	340	294	13	16	663	17.1	1.13	1.06	295	260	555	14.3	1.01	1.18	14	21	8	7	11	27
Brecknock	6,950	87	59	1	2	129	18.6	1.38	1.41	57	55	112	16.1	1.02	1.35	1	-	8	7	1	8
Builth	3,240	26	21	4	4	52	16.0	1.17	1.03	20	27	47	14.5	1.04	1.20	3	58	1	1	1	19
Cricknowell	7,680	67	66	3	7	143	18.6	1.10	1.42	48	46	94	12.2	1.00	1.40	5	35	4	4	4	54
Hay	3,670	32	25	1	2	60	16.3	1.27	1.14	24	28	52	14.2	0.50	0.58	-	-	-	-	2	32
Vaynor and Penderyn	6,370	58	45	2	1	106	16.6	1.02	0.93	59	38	97	15.2	1.17	1.46	1	9	-	2	2	19
Ystradgynlais	10,900	90	78	2	3	173	15.9	1.05	0.92	87	66	153	14.0	1.15	1.33	5	29	3	2	2	23
CAERNARVONSHIRE	120,560	905	820	54	49	1,828	15.2	1.14	0.95	932	978	1,910	15.8	0.81	1.05	32	18	18	14	32	25
Municipal boroughs and urban districts	72,800	547	509	32	37	1,125	15.5	1.11	0.95	533	615	1,148	15.8	0.80	1.04	20	18	9	6	17	20
Bangor M.B.	14,530	105	100	5	5	215	14.8	0.84	0.68	85	100	185	12.7	1.14	1.19	2	9	2	2	5	9
Bethesda	4,180	35	41	3	4	83	19.9	1.15	1.26	48	28	76	18.2	0.98	1.46	2	24	2	2	5	80
Betsi-y-Coed	9,090	93	66	2	6	157	17.3	1.14	1.08	60	72	132	14.5	0.96	1.14	6	38	-	-	3	19
Caernarvon M.B.	11,270	86	88	2	5	181	16.1	1.21	1.07	90	107	197	17.5	0.66	0.95	4	22	3	2	3	27
Conway M.B.	1,580	10	10	-	1	21	13.3	1.24	0.91	14	18	32	20.3	0.73	1.21	1	-	2	2	3	27
Criccieth	17,160	97	91	7	11	206	12.0	1.26	0.83	128	152	280	16.3	0.67	0.90	4	19	2	1	2	14
Llandudno	2,980	22	20	2	2	44	14.9	1.23	1.04	21	25	46	15.5	0.76	0.97	1	23	1	1	-	23
Llanfawrfechan	5,780	28	26	3	1	58	15.3	1.33	1.12	28	32	60	15.9	0.69	0.90	1	17	1	-	-	-
Fermainmawr	3,880	38	35	5	3	81	20.9	1.14	1.31	24	32	56	14.4	0.82	0.97	-	-	-	-	1	12
Portmadoc	3,600	34	27	2	1	64	17.8	1.13	1.11	28	38	66	18.3	0.58	0.87	-	-	-	-	1	15
Fwlhel M.B.	47,760	388	311	22	12	703	14.7	1.19	0.96	399	383	782	16.0	0.85	1.11	12	17	9	8	15	32
Rural districts	21,980	183	142	9	5	339	13.1	1.16	1.03	173	141	314	14.9	0.91	1.11	4	12	3	5	7	26
Gwynfa	16,250	109	101	5	5	220	13.5	1.21	0.97	139	138	267	16.4	0.80	1.08	5	23	5	2	4	40
Llwyn	5,860	39	34	7	1	86	14.7	1.20	0.90	48	54	82	14.0	0.91	1.04	2	23	1	1	4	11
Nant Conway	4,600	27	29	1	1	58	12.6	1.26	0.87	39	60	99	21.5	0.71	1.25	1	17	1	1	3	66
Ogwen	53,260	358	359	28	14	759	14.3	1.14	0.90	372	404	776	14.6	0.85	1.02	15	20	10	9	16	32
CARDIGANSHIRE	18,210	108	126	5	5	251	13.8	0.99	0.75	120	142	262	14.4	0.81	0.96	3	12	1	1	2	12
Municipal boroughs and urban districts	4,190	5	5	1	1	10	8.4	1.22	0.56	8	8	16	13.4	0.68	0.75	-	-	-	-	-	-
Aberystwyth M.B.	10,360	67	72	6	3	148	14.3	0.86	0.68	59	77	136	15.0	0.87	0.93	3	20	1	1	1	13
Cardigan M.B.	3,740	23	27	3	2	55	14.7	1.12	0.90	25	35	60	16.0	0.91	1.19	-	-	-	-	1	13
Lampeter M.B.	2,010	12	17	3	3	32	15.9	1.30	1.14	21	13	34	16.9	0.62	0.86	-	-	-	-	-	-
New Quay	910	1	5	-	-	6	6.6	1.59	0.58	7	9	16	17.6	0.56	0.81	-	-	-	-	-	-
Rural districts	35,050	250	233	16	9	508	14.5	1.24	0.99	252	262	514	14.7	0.86	1.04	12	24	9	8	14	42
Aberystwyth	8,950	59	45	5	3	142	12.5	1.24	0.85	69	57	126	14.1	0.90	1.04	4	36	4	4	2	92
Aberystwyth	11,210	73	73	4	4	153	13.6	1.22	0.91	68	83	151	13.5	0.84	0.93	1	37	4	-	2	13
Teifi	10,160	87	87	6	4	182	17.9	1.21	1.13	78	70	146	18.4	0.81	1.07	6	33	4	4	4	42
Tregaron	4,750	31	28	1	1	61	12.9	1.36	0.96	39	52	91	19.2	0.73	1.24	1	16	1	-	1	16

CARMARTHENSHIRE																					
166,560	1,177	1,163	49	51	2,440	14.6	1.09	0.87	1,283	1,107	2,390	14.3	1.03	1.21	68	28	47	42	64	42	
Municipal boroughs and urban districts																					
Ammanford	66,020	441	460	15	17	933	14.1	1.11	0.86	553	535	1,088	16.5	0.89	1.20	26	28	20	16	24	42
Burry Port	5,200	37	49	2	2	88	14.2	1.21	0.94	43	38	92	13.1	0.87	1.04	1	1	1	1	1	1
Carmarthen M.B.	5,860	48	52	1	1	405	17.9	1.42	1.10	50	42	92	15.7	1.09	1.40	5	29	3	3	4	34
Cwmanman	12,900	74	87	2	4	164	12.7	1.03	0.72	105	115	220	17.1	0.84	0.90	5	30	4	3	5	49
	4,200	25	30	-	-	55	13.1	1.14	0.82	29	30	59	14.0	1.01	1.16	1	18	1	1	7	78
Kidwelly M.B.	2,870	23	18	-	-	41	14.3	1.12	0.88	26	27	53	18.5	1.14	1.73	1	24	-	-	-	-
Llandeilo	1,880	17	13	2	2	32	17.0	1.16	1.08	18	27	45	23.9	0.87	1.70	1	31	-	-	1	30
Llandovery M.B.	1,990	11	14	1	1	27	13.6	1.07	0.80	11	19	30	15.1	0.88	1.09	14	34	11	9	11	47
Llanelli M.B.	29,510	201	194	7	11	413	14.0	1.12	0.86	267	228	495	16.8	0.91	1.25	14	34	11	9	11	47
Newcastle Emlyn	610	5	3	-	-	8	73.7	1.17	0.84	4	9	13	27.3	0.79	1.38	-	-	-	-	-	-
Rural districts																					
Carmarthen	100,540	736	703	34	34	1,507	15.0	1.08	0.89	730	572	1,302	13.0	1.12	1.19	42	28	27	26	40	43
Llandeilo	27,840	192	189	11	11	403	14.5	1.10	0.88	189	169	358	12.9	1.11	1.17	14	35	11	11	7	44
Llandovery	24,150	170	167	4	6	347	14.4	1.13	0.89	166	135	301	12.5	1.04	1.07	11	32	6	6	12	50
Llanelli	40,350	324	301	15	12	652	16.2	1.03	0.92	299	200	499	12.4	1.24	1.26	15	23	8	7	19	30
Newcastle Emlyn	8,200	50	46	4	5	105	12.8	1.19	0.84	76	68	144	17.6	0.89	1.28	2	19	2	2	2	37
DENBIGHSHIRE																					
174,680	1,382	1,315	67	68	2,832	16.2	1.09	0.97	1,207	1,163	2,370	13.6	0.93	1.04	43	15	31	25	54	27	
Municipal boroughs and urban districts																					
Abergele	84,100	671	633	32	35	1,371	16.3	1.09	0.98	594	673	1,267	15.1	0.81	1.00	22	16	15	12	29	29
Colwyn Bay M.B.	8,800	63	61	4	7	130	15.9	1.30	1.14	69	76	145	17.7	0.75	1.06	3	23	3	3	3	45
Denbigh M.B.	22,500	146	135	7	13	301	13.4	1.32	0.97	190	243	433	19.2	0.61	0.96	3	10	2	2	3	28
Llangollen	8,130	68	59	6	1	134	16.5	1.14	1.03	58	97	185	19.1	0.45	0.70	-	-	-	-	3	22
	3,000	16	22	3	1	42	14.0	1.16	0.89	19	15	34	11.3	0.90	0.83	-	-	-	-	1	25
Llanrwst	2,500	23	17	1	2	43	17.2	1.20	1.13	31	22	53	21.2	0.65	1.13	1	23	1	1	1	45
Ruthin M.B.	3,650	25	22	1	16	48	13.2	1.22	0.88	28	28	58	15.3	0.68	0.85	15	22	9	6	3	59
Wrexham M.B.	36,120	330	317	10	16	673	18.6	0.93	0.95	199	192	391	10.8	1.22	1.08	15	22	9	6	15	31
Rural districts																					
Aled	90,580	711	682	35	33	1,461	16.1	1.08	0.96	613	490	1,103	12.2	1.08	1.08	21	14	16	13	25	26
Alled	6,890	43	35	7	3	88	12.8	1.17	0.82	32	32	64	9.3	1.00	0.76	-	-	-	-	1	71
Ceirlog	7,260	64	42	2	2	108	14.9	1.12	0.92	51	35	86	11.8	1.01	0.98	1	9	-	-	3	27
Hiraeothog	4,520	30	41	3	2	76	16.8	1.18	1.09	31	25	56	12.4	1.01	1.03	-	-	-	-	1	73
Ruthin	9,630	75	86	3	1	165	17.1	1.15	1.08	60	38	98	10.2	0.99	0.83	2	12	2	2	1	18
Wrexham	62,280	499	478	22	25	1,024	16.4	1.05	0.95	439	360	799	12.8	1.11	1.16	18	18	14	11	19	29
FLINTSHIRE																					
152,310	1,370	1,283	56	74	2,783	18.3	1.06	1.07	1,064	944	2,008	13.2	1.00	1.08	75	27	51	44	52	34	
Municipal borough and urban districts																					
Buckley	79,040	692	660	22	39	1,413	17.9	1.06	1.04	573	530	1,103	14.0	0.94	1.08	44	31	30	26	23	34
Backley	7,840	61	72	2	2	137	17.5	1.06	1.02	51	43	94	12.0	1.13	1.11	5	36	5	5	1	43
Connah's Quay	8,740	99	88	2	1	190	21.7	0.92	1.40	40	34	74	8.5	1.55	1.08	4	21	4	2	3	16
Flint M.B.	13,950	116	129	4	4	253	18.1	1.03	1.02	96	50	146	10.5	1.28	1.10	6	24	5	3	7	38
Holywell	8,470	98	70	2	2	174	20.5	0.97	1.09	61	68	129	15.2	0.86	1.07	6	34	4	4	2	34
Mold	7,110	67	84	2	3	156	21.9	1.00	1.20	47	36	83	11.7	1.30	1.25	7	45	4	3	1	25
Prestatyn	11,490	81	69	3	5	158	13.8	1.29	0.98	88	117	205	17.8	0.64	0.93	2	13	2	2	5	43
Rhyl	21,440	170	148	7	20	345	16.1	1.11	0.98	190	182	372	17.4	0.78	1.11	14	41	10	9	4	37
Rural districts																					
Hawarden	73,270	678	623	34	35	1,370	18.7	1.07	1.10	491	414	905	12.4	1.07	1.09	31	23	21	18	29	34
Holywell	37,120	366	321	21	16	724	19.5	1.02	1.09	229	213	442	11.9	1.20	1.17	23	32	16	14	11	34
(a)Maellor	21,560	172	195	8	14	389	18.0	1.10	1.09	164	113	277	12.8	0.96	1.01	4	10	3	3	13	40
St. Asaph	4,870	39	36	4	3	82	17.6	1.11	1.07	39	21	60	12.8	1.10	1.15	1	12	1	1	3	47
	5,920	101	71	1	2	175	17.6	1.15	1.11	59	67	126	12.7	0.91	0.95	3	17	1	1	2	11
GLAMORGAN																					
1,241,980	11,033	10,410	592	528	22,563	18.2	1.01	1.01	8,507	7,204	15,711	12.6	1.14	1.18	604	27	433	370	444	35	
County boroughs																					
Cardiff	489,730	4,471	4,230	320	269	9,290	19.0	1.00	1.04	3,268	2,924	6,192	12.6	1.12	1.16	240	26	174	151	169	34
Merthyr Tydfil	260,940	2,465	2,413	215	187	5,280	20.3	0.99	1.10	1,584	1,456	3,040	11.7	1.14	1.09	130	25	92	83	86	31
Swansea	58,700	514	431	28	26	1,053	17.9	1.05	1.03	482	383	845	14.4	1.10	1.30	37	35	28	24	24	45
	170,590	1,492	1,526	83	56	2,957	17.4	1.01	0.97	1,202	1,105	2,307	13.5	1.10	1.22	73	25	54	44	59	34
Administrative county																					
752,250	6,562	6,180	272	259	13,273	17.6	1.02	0.99	5,239	4,280	9,519	12.7	1.15	1.20	364	27	259	219	275	36	
Municipal boroughs and urban districts																					
Aberdare	526,190	4,561	4,280	196	201	9,238	17.6	1.03	1.00	3,746	3,083	6,799	12.9	1.16	1.23	256	28	177	143	201	36
Bridgend	39,000	370	361	10	13	604	15.5	1.09	0.93	367	294	681	16.9	1.04	1.44	19	31	13	12	6	30
Barry M.B.	42,240	376	351	32	33	811	19.2	1.03	1.09	273	209	482	11.4	1.12	1.05	15	71	11	9	15	29
Caerphilly	15,130	124	117	6	6	281	16.6	1.03	0.94	64	76	140	9.3	1.10	0.84	5	20	4	4	6	39
Cowbridge M.B.	36,560	345	320	18	13	696	19.0	0.98	1.02	235	190	415	11.4	1.30	0.81	18	26	13	10	17	38
	1,110	16	11	-	-	27	24.3	1.01	1.35	8	9	15	11.7	1.04	1.00	-	-	-	-	1	69

(a) The figures for this area include 9 deaths (7M, 2F) in a Polish General Hospital, which could not be transferred to the area of residence.



TABLE 13 - continued

Area	Estimated home population as at 30th June 1963	Live births						Deaths						Deaths under 1 year		Deaths under 4 weeks	Deaths under 1 week	Stillbirths	Perinatal mortality rate				
		Legitimate			Illegitimate			Total	Crude rate per 1,000 home population	Comparability factor	Ratio of local adjusted birth rate to national rate	M	F	Total	Crude rate per 1,000 home population					Comparability factor	Ratio of local adjusted death rate to national rate	Number	Rates per 1,000 live births
		M	F		M	F																	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22		
GLAMORGAN - continued																							
Municipal boroughs and urban districts - continued																							
Gelligaer	35,030	313	325	17	20	675	19.3	1.00	1.06	231	194	425	12.1	1.30	1.29	26	39	16	14	12	38		
Glyncoed	9,440	104	98	2	7	211	22.4	0.97	1.19	59	53	112	11.9	1.32	1.48	11	52	5	5	6	37		
Glyncoed	25,290	180	162	5	2	349	13.8	1.07	0.81	212	157	369	14.6	1.10	1.32	15	43	11	8	9	39		
Llanelli	21,790	206	178	3	7	394	18.1	1.04	1.03	157	114	271	12.4	1.24	1.26	10	23	8	7	7	35		
Maesteg	29,540	288	234	8	9	539	18.2	1.00	1.00	222	194	416	14.1	1.21	1.40	15	28	9	8	12	36		
Mountain Ash	30,630	256	235	7	4	502	16.4	1.04	0.94	220	191	411	13.4	1.07	1.18	15	30	9	7	10	33		
Neath M.B.	21,010	211	182	3	9	405	19.3	1.03	1.09	151	115	266	12.7	1.24	1.29	12	30	7	7	3	32		
Ogmore and Garw	20,890	172	148	11	13	344	16.5	1.08	0.98	154	135	289	13.8	0.95	1.07	12	6	2	2	3	14		
Penarth	35,400	305	302	11	13	631	17.8	1.02	1.00	244	251	495	14.0	1.01	1.16	18	29	14	12	20	49		
Pontypridd	11,520	80	94	8	7	189	16.4	1.15	1.04	94	84	178	15.5	0.84	1.07	8	42	7	4	3	36		
Portcawl	51,510	464	453	24	23	964	18.7	0.99	1.02	303	203	506	9.8	1.38	1.11	22	23	16	12	20	33		
Port Talbot M.B.	100,100	821	770	31	24	1,646	16.4	1.03	0.93	752	598	1,350	13.5	1.15	1.27	45	27	32	22	50	42		
Rhondda M.B.	226,060	2,001	1,900	76	58	4,035	17.8	1.01	0.99	1,493	1,227	2,720	12.0	1.12	1.10	108	27	82	76	74	37		
Rural districts	50,880	422	462	20	6	910	17.9	0.97	0.95	330	284	614	12.1	0.94	0.93	18	20	12	11	8	21		
Cardiff	20,180	215	166	4	5	390	19.3	1.07	1.13	100	72	172	8.5	1.65	1.15	9	23	6	5	8	33		
Cowbridge	13,080	106	100	5	2	213	16.3	1.09	0.98	83	92	175	13.4	1.00	1.10	7	33	6	5	1	28		
Gower	27,300	251	252	12	12	527	19.3	0.95	1.01	150	108	258	9.5	1.30	1.01	16	30	14	13	11	45		
Llantrisant and Llantwit Fardre	40,840	334	314	7	6	661	16.2	1.04	0.93	285	212	497	12.2	1.23	1.23	27	41	20	18	22	59		
Neath	43,420	445	412	18	23	898	20.8	0.96	1.10	306	243	549	12.7	1.01	1.05	20	22	16	16	14	33		
Penyfont	30,660	228	194	10	4	436	14.2	1.13	0.88	239	216	455	14.8	1.06	1.29	11	25	8	8	10	40		
Pontardawe	38,390	301	290	9	21	621	16.2	1.20	1.07	297	255	552	14.4	0.90	1.06	12	19	6	5	5	24		
MERIONETHSHIRE																							
Urban districts	16,890	140	123	3	10	276	16.3	1.14	1.02	123	120	243	14.4	0.91	1.07	6	22	3	3	7	35		
Bala	1,840	45	10	2	2	29	17.7	1.23	1.20	8	14	22	13.4	0.86	0.94	1	34	1	1	3	32		
Barmouth	2,200	47	45	-	2	34	15.5	1.13	0.96	17	14	31	14.1	0.89	0.80	1	29	1	1	1	57		
Dolgellau	2,460	41	24	-	1	36	14.6	1.08	0.87	20	16	36	14.6	0.96	1.15	-	-	1	-	-	27		
Ffestiniog	2,860	56	49	1	5	111	16.7	1.09	1.00	51	55	106	15.9	1.06	0.83	3	27	1	1	2	57		
Fryston	3,930	41	25	-	1	66	16.8	1.28	1.18	27	21	48	12.2	0.83	0.83	1	15	1	-	-	14		
Town	21,500	161	167	6	11	345	16.0	1.25	1.10	174	135	309	14.4	0.89	1.05	6	17	3	2	3	15		
Rural districts	7,060	70	64	1	4	134	19.0	1.19	1.24	67	62	129	18.3	0.79	0.93	2	15	1	1	1	11		
Deudraeth	3,740	34	27	4	3	69	11.4	1.35	0.85	58	41	99	12.8	0.89	0.93	-	-	1	-	1	29		
Dolgellau	5,920	23	37	1	2	60	17.6	1.22	1.18	31	23	54	13.8	0.94	1.06	2	29	1	1	1	29		
Edeyrnion	2,780	28	22	-	4	54	19.4	1.21	1.29	18	9	27	9.7	1.00	0.80	2	37	1	-	-	-		
Penllyn	451,440	4,232	4,027	214	194	8,667	19.2	1.02	1.08	2,982	2,436	5,418	12.0	1.15	1.13	219	25	146	115	189	34		
MONMOUTHSHIRE																							
Newport C.B.	108,780	1,071	969	76	62	2,178	20.0	1.00	1.10	695	613	1,308	12.0	1.18	1.16	53	24	35	29	40	31		
Administrative county																							
Municipal boroughs and urban districts	342,660	3,161	3,058	138	132	6,489	18.9	1.02	1.06	2,287	1,823	4,110	12.0	1.14	1.12	166	26	111	86	149	35		
Abercarn	281,420	2,545	2,498	110	109	5,262	18.7	1.03	1.06	1,924	1,525	3,449	12.3	1.16	1.17	140	27	96	74	128	37		
Abercarn	18,400	177	155	3	4	339	17.5	0.98	0.94	138	116	254	13.1	1.23	1.32	13	38	9	6	11	49		
Abercarn	9,710	85	83	4	9	181	18.6	1.10	1.12	70	73	143	14.7	0.99	1.19	7	39	4	3	6	27		
Abercarn	24,910	214	213	10	8	451	18.1	1.07	1.06	170	134	304	12.2	1.16	1.16	10	22	7	4	15	47		



	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
Bedwas and Machen Bedwellty Bisnawon Caerleon Chepstow Gwent Ebbw Vale Ebbw Vale Mynyddiawyn Nantyglo and Eialna Pontypool Pontypool Rhydym Rhydym Tregar Usk	107	10,350	108	5	2	222	21.4	0.97	1.14	68	38	106	10.2	1.30	1.09	5	23	2	2	2	4	27
	242	27,410	242	17	10	515	19.9	0.99	1.01	187	140	327	11.9	1.31	1.28	17	33	13	11	11	12	30
	72	8,320	55	4	1	132	15.9	1.16	1.01	77	55	132	15.9	1.05	1.57	2	15	1	1	1	3	30
	42	38	38	1	1	82	16.8	1.11	1.02	37	40	77	15.8	0.74	0.96	3	15	2	2	2	2	24
	90	7,410	98	6	6	200	27.0	1.00	1.48	62	50	112	15.1	0.62	0.77	3	15	2	2	2	2	25
	261	24,290	261	9	10	567	23.3	0.86	1.10	100	88	188	7.7	1.65	1.04	11	19	8	6	6	10	28
	243	58,900	243	6	15	510	18.2	1.05	1.05	186	138	324	11.6	1.23	1.17	18	33	13	11	11	7	35
	43	15,900	43	7	3	97	16.7	1.09	1.00	43	39	82	14.1	0.85	0.98	2	27	2	2	2	3	40
	109	10,960	109	7	4	248	16.0	1.01	0.89	114	70	184	11.9	1.34	1.31	4	76	4	4	4	9	47
	121	10,960	121	3	10	240	21.9	1.05	1.26	78	70	148	13.5	1.14	1.26	6	25	5	5	5	8	44
Rural districts Rhydym Rhydym Tregar Usk	303	39,380	326	15	11	655	16.7	1.11	1.02	298	214	512	13.0	1.06	1.13	20	31	15	13	13	13	39
	183	8,600	183	6	3	165	19.8	1.00	1.03	70	57	127	14.4	1.19	1.40	11	30	2	2	2	9	63
	131	14,820	131	5	1	261	17.9	1.12	1.10	91	72	163	11.1	1.01	0.92	6	23	4	4	4	3	23
	165	19,740	165	9	2	350	17.7	1.00	0.97	125	123	248	12.6	1.18	1.22	11	37	5	5	5	13	44
	18	1,990	25	2	4	47	23.6	1.07	1.39	10	8	18	9.0	1.14	0.84	-	-	-	-	-	1	21
	616	61,240	560	28	23	1,227	20.0	1.01	1.11	363	298	661	10.8	1.03	0.91	26	21	15	12	12	21	26
	61	8,510	61	7	2	153	17.2	1.20	1.13	88	84	172	19.3	0.52	0.82	2	13	2	2	2	1	26
	116	12,530	116	4	8	245	19.5	1.06	1.14	76	64	140	11.1	1.10	1.00	6	24	5	4	4	3	28
	225	18,530	170	12	7	414	22.7	1.05	1.31	88	69	157	8.6	1.22	0.86	12	29	5	5	5	10	33
	44	15,020	44	3	90	15.0	1.29	1.06	1.06	38	35	73	12.1	0.92	0.91	3	33	2	2	2	1	33
MONTGOMERYSHIRE Municipal boroughs and urban districts Llanfyllin M.B. Llanidloes M.B. Machynlleth Montgomery M.B. Newtown and Llanillwchafarn Wellsport M.B.	170	15,890	149	2	4	325	21.0	0.78	0.90	73	46	119	7.7	1.58	1.00	3	9	3	2	2	7	27
	348	43,660	331	14	17	710	16.3	1.13	1.01	300	278	578	13.2	0.93	1.01	14	20	8	8	8	12	28
	141	18,260	141	4	5	300	16.4	1.08	0.97	125	128	253	13.9	0.92	1.05	4	13	3	3	3	5	26
	10	12	12	-	-	22	17.9	1.13	1.11	13	12	25	20.3	0.76	1.26	-	-	-	-	-	1	43
	17	2,530	13	-	-	30	12.8	1.18	0.83	23	25	48	20.4	0.75	1.25	-	-	-	-	-	1	32
	8	1,840	8	10	1	19	10.3	0.99	0.56	19	11	30	16.3	0.85	1.14	1	48	1	1	1	1	91
	9	1,970	9	10	1	21	21.6	1.05	1.25	5	6	11	17.3	1.16	1.07	-	-	-	-	-	1	91
	39	5,460	39	46	1	87	15.9	1.15	1.00	29	35	64	11.7	0.92	0.88	3	34	2	2	2	-	23
	58	6,410	58	1	3	121	18.9	1.02	1.06	36	39	75	11.7	1.06	1.02	-	-	-	-	-	2	16
	207	25,400	181	10	12	410	16.1	1.17	1.04	175	150	335	12.8	0.94	0.99	10	24	5	5	5	7	29
Rural districts Forden Llanfyllin Llanfyllin Machynlleth Newtown and Llanidloes	45	5,060	45	3	3	89	17.6	1.13	1.09	38	35	73	14.4	0.93	1.10	3	34	2	2	2	2	29
	74	9,070	74	3	3	139	15.5	1.19	1.00	60	44	104	11.5	0.94	0.89	3	22	1	1	1	3	28
	71	2,790	71	1	7	34	12.2	1.34	0.90	24	20	44	15.8	0.85	1.10	2	59	2	2	2	2	59
	69	5,490	69	1	1	148	17.4	1.11	1.06	53	51	104	12.2	0.96	0.96	2	14	-	-	-	2	13
	806	94,660	841	39	31	1,717	18.1	1.06	1.05	681	600	1,281	13.5	1.07	1.18	37	22	23	20	20	34	31
	426	47,730	426	16	16	904	18.9	1.01	1.05	340	312	652	13.7	1.13	1.27	23	25	13	12	12	18	33
	98	4,880	98	3	4	174	15.2	1.13	0.89	41	30	71	14.5	1.00	1.19	1	14	1	1	1	2	39
	110	8,730	110	6	2	495	17.2	0.86	1.03	68	71	139	15.9	1.13	1.47	4	21	2	2	2	4	30
	6	1,030	6	-	-	233	17.7	0.86	0.83	78	69	147	11.4	1.45	1.35	5	22	1	1	1	5	27
	12	2,170	12	-	-	34	15.7	1.17	0.87	9	18	36	16.6	1.09	1.51	-	-	-	-	-	2	125
Rural districts Cemaes Haverfordwest Narberth Pembroke	125	13,500	125	11	4	284	20.8	1.06	1.01	18	18	36	16.6	1.09	1.48	2	59	2	2	2	1	86
	37	4,510	37	3	2	78	17.3	1.12	1.06	37	28	65	14.0	0.83	0.95	1	13	6	6	6	2	38
	380	46,930	380	14	15	813	17.3	1.11	1.06	341	288	629	13.4	1.02	1.12	14	17	10	8	8	16	29
	58	9,600	58	3	3	424	14.4	1.21	0.96	165	138	251	15.2	0.89	1.11	10	17	2	2	2	4	39
	202	22,220	199	6	7	404	19.2	1.07	1.09	183	158	278	12.6	1.14	1.48	7	17	5	5	5	6	27
	71	9,670	71	4	4	182	18.4	1.15	1.04	175	158	278	12.6	1.14	1.48	7	17	5	5	5	6	27
	49	6,240	49	1	1	123	19.7	1.08	1.17	40	29	69	11.1	1.02	0.95	1	8	3	2	2	4	16
	128	18,370	128	2	6	274	14.9	1.18	0.97	136	109	245	13.3	0.87	0.95	1	4	1	1	1	2	11
	33	6,280	33	4	4	85	13.5	1.12	0.83	53	53	106	16.9	0.78	1.08	-	-	-	-	-	1	12
	13	1,910	13	4	2	29	16.0	1.11	0.98	45	16	31	11.1	0.75	1.05	-	-	-	-	-	1	12
Urban districts Knighton Llandrindod Wells Presteigne Rural districts Colwyn Knighton New Radnor Paincastle Rhayader	8	3,280	8	2	2	43	13.1	1.17	0.80	28	33	61	16.5	0.75	1.04	-	-	-	-	-	1	23
	95	12,090	95	-	-	13	10.9	1.17	0.70	10	4	14	17.8	0.89	0.86	-	-	-	-	-	-	-
	15	1,590	15	11	2	189	15.6	1.21	1.04	83	56	139	11.5	0.92	0.87	1	5	1	1	1	1	11
	22	2,730	22	3	-	26	16.5	1.14	1.03	15	8	23	14.6	0.89	1.07	-	-	-	-	-	-	-
	18	2,050	18	1	1	46	16.8	1.27	1.17	19	17	36	13.2	0.87	0.94	-	-	-	-	-	-	-
	10	1,690	10	4	-	33	16.1	1.21	1.07	13	5	18	9.8	0.93	0.87	-	-	-	-	-	-	-
	34	4,040	34	-	-	20	11.8	1.29	0.84	16	10	16	9.5	0.93	0.72	-	-	-	-	-	-	-
	30	4,040	30	-	-	64	15.8	1.16	1.01	30	16	46	11.4	0.94	0.68	1	16	1	1	1	1	31
	34	4,040	34	-	-	64	15.8	1.16	1.01	30	16	46	11.4	0.94	0.68	1	16	1	1	1	1	31
	34	4,040	34	-	-	64	15.8	1.16	1.01	30	16	46	11.4	0.94	0.68	1	16	1	1	1	1	31
	34	4,040	34	-	-	64	15.8	1.16	1.01	30	16	46	11.4	0.94	0.68	1	16	1	1	1	1	31

**TABLE 14. Deaths by sex at each year of age (with marital condition), 1963**

England and Wales

Included in this Table are 1,071 cases (429 males and 642 females) in which the age of deceased was not definitely stated; these have been allocated to particular ages in accordance with the best available information and with due regard to the circumstances and cause of death in each case. The deaths of divorced men and women are included with the deaths of widowed.

See explanatory notes.

Age last birthday	Persons	MALES					FEMALES				
		Total	Single	Married	Widowed	Not stated	Total	Single	Married	Widowed	Not stated
<b>All ages</b>	<b>572,868</b>	<b>292,410</b>	<b>41,649</b>	<b>178,277</b>	<b>69,788</b>	<b>2,696</b>	<b>280,458</b>	<b>53,463</b>	<b>81,977</b>	<b>144,687</b>	<b>331</b>
<b>0-4</b>	<b>20,822</b>	<b>11,949</b>	<b>11,949</b>	-	-	-	<b>8,873</b>	<b>8,873</b>	-	-	-
0	18,042	10,401	10,401	-	-	-	7,641	7,641	-	-	-
1	1,202	665	665	-	-	-	537	537	-	-	-
2	666	378	378	-	-	-	288	288	-	-	-
3	482	261	261	-	-	-	221	221	-	-	-
4	430	244	244	-	-	-	186	186	-	-	-
<b>5-9</b>	<b>1,365</b>	<b>843</b>	<b>843</b>	-	-	-	<b>522</b>	<b>522</b>	-	-	-
5	343	198	198	-	-	-	145	145	-	-	-
6	296	181	181	-	-	-	115	115	-	-	-
7	259	167	167	-	-	-	92	92	-	-	-
8	252	154	154	-	-	-	98	98	-	-	-
9	215	143	143	-	-	-	72	72	-	-	-
<b>10-14</b>	<b>1,072</b>	<b>685</b>	<b>685</b>	-	-	-	<b>387</b>	<b>387</b>	-	-	-
10	207	136	136	-	-	-	71	71	-	-	-
11	169	111	111	-	-	-	58	58	-	-	-
12	205	126	126	-	-	-	79	79	-	-	-
13	234	142	142	-	-	-	92	92	-	-	-
14	257	170	170	-	-	-	87	87	-	-	-
<b>15-19</b>	<b>2,294</b>	<b>1,662</b>	<b>1,574</b>	<b>22</b>	<b>2</b>	<b>64</b>	<b>632</b>	<b>592</b>	<b>36</b>	<b>2</b>	<b>2</b>
15	305	208	208	-	-	-	97	97	-	-	-
16	470	328	316	1	1	10	142	140	2	-	1
17	456	329	306	2	1	20	127	121	5	-	1
18	525	387	365	4	-	18	138	120	16	1	1
19	538	410	379	15	-	16	128	114	13	1	-
<b>20-24</b>	<b>2,308</b>	<b>1,656</b>	<b>1,259</b>	<b>344</b>	<b>4</b>	<b>49</b>	<b>652</b>	<b>340</b>	<b>299</b>	<b>10</b>	<b>3</b>
20	510	385	350	25	-	10	125	87	36	1	1
21	485	345	288	44	-	13	140	82	57	-	-
22	428	302	227	67	-	8	126	75	49	1	1
23	444	302	198	94	2	8	142	58	80	3	1
24	441	322	196	114	2	10	119	38	77	4	-
<b>25-29</b>	<b>2,334</b>	<b>1,477</b>	<b>628</b>	<b>786</b>	<b>16</b>	<b>47</b>	<b>857</b>	<b>236</b>	<b>598</b>	<b>21</b>	<b>2</b>
25	440	278	158	104	3	13	162	58	102	2	-
26	468	313	155	148	2	8	155	47	105	3	-
27	461	296	94	191	4	7	165	42	119	2	-
28	451	291	112	168	1	10	160	40	114	5	-
29	514	299	109	175	6	9	215	49	158	8	-
<b>30-34</b>	<b>3,114</b>	<b>1,827</b>	<b>558</b>	<b>1,193</b>	<b>27</b>	<b>49</b>	<b>1,287</b>	<b>264</b>	<b>983</b>	<b>36</b>	<b>4</b>
30	511	311	107	189	6	9	200	50	144	6	-
31	553	338	104	213	7	14	215	37	173	4	-
32	669	386	104	268	6	8	283	57	216	10	-
33	667	385	120	251	5	9	282	57	213	11	-
34	714	407	123	272	3	9	307	63	237	5	-
<b>35-39</b>	<b>4,945</b>	<b>2,808</b>	<b>667</b>	<b>2,012</b>	<b>74</b>	<b>55</b>	<b>2,137</b>	<b>374</b>	<b>1,659</b>	<b>101</b>	<b>3</b>
35	784	454	111	320	8	15	330	61	251	18	-
36	860	476	136	322	11	7	384	84	284	15	-
37	969	586	126	434	15	11	383	71	296	16	-
38	1,108	613	135	453	15	10	495	80	395	19	-
39	1,224	679	159	483	25	12	545	78	433	33	-
<b>40-44</b>	<b>8,702</b>	<b>5,114</b>	<b>987</b>	<b>3,910</b>	<b>148</b>	<b>69</b>	<b>3,588</b>	<b>516</b>	<b>2,851</b>	<b>216</b>	<b>1</b>
40	1,378	834	181	620	18	15	544	74	440	29	-
41	1,524	872	172	673	15	12	652	90	521	39	-
42	2,008	1,189	250	883	41	15	819	134	638	46	-
43	2,111	1,227	202	975	37	13	884	102	717	64	-
44	1,681	992	182	759	37	14	689	116	535	38	-
<b>45-49</b>	<b>13,453</b>	<b>7,917</b>	<b>1,173</b>	<b>6,327</b>	<b>331</b>	<b>86</b>	<b>5,536</b>	<b>773</b>	<b>4,298</b>	<b>458</b>	<b>1</b>
45	1,831	1,099	194	853	33	19	732	97	567	67	-
46	2,139	1,227	198	962	49	18	912	131	708	73	-
47	2,773	1,659	222	1,350	76	11	1,114	148	884	78	-
48	3,127	1,864	254	1,516	75	19	1,263	190	951	121	-
49	3,583	2,068	305	1,646	98	19	1,515	207	1,188	119	-
<b>50-54</b>	<b>23,424</b>	<b>14,720</b>	<b>1,901</b>	<b>11,928</b>	<b>753</b>	<b>138</b>	<b>8,704</b>	<b>1,261</b>	<b>6,362</b>	<b>1,071</b>	<b>1</b>
50	3,847	2,395	362	1,874	123	36	1,452	204	1,097	148	-
51	4,054	2,506	322	2,060	105	19	1,548	235	1,171	141	-
52	4,724	2,945	359	2,424	135	27	1,779	254	1,293	228	-
53	5,089	3,237	413	2,621	176	27	1,852	265	1,320	266	-
54	5,710	3,637	445	2,949	214	29	2,073	303	1,481	288	-

TABLE 14 - continued

Age last birthday	Persons	MALES					FEMALES				
		Total	Single	Married	Widowed	Not stated	Total	Single	Married	Widowed	Not stated
55-59	37,607	24,629	2,635	20,181	1,597	216	12,978	2,050	8,648	2,268	12
55	6,181	3,998	436	3,511	211	40	2,183	358	1,547	277	1
56	6,834	4,415	492	3,644	251	28	2,419	369	1,649	398	1
57	7,426	4,872	500	4,015	312	45	2,554	413	1,704	436	3
58	8,066	5,322	577	4,334	358	53	2,744	405	1,812	523	4
59	9,100	6,022	630	4,877	465	50	3,078	505	1,936	634	3
60-64	53,563	34,375	3,179	27,488	3,388	320	19,188	2,962	10,937	5,248	41
60	9,408	6,201	601	5,009	526	65	3,207	534	1,982	682	9
61	9,651	6,275	605	5,060	551	59	3,376	502	2,052	815	7
62	11,261	7,248	688	5,764	720	76	4,013	629	2,301	1,072	11
63	11,632	7,383	649	5,914	755	65	4,249	627	2,334	1,282	6
64	11,611	7,268	636	5,741	836	55	4,343	670	2,268	1,397	8
65-69	65,487	38,099	3,117	29,021	5,637	324	27,388	4,127	12,528	10,694	39
65	11,939	7,291	629	5,678	920	64	4,648	691	2,387	1,563	7
66	11,954	7,168	615	5,534	955	64	4,786	703	2,341	1,729	13
67	13,222	7,644	616	5,870	1,091	67	5,578	858	2,537	2,175	8
68	14,024	7,951	645	5,996	1,252	58	6,073	912	2,663	2,491	7
69	14,348	8,045	612	5,943	1,419	71	6,303	963	2,600	2,736	4
70-74	81,382	42,762	3,246	29,274	9,890	352	38,620	5,914	12,874	19,778	54
70	15,187	8,364	677	6,032	1,578	77	6,823	1,048	2,619	3,146	10
71	15,094	8,139	620	5,667	1,789	63	6,955	1,104	2,553	3,290	8
72	16,370	8,665	637	5,984	1,964	80	7,705	1,209	2,646	3,841	9
73	17,113	8,779	642	5,867	2,212	58	8,334	1,217	2,602	4,498	17
74	17,618	8,815	670	5,724	2,347	74	8,803	1,336	2,454	5,003	10
75-79	91,047	42,237	3,206	23,874	14,784	373	48,810	7,609	10,915	30,227	59
75	17,759	8,609	608	5,266	2,646	89	9,150	1,450	2,403	5,284	13
76	18,144	8,679	665	5,189	2,761	64	9,465	1,416	2,362	5,672	15
77	18,172	8,487	639	4,779	2,999	70	9,685	1,508	2,173	5,994	10
78	18,748	8,479	638	4,590	3,182	69	10,269	1,636	2,071	6,555	7
79	18,224	7,983	656	4,050	3,196	81	10,241	1,599	1,906	6,722	14
80-84	83,676	33,927	2,428	14,782	16,393	324	49,749	7,931	6,413	35,356	49
80	17,831	7,505	596	3,638	3,202	69	10,326	1,714	1,626	6,973	13
81	17,107	7,118	515	3,301	3,237	65	9,989	1,587	1,499	6,893	10
82	17,700	7,190	488	3,094	3,540	68	10,510	1,623	1,321	7,555	11
83	16,346	6,446	447	2,601	3,328	70	9,900	1,541	1,058	7,292	9
84	14,692	5,668	382	2,148	3,086	52	9,024	1,466	909	6,643	6
85-89	53,504	19,305	1,255	5,894	11,977	179	34,199	5,729	2,184	26,254	32
85	13,624	5,054	345	1,715	2,944	50	8,570	1,383	701	6,480	6
86	12,341	4,592	293	1,532	2,734	33	7,749	1,329	572	5,838	10
87	10,851	3,882	225	1,156	2,460	41	6,969	1,223	400	5,341	5
88	9,148	3,207	217	859	2,093	38	5,941	943	311	4,681	6
89	7,540	2,570	175	632	1,746	17	4,970	851	200	3,914	5
90-94	18,834	5,605	314	1,127	4,118	46	13,229	2,373	359	10,490	7
90	5,856	1,869	122	427	1,305	15	3,987	705	144	3,135	3
91	4,625	1,432	68	284	1,071	9	3,193	554	98	2,539	2
92	3,687	1,079	54	206	810	9	2,608	490	59	2,058	1
93	2,702	722	49	126	538	9	1,980	352	29	1,599	-
94	1,964	503	21	84	394	4	1,461	272	29	1,159	1
95-99	3,578	765	41	111	608	5	2,813	562	31	2,218	2
95	1,343	329	18	54	256	1	1,014	203	16	794	1
96	967	216	12	33	170	1	751	145	6	599	1
97	608	105	4	10	89	2	503	98	6	399	-
98	423	70	6	10	53	1	353	83	3	267	-
99	237	45	1	4	40	-	192	33	-	159	-
100 and over	357	48	4	3	41	-	309	68	2	239	-



**TABLE 15. Constructed analysis of 1963  
deaths by age and marital condition**

England and Wales

Note. In this table the deaths of unstated marital condition in each age-group (which are shown separately in Table 14) have been distributed proportionately among those of stated condition in the age-group.

Age-groups	Persons	Males				Females			
		Total	Single	Married	Widowed	Total	Single	Married	Widowed
All ages	572,868	292,410	42,017	179,973	70,420	280,458	53,518	82,090	144,850
0-4	20,822	11,949	11,949	-	-	8,873	8,873	-	-
5-9	1,365	843	843	-	-	522	522	-	-
10-14	1,072	685	685	-	-	387	387	-	-
15-19	2,294	1,662	1,637	23	2	632	594	36	2
20-24	2,308	1,656	1,298	354	4	652	342	300	10
25-29	2,334	1,477	649	811	17	857	237	599	21
30-34	3,114	1,827	573	1,226	28	1,287	265	986	36
35-39	4,945	2,808	680	2,053	75	2,137	375	1,661	101
40-44	8,702	5,114	1,000	3,964	150	3,588	517	2,855	216
45-49	13,453	7,917	1,186	6,396	335	5,536	774	4,303	459
50-54	23,424	14,720	1,919	12,041	760	8,704	1,262	6,370	1,072
55-59	37,607	24,629	2,658	20,360	1,611	12,978	2,052	8,656	2,270
60-64	53,563	34,375	3,209	27,746	3,420	19,188	2,968	10,961	5,259
65-69	65,487	38,099	3,144	29,270	5,685	27,388	4,133	12,546	10,709
70-74	81,382	42,762	3,273	29,517	9,972	38,620	5,922	12,892	19,806
75-79	91,047	42,237	3,234	24,087	14,916	48,810	7,618	10,928	30,264
80-84	83,676	33,927	2,451	14,925	16,551	49,749	7,939	6,419	35,391
85-89	53,504	19,305	1,267	5,949	12,089	34,199	5,734	2,186	26,279
90-94	18,834	5,605	317	1,136	4,152	13,229	2,374	359	10,496
95-99	3,578	765	41	112	612	2,813	562	31	2,220
100 and over	357	48	4	3	41	309	68	2	239

TABLE 16. Deaths at different ages by month  
of occurrence, January to December, 1963

England and Wales

See notes at head of Table 22

Age		Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
All ages	M	35,284	31,741	32,437	23,864	21,637	19,614	19,958	19,002	19,260	20,501	21,324	27,429
	F	34,319	31,145	32,308	23,343	20,859	18,424	19,036	17,848	17,784	19,591	19,803	25,817
Under 4 weeks	M	660	563	659	597	594	615	604	569	507	587	552	563
	F	494	414	470	393	468	421	415	383	394	399	380	428
4 weeks and under 1 year	M	413	355	408	263	214	180	220	171	183	227	293	385
	F	324	245	314	208	158	141	161	142	148	186	240	318
1-	M	62	70	72	54	57	52	44	47	46	44	44	70
	F	50	59	67	39	36	40	46	22	37	52	40	49
2-	M	86	91	82	78	68	62	79	64	62	62	62	84
	F	67	75	73	61	56	48	63	34	49	60	46	59
5-	M	67	59	76	65	84	68	75	88	64	89	50	62
	F	50	48	54	39	48	38	54	34	31	42	42	42
10-	M	54	41	50	56	69	67	66	68	58	45	53	68
	F	32	33	38	31	31	34	44	23	35	30	30	29
15-	M	95	114	121	115	135	147	152	172	147	164	166	141
	F	39	44	42	67	51	54	59	60	46	63	64	47
20-	M	134	95	117	123	136	161	155	166	145	140	138	146
	F	61	40	57	61	49	52	58	52	61	61	58	54
25-	M	115	129	127	113	132	112	132	125	137	114	115	135
	F	69	72	82	77	79	63	74	48	63	80	66	82
30-	M	139	146	164	141	150	134	162	158	151	159	134	191
	F	125	123	140	90	92	110	99	97	81	92	110	124
35-	M	299	258	227	219	239	214	209	238	244	198	196	256
	F	216	168	186	196	181	152	188	171	157	168	171	194
40-	M	482	472	490	395	413	396	402	380	402	414	394	472
	F	322	337	341	297	291	259	272	265	291	295	288	324
45-	M	818	729	790	635	610	611	619	562	592	619	576	742
	F	582	502	521	446	435	416	456	417	397	451	450	453
50-	M	1,562	1,403	1,434	1,157	1,146	1,055	1,115	1,039	1,068	1,134	1,179	1,412
	F	922	781	813	704	676	628	669	662	623	747	731	747
55-	M	2,752	2,384	2,538	2,070	1,888	1,779	1,738	1,748	1,692	1,860	1,872	2,275
	F	1,395	1,239	1,272	1,063	1,021	928	957	935	922	1,020	1,020	1,193
60-	M	3,993	3,559	3,545	2,699	2,659	2,398	2,368	2,328	2,338	2,501	2,621	3,321
	F	2,126	1,898	2,003	1,612	1,503	1,254	1,419	1,387	1,338	1,439	1,452	1,752
65-	M	4,444	3,990	4,133	3,167	2,758	2,625	2,628	2,466	2,570	2,768	2,854	3,626
	F	3,159	2,830	2,886	2,269	2,176	1,865	1,914	1,864	1,724	2,014	2,024	2,626
70-	M	5,199	4,714	4,865	3,483	3,138	2,858	2,865	2,722	2,842	2,995	3,039	4,011
	F	4,702	4,261	4,333	3,211	2,914	2,568	2,599	2,478	2,536	2,690	2,709	3,604
75-	M	5,399	4,929	5,042	3,487	3,066	2,593	2,752	2,531	2,669	2,734	2,982	3,991
	F	6,178	5,675	5,783	4,038	3,593	3,154	3,253	2,965	2,969	3,254	3,344	4,556
80-	M	4,706	4,218	4,216	2,857	2,428	2,043	2,050	1,965	1,941	2,081	2,316	3,039
	F	6,610	5,836	6,384	4,174	3,516	3,132	3,166	2,902	3,013	3,215	3,231	4,549
and over	M	3,805	3,422	3,281	2,090	1,653	1,444	1,523	1,395	1,402	1,566	1,688	2,439
	F	6,796	6,465	6,449	4,267	3,485	3,067	3,070	2,907	2,869	3,233	3,307	4,587

TABLE 17. Causes of death at different age periods, 1963

England and Wales

- Note 1 The sequence of causes of death followed in this table is that of the detailed International Statistical Classification of Diseases, Injuries and Causes of Death (Seventh Revision, 1955), including the alternative classifications by External Cause and Nature of Injury (E and N codes) for violent deaths. Each three digit code is separately specified, except a few which are not applicable to primary death classification and some of the N codes to which few deaths are generally assigned. Certain 4th digit splits of general interest are also shown. Tables 18A, 18C and 18D should be consulted for further details of violent deaths. Since Table 17 now includes N codes, Table 18B has been discontinued.
- 2 Separate columns are not shown for those causes to which, as a rule, few deaths are assigned. To make the record complete, the classification numbers of such causes (except N codes) are printed as close as possible to the places where they would occur. Any deaths from such causes are shown in footnotes in which heavy-faced figures preceding the cause show the International Classification number, and the figures following it indicate the sex and age-group of the decedent, roman type for males and italic type for females. Thus 089 Mumps 1,15,7,1,10,85; denotes that two male deaths (one in age-group 1- and one in age-group 15-) and five female deaths (three in age-group 1-, one in age-group 10- and one in age-group 85 and over) are assigned to this cause. A dash ( - ) indicates that no deaths are assigned.
- 3 Deaths are not assigned to any of the following categories as the underlying cause, where the interval between onset of the disease and death was stated to exceed one year:- 040-043, 050-052, 055, 056, 057-0, 057-1, 057-3, 058, 059, 061, 084-087, 089, 091, 094, 100-108, 480-483, 490-493, 640-689. For details of these categories see Table 7.

Causes of death	All Causes		I 001-138 Infective and parasitic diseases		TUBERCULOSIS											
					001-019		001-008		001		002		003		003-0	
					All forms		Respiratory system		Respiratory tuberculosis with mention of occupa- tional disease of lung		Pulmonary tuberculosis		Pleural tuberculosis		Pleurisy specified as tuberculous	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	292,410	280,458	3,328	1,698	2,191	769	2,022	587	154	4	1,857	574	8	6	6	2
0-	10,401	7,641	110	80	3	1	1	-	-	-	1	-	-	-	-	-
1-	1,548	1,232	120	76	10	12	1	1	-	-	1	1	-	-	-	-
5-	843	522	33	30	2	1	1	1	-	-	1	1	-	-	-	-
10-	685	387	14	15	2	5	-	-	-	-	-	-	-	-	-	-
15-	1,662	632	26	20	9	6	4	-	-	-	4	-	-	-	-	-
20-	1,656	652	16	17	9	7	2	4	-	-	2	3	-	1	-	-
25-	1,477	857	33	28	19	17	16	12	-	-	15	12	-	-	-	-
30-	1,827	1,287	28	51	16	35	15	28	-	-	15	28	-	-	-	-
35-	2,808	2,137	91	64	78	49	69	38	2	-	66	38	1	-	1	-
40-	5,114	3,588	155	94	109	65	90	61	2	-	88	61	-	-	-	-
45-	7,917	5,536	187	90	133	68	119	55	7	-	111	55	-	-	-	-
50-	14,720	8,704	270	127	193	73	181	59	12	1	169	57	-	1	-	-
55-	24,629	12,978	377	119	293	68	276	57	25	-	250	56	1	-	1	-
60-	34,375	19,188	482	153	378	76	355	62	35	1	319	60	1	1	1	1
65-	38,099	27,388	484	177	352	72	340	58	32	2	306	54	2	2	-	-
70-	42,762	38,620	406	164	272	69	255	48	22	-	232	47	1	1	1	-
75-	42,237	48,810	276	192	178	81	169	64	13	-	154	62	1	-	1	-
80-	33,927	49,749	154	116	98	40	92	29	3	-	88	29	1	-	1	-
85 and over	25,723	50,550	66	85	37	24	36	10	1	-	35	10	-	-	-	-



TABLE 17 - continued

Causes of death	TUBERCULOSIS															
	003-1		004-008*		010		011		012		012-0		012-1;2;3		013, 014*	
	Pleurisy with effusion without mention of cause		010-019 Other forms		Meninges and central nervous system		Intestines, peritoneum, and mesenteric glands		Bones and joints, active or unspecified		Active or unspecified tuberculosis of vertebral column		Others included under 012		015 Lymphatic system	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	2	4	169	182	37	34	14	25	25	40	18	29	7	11	4	8
0-	-	-	2	1	1	1	-	-	-	-	-	-	-	-	-	-
1-	-	-	9	11	9	9	-	-	-	1	-	-	-	-	-	-
5-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
10-	-	-	2	5	2	5	-	-	-	-	-	-	-	-	-	-
15-	-	-	5	6	3	4	-	1	-	-	-	-	-	-	-	-
20-	-	1	7	3	1	2	-	-	-	-	-	-	-	-	-	-
25-	-	-	3	5	2	2	1	-	-	1	-	1	-	-	-	-
30-	-	-	1	7	-	1	1	2	-	2	-	-	-	2	-	-
35-	-	-	9	11	1	5	1	2	1	2	2	2	1	-	-	-
40-	-	-	19	4	7	-	1	-	2	-	1	-	1	-	-	-
45-	-	-	14	13	4	1	2	-	4	3	3	2	1	1	-	-
50-	-	-	12	14	2	1	-	4	-	1	-	1	-	-	-	-
55-	-	-	17	11	-	1	2	1	2	2	2	2	-	-	-	-
60-	-	-	23	14	4	1	2	3	4	6	4	5	-	1	1	-
65-	2	2	12	14	-	-	-	1	1	4	-	4	1	-	1	1
70-	-	1	17	21	-	1	-	2	7	5	5	3	2	2	1	4
75-	-	-	9	17	-	-	2	5	2	4	2	4	-	2	2	-
80-	-	-	6	11	-	-	-	-	2	6	1	2	1	2	1	1
85 and over	-	-	1	14	-	-	-	4	-	3	-	2	-	1	-	2

Causes of death	TUBERCULOSIS															
	016		017		018		019		019-0;1*		020-029		020		021*	
	Genito-urinary system		Adrenal glands		Other organs		Disseminated tuberculosis		019-2 Other forms of disseminated tuberculosis		Syphilis and its sequelae		Congenital syphilis		022 Aneurysm of aorta	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	42	26	6	9	11	7	27	30	24	27	485	335	1	4	277	209
0-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
1-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	1	-
15-	-	-	-	-	-	-	2	1	1	1	1	-	-	-	1	-
20-	4	1	-	-	-	-	2	1	2	-	-	-	-	-	-	-
25-	-	-	-	-	-	-	-	1	-	1	2	1	-	-	1	1
30-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-
35-	3	1	1	-	2	-	-	1	-	1	6	-	-	-	2	-
40-	5	4	1	-	-	-	3	-	2	-	11	4	-	-	5	1
45-	2	5	-	-	1	2	1	2	-	2	16	1	-	-	8	-
50-	4	3	-	2	1	1	1	4	2	2	27	11	-	-	12	5
55-	7	4	2	-	1	1	3	1	3	1	41	15	-	-	24	8
60-	6	1	1	2	2	-	3	1	3	1	73	35	-	1	47	19
65-	4	1	1	3	1	-	2	2	2	2	95	64	-	1	51	28
70-	3	2	-	-	1	3	3	7	3	7	102	56	-	1	62	28
75-	1	1	-	1	1	-	2	6	2	5	67	73	-	-	37	56
80-	2	1	-	-	1	1	1	2	1	2	32	41	-	-	18	37
85 and over	1	1	-	-	-	2	-	2	-	2	10	32	-	-	8	26

\* 004 Primary tuberculosis complex with symptoms 75; 005 Tracheobronchial glandular tuberculosis with symptoms 75;  
 006 Radiological evidence suggestive of active respiratory tuberculosis not classifiable elsewhere - ; 007 Other respiratory tuberculosis - ; 008 Tuberculosis, unspecified site 25,45,75,55; 013 Late effects of tuberculosis of bones and joints 50,65,65,25,65,65; 014 Tuberculosis of skin and subcutaneous cellular tissue - ; 019-0; 1 Acute miliary tuberculosis 15,40,45,1,55,75;  
 021 Early syphilis - .

TABLE 17 - continued

Causes of death	023		024		025		026		027		028, 029, 030-039*		040-049		040, 041*	
	Other cardio- vascular syphilis		Tabes dorsalis		General paralysis of insane		Other syphilis of central nervous system		Other forms of late syphilis		Gonococcal infection and other venereal diseases		Infectious diseases commonly arising in intestinal tract		Other Salmonella infections	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	110	78	29	16	39	10	25	16	4	1	13	-	43	25	12	8
0-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	2	-
1-	-	-	-	-	-	-	-	-	-	-	-	-	4	1	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
10-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-
20-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
25-	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
30-	-	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-
35-	3	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
40-	5	3	-	-	1	-	-	-	-	-	-	-	1	1	1	-
45-	5	-	1	-	1	-	1	1	-	-	1	-	2	-	1	-
50-	8	4	-	-	6	1	1	1	-	-	1	-	2	-	-	-
55-	8	1	2	-	4	3	3	3	-	-	-	-	5	1	-	-
60-	13	6	3	4	6	2	3	3	1	-	1	-	2	3	1	-
65-	24	25	8	6	7	1	4	3	1	-	2	-	3	3	1	3
70-	23	18	5	5	8	2	3	2	1	-	2	-	6	3	4	3
75-	13	13	7	1	4	1	6	1	-	-	3	-	4	3	1	1
80-	6	2	3	-	2	-	3	1	-	1	1	-	2	2	-	-
85 and over	1	5	-	-	-	-	1	1	-	-	1	-	4	4	1	-

Causes of death	043, 044*		046-049*		050		051		052		053		053.0		053.1	
	045		050-064													
	Bacillary dysentery		Other bacterial diseases		Scarlet fever		Streptococcal sore throat		Erysipelas		Septicaemia and pyaemia		Streptococcus		Staphylococcus	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	16	9	192	138	1	1	6	2	3	2	61	40	6	8	23	11
0-	1	-	59	52	-	1	1	-	-	-	12	9	1	2	7	2
1-	3	-	48	23	-	-	2	-	-	-	7	1	-	-	3	-
5-	1	1	9	3	1	-	-	-	-	-	1	-	-	-	-	-
10-	-	-	3	1	-	-	-	-	-	-	1	-	-	-	-	-
15-	-	-	2	3	-	-	-	-	-	-	-	-	-	-	-	-
20-	-	-	1	2	-	-	1	-	-	-	-	2	-	-	-	-
25-	-	-	2	3	-	-	-	1	1	-	-	1	-	-	-	-
30-	1	1	-	4	-	-	-	-	-	-	-	2	-	2	-	-
35-	-	-	1	2	-	-	1	-	-	-	-	1	-	-	-	1
40-	-	1	7	2	-	-	-	-	1	-	4	1	1	-	1	1
45-	-	-	8	2	-	-	-	-	-	-	4	1	-	-	2	-
50-	2	-	9	6	-	-	-	-	-	-	7	3	1	-	2	1
55-	-	1	7	6	-	-	-	-	-	-	6	4	1	1	2	1
60-	1	1	6	5	-	-	-	-	-	-	4	5	1	-	1	2
65-	-	-	11	8	-	-	-	-	-	-	7	5	1	3	3	1
70-	-	-	6	2	-	-	1	-	-	-	2	-	-	-	1	-
75-	2	1	6	9	-	-	-	1	-	-	2	5	-	-	-	2
80-	2	1	4	2	-	-	-	-	1	1	3	-	-	-	1	-
85 and over	3	2	3	3	-	-	-	-	-	1	1	-	-	-	-	-

\* 028 Latent syphilis -; 029 Syphilis, unqualified 75; 030 Acute or unspecified gonorrhoea 25; 031 Chronic gonococcal infection of genito-urinary system 75; 032 Gonococcal infection of joint -; 033 Gonococcal infection of eye -; 034 Gonococcal infection of other sites -; 035 Late effects of gonococcal infection 45,50,60,65,65,70,70,75,75,80,85; 036 Chancroid -; 037 Lymphogranuloma venereum -; 038 Granuloma inguinale, venereal -; 039 Other and unspecified venereal diseases -; 040 Typhoid fever 1,25,55,80; 041 Paratyphoid fever 75; 043 Cholera -; 044 Brucellosis (undulant fever) 45,55; 046 Amoebiasis 55,55,55,70,75,60,60; 047 Other protozoal dysentery -; 048 Unspecified forms of dysentery 15,85,85; 049 Food poisoning (infection and intoxication) 20,35,65,65,70,15.

TABLE 17 - continued

Causes of death	053.2  Pneumococcus		053.3  Other specified organism		053.4  Organism unspecified		054, 055*		057  Meningococcal infections		058, 059, 060*		062, 063, 064*		070, 071*	
							056  Whooping cough				061  Tetanus		070-074  Spirochaetal diseases except syphilis		072  Leptospirosis	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	1	1	7	2	24	18	15	21	88	58	10	3	3	-	3	-
0-	-	-	-	1	4	4	11	18	35	24	-	-	-	-	-	-
1-	-	-	-	-	4	1	4	2	33	18	1	-	-	-	-	-
5-	-	-	-	-	1	-	-	1	5	-	1	1	-	-	-	-
10-	-	-	1	-	-	-	-	-	-	1	2	-	-	-	-	-
15-	-	-	-	-	-	-	-	-	2	3	-	-	-	-	-	-
20-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
25-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-
30-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
35-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40-	-	-	-	-	2	-	-	-	-	1	2	-	-	-	-	-
45-	-	-	2	-	-	1	-	-	2	1	-	-	1	-	1	-
50-	1	1	1	-	2	1	-	-	2	2	-	1	1	-	1	-
55-	-	-	-	-	3	2	-	-	1	1	-	1	-	-	-	-
60-	-	-	-	-	2	3	-	-	2	-	-	-	1	-	1	-
65-	-	-	1	-	-	1	-	-	2	-	2	-	-	-	-	-
70-	-	-	1	-	2	1	-	-	1	-	2	-	-	-	-	-
75-	-	-	1	-	1	3	-	-	1	2	1	-	-	-	-	-
80-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-
85 and over	-	-	-	-	1	-	-	-	1	1	1	-	-	-	-	-

Causes of death	073, 074*		080 Acute poliomyelitis		080.0 Specified as bulbar or polio-encephalitis		080.1 With other paralysis		080.2*		081 Late effects of acute poliomyelitis		082 Acute infectious encephalitis		083 Late effects of acute infectious encephalitis	
	080-096 Diseases attributable to viruses								080.3 Unspecified							
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	352	344	2	1	1	-	-	-	1	1	24	11	52	35	51	39
0-	43	26	-	-	-	-	-	-	-	-	-	-	11	3	-	-
1-	58	39	-	-	-	-	-	-	-	-	-	-	13	6	-	-
5-	21	24	1	-	-	-	-	-	1	-	-	-	4	3	1	-
10-	7	7	-	-	-	-	-	-	-	-	2	1	3	1	-	-
15-	14	9	-	-	-	-	-	-	-	-	4	-	1	2	-	-
20-	5	6	-	-	-	-	-	-	-	-	2	-	2	2	-	-
25-	7	6	-	-	-	-	-	-	-	-	2	1	-	1	-	1
30-	8	7	-	1	-	-	-	-	-	1	2	2	3	2	-	-
35-	4	7	-	-	-	-	-	-	-	-	-	2	-	3	1	-
40-	22	13	1	-	1	-	-	-	-	-	4	1	4	-	4	5
45-	23	12	-	-	-	-	-	-	-	-	3	1	-	2	5	3
50-	29	27	-	-	-	-	-	-	-	-	2	-	2	3	16	9
55-	22	21	-	-	-	-	-	-	-	-	-	1	3	-	10	8
60-	15	23	-	-	-	-	-	-	-	-	-	-	3	1	7	6
65-	19	26	-	-	-	-	-	-	-	-	-	-	-	4	4	3
70-	13	20	-	-	-	-	-	-	-	-	1	1	1	1	3	2
75-	17	21	-	-	-	-	-	-	-	-	-	1	-	1	-	2
80-	14	28	-	-	-	-	-	-	-	-	2	1	-	-	-	1
85 and over	11	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-

\* 054 Bacterial toxæmia - ; 055 Diphtheria 5, 7; 058 Plague - ; 059 Tularaemia - ; 060 Leprosy - ; 062 Anthrax 45; 063 Gas gangrene 45, 70, 75, 75, 1, 35, 65, 65, 70, 70, 75; 064 Other bacterial diseases 1, 70, 5, 65, 85; 070 Vincent's infection - ; 071 Relapsing fever - ; 073 Yaws - ; 074 Other spirochaetal infections - ; 080.2 Acute poliomyelitis specified as non-paralytic - .



TABLE 17 - continued

Causes of death	084*		086*		088  Herpes zoster		089, 090, 091*		093, 094, 095*		100-108*		100-117  Malaria		100-117*	
	085  Measles		087  Chickenpox				092  Infectious hepatitis		096  Other diseases attributable to viruses		100-108  Typhus and other rickettisial diseases				120-138  Other infective and parasitic diseases	
	M	F	M	F			M	F	M	F	M	F			M	F
All ages	62	65	13	9	17	38	106	124	18	16	1	1	4	2	44	84
0-	11	13	5	4	-	-	7	2	9	4	-	-	-	-	2	1
1-	34	25	3	1	-	-	3	3	2	1	-	1	-	-	-	-
5-	9	16	2	3	-	-	3	2	-	-	-	-	-	-	-	1
10-	1	3	1	-	-	-	-	1	-	-	-	-	-	-	-	1
15-	2	4	-	-	-	-	4	2	-	-	-	-	-	-	-	-
20-	-	1	-	-	-	-	1	2	-	1	-	-	-	-	-	2
25-	1	-	-	-	-	-	4	3	-	-	-	-	-	1	1	-
30-	1	1	-	-	-	-	2	1	-	-	-	-	-	-	3	3
35-	-	-	1	-	-	-	2	3	-	-	-	-	-	-	1	6
40-	-	-	1	-	-	-	7	6	1	1	1	-	1	-	3	9
45-	-	-	-	1	-	-	13	5	-	-	-	-	1	1	2	6
50-	-	1	-	-	1	-	7	15	1	-	-	-	-	-	8	10
55-	-	-	-	-	-	-	9	11	-	1	-	-	-	-	9	8
60-	-	-	-	-	-	1	5	14	-	1	-	-	1	-	5	11
65-	1	1	-	-	2	-	11	17	1	1	-	-	-	-	2	4
70-	-	-	-	-	1	2	7	13	-	1	-	-	1	-	4	14
75-	-	-	-	-	5	7	11	10	1	-	-	-	-	-	1	5
80-	-	-	-	-	5	15	6	8	1	3	-	-	-	-	3	3
85 and over	2	-	-	-	3	13	4	6	2	2	-	-	-	-	-	-

Causes of death	120-124*		126-133*		135, 136, 137*		NEOPLASMS									
	125		134		138		II		140-205		140-148		140		140.0	
	Hydatid disease		Other fungus infections		Other infective and parasitic diseases		140-239 Neoplasms		Malignant neoplasms including neoplasms of lymphatic and haematopoietic tissues		Malignant neoplasm of buccal cavity and pharynx		Lip		Upper lip	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	3	2	12	18	26	62	55,846	47,964	55,192	47,224	978	602	55	6	3	2
0-	-	-	2	1	-	-	52	40	38	26	1	1	-	-	-	-
1-	-	-	-	-	-	-	191	134	184	123	1	-	-	-	-	-
5-	-	-	-	1	-	-	164	112	157	102	1	-	-	-	-	-
10-	-	-	-	-	-	1	116	90	106	84	3	1	-	-	-	-
15-	-	-	-	-	-	-	174	116	158	109	1	2	-	-	-	-
20-	-	-	-	1	-	-	200	106	186	97	1	-	-	-	-	-
25-	-	-	-	-	-	-	213	203	202	190	1	2	-	-	-	-
30-	-	-	-	1	3	2	354	364	339	347	2	6	-	-	-	-
35-	-	-	-	-	1	6	572	779	552	748	13	9	-	-	-	-
40-	-	-	1	2	2	6	1,095	1,503	1,062	1,463	13	16	1	-	-	-
45-	-	-	1	1	1	5	2,077	2,440	2,026	2,385	26	27	-	-	-	-
50-	-	-	2	3	6	7	4,107	3,719	4,051	3,647	40	36	-	-	-	-
55-	3	-	-	3	6	5	6,927	4,815	6,852	4,742	86	63	4	-	-	-
60-	-	1	2	2	2	8	9,105	5,871	9,018	5,779	125	79	5	2	-	1
65-	-	-	1	-	1	4	9,338	6,450	9,256	6,368	143	70	8	-	1	-
70-	-	-	3	2	1	12	8,519	6,647	8,467	6,580	144	79	2	1	-	-
75-	-	1	-	-	1	4	6,712	6,426	6,651	6,371	159	78	14	1	-	1
80-	-	-	-	1	2	2	4,008	4,953	3,985	4,905	131	81	9	1	-	-
85 and over	-	-	-	-	-	-	1,922	3,196	1,903	3,158	87	52	12	1	2	-

\* 084 Smallpox - ; 086 Rubella (German measles) 1; 089 Mumps 1,15,1,1,1,10,85; 090 Dengue - ; 091 Yellow fever - ; 093 Glandular fever (infectious mononucleosis) 1,5,15,15,75; 094 Rabies - ; 095 Trachoma - ; 100 Louse-borne epidemic typhus - ; 101 Flea-borne endemic typhus (murine) - ; 102 Brill's disease, not specified as louse- or flea-borne 40; 103 Tabardillo (Mexican typhus), not specified as louse- or flea-borne - ; 104 Tick-borne typhus - ; 105 Mite-borne typhus - ; 106 Volhynian fever (trench fever) - ; 107 Typhus, unspecified - ; 108 Other rickettsial diseases 7; 110 Vivax malaria (benign tertian) - ; 111 Malariae malaria (quartan) - ; 112 Falciparum malaria (malignant tertian) 40,45,60,25; 113 Ovale malaria - ; 114 Mixed malarial infections - ; 115 Blackwater fever - ; 116 Other and unspecified forms of malaria 70,45; 117 Recurrent induced malaria - ; 120 Leishmaniasis - ; 121 Trypanosomiasis - ; 122 Other protozoal diseases 20; 123 Schistosomiasis 25; 124 Other trematode infestation - ; 126 Other cestode infestation 60; 127 Filariasis - ; 128 Trichiniasis - ; 129 Ankylostomiasis - ; 130 Infestation with worms of other, mixed, and unspecified type 40; 131 Dermatophytosis - ; 132 Actinomycosis 80; 133 Coccidioidomycosis - ; 135 Scabies - ; 136 Pediculosis - ; 137 Other arthropod infestation - .

TABLE 17 - continued

Causes of death	NEOPLASMS															
	140.1		140.8;9		141		141.0		141.7		141.8;9		142		142.0	
	Lower lip		Others included under 140		Tongue		Base of tongue		Other specified parts of tongue		Others included under 141		Salivary gland		Parotid gland	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	47	3	5	1	268	124	83	34	136	68	49	22	66	58	47	41
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
10-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1
15-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-	-	-	-	-	1	-	-	-	1	-	-	-	-	1	-	1
25-	-	-	-	-	1	1	-	-	1	1	-	-	-	-	-	-
30-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35-	-	-	-	-	7	4	-	1	5	3	2	-	1	-	1	-
40-	1	-	-	-	1	-	-	-	1	-	-	-	2	1	-	1
45-	-	-	-	-	11	-	3	-	7	-	1	-	-	-	1	1
50-	-	-	-	-	6	6	3	1	2	5	1	-	2	1	1	2
55-	3	-	1	-	20	10	5	2	14	5	1	-	1	5	1	2
60-	5	1	-	-	27	14	9	4	12	6	6	4	11	8	8	5
65-	6	-	1	-	39	12	12	4	18	6	9	2	9	10	7	6
70-	2	1	-	-	37	18	11	4	17	13	9	1	7	6	4	6
75-	11	-	3	-	44	24	13	8	21	12	10	4	12	5	10	5
80-	9	-	-	1	44	19	15	4	23	9	6	6	8	10	5	4
85 and over	10	1	-	-	30	16	12	6	14	8	4	2	5	5	4	5

Causes of death	NEOPLASMS															
	142.7		142.8;9		143		144		145		145.0		145.7-9		146	
	Other salivary gland		Others included under 142		Floor of mouth		Other parts of mouth and mouth unspecified		Oral mesopharynx		Tonsil (excluding pillars)		Others included under 145		Nasopharynx	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	16	11	3	6	94	23	122	68	104	44	75	35	29	9	80	47
0-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-
1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
10-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-
15-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
20-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1
35-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	3	1
40-	2	-	-	-	-	-	2	1	-	1	-	1	-	-	3	1
45-	-	-	1	-	3	-	-	2	1	3	1	3	-	-	3	2
50-	-	2	-	1	4	-	2	2	4	3	3	2	1	1	9	2
55-	3	3	-	-	7	1	8	9	8	1	5	-	3	1	12	7
60-	1	-	1	1	13	2	13	7	18	6	12	5	6	1	12	8
65-	2	4	-	-	15	2	11	6	13	3	9	3	4	-	12	6
70-	3	-	-	-	17	4	23	9	18	9	12	6	6	3	13	5
75-	1	-	1	-	16	4	24	12	18	6	16	5	2	1	5	7
80-	3	2	-	4	10	7	25	8	13	9	8	7	5	2	3	5
85 and over	1	-	-	-	8	2	12	12	8	3	6	3	2	-	3	1

TABLE 17 - continued

Causes of death	NEOPLASMS															
	147		148		150-159		150		151		152		152.0		152.7-9	
	Hypopharynx		Pharynx, unspecified		Malignant neoplasm of digestive organs and peritoneum		Oesophagus		Stomach		Small intestine, including duodenum		Duodenum		Others included under 152	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	150	193	39	39	19,067	18,443	1,375	1,064	7,744	5,937	91	112	24	26	67	86
0-	-	-	-	-	4	1	-	-	-	-	-	-	-	-	-	-
1-	-	-	-	-	9	3	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
10-	7	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-
15-	-	-	-	-	7	2	-	-	2	-	-	-	-	-	-	-
20-	-	-	-	-	16	10	-	-	1	3	-	1	-	1	-	-
25-	-	1	-	-	24	27	2	-	5	8	-	1	-	1	-	-
30-	-	3	-	-	82	52	5	5	28	18	1	-	-	-	1	-
35-	1	2	-	1	164	121	5	5	66	28	4	2	-	-	4	2
40-	1	10	3	2	338	249	18	16	143	70	5	-	1	-	4	-
45-	5	17	1	2	622	475	42	28	257	131	9	3	2	1	7	2
50-	12	16	2	2	1,213	840	80	54	529	242	8	7	4	2	4	5
55-	9	26	7	1	2,082	1,341	132	77	954	378	13	12	5	1	8	11
60-	23	32	8	4	2,807	1,961	207	119	1,225	606	11	17	2	3	9	14
65-	32	24	4	7	3,081	2,537	193	153	1,311	794	18	18	5	6	13	12
70-	21	21	6	6	3,246	3,039	258	165	1,320	989	11	22	2	4	9	18
75-	23	15	3	4	2,713	3,266	198	188	1,060	1,130	10	14	2	4	8	10
80-	16	17	3	5	1,799	2,740	147	167	591	935	1	14	1	3	11	11
85 and over	7	9	2	3	860	1,774	88	87	252	605	-	1	-	-	-	1

Causes of death	NEOPLASMS															
	153		153.3		153.8		153.0-2;7;9		154		155		155.0		155.1;8	
	Large intestine, except rectum		Sigmoid colon		Large intestine (including colon), part unspecified		Others included under 153		Rectum		Biliary passages and of liver (stated to be primary site)		Liver		Others included under 155	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	3,567	5,391	1,208	1,643	496	763	1,863	2,985	2,935	2,533	639	889	252	166	387	723
0-	-	-	-	-	-	-	-	-	-	-	2	1	2	1	-	-
1-	-	-	-	-	-	-	-	-	-	-	2	3	1	3	1	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-	-	-	-	-	-	-	-	-	-	-	-	3	-	3	-	-
15-	2	1	-	-	1	-	1	1	-	-	1	-	1	-	-	-
20-	6	3	2	1	1	-	3	2	5	2	2	-	2	-	-	-
25-	10	10	3	3	1	3	6	4	5	2	-	2	-	2	-	-
30-	10	11	1	2	1	-	8	9	11	8	8	3	6	2	2	1
35-	43	41	11	15	3	9	29	17	19	18	13	4	10	1	3	3
40-	68	73	21	31	12	10	35	32	43	41	14	10	10	4	4	6
45-	92	142	30	51	17	26	45	65	94	76	21	18	10	6	11	12
50-	201	249	64	89	29	32	108	128	157	141	48	32	21	7	27	25
55-	320	436	119	167	37	37	164	232	238	173	77	66	37	5	40	61
60-	453	546	158	175	65	83	230	288	408	259	95	101	41	24	54	77
65-	561	719	199	236	69	97	293	386	448	333	119	143	42	32	77	111
70-	597	843	203	287	83	114	311	442	520	420	85	172	25	23	60	148
75-	564	935	200	262	89	151	275	522	465	418	89	174	31	27	58	147
80-	420	803	124	195	57	123	239	485	342	391	40	94	8	12	32	82
85 and over	220	579	73	129	31	78	116	372	180	251	23	63	5	14	18	45



TABLE 17 - continued

Uses of death	NEOPLASMS															
	156 Liver (secondary and unspecified)		157 Pancreas		158 Peritoneum		159 Unspecified digestive organs		160-165 Malignant neoplasm of respiratory system		160 Nose, nasal cavities, middle ear and accessory sinuses		160.0 Nose (internal) and nasal cavities		160.1 Eustachian tube and middle ear	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	300	293	2,238	1,985	134	191	44	48	21,563	3,948	115	93	21	8	16	16
0-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
1-	-	-	1	-	6	-	-	-	3	-	1	-	-	-	-	-
5-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
10-	-	1	-	-	-	-	-	-	3	3	-	-	-	-	-	-
15-	-	-	1	-	1	1	-	-	3	1	1	1	1	-	-	-
20-	1	-	1	-	-	1	-	-	6	3	-	1	-	-	-	1
25-	1	1	-	1	1	2	-	-	13	6	-	-	-	-	-	-
30-	1	3	13	4	5	-	-	-	57	13	1	1	-	-	-	-
35-	2	5	10	16	2	2	-	-	138	44	2	-	1	-	-	-
40-	3	5	40	25	3	6	1	3	355	115	5	5	1	-	1	1
45-	8	12	94	53	5	11	-	1	876	237	5	4	2	-	1	-
50-	15	15	161	88	10	11	4	1	1,919	377	6	9	-	1	2	2
55-	36	20	285	149	23	22	4	8	3,401	503	16	10	4	-	3	5
60-	44	37	340	248	15	24	9	4	4,514	612	17	16	2	-	2	5
65-	47	43	355	290	24	37	5	7	4,290	654	19	9	4	-	2	-
70-	59	38	366	360	22	21	8	9	3,154	569	13	9	2	1	2	2
75-	34	47	278	333	9	21	6	6	1,873	457	15	18	4	3	2	-
80-	39	47	208	263	7	19	4	7	745	221	7	5	-	2	-	-
85 and over	9	19	85	155	-	12	3	2	212	133	7	5	-	1	1	-

Uses of death	NEOPLASMS															
	160.2 Maxillary sinus		160.7 Other specified sinus (accessory)		160.8;9 Others included under 160		161 Larynx		162 Bronchus and trachea, and of lung specified as primary		162.0 Trachea		162.1 Bronchus and lung		162.2 Pleura	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	68	61	9	7	1	1	632	140	14,644	2,518	27	15	14,611	2,502	2	1
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-
15-	-	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-
20-	-	-	-	-	-	-	1	-	4	-	-	-	4	-	-	-
25-	-	-	-	-	-	-	-	-	8	4	-	-	8	4	-	-
30-	1	-	-	-	-	1	-	-	38	7	-	-	38	7	-	-
35-	-	-	1	-	-	-	2	2	86	23	-	-	86	23	-	-
40-	3	3	-	1	-	-	11	3	261	68	2	2	258	66	-	-
45-	1	4	1	-	-	-	19	7	616	162	3	-	612	162	-	-
50-	3	6	1	-	-	-	32	12	1,337	248	1	2	1,336	246	-	-
55-	8	5	1	-	-	-	65	10	2,382	326	5	4	2,376	322	1	-
60-	13	10	-	1	-	-	107	20	3,112	397	7	1	3,104	396	1	-
65-	10	8	2	1	1	-	141	22	2,948	426	6	1	2,942	425	-	-
70-	9	5	-	1	-	-	108	24	2,099	371	1	3	2,097	368	-	-
75-	8	13	1	2	-	-	85	21	1,172	277	1	1	1,170	275	-	1
80-	7	2	-	1	-	-	45	12	454	137	1	1	453	136	-	-
85 and over	5	4	1	-	-	-	16	7	125	71	-	-	125	71	-	-

TABLE 17 - continued

Causes of death	NEOPLASMS															
	162.8 Multiple sites		163 Lung, unspecified as to whether primary or secondary		164 Mediastinum		165 Thoracic organs (secondary)		170-181 Malignant neoplasm of breast and genito-urinary organs		170 Breast		171 Cervix uteri		172 Corpus uteri	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	4	-	8,113	1,159	36	28	23	10	7,314	18,394	70	9,442		2,465		1,187
0-	-	-	-	-	-	-	-	-	7	2	-	-	-	-	-	-
1-	-	-	-	-	1	-	-	-	21	17	-	-	-	-	-	-
5-	-	-	-	-	1	-	-	-	11	9	-	-	-	-	-	-
10-	-	-	2	1	1	1	-	-	-	4	-	-	-	-	-	-
15-	-	-	1	-	-	-	-	-	13	11	-	1	-	-	-	-
20-	-	-	-	1	1	1	-	-	33	15	-	2	-	1	-	-
25-	-	-	5	1	-	1	-	-	23	58	-	31	-	7	-	1
30-	-	-	17	4	1	1	-	-	36	146	-	84	-	24	-	4
35-	-	-	46	18	2	1	-	-	36	388	1	213	-	98	-	6
40-	1	-	77	39	-	-	1	-	70	857	2	452	-	218	-	20
45-	1	-	235	64	-	-	1	-	134	1,376	5	735	-	267	-	37
50-	-	-	538	106	4	2	2	-	294	1,965	7	1,130	-	294	-	87
55-	-	-	930	149	2	6	6	2	491	2,249	10	1,190	-	270	-	160
60-	-	-	1,265	173	9	4	4	2	747	2,433	7	1,216	-	300	-	196
65-	-	-	1,173	190	7	4	2	3	1,015	2,374	5	1,153	-	289	-	183
70-	1	-	924	162	6	2	4	1	1,311	2,193	12	1,042	-	260	-	177
75-	1	-	598	137	1	2	2	2	1,426	1,950	10	948	-	201	-	150
80-	-	-	239	64	-	3	-	-	1,052	1,417	7	724	-	145	-	112
85 and over	-	-	63	50	-	-	1	-	594	930	4	521	-	91	-	54

Causes of death	NEOPLASMS															
	173 Other parts of uterus, including chorion-epithelioma		174 Uterus unspecified		175 Ovary, Fallopian tube and broad ligament		175.0 Ovary		175.1 Fallopian tube and broad ligament		175.8;9 Others included under 175		176 Other and unspecified female genital organs		176.0 Vulva	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages		35		282		3,050		3,025		24		1		502		356
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-	-	-	-	-	-	3	-	3	-	-	-	-	-	1	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-
15-	-	-	-	-	-	8	-	7	-	1	-	-	-	-	-	-
20-	-	4	-	-	-	7	-	7	-	-	-	-	-	-	-	-
25-	-	4	-	1	-	12	-	12	-	-	-	-	-	-	-	-
30-	-	2	-	-	-	27	-	27	-	-	-	-	-	2	-	2
35-	-	2	-	3	-	48	-	48	-	-	-	-	-	5	-	3
40-	-	1	-	15	-	120	-	119	-	1	-	-	-	9	-	3
45-	-	-	-	17	-	265	-	262	-	3	-	-	-	18	-	11
50-	-	3	-	26	-	352	-	349	-	2	-	1	-	15	-	8
55-	-	5	-	28	-	446	-	441	-	5	-	-	-	28	-	15
60-	-	4	-	39	-	473	-	467	-	6	-	-	-	50	-	35
65-	-	5	-	47	-	430	-	427	-	3	-	-	-	65	-	48
70-	-	1	-	36	-	369	-	368	-	1	-	-	-	89	-	66
75-	-	3	-	35	-	265	-	263	-	2	-	-	-	90	-	69
80-	-	-	-	22	-	143	-	143	-	-	-	-	-	82	-	67
85 and over	-	1	-	13	-	80	-	80	-	-	-	-	-	48	-	31

TABLE 17 - continued

Causes of death	NEOPLASMS															
	176.1		176.7-9		177		178		179		179.0		179.1		179.7-9	
	Vagina		Others included under 176		Prostate		Testis		Other and unspecified male genital organs		Penis		Scrotum		Others included under 179	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages		139		7	3,795		216		139		104		32		3	
0-		-		-	-		-		-		-		-		-	
1-		1		-	-		4		-		-		-		-	
5-		-		-	1		-		-		-		-		-	
10-		-		-	-		-		-		-		-		-	
15-		-		-	1		10		1		-		-		1	
20-		-		-	-		33		-		-		-		-	
25-		-		-	1		21		-		-		-		-	
30-		-		-	-		32		-		-		-		-	
35-		2		-	1		22		2		1		1		-	
40-		6		-	1		20		5		4		1		-	
45-		7		-	8		17		2		2		-		-	
50-		7		-	48		20		14		8		5		1	
55-		13		2	130		11		15		12		3		-	
60-		15		-	256		8		15		13		2		-	
65-		17		-	485		11		16		10		5		1	
70-		21		2	760		5		24		17		7		-	
75-		20		1	959		1		10		8		2		-	
80-		14		1	718		-		24		19		5		-	
85 and over		16		1	426		1		11		10		1		-	

Causes of death	NEOPLASMS															
	180		181		181.0;8		181.7		190-199		190		191		192	
	Kidney		Bladder and other urinary organs		Bladder		Others included under 181		Malignant neoplasm of other and unspecified sites		Malignant melanoma of skin		Other malignant neoplasm of skin		Eye	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	824	522	2,270	909	2,250	890	20	19	3,099	3,256	185	236	224	208	64	61
0-	7	1	-	1	-	1	-	-	16	10	1	-	-	-	-	-
1-	16	13	1	-	1	-	-	-	63	40	1	-	-	1	4	3
5-	9	9	1	-	1	-	-	-	51	35	-	1	-	-	-	-
10-	-	2	-	-	-	-	-	-	32	30	1	-	-	1	1	-
15-	-	2	1	-	-	-	1	-	43	35	1	3	1	-	-	2
20-	-	1	-	-	-	-	-	-	37	24	4	4	-	1	-	-
25-	1	2	-	-	-	-	-	-	43	50	9	10	1	1	-	-
30-	2	2	2	1	2	1	-	-	57	73	9	12	1	2	-	-
35-	9	9	1	4	1	4	-	-	99	104	7	17	-	1	1	2
40-	29	15	13	7	13	7	-	-	148	123	13	21	6	6	3	3
45-	47	21	55	16	55	16	-	-	193	156	15	22	8	2	8	5
50-	97	23	108	35	103	34	5	1	315	260	28	24	5	6	2	4
55-	117	55	208	67	205	66	3	1	435	354	20	17	21	9	9	9
60-	123	60	338	95	336	93	2	2	457	379	23	16	22	20	8	4
65-	127	92	371	110	368	106	3	4	362	429	12	28	29	17	11	6
70-	106	71	404	148	402	145	2	3	285	388	16	15	27	21	8	11
75-	75	64	371	194	367	191	4	3	226	333	9	21	39	38	2	4
80-	38	52	265	137	265	133	-	4	136	256	10	13	25	38	5	4
85 and over	21	28	131	94	131	93	-	1	101	177	6	12	39	44	2	4



TABLE 17 - continued

Causes of death	NEOPLASMS															
	193		193.0		193.1		193.2		193.3		193.4		193.8;9		194	
	Brain and other parts of nervous system		Brain		Spinal cord		Meninges		Peripheral nerves		Sympathetic nervous system		Others included under 193		Thyroid gland	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	1,119	848	987	751	20	20	5	13	4	3	38	28	65	33	100	300
0-	9	5	3	-	-	1	-	-	-	-	5	2	1	2	-	-
1-	50	25	30	14	-	1	-	-	-	-	16	10	4	-	-	-
5-	37	28	27	21	3	2	-	-	-	-	5	4	2	1	-	-
10-	21	17	12	13	-	-	-	1	-	-	2	1	7	2	-	-
15-	11	18	6	15	1	1	-	-	-	-	3	2	1	-	-	1
20-	16	13	13	11	-	-	-	-	-	-	1	-	2	2	-	-
25-	20	20	17	17	-	-	-	-	-	1	2	1	1	1	-	1
30-	29	42	25	39	1	-	-	1	2	-	-	-	1	2	-	-
35-	59	53	57	50	1	2	-	-	-	-	-	1	1	-	3	5
40-	70	62	66	57	1	1	-	1	-	-	-	1	3	2	5	3
45-	105	70	98	65	-	-	-	-	-	1	-	2	7	2	3	10
50-	162	101	149	90	3	6	1	1	-	-	1	-	8	4	14	29
55-	204	111	184	101	3	2	2	3	-	-	2	1	13	4	17	33
60-	174	117	160	104	4	2	2	-	-	-	-	2	8	9	12	35
65-	97	96	90	90	1	1	-	3	2	1	-	-	4	1	9	40
70-	38	42	36	39	1	-	-	2	-	-	-	1	1	-	18	56
75-	11	20	8	19	1	-	-	1	-	-	1	-	1	-	10	40
80-	3	5	3	3	-	1	-	-	-	-	-	-	-	1	5	30
85 and over	3	3	3	3	-	-	-	-	-	-	-	-	-	-	4	17

Causes of death	NEOPLASMS															
	195		195.0		195.3		195.1;2;4-8		196		197		198		199	
	Other endocrine glands		Suprarenal gland		Pituitary gland and cranio-pharyngeal duct		Others included under 195		Bone		Connective tissue		Secondary and unspecified malignant neoplasm of lymph nodes		Other and unspecified sites	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	51	50	32	35	6	5	13	10	280	240	123	119	50	28	903	1,166
0-	3	3	2	3	-	-	1	-	-	-	2	-	-	-	1	2
1-	3	6	2	5	-	-	1	1	1	1	3	1	-	-	1	3
5-	4	2	4	2	-	-	-	-	6	4	4	-	-	-	-	-
10-	-	2	-	2	-	-	-	-	4	7	3	2	-	-	2	1
15-	1	-	-	-	-	-	1	-	22	8	4	3	-	-	3	-
20-	1	-	-	-	-	-	1	-	12	3	1	1	-	-	3	2
25-	1	2	-	2	-	-	1	-	4	5	5	7	-	-	3	4
30-	1	2	1	2	-	-	-	2	3	7	6	1	-	-	8	7
35-	4	3	2	2	1	-	1	1	9	3	7	6	1	-	8	14
40-	5	3	3	2	1	-	1	1	14	3	7	3	2	1	23	18
45-	3	1	3	1	-	-	-	-	15	7	4	4	4	-	28	35
50-	2	3	1	1	-	1	1	1	23	12	9	10	-	-	70	71
55-	5	2	3	1	-	-	2	1	33	16	7	16	3	2	116	139
60-	2	7	1	6	-	-	1	1	30	22	22	13	7	5	157	140
65-	2	6	2	3	-	3	-	-	23	32	17	15	13	4	149	185
70-	8	3	5	2	3	-	-	1	26	31	10	12	7	9	127	188
75-	1	3	1	1	-	1	-	1	25	41	7	9	11	3	111	154
80-	3	2	2	2	-	-	1	-	20	26	4	7	2	2	59	125
85 and over	2	-	-	-	1	-	1	-	10	12	1	9	-	2	34	74

TABLE 17 - continued

Causes of death	NEOPLASMS															
	200-205		200		200.0		200.1		200.2		201		202		202.0	
	Neoplasms of lymphatic and haematopoietic tissues		Lympho-sarcoma and reticulo-sarcoma		Reticulum cell sarcoma		Lympho-sarcoma		Other primary malignant neoplasms of lymphoid tissue		Hodgkins's disease		Other forms of lymphoma (reticulosis)		Giant follicular lymphoma (Brill-Symer's disease)	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	3,171	2,581	652	495	268	218	352	255	32	22	521	305	96	84	19	21
0-	10	12	1	1	1	-	-	1	-	-	-	-	-	-	-	-
1-	87	63	6	2	1	1	5	1	-	-	1	-	1	2	-	-
5-	93	57	13	2	3	-	9	2	1	-	6	1	2	-	-	-
10-	68	42	14	3	5	-	9	3	-	-	10	3	-	-	-	-
15-	91	58	17	11	6	6	11	5	-	-	29	10	1	2	-	-
20-	93	45	16	5	7	2	7	3	2	-	32	22	1	1	-	-
25-	98	47	18	5	9	3	9	2	-	-	-	-	2	1	-	-
30-	104	57	15	6	6	6	8	-	1	-	40	20	2	1	-	1
35-	102	82	23	12	13	5	9	7	1	-	41	16	2	1	1	-
40-	138	103	33	21	22	11	11	9	-	1	33	22	3	5	1	4
45-	175	114	39	21	19	10	20	8	-	3	43	18	11	6	4	-
50-	270	169	53	32	20	20	30	11	3	1	66	18	4	5	1	1
55-	357	232	98	58	37	24	51	31	8	3	46	23	15	11	2	3
60-	368	315	81	47	29	18	46	28	6	1	55	36	16	8	3	1
65-	365	304	87	70	38	29	45	40	4	1	34	19	14	5	2	1
70-	327	312	62	71	24	29	37	36	1	6	22	26	9	8	3	1
75-	254	287	46	64	14	30	30	31	2	3	22	30	11	13	2	6
80-	122	190	22	42	9	14	10	26	3	2	6	13	2	5	-	-
85 and over	49	92	10	22	5	10	5	11	-	1	3	3	1	5	-	-

Causes of death	NEOPLASMS															
	202.1		203		204		204.0		204.1		204.2		204.3		204.4	
	Other		Multiple myeloma (plasmocytoma)		Leukaemia and aleukaemia		Lymphatic leukaemia		Myeloid leukaemia		Monocytic leukaemia		Acute leukaemia		Other and unspecified leukaemia	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	77	63	375	374	1,511	1,319	328	236	285	271	104	88	734	679	60	45
0-	-	-	-	-	9	11	1	-	-	-	-	-	7	8	1	3
1-	1	2	-	-	79	59	1	1	1	1	-	3	73	54	4	-
5-	2	-	-	-	72	54	6	1	2	3	1	5	59	42	4	3
10-	-	-	-	-	44	36	-	2	4	1	3	1	34	31	3	1
15-	1	2	-	1	44	34	1	1	4	1	5	3	31	28	3	1
20-	1	1	1	-	43	17	1	1	4	3	4	1	34	12	-	-
25-	2	-	1	1	37	20	-	-	12	1	4	3	21	16	-	-
30-	1	1	-	2	46	32	1	-	10	11	4	1	30	19	1	1
35-	2	1	3	2	40	41	1	1	8	9	2	4	28	23	1	1
40-	1	4	12	5	60	45	4	4	18	9	6	7	32	27	-	1
45-	7	6	20	7	61	62	8	2	16	19	6	6	29	34	2	1
50-	3	4	40	34	105	80	17	11	25	19	11	3	46	47	6	-
55-	13	8	57	40	137	100	38	16	28	30	10	8	55	44	6	2
60-	13	7	68	69	146	154	36	36	35	35	10	12	60	66	5	5
65-	12	4	62	76	166	133	57	30	36	32	10	8	53	59	10	4
70-	6	7	56	63	177	144	51	37	47	33	11	10	64	56	4	8
75-	9	7	36	43	137	136	60	39	21	26	8	8	44	56	4	7
80-	2	4	11	22	81	108	36	34	9	23	7	4	24	41	5	6
85 and over	1	5	8	9	27	53	9	20	5	15	2	1	10	16	1	1

TABLE 17 - continued

Causes of death	NEOPLASMS															
	205  Mycosis fungoides		210-229  Benign neoplasm		210*		212  Respiratory system		213*		215  Uterus		216  Ovary		217, 218*	
					211  Other parts of digestive system				214  Uterine fibromyoma						219  Kidney and other urinary organs	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	16	4	304	450	27	31	15	6		60		2		82	52	24
0-	-	-	9	6	1	-	-	-		-		-		-	-	-
1-	-	-	3	7	-	2	1	-		-		-		-	-	-
5-	-	-	5	2	-	-	-	-		-		-		-	-	-
10-	-	-	5	4	1	-	-	-		-		-		-	-	-
15-	-	-	9	3	1	-	-	-		-		-		-	-	-
20-	-	-	8	5	-	-	-	-		-		-		2	-	-
25-	-	-	6	7	-	-	1	-		-		-		2	-	-
30-	-	-	9	12	-	1	-	-		1		-		-	-	-
35-	-	-	10	23	-	1	1	-		7		1		1	-	-
40-	-	1	17	26	1	1	1	-		6		-		7	-	-
45-	1	-	14	39	-	1	-	1		16		-		1	-	-
50-	2	-	25	46	2	1	3	1		8		-		6	-	1
55-	6	-	29	39	2	2	1	-		3		-		5	2	-
60-	2	1	31	49	2	3	4	2		3		-		11	4	-
65-	2	1	36	44	3	6	2	-		7		1		3	9	3
70-	1	-	25	49	4	2	-	-		1		-		12	6	7
75-	2	1	31	36	7	4	-	1		3		-		11	11	2
80-	-	-	18	26	3	3	1	-		2		-		12	10	4
85 and over	-	-	14	27	-	4	-	1		3		-		9	10	7

Causes of death	NEOPLASMS															
	220, 221, 222*		224		225		226*		228		229*		230		231	
	223	227					230-239									
	Brain and other parts of nervous system		Endocrine glands		Bone and cartilage		Muscular and connective tissue		Haem-angioma and lymph-angioma		Neoplasm of unspecified nature		Unspecified nature of digestive organs		Unspecified nature of respiratory organs	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	130	160	47	48	2	7	11	14	12	10	350	290	25	29	31	12
0-	4	2	-	-	-	-	-	-	4	4	5	8	1	1	-	-
1-	-	1	2	2	-	2	-	-	-	-	4	4	-	-	-	-
5-	4	2	-	-	-	-	-	-	1	-	2	8	-	-	-	-
10-	-	3	3	-	-	-	-	-	1	1	5	2	-	-	-	-
15-	6	2	2	1	-	-	-	-	-	-	7	4	-	-	-	-
20-	7	3	-	-	-	-	-	-	1	-	6	4	-	-	-	-
25-	3	4	-	1	1	-	-	-	1	-	5	6	-	-	-	-
30-	6	4	2	4	-	-	-	1	1	-	7	5	-	-	-	-
35-	7	8	2	4	-	-	-	-	-	-	10	8	-	-	-	-
40-	9	9	5	1	-	-	1	-	-	-	16	14	-	-	-	-
45-	7	17	6	2	1	-	-	-	-	1	37	16	-	1	-	-
50-	12	18	5	9	-	-	1	1	-	1	31	26	-	1	-	1
55-	12	20	7	6	-	1	1	1	3	-	46	34	1	2	3	-
60-	16	20	2	5	-	-	2	5	-	-	56	43	4	-	9	1
65-	16	15	2	5	-	-	2	3	-	-	46	38	3	2	3	1
70-	8	18	2	6	-	1	4	2	-	-	27	18	7	4	4	1
75-	9	10	4	1	-	3	-	1	-	-	30	19	4	7	10	1
80-	3	3	1	-	-	-	-	-	-	2	5	22	3	6	1	5
85 and over	1	1	2	1	-	-	-	-	-	1	5	11	2	5	1	2

\* 210 Benign neoplasm of buccal cavity and pharynx 65,85,30; 213 Benign neoplasm of breast - ; 217 Benign neoplasm of other female genital organs 55,65; 218 Benign neoplasm of male genital organs - ; 220 Benign melanoma of skin - ; 221 Pilonidal cyst - ; 222 Other benign neoplasm of skin - ; 226 Lipoma 60,65,70,40; 229 Benign neoplasm of other and unspecified organs and tissues 50,50,55,35,40.



TABLE 17 - continued

Causes of death	NEOPLASMS				III  240-289 Allergic, endocrine system, metabolic, and nutritional diseases		240-245  Allergic disorders		240*		242-245*		250  Simple goitre		251  Non-toxic nodular goitre	
	232-236*		238*						241  Asthma		250-254  Diseases of thyroid gland					
	237 Unspecified nature of brain and other parts of nervous system		239 Unspecified nature of other and unspecified organs													
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	271	207	8	23	2,576	4,711	710	982	691	964	108	788	5	16	1	11
0-	-	3	1	4	62	39	17	5	10	2	-	-	-	-	-	-
1-	4	4	-	-	33	24	10	15	10	15	1	2	-	-	-	-
5-	2	8	-	-	17	15	7	3	7	2	-	-	-	-	-	-
10-	5	2	-	-	36	21	25	16	25	16	-	-	-	-	-	-
15-	6	4	-	-	21	28	15	22	15	21	1	1	-	-	-	-
20-	6	4	-	-	37	37	27	31	25	31	1	2	-	-	-	-
25-	5	6	-	-	36	34	22	23	22	23	1	2	-	-	-	-
30-	6	4	1	-	67	66	38	45	38	45	2	-	-	-	-	-
35-	9	7	-	1	52	72	23	50	21	49	-	4	-	-	-	-
40-	15	14	-	-	85	106	36	62	35	61	3	12	-	2	-	-
45-	35	14	1	-	96	146	38	74	38	74	5	18	1	1	-	1
50-	31	22	-	1	174	191	65	92	65	92	4	28	-	1	-	-
55-	41	29	1	2	245	328	85	111	84	110	10	45	2	-	-	-
60-	42	35	-	5	308	490	101	117	100	116	19	81	1	1	-	2
65-	38	32	1	2	330	644	87	94	85	92	13	131	-	3	-	1
70-	13	10	1	1	327	844	43	86	43	83	16	155	-	3	-	1
75-	12	7	2	2	313	783	49	62	47	62	10	154	-	1	-	2
80-	1	2	-	3	218	543	14	48	13	47	13	107	1	3	-	3
85 and over	-	-	-	2	119	300	8	26	8	23	9	46	-	1	1	1

Causes of death	252		252.0		252.1		253		254		260		270-277		270*	
	Thyro- toxicosis with or without goitre		Toxic diffuse goitre		Toxic nodular goitre		Myxoedema and cretinism		Other diseases of thyroid gland		Diabetes mellitus		Diseases of other endocrine glands		271	
	Diseases of parathyroid gland															
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	31	264	31	252	-	12	67	478	4	19	1,371	2,433	142	160	3	7
0-	-	-	-	-	-	-	-	-	-	-	3	-	26	19	-	-
1-	-	-	-	-	-	-	1	2	-	-	-	1	5	2	-	-
5-	-	-	-	-	-	-	-	-	-	-	4	5	1	1	-	-
10-	-	-	-	-	-	-	-	-	-	-	9	3	1	-	-	-
15-	-	1	-	1	-	-	1	-	-	-	4	2	1	-	-	-
20-	1	1	1	1	-	-	-	1	-	-	4	2	1	-	-	-
25-	-	1	-	1	-	-	1	1	-	-	6	6	2	-	-	-
30-	1	-	1	-	-	-	1	-	-	-	14	11	4	2	-	-
35-	-	2	-	2	-	-	-	1	-	1	18	11	4	1	-	-
40-	1	5	1	5	-	-	2	3	-	2	28	20	5	5	-	-
45-	2	11	2	9	-	2	2	3	-	2	38	26	7	13	-	1
50-	2	20	2	20	-	-	2	5	-	2	67	41	13	12	-	-
55-	4	20	4	20	-	-	4	24	-	1	104	121	14	20	-	2
60-	12	33	12	32	-	1	5	44	1	1	145	234	15	25	2	1
65-	5	58	5	55	-	3	8	67	-	2	192	359	15	12	1	-
70-	2	40	2	39	-	1	13	107	1	4	231	531	15	23	-	2
75-	-	43	-	41	-	2	10	105	-	3	226	507	8	13	-	1
80-	-	24	-	21	-	3	11	76	1	1	174	350	4	6	-	-
85 and over	1	5	1	5	-	-	6	39	1	-	97	203	1	6	-	-

\* 232 Neoplasm of unspecified nature of breast - ; 233 Neoplasm of unspecified nature of uterus - ; 234 Neoplasm of unspecified nature of ovary 55,70,80; 235 Neoplasm of unspecified nature of other female genital organs - ; 236 Neoplasm of unspecified nature of other genito-urinary organs 0,0,60,70,70,75,75,85,30,45,50,60,70,75,75,80,80,80,85; 238 Neoplasm of unspecified nature of skin and musculoskeletal system 0,15,35,40,45,65,85,60,65,80,80,85; 240 Hay fever 60; 242 Angioneurotic oedema 20,75,85; 243 Urticaria 70; 244 Allergic eczema - ; 245 Other allergic disorders 0,0,0,0,0,0,20,35,35,40,55,60,65,65,75,80,0,0,0,5,75,35,40,55,65,65,70,70,80,85,85; 270 Disorders of pancreatic internal secretion other than diabetes mellitus 0,0,0,0,0,0,15,40,45,45,45,50,55,80,1,45,55,65,85.

TABLE 17 - continued

Causes of death	272		273		274		275, 276*		280-289		280-285*		286-0		286-5	
	Diseases of pituitary gland		Diseases of thymus gland		Diseases of adrenal glands		Polyglandular dysfunction and other diseases of endocrine glands		Avitaminoses, and other metabolic diseases		Other avitaminoses and nutritional deficiency states		Steatorrhoea and sprue		Malnutrition, unqualified	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	50	59	8	4	58	67	8	18	245	348	56	66	19	23	30	30
0-	1	2	8	1	7	13	3	3	16	15	1	3	1	3	-	-
1-	-	-	-	1	5	-	-	-	10	4	2	-	1	-	1	-
5-	-	-	-	1	-	-	1	-	5	6	-	-	-	-	-	-
10-	-	-	-	-	1	-	-	-	1	2	-	-	-	-	-	-
15-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-
20-	1	-	-	-	-	-	-	-	4	2	1	-	1	-	-	-
25-	-	-	-	-	2	-	-	-	5	3	-	-	-	-	-	-
30-	4	1	-	-	-	-	-	1	9	8	-	3	-	1	-	1
35-	2	1	-	-	2	-	-	-	7	6	-	-	-	-	-	-
40-	2	3	-	-	2	2	-	-	13	7	1	1	1	1	-	-
45-	2	5	-	-	2	3	-	3	8	15	3	2	2	1	1	1
50-	7	5	-	-	5	6	-	1	45	18	4	-	3	-	1	-
55-	9	6	-	-	4	8	-	3	32	31	6	6	3	3	3	2
60-	7	10	-	-	6	12	-	2	28	33	2	7	1	3	1	3
65-	5	7	-	1	7	2	2	1	23	48	7	5	2	4	3	-
70-	8	12	-	-	6	7	1	2	22	49	8	7	1	-	6	4
75-	1	4	-	-	7	7	-	1	20	47	10	10	2	2	6	6
80-	1	3	-	-	2	3	-	-	13	32	9	10	1	2	6	5
85 and over	-	-	-	-	-	4	1	1	4	19	2	12	-	3	2	8

Causes of death	286-1-4;6;7		287		288		289		289-0		289-1		289-2		IV	
	Others included under 286		Obesity not specified as of endocrine origin		Gout		Other metabolic diseases		Lipidoses (disturbance of lipid metabolism)		Amyloidosis		Other		290-299 Diseases of the blood and blood-forming organs	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	7	13	52	176	13	5	123	95	16	14	41	33	66	48	739	1,382
0-	-	-	-	-	-	-	15	12	4	2	-	-	11	10	14	10
1-	-	-	-	-	-	-	8	4	3	2	-	-	5	2	9	9
5-	-	-	-	-	-	-	5	6	2	2	-	-	3	4	4	10
10-	-	-	-	-	-	-	1	2	-	-	-	-	1	2	3	8
15-	-	-	-	-	-	-	-	3	-	1	-	-	-	2	9	3
20-	-	-	-	-	1	-	2	2	1	-	-	1	1	1	8	5
25-	-	-	1	-	-	-	4	3	1	1	-	-	3	2	4	6
30-	-	1	-	-	1	-	8	5	1	-	2	2	5	3	10	14
35-	-	-	1	5	1	-	5	1	-	1	5	-	-	-	6	15
40-	-	-	1	1	-	-	11	5	1	-	5	4	5	1	11	12
45-	-	-	1	7	-	-	4	6	-	1	4	3	-	2	8	22
50-	-	-	6	10	2	-	13	7	-	2	4	3	9	2	26	34
55-	-	1	6	16	4	-	16	9	1	1	6	6	9	2	42	60
60-	-	1	14	16	-	1	12	8	-	-	5	5	7	3	77	82
65-	2	1	7	34	1	1	8	8	1	-	4	4	3	4	94	157
70-	1	3	6	32	1	-	7	9	-	1	4	5	3	3	108	213
75-	2	2	5	30	2	2	3	3	1	-	1	-	1	3	126	262
80-	2	3	2	19	-	1	1	1	-	-	1	-	-	1	105	258
85 and over	-	1	2	6	-	-	-	1	-	-	-	-	-	1	75	202

\* 275 Ovarian dysfunction - ; 276 Testicular dysfunction - ; 280 Beriberi 80,70; 281 Pellagra - ; 282 Scurvy - ; 283 Active rickets - ; 284 Late effects of rickets 50; 285 Osteomalacia 60,75,75,80.

TABLE 17 - continued

Causes of death	290		290.0		290.1		290.2		291		292		292.4		292.0-3;5-7	
	Pernicious and other hyperchromic anaemias		Pernicious anaemia		Subacute combined degeneration of spinal cord		Other hyperchromic anaemias		Iron deficiency anaemias (hypochromic anaemias)		Other anaemias of specified type		Aplastic anaemia		Others included under 292	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	214	487	171	407	11	10	32	70	89	274	181	286	99	173	82	113
0-	-	-	-	-	-	-	-	-	-	-	4	2	1	-	3	2
1-	-	-	-	-	-	-	-	-	-	-	5	5	2	3	5	2
5-	-	-	-	-	-	-	-	-	-	-	2	5	1	3	1	2
10-	-	-	-	-	-	-	-	-	-	-	1	3	1	3	-	-
15-	-	-	-	-	-	-	-	-	1	-	3	1	3	1	-	-
20-	-	-	-	-	-	-	-	-	1	-	4	4	3	3	1	1
25-	-	1	-	-	-	-	-	1	-	-	3	3	2	2	1	1
30-	-	1	-	-	-	-	-	1	-	-	5	8	4	6	1	2
35-	-	2	-	1	-	-	-	1	-	3	2	6	1	4	1	2
40-	1	1	-	1	-	-	1	-	1	4	3	4	3	3	-	1
45-	1	6	1	3	-	1	-	2	-	1	3	4	2	4	1	-
50-	4	4	3	2	-	-	1	2	2	4	8	11	5	4	3	7
55-	7	9	7	6	-	-	-	1	1	12	6	19	5	7	1	12
60-	10	20	10	19	-	-	-	1	3	9	22	26	8	16	14	10
65-	27	44	24	39	1	2	2	3	7	24	26	48	14	27	12	21
70-	30	66	24	52	2	2	4	12	15	42	25	50	10	32	15	18
75-	52	113	40	93	6	3	6	17	20	57	28	36	17	24	11	12
80-	47	119	40	97	1	2	6	20	18	63	23	37	11	21	12	16
85 and over	35	101	22	92	1	-	12	9	20	55	8	14	6	10	2	4

  

Causes of death	293		294		295		296		297		298		299		V	
	Anaemia of unspecified type		Polycythaemia		Haemophilia		Purpura and other haemorrhagic conditions		Agranulocytosis		Diseases of spleen		Other diseases of blood and blood-forming organs		300-326 Mental, psycho-neurotic and personality disorders	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	74	140	67	42	13	1	51	85	10	11	17	30	23	26	430	723
0-	3	1	-	-	-	-	4	4	-	1	-	-	3	2	18	17
1-	1	1	-	-	1	-	2	3	-	-	-	-	-	-	17	20
5-	1	-	-	-	-	-	1	4	-	-	-	1	-	-	7	7
10-	-	-	-	-	-	-	1	3	-	-	1	2	-	-	4	4
15-	-	-	-	-	5	-	-	2	-	-	-	-	-	-	2	7
20-	-	-	-	-	1	-	2	1	-	-	-	-	-	-	2	4
25-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	2	3
30-	-	-	-	-	1	-	2	3	1	-	-	-	1	2	4	5
35-	-	1	-	1	2	-	1	1	1	-	-	-	-	1	10	8
40-	1	1	-	-	-	-	3	1	1	-	-	1	1	-	14	9
45-	1	6	1	-	-	-	-	3	1	-	-	1	1	1	13	17
50-	1	1	4	5	-	-	3	3	2	1	1	4	1	1	15	18
55-	5	6	12	1	-	-	6	10	-	-	4	2	1	1	36	24
60-	13	8	12	5	2	-	4	9	3	-	4	3	4	2	29	50
65-	6	16	17	7	-	-	6	9	-	1	2	3	3	5	28	40
70-	16	25	11	6	-	-	7	11	-	4	1	7	3	2	40	92
75-	10	27	8	11	1	1	2	9	1	1	1	3	3	4	67	120
80-	9	24	1	6	-	-	4	3	-	1	3	2	-	3	65	137
85 and over	7	23	1	-	-	-	3	5	-	1	-	1	1	2	57	141



TABLE 17 - continued

Causes of death	300-309		300		301		302, 303*		305		307*		310-318		310*	
	Psychoses		Schizo- phrenic disorders (dementia praecox)		Manic- depressive reaction		304  Senile psychosis		Presenile psychosis		309  Other and unspecified psychoses		Psycho- neurotic disorders		311  Hysterical reaction without mention of anxiety reaction	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	317	598	16	28	6	10	216	466	53	63	23	25	12	34	6	24
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	1	-	1	-	-	-	-	-	-	-	-	-	3	-	3
20-	-	2	-	1	-	-	-	-	-	-	-	1	-	-	-	-
25-	1	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-
30-	2	2	2	1	-	-	-	-	-	1	-	-	-	1	-	1
35-	3	2	1	1	-	-	-	-	1	-	-	1	-	-	-	-
40-	5	6	-	4	1	-	-	-	3	1	-	1	1	1	-	1
45-	8	7	2	2	3	1	-	-	3	1	-	3	-	4	-	3
50-	11	10	-	2	-	1	-	1	9	4	2	2	2	3	1	2
55-	25	17	5	2	1	1	2	-	12	13	4	1	2	2	1	2
60-	24	40	1	3	1	2	5	4	13	25	4	3	-	5	-	4
65-	22	37	1	5	-	-	9	16	8	14	4	2	2	-	1	-
70-	35	83	-	-	-	3	30	72	2	4	3	2	1	6	-	3
75-	61	117	-	3	-	-	58	111	1	-	2	2	1	3	1	2
80-	63	131	-	1	-	2	60	123	1	-	2	5	2	6	1	3
85 and over	56	141	2	-	-	-	52	139	-	-	2	2	1	-	1	-

Causes of death	312-318*		320, 321*		322-0*		322-2, 323, 324*		326*		330-334		330		331	
	320-326 Disorders of character, behaviour and intelligence		322  Alcoholism		322-1  Chronic		325  Mental deficiency		VI 330-398 Diseases of the nervous system and sense organs		Vascular lesions affecting central nervous system		Subarachnoid haemorrhage		Cerebral haemorrhage	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	101	91	31	21	24	20	67	68	35,033	51,176	32,264	48,076	1,407	2,334	11,754	17,656
0-	18	17	-	-	-	-	18	17	170	157	15	9	5	2	6	5
1-	17	20	-	-	-	-	17	20	111	106	7	2	3	1	1	-
5-	7	7	-	-	-	-	7	7	57	28	6	4	2	3	4	-
10-	3	4	-	-	-	-	3	4	45	46	10	9	7	8	2	1
15-	2	3	-	-	-	-	2	3	83	54	22	19	17	15	5	4
20-	2	2	1	-	-	-	1	2	85	49	31	21	17	16	13	5
25-	1	1	-	-	-	-	1	1	93	78	45	33	37	24	5	5
30-	2	2	2	1	2	1	-	1	156	118	67	64	43	45	20	16
35-	7	6	2	3	1	3	3	2	199	190	123	110	86	73	26	31
40-	8	2	2	2	2	2	6	-	381	375	264	262	107	126	121	108
45-	5	6	4	3	4	3	-	2	541	594	433	474	132	184	221	231
50-	2	5	2	2	1	2	-	3	1,026	1,086	854	940	190	234	458	548
55-	9	5	6	3	3	3	-	2	2,028	1,806	1,799	1,567	214	273	975	969
60-	5	5	5	2	5	2	-	3	3,217	2,935	2,960	2,679	200	325	1,484	1,403
65-	4	3	1	3	1	2	3	-	4,371	4,857	4,083	4,491	145	266	1,770	2,113
70-	4	3	3	2	3	2	1	1	5,928	7,770	5,583	7,369	96	308	2,060	3,061
75-	5	-	3	-	2	-	2	-	6,583	10,359	6,288	9,970	65	257	2,073	3,575
80-	-	-	-	-	-	-	-	-	5,723	10,736	5,530	10,412	26	120	1,543	3,267
85 and over	-	-	-	-	-	-	-	-	4,236	9,832	4,144	9,641	15	54	967	2,394

\* 302 Involuntional melancholia 60; 303 Paranoia and paranoid states 60,70,70; 307 Alcoholic psychosis 35,40,55,60,75; 310 Anxiety reaction without mention of somatic symptoms 40; 312 Phobic reaction - ; 313 Obsessive-compulsive reaction - ; 314 Neurotic-depressive reaction 50,55,80,50,60,70,70,75,80; 315 Psychoneurosis with somatic symptoms (somatization reaction) affecting circulatory system 65; 316 Psychoneurosis with somatic symptoms (somatization reaction) affecting digestive system 80; 317 Psychoneurosis with somatic symptoms (somatization reaction) affecting other systems - ; 318 Psychoneurotic disorders, other, mixed, and unspecified types 70,45,70,80; 320 Pathological personality - ; 321 Immature personality - ; 322-0 Alcoholism, acute 55; 322-2 Alcoholism, unspecified 20,55,50,55,55,75,65; 323 Other drug addiction 35,35,45,35,45; 324 Primary childhood behaviour disorders - ; 326 Other and unspecified character, behaviour, and intelligence disorders - .

TABLE 17 - continued

Causes of death	332  Cerebral embolism and thrombosis		333*		340-345  Inflammatory diseases of central nervous system		340  Meningitis except meningo-coccal and tuberculous		340.0  H. influenzae		340.1  Pneumococcus		340.2  Due to other specified organism		340.3  With no organism specified as cause	
			334  Other and ill-defined vascular lesions affecting central nervous system													
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	15,719	23,139	3,383	4,947	720	836	212	183	26	13	73	65	37	36	76	69
0-	3	2	1	-	92	101	70	71	15	4	14	19	20	25	21	23
1-	-	-	3	1	48	47	32	19	8	7	9	1	3	2	12	9
5-	-	-	-	1	15	5	6	1	1	-	2	-	2	-	1	1
10-	-	-	1	-	8	11	5	4	-	1	1	1	1	1	3	1
15-	-	-	-	-	10	6	3	1	-	-	2	-	-	-	1	1
20-	1	-	-	-	11	8	2	2	-	-	-	-	-	2	2	-
25-	2	3	1	1	11	17	3	2	1	-	2	2	-	-	-	-
30-	4	2	-	1	33	24	3	3	-	-	2	2	-	-	1	1
35-	9	5	2	1	37	49	2	6	-	-	1	4	1	-	-	2
40-	32	25	4	3	51	62	6	3	-	-	3	2	1	-	2	1
45-	75	52	5	7	54	68	7	1	-	-	4	-	1	-	2	1
50-	193	147	12	11	78	83	12	6	-	-	6	3	-	-	6	3
55-	540	370	70	35	75	107	18	10	-	-	8	6	2	-	8	4
60-	1,124	859	152	92	70	80	8	13	-	-	3	7	-	1	5	5
65-	1,887	1,837	281	275	59	75	16	15	-	-	10	8	3	3	3	4
70-	2,910	3,446	517	554	35	48	7	9	-	-	3	4	-	-	4	5
75-	3,421	5,130	729	1,008	18	27	6	9	1	1	1	4	3	1	1	3
80-	3,162	5,743	799	1,282	11	13	5	4	-	-	2	1	-	1	3	2
85 and over	2,356	5,518	806	1,675	4	5	1	4	-	-	-	1	-	-	1	3

Causes of death	341  Phlebitis and thrombo-phlebitis of intra-cranial venous sinuses		342  Intra-cranial and intra-spinal abscess		343  Encephalitis, myelitis and encephalo-myelitis (except acute infectious)		344  Late effects of intra-cranial abscess or pyogenic infection		345  Multiple sclerosis		350-357  Other diseases of central nervous system		350  Paralysis agitans		351  Cerebral spastic infantile paralysis	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	16	18	59	26	57	75	39	40	337	494	1,902	2,098	698	922	59	49
0-	7	9	4	-	2	7	9	13	-	1	28	21	-	-	15	9
1-	3	1	1	4	6	15	6	7	-	1	51	45	-	-	17	10
5-	1	-	1	-	5	3	2	1	-	-	33	17	-	-	3	5
10-	-	-	2	-	1	6	-	1	-	-	22	26	-	-	5	9
15-	-	-	2	1	3	1	2	2	-	1	46	25	-	-	4	3
20-	-	1	4	2	1	1	1	1	3	1	41	19	-	-	1	1
25-	-	1	2	-	1	4	-	2	5	8	33	24	-	-	-	2
30-	-	1	4	1	2	-	2	2	22	17	51	24	-	-	-	1
35-	-	-	5	1	6	4	1	1	23	37	39	29	1	-	3	-
40-	2	-	3	1	5	6	2	2	33	50	59	49	2	3	1	2
45-	-	1	7	1	2	-	1	-	37	65	46	49	3	5	1	-
50-	-	1	2	2	5	5	3	3	56	66	88	56	15	5	1	1
55-	1	-	6	4	3	7	2	1	45	85	142	118	34	35	3	-
60-	-	-	9	4	4	6	1	1	48	56	170	163	54	63	4	1
65-	2	1	2	3	3	3	4	1	32	52	221	267	108	140	1	1
70-	-	1	5	2	5	3	2	2	16	31	298	344	164	195	-	-
75-	-	-	-	-	3	4	-	-	9	14	269	344	165	208	-	4
80-	-	1	-	-	-	-	1	-	5	8	180	301	116	180	-	-
85 and over	-	-	-	-	-	-	-	-	3	1	85	177	36	88	-	-

\* 333 Spasm of cerebral arteries 50.

TABLE 17 - continued

Causes of death	352		353		353.2		353.0;1;3		354*		356		356.0		356.1	
	Other cerebral paralysis		Epilepsy		Status epilepticus		Others included under 353		355		Motor neurone disease and muscular atrophy		Progressive muscular atrophy		Amyotrophic lateral sclerosis	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	296	364	383	331	127	113	256	218	140	165	290	227	122	117	38	30
0-	-	-	7	3	4	2	3	1	3	4	3	5	-	2	-	-
1-	-	-	24	26	10	11	14	15	7	7	3	2	-	1	-	-
5-	-	-	21	12	11	6	10	6	7	-	2	-	1	-	-	-
10-	1	-	15	12	6	5	9	7	-	4	-	-	-	-	-	-
15-	-	-	36	21	15	5	21	16	3	-	1	-	-	-	-	-
20-	-	-	38	16	14	6	24	10	1	2	-	-	-	-	-	-
25-	-	-	29	18	7	11	22	7	1	3	2	-	2	-	-	-
30-	2	1	40	17	18	4	22	13	3	3	4	1	-	1	1	-
35-	-	1	28	20	5	6	23	14	5	4	2	3	1	1	-	1
40-	2	2	31	26	11	7	20	19	5	5	16	8	8	2	3	3
45-	-	-	16	20	-	8	16	12	9	9	12	11	4	7	1	1
50-	3	-	26	19	8	8	18	11	11	9	29	18	8	8	5	2
55-	16	7	12	26	6	9	6	17	17	16	55	30	18	16	5	3
60-	21	25	24	23	3	8	21	15	16	16	49	30	24	13	7	5
65-	40	31	15	20	3	3	12	17	18	18	36	52	21	23	6	5
70-	70	63	7	25	3	7	4	18	13	18	41	38	20	23	6	7
75-	67	86	5	13	1	5	4	8	8	10	21	20	7	13	3	3
80-	41	80	5	10	2	2	3	8	5	20	11	9	7	7	1	-
85 and over	33	68	4	4	-	-	4	4	8	17	3	-	1	-	-	-

Causes of death	356.2;3		357		360-369		360-363*		365*		367-369*		370-379*		380-384*	
	Others included under 356		Other diseases of spinal cord		Diseases of nerves and peripheral ganglia		364		366		370-379		380-389		385	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	130	80	36	39	40	50	31	31	2	5	2	2	13	30	9	15
0-	3	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-
1-	3	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
5-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
10-	-	-	1	1	2	-	2	-	-	-	-	-	-	-	-	-
15-	1	-	2	1	2	1	2	1	-	-	-	-	-	-	-	-
20-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
25-	-	-	1	1	2	3	2	3	-	-	-	-	-	-	-	-
30-	3	-	2	-	1	3	1	3	-	-	-	-	-	-	-	-
35-	1	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-
40-	5	3	2	3	4	-	3	-	-	-	-	-	-	-	-	-
45-	7	3	5	4	2	-	2	-	-	-	-	-	-	-	-	-
50-	16	8	3	4	1	5	1	4	-	-	1	-	1	-	-	-
55-	32	11	5	4	2	3	2	2	-	1	-	-	1	-	-	-
60-	18	12	2	5	8	9	7	5	-	1	-	1	-	-	-	-
65-	9	24	3	5	5	10	4	4	1	1	-	-	1	5	1	2
70-	15	8	3	5	8	5	3	3	1	1	-	-	2	2	2	-
75-	11	4	3	3	2	4	1	2	-	1	-	-	4	12	4	5
80-	3	2	2	2	-	3	-	2	-	-	-	1	2	6	1	4
85 and over	2	-	1	-	-	1	-	1	-	-	-	-	2	5	1	4

\* 354 Migraine 30; 360 Facial paralysis 65,80; 361 Trigeminal neuralgia 60,70,35,50,60,65,70; 362 Brachial neuritis - ; 363 Sciatica 40,70,65; 365 Erythroedema polyneuritica 75; 367 Other diseases of cranial nerves - ; 368 Other diseases of peripheral nerves except autonomic 70,70,60,65,65,75; 369 Diseases of peripheral autonomic nervous system 1,60; 370 Conjunctivitis and ophthalmia - ; 371 Blepharitis - ; 372 Hordeolum (stye) - ; 373 Iritis - ; 374 Keratitis 80; 375 Choroiditis - ; 376 Other inflammation of uveal tract 0,50; 377 Inflammation of optic nerve and retina 60; 378 Inflammation of lachrymal glands and ducts - ; 379 Other inflammatory diseases of eye - ; 380 Refractive errors - ; 381 Corneal ulcer - ; 382 Corneal opacity - ; 383 Pterygium - ; 384 Strabismus - .



TABLE 17 - continued

Causes of death	386-389*		390*		392		393		394-398*		400-402		400*		401.0	
	390-398		391						VII				401			
	Diseases of ear and mastoid process	Otitis media without mention of mastoiditis	Otitis media with mastoiditis	Mastoiditis without mention of otitis media	400-468 Diseases of the circulatory system	Rheumatic fever	Rheumatic fever with heart involvement	Active rheumatic pericarditis								
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	92	84	77	74	5	2	7	6	108,513	105,106	52	45	47	39	18	24
0-	34	26	29	23	3	1	2	2	24	11	1	-	1	-	-	-
1-	5	10	5	9	-	1	-	-	12	13	1	1	1	1	-	-
5-	2	2	2	2	-	-	-	-	17	6	6	1	6	-	-	-
10-	3	-	3	-	-	-	-	-	14	10	5	2	4	2	-	-
15-	3	3	2	2	-	-	1	-	55	32	3	2	3	2	-	-
20-	2	1	2	1	-	-	-	-	88	66	4	-	4	-	-	-
25-	2	1	2	-	-	-	-	1	152	98	-	2	-	2	-	-
30-	4	3	2	3	1	-	-	-	320	177	1	-	1	-	1	-
35-	-	1	-	1	-	-	-	-	774	319	2	2	2	2	1	-
40-	3	2	3	1	-	-	-	-	1,815	588	4	1	4	1	2	-
45-	6	3	3	3	-	-	2	-	3,015	1,050	3	2	3	2	2	1
50-	3	2	3	2	-	-	-	-	5,888	1,811	2	4	2	4	2	3
55-	9	11	6	10	1	-	2	1	9,529	3,375	5	3	4	3	2	2
60-	9	3	9	3	-	-	-	-	13,108	6,028	9	4	8	4	6	4
65-	2	9	2	8	-	-	-	1	14,607	10,046	3	5	2	4	2	3
70-	2	2	1	2	-	-	-	-	16,902	15,647	1	4	1	4	1	3
75-	2	2	2	1	-	-	-	1	16,986	20,663	2	7	1	4	1	4
80-	-	-	-	-	-	-	-	-	14,035	21,843	-	2	-	1	-	1
85 and over	1	3	1	3	-	-	-	-	11,172	23,323	-	3	-	3	-	3

Causes of death	401.1		401.2		401.3		402		402.0		402.1*		410		411	
	Active rheumatic endocarditis		Active rheumatic myocarditis		Active rheumatic fever with other and multiple types of heart involvement		Chorea		Without mention of heart involvement		Chronic rheumatic heart disease		Diseases of mitral valve		Diseases of aortic valve specified as rheumatic	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	10	7	5	1	14	7	4	4	1	-	2,382	4,542	1,464	3,293	344	231
0-	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
1-	-	1	-	-	1	-	-	-	-	-	1	1	1	1	-	-
5-	-	-	2	-	4	-	-	-	-	-	-	-	-	-	-	-
10-	1	-	-	-	3	2	-	-	-	-	2	-	1	-	1	-
15-	1	1	1	1	1	-	-	-	-	-	13	4	5	3	5	-
20-	1	-	-	-	3	-	-	-	-	-	30	24	9	17	5	-
25-	-	1	-	-	-	1	-	-	-	-	45	40	27	30	6	2
30-	-	-	-	-	-	-	-	-	-	-	68	85	37	66	12	2
35-	-	2	-	-	1	-	-	-	-	-	107	151	58	110	14	7
40-	2	1	-	-	-	-	-	-	-	-	179	238	106	157	27	11
45-	1	-	-	-	-	1	-	-	-	-	183	343	109	257	27	12
50-	1	1	-	-	1	-	-	-	-	-	308	452	186	338	41	16
55-	1	-	1	-	-	1	1	-	-	-	338	562	219	421	44	16
60-	1	-	1	-	-	-	1	-	-	-	301	603	186	437	42	22
65-	-	-	-	-	-	1	1	-	-	-	267	573	160	381	42	38
70-	-	-	-	-	-	1	-	-	-	-	224	523	145	378	34	35
75-	-	-	-	-	-	-	3	1	-	-	165	436	108	323	27	25
80-	-	-	-	-	-	-	-	1	-	-	96	295	67	211	11	30
85 and over	-	-	-	-	-	-	-	-	-	-	54	212	39	163	6	15

\* 386 Detachment of retina 65; 387 Glaucoma 55,85,65,70,75,75,75,80,85; 388 Other diseases of eye 50,80,65,75,75,75; 389 Blindness 70,80; 390 Otitis externa - ; 394 Other inflammatory diseases of ear 45,75; 395 Meniere's disease - ; 396 Other diseases of ear and mastoid process 30,70,40; 397 Deaf mutism - ; 398 Other deafness - ; 400 Rheumatic fever without mention of heart involvement 10,5,65; 402.1 With heart involvement 55,60,65,75,75,80.

TABLE 17 - continued

Causes of death	412  Diseases of tricuspid valve		413*		415  Other myocarditis specified as rheumatic		416  Other heart disease specified as rheumatic		420-422  Arterio- sclerotic and degenerative heart disease		420  Arterio- sclerotic heart disease, including coronary disease		420-0  Arterio- sclerotic heart disease so described		420-1  Heart disease specified as involving coronary arteries	
			414  Other endocarditis specified as rheumatic													
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	9	15	138	169	38	75	389	759	83,559	71,256	65,840	42,016	727	891	64,973	40,994
0-	-	-	-	-	-	-	-	-	2	3	-	1	-	-	-	1
1-	-	-	-	-	-	-	-	-	3	2	-	1	-	-	-	-
5-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
10-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-
15-	-	-	-	-	-	-	3	1	14	4	2	-	-	-	2	-
20-	-	1	1	2	1	-	14	4	25	9	12	3	-	-	12	3
25-	-	-	6	2	-	-	6	6	42	16	31	9	-	-	31	9
30-	-	-	6	2	1	2	12	13	178	32	148	19	-	-	148	19
35-	-	-	10	4	2	1	23	29	542	84	502	78	-	-	502	78
40-	-	1	10	20	3	3	33	46	1,375	203	1,312	179	-	1	1,310	177
45-	-	1	12	16	3	9	32	48	2,451	420	2,347	363	3	-	2,342	363
50-	4	2	15	18	4	3	58	75	4,834	893	4,634	773	10	-	4,620	770
55-	2	-	24	20	1	8	48	97	7,896	2,024	7,502	1,811	16	4	7,471	1,805
60-	-	2	21	26	2	7	50	109	10,710	3,986	10,013	3,475	39	21	9,956	3,447
65-	1	2	9	15	9	14	46	123	11,632	6,825	10,455	5,626	68	47	10,359	5,569
70-	1	2	13	13	2	10	29	85	13,033	10,852	10,790	8,135	115	125	10,650	7,985
75-	1	2	5	11	2	8	22	67	12,584	14,239	9,058	8,916	163	191	8,870	8,681
80-	-	1	3	10	5	7	10	36	10,185	15,116	5,728	7,233	184	246	5,528	6,961
85 and over	-	1	3	10	3	3	3	20	8,050	16,546	3,306	5,394	129	256	3,172	5,125

Causes of death	420-2 Angina pectoris without mention of coronary disease		421 Chronic endocarditis not specified as rheumatic		421-0 of mitral valve, specified as non-rheumatic		421-1 of aortic valve, not specified as rheumatic		421-2;3*		422 Other myocardial degeneration		422-0 Fatty degeneration		422-1 with arterio-sclerosis	
									421-4 Other and ill-defined, not specified as rheumatic							
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	140	131	1,589	1,610	94	220	1,341	1,126	150	263	16,130	27,630	44	89	7,792	12,818
0-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-
1-	-	-	-	-	-	-	-	-	-	-	3	1	-	-	-	-
5-	-	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-
10-	-	-	-	1	-	-	-	1	-	-	2	-	-	-	-	-
15-	-	-	4	2	-	-	3	2	1	-	8	2	-	-	-	-
20-	-	-	4	3	-	-	4	2	-	1	9	3	-	-	-	-
25-	-	-	5	-	-	-	4	-	1	-	6	7	1	-	-	-
30-	-	-	16	5	-	1	12	2	4	2	14	8	2	1	1	-
35-	-	-	16	2	-	-	14	2	2	-	24	4	3	-	4	-
40-	2	1	31	9	-	-	27	8	4	1	32	15	1	1	5	-
45-	2	-	62	25	-	-	55	16	7	9	42	32	2	2	12	8
50-	4	3	96	35	-	-	92	25	4	10	104	85	2	6	29	25
55-	15	2	186	82	5	2	166	58	15	21	208	131	4	7	87	50
60-	18	7	220	109	4	2	202	82	13	25	477	402	11	8	204	172
65-	28	10	233	191	14	28	191	133	27	30	944	1,008	6	14	479	461
70-	25	25	241	264	20	38	194	185	26	41	2,002	2,453	4	19	1,049	1,220
75-	25	44	228	313	23	59	191	200	14	54	3,298	5,010	5	14	1,686	2,474
80-	16	26	155	313	18	53	119	222	18	38	4,302	7,570	3	10	2,095	3,586
85 and over	5	13	91	256	10	37	67	188	13	31	4,653	10,896	-	7	2,141	4,822

\* 413 Diseases of pulmonary valve specified as rheumatic - ; 421-2 Of tricuspid valve, specified as non-rheumatic 85; 421-3 Of pulmonary valve, not specified as rheumatic 60,65,70,55.

TABLE 17 - continued

Causes of death	422.2		430-434		430		430.0		430.1		431		432		433	
	Other diseases included under 422		Other diseases of heart		Acute and subacute endocarditis		Acute and subacute bacterial endocarditis		Other acute endocarditis		Acute myocarditis not specified as rheumatic		Acute pericarditis specified as non-rheumatic		Functional disease of heart	
Age at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	8,294	14,723	6,602	8,399	203	122	200	119	3	3	87	85	16	13	1,807	3,052
0-	2	2	16	7	-	-	-	-	-	-	4	3	1	1	6	-
1-	3	1	7	9	1	1	1	1	-	-	2	4	1	1	1	-
5-	-	1	9	2	3	-	3	-	-	-	2	-	-	-	-	-
10-	2	-	5	2	-	1	-	1	-	-	1	-	-	-	2	-
15-	8	2	12	7	2	1	2	1	-	-	2	3	-	-	4	2
20-	9	3	17	10	7	4	7	4	-	-	2	1	-	-	3	1
25-	5	7	24	16	9	5	9	5	-	-	5	2	-	-	3	1
30-	11	7	21	23	5	6	5	6	-	-	6	8	1	-	1	2
35-	17	4	37	22	10	4	10	4	-	-	3	4	-	1	3	2
40-	26	14	69	37	14	9	14	8	-	1	6	4	-	1	9	2
45-	28	22	78	63	13	4	13	4	-	-	3	3	-	1	8	16
50-	73	54	201	124	27	11	26	11	1	-	7	5	1	1	19	37
55-	117	74	318	204	20	12	20	12	-	-	8	3	4	-	65	62
60-	262	222	577	391	36	11	36	11	-	-	10	7	2	2	140	126
65-	459	533	813	727	23	17	22	16	1	1	5	4	2	2	198	242
70-	949	1,214	1,056	1,224	16	22	15	22	1	-	6	9	1	1	300	444
75-	1,607	2,522	1,286	1,743	10	9	10	8	-	1	5	3	3	1	423	693
80-	2,204	3,974	1,159	1,926	6	2	6	2	-	-	7	12	-	2	353	725
85 and over	2,512	6,067	897	1,862	1	3	1	3	-	-	3	10	-	1	269	697

Causes of death	434		434.0		434.1		434.2		434.3;4		440-443		440		441	
	Other and unspecified diseases of heart		Kyphoscoliotic heart disease		Congestive heart failure		Left ventricular failure		Others included under 434		Hypertensive heart disease		Essential benign hypertensive heart disease		Essential malignant hypertensive heart disease	
Age at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	4,489	5,127	35	50	2,926	4,037	527	582	1,001	458	4,082	6,201	68	120	74	38
0-	5	3	-	-	2	2	1	-	2	1	-	-	-	-	-	-
1-	2	4	-	-	-	-	1	-	1	4	-	-	-	-	-	-
5-	4	2	-	1	1	-	-	-	3	1	-	-	-	-	-	-
10-	2	1	-	-	-	-	-	-	2	1	-	-	-	-	-	-
15-	4	1	1	-	1	-	1	-	1	1	-	-	-	-	-	-
20-	5	4	-	1	1	1	-	-	4	2	1	1	-	-	1	-
25-	7	8	1	2	2	2	-	1	4	3	6	2	-	-	1	1
30-	8	7	2	2	2	2	1	-	3	5	1	-	-	-	-	-
35-	21	11	4	2	7	4	1	1	9	4	11	7	1	-	4	2
40-	40	22	4	2	12	5	5	4	19	11	27	8	-	1	3	1
45-	54	39	2	7	22	10	8	4	22	18	66	42	1	-	7	3
50-	147	70	4	5	61	30	11	10	71	25	126	78	2	1	19	3
55-	221	127	2	5	115	80	23	12	81	30	249	175	4	3	11	5
60-	389	245	3	8	185	155	43	26	158	56	483	361	9	8	13	2
65-	585	462	6	3	295	349	76	50	208	60	596	688	8	13	8	7
70-	733	748	2	2	464	584	97	90	170	72	785	1,146	11	20	4	6
75-	845	1,037	3	5	622	850	102	117	118	65	812	1,433	18	23	1	3
80-	793	1,185	1	3	624	1,002	89	130	79	50	581	1,302	7	26	2	3
85 and over	624	1,151	-	2	510	963	68	137	46	49	338	958	7	25	-	2



TABLE 17 - continued

Causes of death	442		443		444-447		444		445		446		447		450-456	
	Hypertensive heart disease with arteriolar nephrosclerosis		Other and unspecified hypertensive heart disease		Other hypertensive disease		Essential benign hypertension		Essential malignant hypertension		Hypertension with arteriolar nephrosclerosis		Other hypertensive disease without mention of heart		Diseases of arteries	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	60	89	3,880	5,954	2,574	2,901	1,696	2,304	516	260	360	336	2	1	7,420	8,932
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5
10-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	7	11
20-	-	-	-	1	5	3	-	-	5	3	-	-	-	-	3	10
25-	-	-	5	1	16	5	1	1	15	4	-	-	-	-	10	10
30-	-	-	1	-	23	12	4	2	18	10	1	-	-	-	18	12
35-	1	-	5	5	38	19	6	4	30	11	2	4	-	-	22	16
40-	1	-	23	6	85	27	21	9	59	17	5	1	-	-	43	26
45-	2	1	56	38	99	58	38	16	54	39	7	3	-	-	76	45
50-	3	2	102	72	170	84	58	48	100	34	12	2	-	-	151	66
55-	3	1	231	166	243	120	133	68	99	46	11	6	-	-	318	126
60-	6	4	455	347	295	197	199	146	74	37	22	14	-	-	497	242
65-	9	4	571	664	312	323	236	269	43	19	33	35	-	-	719	503
70-	5	11	765	1,109	364	456	298	396	13	20	52	40	1	-	1,110	957
75-	9	18	784	1,399	369	573	295	485	5	12	69	76	-	-	1,454	1,693
80-	10	20	562	1,253	324	535	251	454	1	5	72	75	-	1	1,500	2,245
85 and over	11	28	320	903	231	488	156	406	-	2	74	80	1	-	1,489	2,964

Causes of death	450		450.0		450.1		451		452		453		453.0		453.1	
	General arteriosclerosis		Without mention of gangrene		With mention of gangrene as a consequence		Aortic aneurysm, non-syphilitic and dissecting aneurysm		Other aneurysm, except of heart and aorta		Peripheral vascular disease		Raynaud's disease		Thrombo-angitis obliterans	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	5,032	7,172	4,511	6,590	521	582	1,933	1,327	68	60	76	45	3	8	21	3
0-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
10-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
15-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-
20-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
25-	1	-	1	-	-	-	2	1	1	-	-	-	-	-	-	-
30-	-	-	-	-	-	-	6	4	3	-	1	-	-	-	1	-
35-	1	-	1	-	-	-	12	2	2	1	-	-	-	-	-	-
40-	6	2	4	2	2	-	22	8	1	4	2	1	-	1	2	-
45-	12	4	12	4	-	-	43	18	-	3	1	-	1	-	-	-
50-	32	15	31	13	1	2	88	21	1	1	4	2	-	-	2	-
55-	79	37	74	31	5	6	192	58	4	9	4	2	-	1	2	-
60-	176	99	156	91	20	8	260	108	6	11	12	3	1	2	6	-
65-	310	267	268	249	42	18	349	184	11	9	14	6	1	-	3	1
70-	666	666	572	610	94	56	380	241	10	4	9	6	-	2	2	1
75-	1,075	1,370	947	1,266	128	104	324	272	7	11	10	7	-	1	1	-
80-	1,293	1,970	1,473	1,806	120	164	166	225	15	4	9	8	-	-	2	1
85 and over	1,380	2,742	1,271	2,518	109	224	87	184	4	3	10	10	-	1	-	-

TABLE 17 - continued

Uses of death	453-2;3		454		455		456		460-468		460		461		462	
	Others included under 453		Arterial embolism and thrombosis		Gangrene of unspecified cause		Other diseases of arteries		Diseases of veins and other diseases of circulatory system		Varicose veins of lower extremities		Haemorrhoids		Varicose veins of other specified sites	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	52	34	75	83	33	28	203	217	1,842	2,830	69	174	7	3	28	32
0-	-	-	1	-	-	-	-	-	2	1	-	-	-	-	-	-
1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
10-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-
15-	-	-	-	-	-	-	4	11	6	3	-	-	-	-	2	-
20-	-	-	-	-	-	-	2	10	3	9	1	-	-	-	-	-
25-	-	-	-	-	-	-	-	9	9	7	-	-	-	-	-	-
30-	-	-	1	-	-	-	6	8	10	13	-	2	-	-	-	-
35-	-	-	1	-	-	-	6	13	15	18	2	2	1	-	1	-
40-	-	-	1	1	-	-	11	10	33	48	1	5	-	-	1	-
45-	-	-	-	3	1	-	19	17	59	77	4	5	-	-	1	-
50-	2	2	3	1	2	2	21	24	96	110	6	9	1	1	1	2
55-	2	1	8	3	5	1	26	16	162	161	7	10	-	-	3	3
60-	5	1	9	3	3	1	31	17	236	244	9	16	1	-	-	1
65-	10	5	8	9	2	1	25	27	265	402	8	22	2	-	6	5
70-	7	3	15	15	7	6	25	19	329	485	12	36	-	-	3	6
75-	9	6	15	13	8	6	15	14	314	539	9	32	1	-	2	4
80-	7	7	10	23	3	4	4	11	190	422	7	24	1	2	4	8
85 and over	10	9	5	12	2	7	1	6	113	290	3	11	-	-	4	3

Uses of death	463		464		465		466		467		468		VIII		470-475	
	Phlebitis and thrombo-phlebitis of lower extremities		Phlebitis and thrombo-phlebitis of other sites		Pulmonary embolism and infarction		Other venous embolism and thrombosis		Other diseases of circulatory system		Certain diseases of lymph nodes and lymph channels		470-527 Diseases of the respiratory system		Acute upper respiratory infections	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	169	259	20	26	847	1,087	652	1,195	44	50	6	4	46,870	33,195	65	64
0-	-	-	-	-	-	1	1	-	-	-	1	-	1,629	1,190	21	14
1-	-	-	-	-	-	-	-	-	-	-	-	-	358	318	23	13
5-	-	-	-	-	-	1	-	-	-	-	-	-	82	67	1	-
10-	-	-	-	-	-	-	-	-	-	-	-	-	51	42	-	1
15-	-	-	-	-	1	1	2	1	1	1	-	-	73	47	2	1
20-	-	-	1	-	4	4	1	4	-	-	-	1	64	38	1	-
25-	1	-	-	1	3	4	3	2	1	-	1	-	65	55	-	-
30-	-	-	1	1	5	8	4	2	-	-	-	-	81	74	-	-
35-	-	1	1	1	2	6	8	6	-	2	-	-	162	148	-	-
40-	4	6	-	1	8	19	18	13	1	4	-	-	363	250	1	-
45-	9	10	1	2	25	29	17	28	2	3	-	-	723	368	-	1
50-	13	13	2	2	37	39	30	43	5	1	1	-	1,547	589	1	4
55-	18	20	-	3	68	52	62	68	4	5	-	-	3,204	997	2	1
60-	27	28	4	3	98	95	90	94	5	5	2	2	5,497	1,712	3	1
65-	23	40	-	1	130	151	90	175	6	8	-	-	6,368	2,695	1	2
70-	21	53	2	5	163	174	124	207	4	3	-	1	7,510	4,140	2	1
75-	29	37	5	1	154	223	106	236	8	6	-	-	7,922	6,035	2	5
80-	12	30	3	4	100	164	60	184	3	6	-	-	6,291	6,729	3	7
85 and over	12	21	-	1	53	116	36	132	4	6	1	-	4,880	7,701	2	13

TABLE 17 - continued

Causes of death	470  Acute naso- pharyngitis (common cold)		471*		473  Acute tonsillitis		474  Acute laryngitis and tracheitis		475  Acute upper respiratory infection of multiple or unspecified sites		480-483  Influenza		480  Influenza with pneumonia		481  Influenza with other respiratory manifest'ns and influenza unqualified	
			472  Acute pharyngitis													
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	4	8	5	9	12	9	31	29	13	7	1,442	1,772	909	1,116	519	643
0-	1	1	1	1	2	1	11	8	6	3	21	15	19	15	2	1
1-	-	-	-	-	6	4	15	9	2	-	8	8	4	6	3	1
5-	-	-	-	-	-	-	1	-	-	-	3	1	3	1	-	-
10-	-	-	-	-	-	-	-	1	-	-	4	5	3	4	1	1
15-	-	-	-	-	1	-	1	-	-	-	6	4	2	2	3	2
20-	-	-	-	-	1	-	-	-	-	-	3	4	2	3	1	1
25-	-	-	-	-	-	-	-	-	-	-	7	4	6	2	1	2
30-	-	-	-	-	-	-	-	-	-	-	8	10	6	7	2	3
35-	-	-	-	-	-	-	-	-	-	-	13	8	9	6	4	2
40-	-	-	-	-	1	-	-	-	-	-	25	19	19	13	6	5
45-	-	-	-	-	-	-	-	1	-	-	32	22	24	18	8	4
50-	-	-	-	2	-	1	1	1	-	-	52	32	36	20	16	11
55-	-	-	2	-	-	-	-	1	-	-	94	43	56	33	35	10
60-	-	-	1	-	-	-	-	1	2	-	144	95	96	64	47	29
65-	-	-	-	1	-	1	-	-	1	-	140	123	86	75	51	46
70-	-	-	-	-	1	-	-	-	1	1	219	220	140	144	77	74
75-	1	-	-	2	-	1	1	1	-	1	225	324	142	208	82	115
80-	1	-	1	2	-	-	1	4	-	-	241	383	152	225	89	156
85 and over	1	7	-	1	-	1	-	2	1	2	197	452	104	270	91	181

Causes of death	482 Influenza with digestive manifest'ns, but without respiratory symptoms		483 Influenza with nervous manifest'ns, but without digestive or respiratory symptoms		490-493 Pneumonia		490 Lobar pneumonia		491 Broncho- pneumonia		492 Primary atypical pneumonia		493 Pneumonia, other and unspecified		500-502 Bronchitis	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	11	9	3	4	16,945	19,118	2,008	1,652	14,025	16,545	204	166	708	755	24,832	10,500
0-	-	-	-	-	1,269	914	46	38	1,090	776	74	45	59	55	259	200
1-	1	-	-	1	241	220	14	13	205	179	10	15	12	13	70	57
5-	-	-	-	-	62	41	6	5	52	30	1	1	3	5	7	15
10-	-	-	-	-	27	21	1	2	23	17	1	2	2	-	13	12
15-	-	-	1	-	44	25	6	2	35	18	-	3	3	2	15	5
20-	-	-	-	-	35	17	4	2	26	10	2	3	3	2	9	4
25-	-	-	-	-	28	29	7	10	17	17	4	1	-	1	12	12
30-	-	-	-	-	42	45	5	6	30	31	5	5	2	3	15	7
35-	-	-	-	-	71	74	27	15	34	51	5	2	5	6	47	33
40-	-	1	-	-	126	108	28	24	87	70	5	1	6	13	143	86
45-	-	-	-	-	219	151	61	44	137	97	10	3	11	7	358	135
50-	-	-	-	1	385	230	106	42	237	172	12	7	30	9	904	264
55-	1	-	2	-	724	446	164	76	508	338	12	7	40	25	2,054	407
60-	1	-	-	2	1,149	732	253	126	823	572	14	8	59	26	3,660	755
65-	3	2	-	-	1,500	1,277	230	151	1,167	1,044	11	17	92	65	4,165	1,102
70-	2	2	-	-	2,249	2,136	300	213	1,847	1,835	9	12	93	76	4,469	1,585
75-	1	1	-	-	3,027	3,440	302	317	2,596	2,976	19	16	110	131	4,188	2,063
80-	-	2	-	-	3,015	4,175	247	256	2,682	3,729	6	9	100	141	2,734	1,912
85 and over	2	1	-	-	2,732	5,037	201	270	2,449	4,583	4	9	78	175	1,710	1,842

\* 471 Acute sinusitis 75, 80.



TABLE 17 - continued

Causes of death	500		501		502		502.0		502.1		510-527		510		511	
	Acute bronchitis		Bronchitis unqualified		Chronic bronchitis		Bronchitis with emphysema		Other		Other diseases of respiratory system		Hypertrophy of tonsils and adenoids		Peri- tonsillar abscess (quinsy)	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	1,605	1,724	967	1,116	22,260	7,660	11,354	2,271	10,906	5,389	3,586	1,741	7	6	5	5
0-	207	153	43	33	9	14	1	1	8	13	59	47	-	-	-	-
1-	50	39	13	16	7	2	1	-	6	2	16	20	-	3	-	1
5-	5	7	1	3	1	5	-	-	1	5	9	10	6	3	-	-
10-	4	5	5	2	4	5	-	-	4	5	7	3	1	-	-	-
15-	7	2	3	-	5	3	3	2	2	1	6	12	-	-	-	-
20-	4	-	2	2	3	2	2	-	1	2	16	13	-	-	-	-
25-	3	3	2	3	7	6	2	1	5	5	18	10	-	-	1	-
30-	1	2	4	-	10	5	5	2	5	3	16	12	-	-	-	-
35-	6	5	3	4	38	24	23	12	15	12	31	33	-	-	-	-
40-	16	16	7	10	120	60	76	23	44	37	68	37	-	-	-	-
45-	14	18	11	9	333	108	203	52	130	56	114	59	-	-	-	1
50-	44	24	23	19	837	221	490	88	347	133	205	59	-	-	-	1
55-	81	33	41	39	1,932	335	1,160	146	772	189	330	100	-	-	1	-
60-	113	85	89	51	3,458	619	2,007	243	1,451	376	541	129	-	-	-	-
65-	137	104	113	77	3,915	921	2,208	321	1,707	600	562	191	-	-	-	-
70-	199	190	135	139	4,135	1,260	2,109	389	2,026	871	571	194	-	-	1	-
75-	261	272	171	204	3,756	1,587	1,682	449	2,074	1,138	480	203	-	-	1	1
80-	229	317	161	232	2,344	1,363	942	330	1,402	1,033	298	252	-	-	1	1
85 and over	224	449	140	273	1,346	1,120	440	212	906	908	239	357	-	-	-	-

Causes of death	512*		514, 515, 516*		518		519		520		521		522		523	
	513		517													
	Chronic sinusitis	Other diseases of upper respiratory tract	Empyema	Pleurisy	Spontaneous pneumo- thorax	Abscess of lung	Pulmonary congestion and hypostasis	Pneumo- coniosis due to silica and silicates (occupa- tional)								
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	27	12	29	29	76	44	34	25	13	3	45	39	279	465	663	6
0-	-	-	4	4	4	2	-	1	-	-	-	1	-	2	-	-
1-	-	-	7	5	-	-	-	-	-	1	-	1	-	-	-	-
5-	-	-	2	-	-	-	-	-	-	-	-	1	-	-	-	-
10-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
15-	1	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-
20-	2	3	2	-	-	2	-	-	-	-	1	1	-	-	-	-
25-	5	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-
30-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
35-	3	1	-	-	-	1	1	-	-	-	1	1	-	-	1	-
40-	6	1	1	-	2	-	-	-	1	-	1	-	1	-	7	-
45-	2	1	2	3	4	1	1	1	-	1	-	-	1	2	18	1
50-	2	1	-	1	8	7	3	-	-	-	2	1	1	1	37	-
55-	-	-	2	2	12	1	-	-	-	-	9	4	2	-	75	2
60-	2	-	4	1	8	-	5	1	3	-	9	13	3	5	127	2
65-	-	-	1	2	14	9	5	3	3	-	10	2	6	10	129	-
70-	-	-	-	4	9	4	2	4	1	-	8	5	14	23	120	-
75-	-	-	2	-	6	5	7	6	2	-	3	3	49	36	96	-
80-	1	1	1	1	6	6	4	4	1	-	1	3	75	107	39	-
85 and over	-	-	-	3	3	4	6	5	1	1	-	2	127	279	14	1

\* 512 Chronic pharyngitis and nasopharyngitis 0; 514 Deflected nasal septum 25,65,20; 515 Nasal polyp 55; 516 Chronic laryngitis 85,75.

TABLE 17 - continued

Causes of death	524 Other specified pneumoconiosis and pulmonary fibrosis of occupational origin		525 Other chronic interstitial pneumonia		526 Bronchiectasis		527 Other diseases of lung and pleural cavity		527-0 Pulmonary collapse (1 year and over)		527-1 Emphysema without mention of bronchitis		527-2 Other		IX 530-587 Diseases of the digestive system	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	11	4	280	153	985	601	1,128	346	11	11	1,002	242	115	93	7,714	7,667
0-	-	-	12	12	2	-	37	24	-	-	16	3	21	21	399	288
1-	-	-	2	2	2	-	5	7	1	-	-	-	4	7	109	97
5-	-	-	-	-	1	4	-	-	-	-	-	-	-	-	36	26
10-	-	-	-	1	2	-	2	1	-	-	-	-	2	1	19	20
15-	-	-	1	-	2	5	1	4	-	-	-	3	1	1	27	32
20-	-	-	1	-	7	3	3	3	-	-	1	2	2	1	24	20
25-	-	-	1	1	8	6	1	1	-	-	1	-	-	1	34	35
30-	-	-	-	2	10	7	5	1	-	-	3	1	2	-	51	45
35-	-	-	3	2	14	22	8	6	-	-	7	4	1	2	98	79
40-	-	-	4	3	27	23	18	10	-	-	17	8	1	2	172	110
45-	1	-	8	4	44	35	33	9	-	-	27	8	6	1	247	161
50-	1	-	16	6	75	31	60	10	-	-	54	9	6	1	416	289
55-	1	-	29	9	90	60	108	22	1	-	98	15	9	7	683	431
60-	2	1	52	17	147	53	179	36	3	2	161	29	15	5	875	633
65-	-	3	48	23	150	96	195	43	1	3	184	28	10	12	960	820
70-	4	-	37	25	165	86	210	43	3	2	194	31	13	10	1,121	1,170
75-	2	-	38	27	130	77	144	47	-	2	135	38	9	7	1,091	1,316
80-	-	-	18	12	74	68	77	49	2	2	70	42	5	5	857	1,154
85 and over	-	-	10	7	35	25	42	30	-	-	34	21	8	9	495	941

Causes of death	530-539		530, 531*		533		534, 535, 536*		538*		540-545		540		540-0	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	118	188	2	1	-	1	23	63	86	102	2,964	1,661	1,339	988	1,025	766
0-	-	1	-	-	-	-	-	-	-	1	6	5	1	2	-	-
1-	1	2	-	-	-	-	-	-	-	1	2	1	1	-	1	-
5-	1	2	-	1	-	-	-	-	-	-	1	-	-	-	-	-
10-	1	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-
15-	1	1	-	-	-	-	-	-	1	-	2	5	1	1	-	-
20-	-	1	-	-	-	-	-	-	-	-	5	1	3	-	1	-
25-	2	2	-	-	-	-	-	-	-	1	7	4	1	1	-	-
30-	-	3	-	-	-	-	-	-	-	2	11	8	4	4	2	3
35-	1	-	-	-	-	-	-	-	1	-	36	14	14	7	11	6
40-	1	2	-	-	-	-	-	-	1	1	50	20	24	9	17	7
45-	3	-	-	-	-	-	-	-	1	-	95	32	32	13	23	8
50-	7	3	-	-	-	-	-	1	7	1	148	54	67	28	42	22
55-	11	7	-	-	-	1	-	3	8	5	276	74	136	44	99	29
60-	9	6	1	-	-	-	2	-	6	6	387	124	176	71	146	50
65-	12	19	-	-	-	-	2	2	10	15	390	158	195	92	144	73
70-	17	25	-	-	-	-	1	5	15	18	496	281	213	177	166	128
75-	23	41	-	-	-	-	4	12	19	27	471	315	190	199	153	164
80-	19	28	1	-	-	-	6	17	12	10	369	303	170	191	134	153
85 and over	9	43	-	-	-	-	5	25	4	14	212	261	111	149	86	123

\* 530 Dental caries - ; 531 Abscesses of supporting structures of teeth 70,85; 534 Toothache from unspecified cause - ;  
 535 Other diseases of teeth and supporting structures 5,25,45,45,5,70,75,25,30,40,65; 536 Stomatitis 1,25,1,10,20,65,70,75,80,85;  
 538 Other diseases of buccal cavity 50,70,75,85,85.

TABLE 17 - continued

Causes of death	540.1		541		541.0		541.1		542		542.0		542.1		543	
	With perforation		Ulcer of duodenum		Without mention of perforation		With perforation		Gastrojejunal ulcer		Without mention of perforation		With perforation		Gastritis and duodenitis	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	314	222	1,460	554	901	302	559	252	40	12	30	9	10	3	31	53
0-	1	2	-	1	-	1	-	-	-	-	-	-	-	-	2	1
1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
5-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
10-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	1	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-
20-	2	-	2	1	-	-	2	1	-	-	-	-	-	-	-	-
25-	1	1	4	2	4	2	-	-	-	-	-	-	-	-	-	1
30-	2	1	6	3	4	2	2	1	-	-	-	-	-	-	1	1
35-	3	1	22	5	13	1	9	4	-	-	-	-	-	-	-	-
40-	7	2	23	10	16	2	7	8	1	-	1	-	-	-	1	1
45-	9	5	51	13	34	5	17	8	6	1	5	1	1	-	2	3
50-	25	6	71	21	44	6	27	15	2	1	1	-	1	1	-	1
55-	37	15	119	28	69	17	50	11	6	-	4	-	2	-	1	-
60-	30	21	189	46	118	21	71	25	6	-	4	-	2	-	2	2
65-	51	19	170	52	97	30	73	22	5	1	4	1	1	-	5	2
70-	47	49	263	86	158	44	105	42	10	4	8	3	2	1	4	6
75-	37	35	265	103	159	63	106	40	1	4	1	3	-	1	4	3
80-	36	38	182	93	121	63	61	30	2	1	1	1	1	-	3	14
85 and over	25	26	92	89	64	45	28	44	1	-	1	-	-	-	6	17

Causes of death	544		545		550-553		550		550.0		550.1		551		552, 553*	
	Disorders of function of stomach		Other diseases of stomach and duodenum		Appendicitis		Acute appendicitis		Without mention of peritonitis		With peritonitis		Appendicitis unqualified		560, 561	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	9	8	85	46	299	257	253	214	33	39	220	175	44	42	693	776
0-	2	-	1	1	1	-	1	-	-	-	1	-	-	-	85	57
1-	1	-	-	-	10	4	9	4	-	-	9	4	1	-	1	1
5-	-	-	-	-	10	4	9	3	-	1	9	2	1	1	-	1
10-	-	1	-	-	5	4	4	4	-	1	4	3	1	-	1	-
15-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-	-	3	1	-	7	4	7	4	1	-	6	4	-	-	2	1
25-	-	-	-	-	9	3	9	3	3	-	6	3	-	-	2	1
30-	-	-	2	-	3	7	3	7	1	4	2	3	-	-	2	1
35-	-	-	-	-	4	6	4	6	1	1	3	5	-	-	2	2
40-	-	-	-	2	8	4	8	4	-	1	8	3	-	-	2	2
45-	-	-	1	-	10	2	8	2	-	-	8	2	2	-	3	7
50-	-	1	4	1	13	8	12	4	-	2	12	2	1	4	7	5
55-	1	-	7	3	17	13	17	10	2	3	15	7	-	3	21	23
60-	-	-	14	2	28	17	20	14	4	2	16	12	6	3	27	35
65-	-	1	14	4	22	24	19	18	1	6	18	12	3	5	62	60
70-	1	-	14	11	39	23	33	19	4	2	29	17	6	4	70	79
75-	1	1	5	7	40	43	32	38	5	6	27	32	8	5	93	125
80-	2	-	9	6	34	35	29	31	2	6	27	25	5	4	135	153
85 and over	1	-	11	4	26	35	20	28	7	4	13	24	6	7	111	142
	-	1	2	5	13	21	9	15	2	-	7	15	4	6	67	81

\* 552 Other appendicitis 55,60; 553 Other diseases of appendix 55.



TABLE 17 - continued

Causes of death	560		560.0		560.1		560.2		560.3		560.4;5		561		561.0	
	Hernia of abdominal cavity without mention of obstruction		Inguinal		Femoral		Umbilical		Ventral (incisional)		Others included under 560		Hernia of abdominal cavity with obstruction		Inguinal	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	219	253	61	9	4	12	25	30	9	10	120	192	474	523	281	6
0-	68	54	2	-	-	-	22	18	-	-	44	36	17	3	14	-
1-	1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
10-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
15-	1	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-
20-	1	1	-	-	-	-	-	-	-	-	1	1	1	-	1	-
25-	1	-	1	-	-	-	-	-	-	-	-	-	1	1	1	-
30-	1	1	1	-	-	-	-	-	-	-	-	1	1	1	-	-
35-	1	-	1	-	-	-	-	-	-	-	-	-	1	2	-	-
40-	1	2	-	-	-	-	-	2	-	-	1	-	2	5	-	-
45-	2	2	1	-	-	-	-	-	-	-	1	2	5	3	5	-
50-	8	9	3	-	-	-	-	2	2	2	3	7	13	14	2	-
55-	9	13	3	-	1	-	1	2	1	1	4	10	18	22	5	-
60-	22	20	8	1	-	1	-	1	2	2	12	15	40	40	19	-
65-	11	25	3	3	-	2	-	1	2	3	6	16	59	54	33	1
70-	28	33	15	2	-	-	1	2	3	1	9	28	65	92	39	1
75-	25	33	11	2	1	3	-	1	-	1	13	26	110	120	68	1
80-	27	38	8	1	2	4	1	1	-	-	16	32	84	104	55	1
85 and over	11	21	4	-	-	2	-	-	-	2	7	17	56	60	39	1

Causes of death	561.1		561.2		561.3		561.4;5		570-578		570		570.0		570.1	
	Femoral		Umbilical		Ventral (incisional)		Others included under 561		Other diseases of intestines and peritoneum		Intestinal obstruction without mention of hernia		Intus-susception		Paralytic ileus	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	68	262	35	53	31	70	59	75	2,046	2,708	779	885	24	25	20	1
0-	-	-	2	1	-	1	1	1	238	170	27	25	13	14	1	-
1-	-	-	-	-	-	-	-	-	70	53	12	11	5	4	1	-
5-	-	-	-	-	-	-	-	1	10	8	4	1	-	-	-	-
10-	-	-	-	-	-	-	-	-	5	5	2	-	-	-	-	-
15-	-	-	-	-	-	-	1	1	10	13	2	3	-	-	-	-
20-	-	-	-	-	-	-	-	-	6	10	2	1	1	-	-	-
25-	-	1	-	-	-	-	-	-	11	15	2	1	-	-	-	-
30-	-	-	-	-	-	-	1	1	18	15	6	4	-	-	1	-
35-	-	-	-	-	-	1	1	1	23	38	6	7	-	-	-	-
40-	-	1	-	1	1	1	1	2	40	32	18	9	-	-	-	-
45-	-	-	-	-	-	2	-	1	55	49	23	13	3	-	-	-
50-	4	4	2	4	2	3	3	2	88	83	31	25	-	-	1	7
55-	2	9	4	5	1	-	6	6	159	135	63	49	-	1	2	-
60-	7	15	4	7	3	9	7	7	190	200	89	66	-	1	2	-
65-	5	25	6	11	6	12	9	4	240	288	104	109	1	3	-	-
70-	9	42	2	10	8	17	7	9	289	382	130	122	1	-	4	-
75-	13	76	11	5	5	9	13	15	260	458	125	155	-	1	1	-
80-	16	55	4	6	4	10	5	19	208	407	192	155	-	1	1	-
85 and over	12	34	-	3	1	5	4	5	126	347	41	129	-	-	1	-

TABLE 17 - continued

Causes of death	570.2		570.3		570.4		570.5		571		572		572.0		572.1	
	Mesenteric infarction		Volvulus		Impaction of intestine		Others included under 570		Gastro-enteritis and colitis, except ulcerative, age 4 weeks and over		Chronic enteritis and ulcerative colitis		Regional enteritis		Diverticulitis	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	276	347	185	167	26	73	248	263	434	459	566	1,054	49	49	363	719
0-	3	-	9	4	-	1	1	6	197	135	3	4	1	1	-	-
1-	1	-	4	4	1	-	-	3	51	39	2	-	-	-	1	-
5-	-	-	4	-	-	-	-	1	5	5	-	-	-	-	-	-
10-	-	-	1	-	-	-	1	-	1	1	1	3	1	-	-	-
15-	-	-	1	3	1	-	-	-	2	1	3	9	-	1	2	-
20-	-	-	-	1	1	-	-	-	1	1	3	7	1	1	-	-
25-	1	1	1	-	-	-	-	-	1	1	8	12	1	1	1	-
30-	1	-	3	2	-	1	1	1	3	1	8	9	1	2	2	-
35-	1	2	2	1	-	-	3	4	3	2	11	19	5	5	3	1
40-	6	4	11	1	-	1	1	2	2	1	13	17	5	3	4	2
45-	7	6	4	4	-	-	9	3	6	7	19	22	6	3	4	2
50-	11	12	5	4	2	1	12	8	11	11	31	32	6	3	14	9
55-	23	27	9	5	2	7	22	8	14	7	66	59	8	5	41	26
60-	33	27	21	12	4	4	29	21	11	19	49	79	1	5	35	45
65-	44	50	20	14	4	10	35	31	12	17	85	126	5	8	52	86
70-	51	39	28	28	4	12	42	39	22	42	99	180	3	4	71	144
75-	49	74	31	24	-	10	44	46	31	53	69	209	3	2	57	172
80-	31	62	22	36	3	12	35	44	34	53	53	149	1	5	38	128
85 and over	14	43	9	24	4	14	13	46	27	63	43	118	1	-	38	104

Causes of death	572.2		572.3		573		574*		576		577		578		580-587	
	Ulcerative colitis		Other		Functional disorders of intestines		Abscess of anal and rectal regions		Peritonitis		Peritoneal adhesion		Other diseases of intestines and peritoneum		Diseases of liver, gallbladder and pancreas	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	152	275	2	11	10	22	9	9	61	57	9	11	175	210	1,594	2,077
0-	2	2	-	1	-	1	-	-	5	1	1	-	5	4	69	55
1-	1	-	-	-	-	-	-	-	1	1	1	-	3	2	25	36
5-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	14	11
10-	-	3	-	-	-	-	-	-	-	1	-	-	1	-	7	8
15-	1	8	-	-	1	-	-	-	1	-	-	-	1	-	5	8
20-	2	6	-	-	-	-	-	-	-	1	-	-	-	-	2	4
25-	6	11	-	-	-	-	-	-	-	-	-	-	-	1	9	6
30-	5	7	-	-	-	-	-	-	-	1	-	-	1	-	16	11
35-	3	13	-	-	-	1	-	-	1	2	-	-	2	7	28	21
40-	4	12	-	-	-	-	-	-	1	1	-	-	6	4	68	47
45-	9	17	-	-	-	-	-	-	4	1	-	1	3	5	74	67
50-	11	20	-	-	1	-	-	-	2	5	1	-	11	10	135	113
55-	17	27	-	1	-	1	3	-	5	6	-	-	8	13	182	163
60-	13	29	-	-	1	1	2	1	7	5	1	-	30	29	205	219
65-	28	31	-	1	1	3	2	3	11	7	-	2	25	20	209	253
70-	25	32	-	-	2	3	1	1	10	10	-	-	24	24	186	314
75-	9	32	-	3	1	2	1	3	6	6	1	1	26	29	168	314
80-	13	13	1	3	1	5	-	1	6	4	2	5	19	35	124	239
85 and over	3	12	1	2	2	5	-	-	1	4	2	2	9	26	68	188

\* 574 Anal fissure and fistula 70,80,85,65.

TABLE 17 - continued

Causes of death	580		581		582		583		584		585		586		587	
	Acute and subacute yellow atrophy of liver		Cirrhosis of liver		Suppurative hepatitis and liver abscess		Other diseases of liver		Cholelithiasis		Cholecystitis and cholangitis, without mention of calculi		Other diseases of gallbladder and biliary ducts		Diseases of pancreas	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	33	73	701	621	16	21	61	79	229	431	152	318	66	93	336	441
0-	1	2	3	4	-	1	3	2	-	-	-	-	1	-	61	46
1-	-	1	3	1	-	-	1	1	-	-	-	1	2	-	19	32
5-	-	-	3	2	-	-	-	1	-	-	-	-	-	-	11	8
10-	-	2	2	2	-	-	-	-	-	-	-	-	-	-	5	4
15-	-	2	2	4	-	-	-	2	-	-	-	-	-	-	3	-
20-	-	1	1	-	-	1	-	1	-	-	-	-	-	-	1	1
25-	2	2	-	1	-	1	3	-	1	1	-	-	-	-	3	1
30-	1	1	9	4	-	-	2	-	-	3	-	1	-	-	4	2
35-	1	2	19	8	-	-	2	2	1	1	1	2	1	-	3	6
40-	2	7	43	20	1	-	1	2	6	6	-	2	-	-	15	10
45-	2	5	45	33	-	1	3	6	4	6	3	4	-	4	17	8
50-	1	6	85	59	1	1	8	7	6	11	4	9	7	8	23	12
55-	5	9	109	81	3	3	11	7	14	18	9	9	4	7	27	29
60-	7	12	122	87	2	-	7	5	18	45	10	20	11	12	28	38
65-	7	9	113	99	3	3	3	14	20	35	18	27	10	14	35	52
70-	1	2	65	86	2	3	7	12	44	88	22	42	14	15	31	66
75-	-	7	44	69	1	3	6	6	55	78	35	66	4	19	23	66
80-	2	3	23	38	2	3	3	9	38	74	29	69	5	8	22	35
85 and over	1	-	10	23	1	1	1	2	22	65	21	66	7	6	5	25

Causes of death	587.0		587.1		587.2		X		590-594		590		591		592	
	Acute pancreatitis		Chronic pancreatitis		Other diseases of pancreas		590-637 Diseases of the genito-urinary system		Nephritis and nephrosis		Acute nephritis		Nephritis with oedema including nephrosis		Chronic nephritis	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	206	320	27	24	103	97	5,946	4,026	1,695	1,484	60	45	119	94	1,211	1,081
0-	3	1	-	-	58	45	51	18	6	8	1	5	3	3	-	-
1-	-	1	-	-	19	31	19	14	10	7	4	2	4	4	-	1
5-	-	-	-	-	11	8	11	10	7	9	1	1	2	2	3	6
10-	1	-	-	-	4	4	23	15	18	10	2	-	2	1	13	7
15-	2	-	-	-	1	-	36	42	25	32	2	3	4	3	17	22
20-	-	1	1	-	-	-	54	37	42	29	2	4	5	4	30	20
25-	2	1	1	-	-	-	58	35	51	22	2	1	4	1	42	15
30-	4	2	-	-	-	-	67	42	46	30	2	3	6	1	38	21
35-	3	6	-	-	-	-	86	73	63	30	3	1	5	1	52	27
40-	11	9	2	-	2	1	133	107	90	46	4	2	4	5	69	36
45-	12	6	4	2	1	-	155	143	104	66	3	2	4	6	79	44
50-	20	11	1	1	2	-	223	208	140	84	5	-	5	5	105	64
55-	24	24	2	4	1	1	297	273	152	112	9	1	14	11	102	71
60-	25	37	3	1	-	-	415	341	163	132	5	5	9	12	128	94
65-	32	50	2	1	1	1	590	470	178	182	3	4	13	18	119	126
70-	26	59	5	2	-	5	831	547	190	188	3	3	12	5	122	144
75-	18	59	3	7	2	-	981	631	181	180	3	4	12	4	125	140
80-	19	32	2	2	1	1	1,010	551	131	191	4	3	9	4	93	145
85 and over	4	21	1	4	-	-	906	469	98	126	2	1	2	4	74	95



TABLE 17 - continued

Causes of death	593		594		600-609		600		600-0		600-1		600-2		601	
	Nephritis not specified as acute or chronic		Other renal sclerosis		Other diseases of urinary system		Infections of kidney		Pyelitis, pyelocystitis and pyelo-nephritis		Abscess of kidney and perirenal tissue		Other		Hydronephrosis	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	289	247	16	17	1,707	2,355	1,161	1,804	1,126	1,764	23	24	12	16	74	60
0-	2	-	-	-	45	10	25	7	24	7	-	-	1	-	2	1
1-	2	-	-	-	8	7	2	3	2	3	-	-	-	-	4	1
5-	1	-	-	-	4	1	2	1	2	1	-	-	-	-	1	-
10-	-	2	1	-	5	5	4	3	2	3	1	-	1	-	-	-
15-	2	4	-	-	10	10	7	8	7	8	-	-	-	-	2	-
20-	5	1	-	-	12	8	9	7	9	7	-	-	-	-	1	-
25-	3	5	-	-	6	9	3	7	3	7	-	-	-	-	-	-
30-	-	4	-	1	20	11	16	10	16	9	-	-	-	1	1	-
35-	2	1	1	-	22	35	16	26	16	26	-	-	-	-	1	2
40-	13	3	-	-	43	41	28	29	27	29	-	-	1	-	3	1
45-	17	10	1	1	47	68	24	54	22	54	2	-	-	-	5	1
50-	25	14	-	1	72	102	50	80	49	79	1	1	-	-	3	5
55-	26	29	1	-	105	151	71	120	69	116	2	2	-	2	2	5
60-	20	20	1	1	143	192	102	157	94	152	7	4	1	1	7	3
65-	40	30	3	4	203	268	121	204	118	201	-	2	3	1	14	12
70-	51	34	2	2	255	336	179	258	171	249	5	5	3	4	9	10
75-	37	29	4	3	247	431	168	330	166	326	2	3	-	1	10	7
80-	24	37	1	2	251	339	181	260	177	255	3	4	1	1	6	9
85 and over	19	24	1	2	209	331	153	240	152	232	-	3	1	5	3	3

Causes of death	602		603		604		605		606		607*		609		610-617	
	Calculi of kidney and ureter		Other diseases of kidney and ureter		Calculi of other parts of urinary system		Cystitis		Other diseases of bladder		Stricture of urethra		Other diseases of urethra		Diseases of male genital organs	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	129	141	73	65	24	9	80	175	73	32	37	2	53	67	2,544	
0-	-	-	13	2	-	-	-	-	3	-	-	-	-	-	-	-
1-	-	1	1	1	-	-	-	-	1	1	-	-	2	-	1	-
5-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
10-	-	-	1	-	-	-	-	-	-	1	-	-	-	1	-	-
15-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	1	-
20-	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
25-	2	1	1	1	-	-	-	-	-	-	-	-	-	-	1	-
30-	2	1	-	1	-	-	-	-	1	-	-	-	-	-	1	-
35-	3	4	2	1	-	-	-	1	-	-	-	-	-	1	1	-
40-	6	5	4	3	-	-	1	2	1	-	-	-	-	1	-	-
45-	10	6	5	5	-	-	1	1	1	1	1	-	-	-	4	-
50-	5	7	5	1	2	-	2	6	1	2	3	-	1	-	11	-
55-	16	16	4	2	1	1	3	6	4	1	3	-	1	-	40	-
60-	15	13	3	6	1	1	5	6	6	3	-	-	4	3	109	-
65-	23	20	13	12	2	2	5	8	15	8	6	-	3	2	209	-
70-	16	21	10	7	5	1	8	24	14	3	6	1	8	11	386	-
75-	14	24	-	12	3	2	20	34	10	8	9	1	13	13	553	-
80-	9	9	4	5	6	2	25	40	6	2	3	-	9	12	623	-
85 and over	7	12	7	5	4	-	10	47	9	2	5	-	11	22	599	-

\* 607 Urethritis (non-venereal) 65,80,80.

TABLE 17 - continued

Causes of death	610  Hyperplasia of prostate		611  Prostatitis		612  Other diseases of prostate		613-616*		620-626  Diseases of breast, ovary, Fallopian tube and parametrium		620-623*		625*		630-637  Diseases of uterus and other female genital organs	
							617  Other diseases of male genital organs				624  Salpingitis and oophoritis, unqualified		626  Diseases of parametrium and pelvic peritoneum (female)			
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	2,479		29		18		12		-	41		14		22		146
0-	-		-		-		-		-	-		-		-		-
1-	-		-		-		-		-	-		-		-		-
5-	-		-		-		-		-	-		-		-		-
10-	-		-		-		-		-	-		-		-		-
15-	-		-		-		1		-	-		-		-		-
20-	-		-		-		-		-	-		-		-		-
25-	-		-		-		1		-	1		1		-		3
30-	-		1		-		-		-	-		-		-		1
35-	1		-		-		-		-	4		3		1		4
40-	-		-		-		-		-	7		3		2		13
45-	3		1		-		-		-	-		-		-		9
50-	10		1		-		-		-	4		3		-		18
55-	37		-		1		1		-	2		1		-		8
60-	105		2		-		2		-	3		-		3		14
65-	201		2		2		3		-	7		1		6		13
70-	375		6		2		-		-	3		-		2		20
75-	542		7		4		-		-	6		1		5		14
80-	617		6		3		2		-	3		1		2		16
85 and over	588		3		6		2		-	1		-		1		11

Causes of death	630  Infective disease of uterus, vagina and vulva		631  Utero- vaginal prolapse		632*		634  Disorders of menstruation		635, 636, 637*		640-649  Complications of pregnancy		640, 641*		643, 644*	
					633  Other diseases of uterus				XI  640-689 Deliveries and complications of pregnancy, childbirth and the puerperium				642  Toxaemias of pregnancy		645  Ectopic pregnancy	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages		17		63		44		15		243		93		43		16
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	-	-	-	-	-	-	-	-	10	-	3	-	2	-	-
20-	-	-	-	-	-	-	-	-	-	48	-	21	-	11	-	-
25-	1	-	-	-	-	-	1	-	-	47	-	19	-	8	-	3
30-	-	-	-	-	1	-	-	-	-	55	-	21	-	5	-	9
35-	-	-	-	-	3	-	-	-	-	57	-	18	-	10	-	3
40-	1	-	2	-	7	-	3	-	-	22	-	9	-	6	-	1
45-	-	-	-	-	4	-	5	-	-	4	-	2	-	1	-	-
50-	1	-	4	-	9	-	4	-	-	-	-	-	-	-	-	-
55-	1	-	4	-	1	-	1	-	-	-	-	-	-	-	-	-
60-	2	-	8	-	2	-	1	-	-	-	-	-	-	-	-	-
65-	-	-	7	-	5	-	-	-	-	-	-	-	-	-	-	-
70-	4	-	13	-	2	-	-	-	-	-	-	-	-	-	-	-
75-	2	-	6	-	5	-	-	-	-	-	-	-	-	-	-	-
80-	2	-	11	-	5	-	-	-	-	-	-	-	-	-	-	-
85 and over	3	-	8	-	-	-	-	-	-	-	-	-	-	-	-	-

\* 613 Hydrocele 1,55; 614 Orchitis and epididymitis 65; 615 Redundant prepuce and phimosis 70,70,70; 616 Sterility, male - ; 620 Chronic cystic disease of breast - ; 621 Other diseases of breast 40,55,70; 622 Acute salpingitis and oophoritis - ; 623 Chronic salpingitis and oophoritis 40; 625 Other diseases of ovary and fallopian tube 50; 632 Malposition of uterus 25; 635 Menopausal symptoms - ; 636 Sterility, female 35; 637 Other diseases of female genital organs 55,60,65,70,75; 640 Pyelitis and pyelonephritis of pregnancy 15,20,35; 641 Other infections of genito-urinary tract during pregnancy - ; 643 Placenta praevia - ; 644 Other haemorrhage of pregnancy 25,25,30,35,35,35.

TABLE 17 - continued

Causes of death	646, 647*		650-652		650		651		652, 660*		670		671		672	
	648								670-678							
	Other complications arising from pregnancy		Abortion		Abortion without mention of sepsis or toxæmia		Abortion with sepsis		Delivery with specified complication		Delivery complicated by placenta prævia or antepartum hæmorrhage		Delivery complicated by retained placenta		Delivery complicated by other postpartum hæmorrhage	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages		23		49		14		32		59		11		6		15
0-		-		-		-		-		-		-		-		-
1-		-		-		-		-		-		-		-		-
5-		-		-		-		-		-		-		-		-
10-		-		-		-		-		-		-		-		-
15-		-		4		1		3		1		-		-		-
20-		7		10		3		7		6		1		-		2
25-		6		7		1		5		9		1		1		4
30-		6		16		4		11		15		5		1		2
35-		1		10		4		5		18		1		3		5
40-		2		2		1		1		8		3		1		1
45-		1		-		-		-		2		-		-		1
50-		-		-		-		-		-		-		-		-
55-		-		-		-		-		-		-		-		-
60-		-		-		-		-		-		-		-		-
65-		-		-		-		-		-		-		-		-
70-		-		-		-		-		-		-		-		-
75-		-		-		-		-		-		-		-		-
80-		-		-		-		-		-		-		-		-
85 and over		-		-		-		-		-		-		-		-

Causes of death	673*		675		676*		678		680-689		680*		682		683*	
	674				677						681				684	
	Delivery complicated by disproportion or malposition of foetus		Delivery complicated by prolonged labour of other origin		Delivery with other trauma		Delivery with other complications of childbirth		Complications of the puerperium		Sepsis of childbirth and the puerperium		Puerperal phlebitis and thrombosis		Puerperal pulmonary embolism	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages		3		6		7		11		36		5		15		5
0-		-		-		-		-		-		-		-		-
1-		-		-		-		-		-		-		-		-
5-		-		-		-		-		-		-		-		-
10-		-		-		-		-		-		-		-		-
15-		1		-		-		-		2		-		1		-
20-		1		1		-		1		11		1		4		1
25-		-		-		1		2		10		3		4		2
30-		-		2		-		5		2		-		1		-
35-		-		-		6		3		9		1		5		1
40-		1		2		-		-		2		-		-		1
45-		-		1		-		-		-		-		-		-
50-		-		-		-		-		-		-		-		-
55-		-		-		-		-		-		-		-		-
60-		-		-		-		-		-		-		-		-
65-		-		-		-		-		-		-		-		-
70-		-		-		-		-		-		-		-		-
75-		-		-		-		-		-		-		-		-
80-		-		-		-		-		-		-		-		-
85 and over		-		-		-		-		-		-		-		-

\* 646 Anaemia of pregnancy 20,20; 647 Pregnancy with malposition of foetus in uterus - ; 652 Abortion with toxæmia, without mention of sepsis 25,30,35; 660 Delivery without mention of complication 25,25,30,35,35,40; 673 Delivery complicated by abnormality of bony pelvis - ; 676 Delivery with laceration of perineum, without mention of other laceration - ; 680 Puerperal urinary infection without other sepsis - ; 683 Pyrexia of unknown origin during the puerperium - .



TABLE 17 - continued

Causes of death	685-689*		690-698	690	691*		693-697*		700-716	700*		702, 703*				
	XII 690-716 Diseases of the skin and cellular tissue				692  Other cellulitis and abscess without mention of lymphangitis		698  Other local infections of skin and subcutaneous tissue			701  Eczema		704  Pemphigus				
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	136	247	51	81	8	13	40	53	1	12	85	166	4	7	15	20
0-	5	4	3	3	-	-	3	2	-	1	2	1	2	-	-	-
1-	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-
5-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
10-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	1	2	1	-	-	-	1	-	-	-	-	2	-	-	-	-
20-	1	2	-	1	-	-	-	1	-	-	1	1	-	-	-	-
25-	1	1	-	1	-	-	-	-	-	1	1	-	-	-	-	-
30-	-	3	-	-	-	-	-	-	-	-	-	3	-	-	-	-
35-	3	3	2	2	1	1	-	1	-	-	1	1	-	-	-	-
40-	5	10	1	3	-	-	1	2	-	-	4	7	-	-	1	1
45-	7	10	2	2	-	-	2	2	-	-	5	8	-	-	-	-
50-	4	9	2	3	1	1	1	2	-	-	2	6	-	-	-	1
55-	10	11	5	4	1	-	3	3	1	1	5	7	-	1	1	-
60-	18	16	6	6	-	-	6	5	-	1	12	10	-	-	1	1
65-	10	22	6	7	1	2	5	4	-	1	4	15	-	1	1	2
70-	18	33	7	9	2	2	4	5	-	2	11	24	-	-	2	5
75-	18	37	3	15	1	4	2	7	-	3	15	22	1	2	5	4
80-	24	35	9	9	1	-	8	6	-	2	15	26	-	1	3	2
85 and over	11	47	4	16	-	3	4	13	-	-	7	31	1	1	1	-

Causes of death	705  Erythematous conditions		706-709*		711-714*		716*		720-727  Arthritis and rheumatism except rheumatic fever	720  Acute arthritis due to pyogenic organisms	721*		722-0  Rheumatoid arthritis			
			710  Other hypertrophic and atrophic conditions of skin		715  Chronic ulcer of skin		XIII  720-749 Diseases of the bones and organs of movement				722  Rheumatoid arthritis and allied conditions					
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	19	23	15	42	26	66	649	1,398	363	1,033	17	16	222	750	195	746
0-	-	-	-	-	-	-	10	12	1	-	1	-	-	-	-	-
1-	-	-	-	-	-	-	2	2	1	-	-	-	1	-	1	-
5-	-	-	-	1	-	-	6	5	-	1	-	-	-	-	-	-
10-	-	-	-	-	-	-	11	4	-	1	-	-	-	1	-	1
15-	-	-	-	-	-	-	32	5	1	1	-	-	1	1	1	1
20-	-	1	-	-	-	-	6	4	-	3	-	-	-	2	-	2
25-	-	-	-	-	1	-	5	1	-	1	-	-	-	1	-	1
30-	-	1	-	2	-	-	4	8	2	2	-	-	1	1	1	1
35-	-	-	1	-	-	1	8	15	5	5	2	-	1	5	-	5
40-	-	1	3	5	-	-	12	12	3	5	-	-	3	5	1	4
45-	2	1	2	7	-	-	22	13	12	7	1	-	8	7	6	7
50-	-	-	1	4	1	-	32	44	20	31	1	-	14	26	12	26
55-	1	2	1	3	2	1	52	59	34	37	3	-	26	34	19	34
60-	3	1	4	6	3	2	71	121	47	93	2	4	36	79	32	78
65-	1	3	-	5	2	3	80	142	51	112	-	4	41	95	39	94
70-	5	2	2	6	1	9	84	229	49	186	-	-	31	147	27	147
75-	4	7	1	2	4	7	85	286	55	223	3	4	31	157	28	157
80-	2	2	-	1	9	20	70	245	45	189	2	2	18	116	18	115
85 and over	1	2	-	-	3	23	57	191	37	136	2	2	10	73	10	73

\* 685 Puerperal eclampsia 20,20; 686 Other forms of puerperal toxæmia 35; 687 Cerebral hæmorrhage in the puerperium 15,25,30,35; 688 Other and unspecified complications of the puerperium 20,20,20,40; 689 Mastitis and other disorders of lactation - ; 691 Cellulitis of finger and toe 35,70,80; 693 Other cellulitis and abscess with lymphangitis 75; 694 Acute lymphadenitis - ; 695 Impetigo - ; 696 Infectious warts 40; 697 Molluscum contagiosum - ; 700 Seborrhoeic dermatitis - ; 702 Occupational dermatitis - ; 703 Other dermatitis 0,50,70,85; 706 Psoriasis and similar disorders 20,45,60,70,80,15,70; 707 Lichen planus - ; 708 Pruritus and related conditions 85; 709 Corns and callosities - ; 711 Other dermatoses - ; 712 Diseases of nail - ; 713 Diseases of hair and hair follicles - ; 714 Diseases of sweat and sebaceous glands - ; 716 Other diseases of skin 15,65; 721 Acute non-pyogenic arthritis -

TABLE 17 - continued

Causes of death	722.1  Spondylitis ankylo- poietica		723  Osteo- arthritis (arthrosis) and allied conditions		724, 725*		727*		730  Osteo- myelitis and periostitis		731  Osteitis deformans		732*		734*	
					726  Muscular rheumatism		730-738  Osteo- myelitis and other diseases of bone and joint						733  Other diseases of bone		735  Displacement of intervertebral disc	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	27	4	108	248	6	5	133	254	25	27	62	92	28	114	12	13
0-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-
1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	1	-	-	2	1	2	1	-	-	-	-	-	-
10-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
25-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
30-	-	-	-	-	1	1	1	1	1	1	-	-	-	-	2	-
35-	1	-	1	-	1	-	2	4	1	1	-	-	-	-	1	-
40-	2	1	-	-	-	-	1	3	1	1	-	-	-	1	1	2
45-	2	-	1	-	1	-	2	1	-	-	-	-	1	-	-	1
50-	2	-	4	3	1	-	3	4	-	-	-	-	1	3	-	1
55-	7	-	4	2	-	1	7	13	2	4	4	1	-	2	1	2
60-	4	1	5	10	1	-	4	17	2	2	2	7	-	4	-	1
65-	2	1	9	12	-	-	16	22	5	3	6	9	2	8	3	2
70-	4	-	18	37	-	1	29	33	7	7	13	13	6	9	2	3
75-	3	-	21	60	-	-	23	53	1	1	13	24	5	28	2	-
80-	-	1	21	66	1	1	23	53	2	3	13	26	7	24	1	-
85 and over	-	-	24	57	-	-	17	48	-	2	11	12	6	34	-	-

Causes of death	736, 737, 738*		740-743*		745		746-749*		750		751		752		753	
	740-749		744				XIV									
	Other diseases of musculo-skeletal system		Other diseases of muscle, tendon and fascia		Curvature of spine		750-759 Congenital malformations		Monstrosity		Spina bifida and meningocele		Congenital hydro-cephalus		Other congenital malformations of nervous system and sense organs	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	153	111	115	73	27	31	2,783	2,466	83	109	306	486	115	100	64	83
0-	8	11	6	9	1	2	1,900	1,683	83	109	279	432	67	74	32	46
1-	1	2	-	2	1	-	187	162	-	-	20	37	23	15	16	19
5-	4	3	4	3	-	-	68	67	-	-	2	4	11	3	4	6
10-	11	3	10	3	1	-	73	25	-	-	1	2	3	2	3	4
15-	31	4	31	2	-	2	74	35	-	-	1	2	4	1	5	1
20-	6	1	5	1	1	-	39	19	-	-	1	1	1	-	1	-
25-	3	-	1	-	1	-	28	30	-	-	1	1	1	-	1	1
30-	1	5	1	4	-	1	21	21	-	-	-	1	2	-	1	1
35-	1	6	1	6	-	-	39	33	-	-	-	2	1	1	-	2
40-	8	4	5	3	2	-	53	28	-	-	-	-	-	-	1	-
45-	8	5	7	3	-	1	39	66	-	-	-	-	-	1	-	2
50-	9	9	4	6	5	2	52	54	-	-	-	-	-	-	-	-
55-	11	9	8	7	3	1	64	54	-	-	-	1	1	1	-	-
60-	20	11	13	9	4	1	48	49	-	-	1	2	-	2	-	-
65-	13	8	10	7	3	1	31	50	-	-	-	-	-	-	-	1
70-	6	10	4	4	1	4	29	39	-	-	-	1	1	-	-	-
75-	7	10	4	4	2	6	18	24	-	-	-	-	-	-	-	-
80-	2	3	1	-	-	3	14	18	-	-	-	-	-	-	-	-
85 and over	3	7	-	-	2	7	6	9	-	-	-	-	-	-	-	-

\* 724 Other specified forms of arthritis 45,80; 725 Arthritis, unspecified 55,60,60,65,80,80;80,85,50,50,65,70,75,75,80,80,80,85,85,85,85; 727 Rheumatism, unspecified 60; 732 Osteochondrosis 50; 734 Internal derangement of knee joint - ; 736 Affection of sacro-iliac joint - ; 737 Ankylosis of joint 60; 738 Other diseases of joint 45,50,70,75,75,55,55,55,55,60,60,70; 740 Bunion 40,70; 741 Synovitis, bursitis, and tenosynovitis without mention of occupational origin 25,40,70,75,80,85; 742 Synovitis, bursitis, and tenosynovitis of occupational origin - ; 743 Infective myositis and other inflammatory diseases of tendon and fascia - ; 746 Flat foot - ; 747 Hallux valgus and varus 60,55; 748 Clubfoot 0; 749 Other deformities 45,60,60,45,50,60,70.

TABLE 17 - continued

Causes of death	754		755		756		756.0		756.1		756.2		757		757.1	
	Congenital malformations of circulatory system		Cleft palate and harelip		Congenital malformations of digestive system		Congenital hypertrophic pyloric stenosis		Imperforate anus		Other		Congenital malformations of genito-urinary system		Polycystic disease of kidney	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	1,395	1,099	6	6	270	167	25	8	19	6	226	153	291	210	148	163
0-	879	687	5	6	227	131	25	8	19	6	183	117	137	40	30	12
1-	104	75	1	-	9	6	-	-	-	-	9	6	6	3	-	1
5-	46	42	-	-	1	5	-	-	-	-	1	5	2	3	-	1
10-	60	17	-	-	2	-	-	-	-	-	2	-	2	-	-	-
15-	54	26	-	-	2	1	-	-	-	-	2	1	4	3	-	-
20-	29	13	-	-	-	1	-	-	-	-	-	1	3	1	-	1
25-	18	21	-	-	1	1	-	-	-	-	1	1	4	4	2	2
30-	14	16	-	-	-	-	-	-	-	-	-	-	1	2	-	1
35-	23	20	-	-	1	-	-	-	-	-	1	-	7	8	6	7
40-	32	15	-	-	1	-	-	-	-	-	1	-	18	10	15	10
45-	17	27	-	-	-	-	-	-	-	-	-	-	15	30	15	29
50-	24	20	-	-	3	2	-	-	-	-	3	2	22	27	22	26
55-	26	31	-	-	3	1	-	-	-	-	3	1	29	17	24	15
60-	24	25	-	-	3	1	-	-	-	-	3	1	13	15	11	14
65-	18	27	-	-	3	2	-	-	-	-	3	2	8	20	7	19
70-	10	15	-	-	5	5	-	-	-	-	5	5	9	16	7	15
75-	7	9	-	-	3	5	-	-	-	-	3	5	7	5	5	5
80-	9	10	-	-	3	4	-	-	-	-	3	4	2	3	2	2
85 and over	1	3	-	-	3	2	-	-	-	-	3	2	2	3	2	2

Causes of death	757.0;2;3		758		759		XV		760.5-773.5		760-769		760		761	
	Others included under 757		Congenital malformations of bone and joint		Other and unspecified congenital malformations not elsewhere classified		760-776† Certain diseases of early infancy		With immaturity		Birth injuries, asphyxia and infections of newborn		Intra-cranial and spinal injury at birth		Other birth injury	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	143	47	31	25	222	181	5,600	3,815	2,051	1,346	3,307	2,166	852	551	321	219
0-	107	28	14	16	177	142	5,595	3,813	2,051	1,346	3,305	2,166	852	551	321	219
1-	6	2	1	-	7	7	3	1	-	-	2	-	-	-	-	-
5-	2	2	-	1	2	3	2	-	-	-	-	-	-	-	-	-
10-	2	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-
15-	4	3	3	-	1	1	-	-	-	-	-	-	-	-	-	-
20-	3	-	2	1	2	2	-	-	-	-	-	-	-	-	-	-
25-	2	2	1	-	1	2	-	-	-	-	-	-	-	-	-	-
30-	1	1	1	-	2	1	-	-	-	-	-	-	-	-	-	-
35-	1	1	4	-	3	-	-	-	-	-	-	-	-	-	-	-
40-	3	-	-	-	1	3	-	-	-	-	-	-	-	-	-	-
45-	-	1	2	1	5	5	-	-	-	-	-	-	-	-	-	-
50-	-	1	1	-	2	5	-	-	-	-	-	-	-	-	-	-
55-	5	2	-	1	5	2	-	-	-	-	-	-	-	-	-	-
60-	2	1	-	1	7	3	-	-	-	-	-	-	-	-	-	-
65-	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-
70-	2	1	2	1	2	1	-	-	-	-	-	-	-	-	-	-
75-	2	-	-	2	1	3	-	-	-	-	-	-	-	-	-	-
80-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
85 and over	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-

† Note: The group 760-776 relates particularly to the causes of death within the first 28 days of life, but it includes also some deaths from the causes specified at all ages.



TABLE 17 - continued

Causes of death	762		763		764		765, 766*		768		769		770-776		770	
	Postnatal asphyxia and atelectasis		Pneumonia of newborn		Diarrhoea of newborn		Umbilical sepsis		Other sepsis of newborn		Neonatal disorders arising from maternal toxæmia		Other diseases peculiar to early infancy		Haemolytic disease of newborn (erythroblastosis)	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	1,532	983	401	278	42	23	9	5	35	27	113	78	2,293	1,649	197	149
0-	1,530	983	401	278	42	23	9	5	35	27	113	78	2,290	1,647	194	148
1-	2	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-
10-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
15-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
40-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
55-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
60-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
70-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
75-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
80-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
85 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

  

Causes of death	771		772		773		774		776		XVI		780-789		780	
	Haemorrhagic disease of newborn		Nutritional maladjustment		Ill-defined diseases peculiar to early infancy		Immaturity with mention of any other subsidiary condition		Immaturity unqualified		780-795 Symptoms, senility and ill-defined conditions		Symptoms referable to systems or organs		Certain symptoms referable to nervous system and special senses	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	127	91	8	3	338	180	61	51	1,562	1,175	2,173	4,092	116	102	6	5
0-	127	91	8	3	338	179	61	51	1,562	1,175	19	17	4	4	2	2
1-	-	-	-	-	-	1	-	-	-	-	2	3	1	2	-	-
5-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-
10-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
15-	-	-	-	-	-	-	-	-	-	-	3	2	1	2	-	1
20-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-
25-	-	-	-	-	-	-	-	-	-	-	3	1	-	1	-	-
30-	-	-	-	-	-	-	-	-	-	-	3	3	-	2	-	1
35-	-	-	-	-	-	-	-	-	-	-	3	1	1	1	1	-
40-	-	-	-	-	-	-	-	-	-	-	4	2	1	1	-	-
45-	-	-	-	-	-	-	-	-	-	-	4	5	-	2	-	-
50-	-	-	-	-	-	-	-	-	-	-	14	5	4	2	-	-
55-	-	-	-	-	-	-	-	-	-	-	12	7	5	5	1	-
60-	-	-	-	-	-	-	-	-	-	-	12	13	5	6	2	-
65-	-	-	-	-	-	-	-	-	-	-	28	25	13	6	-	1
70-	-	-	-	-	-	-	-	-	-	-	96	101	23	8	-	-
75-	-	-	-	-	-	-	-	-	-	-	237	368	15	19	-	-
80-	-	-	-	-	-	-	-	-	-	-	604	955	18	15	-	-
85 and over	-	-	-	-	-	-	-	-	-	-	1,125	2,583	21	26	-	-

\* 765 Ophthalmia neonatorum - ; 766 Pemphigus neonatorum 0,0,0,0.

TABLE 17 - continued

Causes of death	780-2  Convulsions		780-0;1;3;4;5; 6;7;8;9, 781*		782-4  Acute heart failure, undefined		782-0;1;2;3;5; 6;7;8;9, 783*		785-789*		790, 791*		793*		795  Ill-defined and unknown causes of mortality	
			782  Symptoms referable to cardiovascular and lymphatic system				784  Symptoms referable to upper gastro-intestinal tract		790-795  Senility and ill-defined diseases		792  Uraemia		794  Senility without mention of psychosis			
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	3	5	57	65	54	63	19	14	2,057	3,990	38	26	1,964	3,926	55	38
0-	2	2	-	-	-	-	1	-	15	13	1	1	-	-	14	12
1-	-	-	1	1	1	1	-	-	1	1	-	-	-	-	1	1
5-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
10-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
15-	-	1	1	-	1	-	-	-	2	-	-	-	-	-	2	-
20-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
25-	-	-	-	1	-	-	-	-	3	-	-	-	-	-	3	-
30-	-	1	-	-	-	-	-	-	3	1	1	-	-	-	2	1
35-	1	-	-	1	1	1	-	-	2	-	-	-	-	-	2	-
40-	-	-	1	-	1	-	-	-	3	1	-	-	-	-	3	1
45-	-	-	-	-	-	-	-	2	4	3	-	1	-	-	4	2
50-	-	-	3	2	3	2	-	-	10	3	3	1	-	-	7	2
55-	-	-	2	4	2	3	-	-	7	2	3	-	1	-	3	2
60-	-	-	2	5	2	5	-	1	7	7	3	3	-	1	4	3
65-	-	1	7	2	7	2	3	2	15	19	2	2	8	12	5	5
70-	-	-	11	5	10	5	5	-	73	93	9	3	63	85	1	5
75-	-	-	9	12	8	12	-	3	222	349	5	7	215	340	2	2
80-	-	-	13	14	13	14	1	-	586	940	7	6	579	934	-	-
85 and over	-	-	6	18	6	18	8	6	1,104	2,557	4	1	1,098	2,554	2	2

Causes of death	XVII E800-E999 Accidents, poisonings and violence (external cause)		RAILWAY ACCIDENTS								M.V. TRAFFIC ACCIDENTS					
			E800-E802 Railway accidents		E800 involving railroad employee		E801 involving passenger		E802 involving other and unspecified person		E810-E825 Motor vehicle traffic accidents		E810 involving collision with railway train		E811*	
															E812 to pedestrian	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	14,074	10,549	215	27	102	1	37	12	76	14	4,522	1,754	13	-	1,418	1,099
0-	343	262	1	1	-	-	-	1	1	-	6	5	-	-	1	2
1-	375	252	3	1	-	-	2	-	1	1	139	85	-	-	114	71
5-	337	138	4	1	-	-	2	1	2	2	184	71	-	-	141	64
10-	275	86	6	-	-	-	2	-	4	-	133	50	-	-	48	32
15-	1,046	197	7	1	3	-	3	1	1	-	698	106	2	-	46	15
20-	1,031	199	17	1	5	-	4	1	8	-	590	69	2	-	49	13
25-	750	202	13	2	5	-	5	1	3	1	311	57	2	-	28	7
30-	661	241	16	-	6	-	3	-	7	-	238	46	-	-	27	6
35-	705	281	19	1	14	-	2	1	3	-	209	46	-	-	25	13
40-	816	360	14	2	8	-	3	1	3	1	211	56	1	-	47	19
45-	783	407	13	4	8	-	2	2	3	2	220	74	-	-	47	28
50-	926	520	30	2	17	-	3	1	10	1	226	93	1	-	68	43
55-	1,123	619	23	3	12	-	1	-	10	3	287	124	2	-	112	71
60-	1,113	694	31	4	23	1	1	1	7	2	265	159	2	-	99	104
65-	780	793	6	2	1	-	-	1	5	1	181	164	1	-	99	131
70-	843	984	4	-	-	-	2	-	2	-	215	189	-	-	139	161
75-	822	1,308	8	1	-	-	2	-	6	1	189	170	-	-	137	150
80-	749	1,476	-	-	-	-	-	-	-	-	156	135	-	-	136	123
85 and over	596	1,530	-	1	-	-	-	-	-	1	64	55	-	-	55	46

\* 780-0; 1; 3; 4; 5; 6; 7; 8; 9 Others included under 780 55,60,60; 781 Other symptoms referable to nervous system and special senses 15,40,55; 782-0; 1; 2; 3; 5; 6; 7; 8; 9 Others included under 782 5,70,75,25,55; 783 Symptoms referable to respiratory system 20,55,70,70,75; 785 Symptoms referable to abdomen and lower gastro-intestinal tract 50,55,65,65,65,75,75,75,85,70,75,85; 786 Symptoms referable to genito-urinary system 70,70,75,75,80,80,80,80,85,85,85,85; 787 Symptoms referable to limbs and back - ; 788 Other general symptoms 0,5,60,70,70,70,85,85,0,0,1,30,65,70,70,75,75,80,85; 789 Abnormal urinary constituents of unspecified cause 75; 790 Nervousness and debility - ; 791 Headache - ; 793 Observation, without need for further medical care - ; E811 Motor vehicle traffic accident involving collision with street car - .

TABLE 17 - continued

Cause of death	MOTOR VEHICLE TRAFFIC ACCIDENTS															
	E813		E814 to rider or passenger of motorcycle in collision with non-motor vehicle or object		E815 to rider or passenger of motorcycle in collision with other motor vehicle		E816 Other motor vehicle traffic accident involving two or more motor vehicles		E817, E818, E819*, E820 while boarding and alighting		E821 to rider of motorcycle not involving collision		E822 involving overturning in roadway		E823 involving running off roadway	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	431	58	50	2	775	56	934	326	9	13	315	27	72	15	379	98
0-	-	-	-	-	-	-	3	3	-	-	-	-	1	-	1	-
1-	9	2	-	-	1	1	5	9	-	-	1	-	-	-	5	-
5-	25	1	-	-	-	-	9	4	-	-	-	-	-	-	4	2
10-	73	6	-	-	3	1	6	5	-	-	-	-	1	-	-	1
15-	46	7	15	-	313	21	74	23	-	-	132	10	8	2	45	21
20-	11	3	13	1	166	7	131	29	-	-	76	5	20	2	103	7
25-	11	2	4	-	57	4	112	31	-	-	32	3	6	1	43	6
30-	8	7	3	-	40	5	95	16	-	-	12	1	9	-	32	7
35-	15	3	2	-	39	2	78	16	-	-	10	3	8	1	29	7
40-	14	-	1	-	30	1	66	21	2	1	14	3	3	-	27	8
45-	19	3	3	1	25	5	81	26	1	1	11	1	4	1	21	6
50-	29	7	2	-	29	3	58	26	-	-	5	-	1	1	27	9
55-	39	9	2	-	22	4	72	27	-	-	9	1	3	3	18	7
60-	41	4	3	-	35	1	57	33	1	1	6	-	3	-	10	7
65-	28	1	2	-	8	-	30	21	-	1	4	-	-	-	9	6
70-	35	2	-	-	4	1	25	14	1	4	1	-	1	1	3	2
75-	22	-	-	-	3	-	17	11	2	3	1	-	2	-	1	1
80-	5	1	-	-	-	-	12	7	-	2	1	-	2	1	-	-
85 and over	1	-	-	-	-	-	3	4	2	-	-	-	-	2	1	1

Cause of death	M.V. TRAFFIC ACCIDENTS				MOTOR VEHICLE NON-TRAFFIC ACCIDENTS											
	E824 Other non-collision motor vehicle traffic accident		E825 of unspecified nature		E830-E835 Motor vehicle non-traffic accidents		E830 to pedestrian		E831* E832 to rider or passenger of motorcycle		E833, E834* E835 of other and unspecified nature		E840-E845 Other road vehicle accidents		E840, E841* E842 Accident to pedestrian caused by pedal cycle	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	55	27	51	26	67	8	29	6	11	-	23	-	74	34	9	13
0-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
1-	4	2	-	-	2	2	2	2	-	-	-	-	-	-	-	-
5-	5	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
10-	1	4	1	1	-	-	-	-	-	-	-	-	10	1	-	-
15-	2	4	14	3	9	-	3	-	2	-	4	-	3	3	-	-
20-	5	-	11	2	-	-	1	-	4	-	3	-	2	1	-	-
25-	5	-	5	2	12	-	2	-	4	-	6	-	4	-	-	-
30-	5	-	6	1	2	-	1	-	-	-	2	-	1	-	-	-
35-	-	1	3	-	8	-	5	-	-	-	2	-	2	-	-	-
40-	1	-	3	3	-	-	-	-	-	-	2	-	1	-	-	-
45-	4	-	2	2	4	-	2	-	1	-	-	-	8	4	-	-
50-	4	3	1	-	8	1	7	1	-	-	1	-	6	2	1	-
55-	4	1	1	1	4	-	3	-	-	-	1	-	5	6	-	3
60-	5	3	2	6	2	-	1	-	-	-	1	-	5	2	-	-
65-	-	2	-	1	2	1	1	1	-	-	1	-	7	2	1	2
70-	4	2	2	1	2	1	1	-	-	-	1	-	7	-	3	-
75-	4	3	-	2	-	1	-	-	-	-	-	-	5	5	2	5
80-	-	1	-	-	-	1	-	-	-	-	-	-	2	1	1	1
85 and over	2	1	-	1	-	-	-	-	-	-	-	-	2	3	1	2

\* E817 Motor vehicle traffic accident to occupant of motor vehicle in collision with pedestrian or pedal cycle - ; E818 Motor vehicle traffic accident involving collision with animal or animal-drawn vehicle 60,25,70; E819 Motor vehicle traffic accident involving collision with fixed or unspecified object 15,20,20,20,25,25,25,25,30,40,40,40,45,45,50,55,55,55,30,30,30,50,65; E831 Motor vehicle non-traffic accident to pedal cyclist - ; E833 Other motor vehicle non-traffic accident involving two or more motor vehicles 20,35,40,45; E834 Motor vehicle non-traffic accident while boarding and alighting 75,80; E840 Street car accident to pedestrian 65,85; E841 Other street car accident, except collision with motor vehicle - .



TABLE 17 - continued

Causes of death	E843 Accident to rider of pedal cycle not involving collision with motor vehicle		E844*		E850-E858 Water transport accidents		E850 Submersion of occupant of small boat		E851 Other water transport injury by submersion		E852*		E854, E855, E856*		E858*	
			E845 Other non-motor road vehicle accidents								E853 Other falls from one level to another in water transport		E857 Other specified accidents in water transport		E860-E866 Aircraft accidents	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	55	10	9	10	166	5	73	4	46	-	14	-	16	1	34	-
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
5-	2	1	2	3	5	-	3	-	2	-	-	-	-	-	-	-
10-	9	-	1	1	13	1	11	1	1	-	-	-	1	-	-	-
15-	2	-	1	3	29	2	15	2	9	-	2	-	3	-	1	-
20-	2	-	-	1	20	1	12	1	6	-	1	-	-	-	4	-
25-	4	-	-	-	18	-	10	-	5	-	1	-	1	-	14	-
30-	1	-	-	-	11	-	6	-	4	-	-	-	1	-	4	-
35-	2	-	-	-	5	-	1	-	3	-	1	-	-	-	7	-
40-	-	-	1	-	11	-	4	-	5	-	-	-	2	-	3	-
45-	8	2	-	2	10	-	3	-	2	-	1	-	2	-	-	-
50-	3	2	2	-	10	1	3	-	2	-	1	-	1	1	-	-
55-	5	3	-	-	12	-	2	-	2	-	1	-	3	-	1	-
60-	5	2	-	-	13	-	2	-	2	-	5	-	-	-	-	-
65-	4	-	1	-	6	-	1	-	2	-	1	-	1	-	-	-
70-	4	-	-	-	2	-	-	-	-	-	-	-	1	-	-	-
75-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
80-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
85 and over	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Causes of death	E860 Accident to personnel in military aircraft		E862-E866*		ACCIDENTAL POISONING											
					E870-E888 Accidental poisoning by solid and liquid substances		E870*		E872 by aspirin and salicylates		E873*		E875, E876, E877* E878 by other and unspecified drugs		E879* E880 by alcohol	
			E861 Injury to occupant by accident to commercial 'transport' aircraft				E871 by barbituric acid and derivatives				E874 by other analgesic and soporific drugs					
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	20	-	-	-	324	348	218	264	30	30	15	12	23	24	17	6
0-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
1-	-	-	-	-	22	6	1	-	5	1	1	-	11	3	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-	-	-	-	-	2	2	2	-	-	1	-	-	-	-	-	-
15-	1	-	-	-	3	8	1	5	-	2	-	-	1	1	-	-
20-	4	-	-	-	8	10	3	5	2	1	2	-	1	2	-	-
25-	7	-	-	-	11	12	6	10	1	-	4	1	-	-	-	-
30-	3	-	-	-	18	10	13	6	2	2	-	-	-	1	2	1
35-	3	-	-	-	23	31	21	24	-	1	-	1	1	3	-	1
40-	2	-	-	-	29	36	17	24	3	-	4	4	-	7	3	1
45-	-	-	-	-	20	25	13	21	3	1	1	1	-	2	3	-
50-	-	-	-	-	41	41	32	35	3	4	-	-	2	-	3	1
55-	-	-	-	-	45	39	37	31	2	4	2	1	1	2	3	-
60-	-	-	-	-	36	38	27	33	4	3	-	1	1	-	3	-
65-	-	2	-	-	24	32	19	20	2	7	-	2	1	2	-	1
70-	-	-	-	-	22	24	17	22	-	1	1	1	2	-	-	-
75-	-	-	-	-	11	21	6	17	1	2	-	-	2	1	-	1
80-	-	-	-	-	3	8	1	7	1	-	-	-	1	-	-	-
85 and over	-	-	-	-	6	4	2	4	1	-	-	-	-	-	-	-

\* E844 Accident to pedestrian caused by other non-motor road vehicle - ; E852 Fall on stairs and ladders in water transport 50,55, 55,55,60; E854 Falls on same level in water transport 50,60,70; E855 Unspecified falls in water transport - ; E856 Machinery accident in water transport 20,25,45,45,50,55,60,60,65; E858 Water transport accident of unspecified cause - ; E862 Other injury in commercial 'transport' aircraft - ; E863 Injury to occupant by accident to other specified aircraft 25,25,25,25,25,35,35,35,35; E864 Aircraft accident at airfield to person not in aircraft 55; E865 Aircraft accident elsewhere to person not in aircraft - ; E866 Other and unspecified aircraft accidents 25,25,30,40; E870 Accidental poisoning by morphine and other opium derivatives 70,50,55; E873 Accidental poisoning by bromides - ; E875 Accidental poisoning by sulfonamides - ; E876 Accidental poisoning by strychnine - ; E877 Accidental poisoning by belladonna, hyoscyne, and atropine - ; E879 Accidental poisoning by noxious foodstuffs - .

TABLE 17 - continued

Causes of death	ACCIDENTAL POISONING												E900-E904  Accidental falls		E900  Fall on stairs	
	E881-E887*		E890-E895  Accidental poisoning by gases and vapours		E890  by utility (illuminating) gas		E891  by motor vehicle exhaust gas		E892  by other carbon monoxide gas		E893, E895*					
	E888 by other and unspecified solid and liquid substances										E894  by other specified gases and vapours					
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	8	4	604	796	527	751	21	2	40	37	14	6	2,073	3,613	344	483
0-	-	-	4	-	2	-	-	-	2	-	-	-	17	14	3	4
1-	2	-	6	4	6	4	-	-	-	-	-	-	32	25	6	7
5-	-	-	2	2	2	1	-	-	-	1	-	-	17	4	2	2
10-	-	-	2	3	2	1	-	-	-	2	-	-	28	2	2	-
15-	-	-	20	3	17	3	1	-	1	-	-	-	34	6	1	-
20-	-	1	24	11	19	6	1	-	2	4	1	1	34	3	2	-
25-	-	1	15	9	11	8	1	-	2	1	1	-	33	3	6	2
30-	1	-	21	9	14	8	-	-	7	1	-	-	44	5	7	2
35-	1	1	16	12	10	10	-	-	2	1	4	1	51	6	8	1
40-	-	-	24	13	17	11	3	-	2	2	2	-	56	8	13	1
45-	-	-	30	15	19	12	5	2	4	1	2	-	59	20	10	9
50-	-	-	30	16	26	13	-	-	1	3	3	-	76	23	13	4
55-	1	-	47	41	44	37	2	-	1	4	-	-	107	43	18	8
60-	1	1	55	48	43	42	5	-	6	5	1	1	135	94	29	24
65-	1	-	47	73	44	70	-	-	3	3	-	-	135	179	36	39
70-	-	-	66	105	62	102	1	-	3	2	-	1	194	359	38	54
75-	1	-	78	154	73	152	2	-	3	1	-	1	298	654	59	104
80-	-	-	71	165	70	162	-	-	1	3	-	-	339	945	45	111
85 and over	-	-	46	113	46	109	-	-	-	3	-	1	384	1,220	46	111

Causes of death	E901		E902		E903		E904		E910-E936		E910		E911		E912	
	Fall from ladders		Other falls from one level to another		Fall on same level		Unspecified falls		Other accidents		Blow from falling or projected object or missile		Accident caused by vehicle		Accident caused by machinery	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	78	9	429	210	850	1,991	372	920	2,410	1,388	239	15	72	-	207	4
0-	-	-	11	6	1	1	2	3	301	225	-	-	-	-	-	-
1-	-	-	19	12	4	3	3	3	156	113	7	3	-	-	3	1
5-	-	-	13	1	1	1	1	1	115	51	1	2	-	-	4	-
10-	-	-	20	-	3	2	3	-	75	20	4	1	-	-	5	1
15-	3	-	24	2	4	2	2	2	168	24	11	-	5	-	27	1
20-	1	-	24	3	-	-	7	-	131	17	12	-	6	-	15	-
25-	2	-	21	1	1	-	3	-	124	15	18	-	6	-	22	-
30-	8	-	22	3	4	-	3	-	102	22	20	1	1	-	18	-
35-	2	-	31	3	8	-	2	2	123	22	25	-	3	-	14	-
40-	5	-	22	2	7	2	9	3	157	37	40	-	10	-	16	-
45-	5	1	27	7	11	3	6	-	122	35	27	-	3	-	15	-
50-	10	1	19	3	26	8	7	7	149	56	29	1	14	-	29	-
55-	12	1	36	6	28	15	13	13	162	49	24	-	14	-	16	-
60-	12	1	30	3	49	48	15	18	133	83	11	1	10	-	17	-
65-	6	1	24	8	40	88	29	43	86	89	4	-	-	-	5	-
70-	3	2	16	21	97	187	40	95	85	123	2	1	-	-	-	-
75-	4	1	28	26	151	361	56	162	69	144	1	1	-	-	1	1
80-	5	-	19	39	192	567	78	228	89	151	-	4	-	-	-	-
85 and over	-	1	23	64	223	703	92	341	63	112	3	-	-	-	-	-

\* E881 Accidental poisoning by petroleum products 85; E882 Accidental poisoning by industrial solvents 1,15,40,40,70;  
 E883 Accidental poisoning by corrosive aromatics, acids, and caustic alkalis 50,65,75,85,10,20,80; E884 Accidental poisoning  
 by mercury and its compounds 0; E885 Accidental poisoning by lead and its compounds 1,7,7; E886 Accidental poisoning by arsenic  
 and antimony, and their compounds - ; E887 Accidental poisoning by fluorides - ; E893 Accidental poisoning by cyanide gas - ;  
 E895 Accidental poisoning by unspecified gases and vapours 15,20.

TABLE 17 - continued

Causes of death	E913		E914		E915		E916		E917		E918*		E920*		E922	
	Accident caused by cutting and piercing instruments		Accident caused by electric current		Accident caused by explosion of pressure vessel		Accident caused by fire and explosion of combustible material		Accident caused by hot substance, corrosive liquid, and steam		Accident caused by firearm		Inhalation and ingestion of food causing obstruction or suffocation		Inhalation and ingestion of other object causing obstruction or suffocation	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	11	3	111	32	10	2	323	560	51	52	69	8	254	219	21	1
0-	-	-	1	-	-	-	14	7	3	3	-	-	131	108	4	1
1-	-	-	7	2	-	-	36	51	10	8	-	-	18	14	2	2
5-	-	-	5	-	-	1	12	26	1	1	3	1	1	1	5	5
10-	-	-	2	2	-	-	5	3	1	-	5	1	1	2	1	1
15-	-	-	17	3	-	-	9	7	-	-	14	3	5	-	-	-
20-	1	-	16	1	1	-	8	3	1	1	6	1	6	6	2	2
25-	-	-	11	-	-	-	6	8	2	-	6	-	9	1	1	1
30-	-	-	6	1	1	-	7	7	-	-	1	-	9	4	2	2
35-	1	1	13	1	1	-	9	5	4	-	4	-	1	6	-	-
40-	1	-	10	2	3	-	11	14	3	1	4	-	11	8	-	-
45-	3	-	5	3	2	1	9	11	3	-	5	-	9	7	-	-
50-	1	1	5	5	1	-	16	17	3	-	4	1	5	11	-	-
55-	3	-	6	1	-	-	15	16	3	1	8	-	11	8	1	1
60-	1	1	1	3	-	-	22	27	3	1	6	1	11	11	1	1
65-	-	-	2	3	1	-	14	45	1	2	-	-	10	6	-	-
70-	-	-	1	2	-	-	26	75	3	4	3	-	7	7	1	1
75-	-	-	2	2	-	-	34	88	2	6	-	-	3	7	-	-
80-	-	-	-	1	-	-	40	90	2	13	-	-	4	6	-	-
85 and over	-	-	1	-	-	-	30	60	6	11	-	-	2	6	1	1

Causes of death	E923		E924		E925		E926		E927*		E929		E930, E931*		E933	
	Foreign body entering other orifice		Accidental mechanical suffocation in bed and cradle		Accidental mechanical suffocation in other and unspecified circumstances		Lack of care of infants under 1 year of age		Other accidents caused by animals		Accidental drowning and submersion		Excessive cold		Hunger, thirst and exposure	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	14	11	94	54	86	19	34	27	11	2	528	174	69	79	33	2
0-	2	1	86	48	7	4	34	27	1	-	4	4	4	1	-	-
1-	4	-	9	2	9	5	-	-	-	1	45	14	-	-	-	-
5-	-	-	-	-	1	2	-	-	1	1	76	15	-	-	-	-
10-	-	1	1	-	2	1	-	-	-	-	33	6	-	-	-	-
15-	-	-	-	1	9	1	-	-	-	-	51	6	-	-	-	-
20-	-	-	1	-	6	-	-	-	-	-	34	5	1	-	1	1
25-	1	-	-	-	9	1	-	-	-	-	20	3	-	-	-	-
30-	-	1	-	2	7	-	-	-	1	-	26	4	-	-	-	-
35-	1	1	-	-	10	-	-	-	-	-	25	5	5	-	1	1
40-	-	1	-	1	7	-	-	-	-	-	29	5	1	1	2	2
45-	-	-	-	-	5	-	-	-	1	-	22	11	4	-	3	3
50-	1	1	-	-	5	-	-	-	1	-	24	12	1	3	4	4
55-	1	-	-	-	3	1	-	-	1	-	36	12	5	5	2	2
60-	-	1	-	-	4	2	-	-	-	-	33	25	3	2	2	2
65-	1	1	-	-	1	1	-	-	-	-	26	18	7	5	6	6
70-	1	-	1	-	1	-	-	-	2	-	20	13	4	11	4	4
75-	-	3	-	-	-	-	-	-	1	-	9	8	10	16	3	3
80-	2	-	-	-	-	1	-	-	1	-	12	3	14	18	2	2
85 and over	-	-	-	-	-	-	-	-	1	-	3	5	10	17	3	3

\* E918 Accident caused by radiation - ; E920 Foreign body entering eye and adnexa - ; E927 Accidents caused by bites and stings of venomous animals and insects 35,35,40,40,70,25,35,35; E930 High and low air pressure 25,25; E931 Excessive heat and insolation 0,55,0.



TABLE 17 - continued

Causes of death	E934*		E936 Other and unspecified accidents		E940-E946*		E950-E959 Therapeutic misadventure and late complications of therapeutic procedures		E950 Therapeutic misadventure in surgical treatment		E951-E959*		E960 Late effect of motor vehicle accident		E961*	
	E935 Lightning				E940-E946 Complications due to non-therapeutic medical and surgical procedures						E960-E965 Late effects of injury and poisoning				E962 Late effect of other accidental injury	
	Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M
All ages	2	-	162	81	1	3	7	17	-	2	142	22	21	3	59	19
0-	-	-	9	15	-	-	-	1	-	-	-	-	-	-	-	-
1-	-	-	10	7	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	5	1	-	-	-	-	-	-	-	1	-	1	-	-
10-	-	-	15	2	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	-	20	2	1	1	-	-	-	-	1	1	1	1	-	-
20-	1	-	13	-	-	-	-	-	-	-	6	-	3	-	2	-
25-	-	-	11	1	-	-	-	-	-	-	3	-	1	-	2	-
30-	-	-	3	2	-	2	-	1	-	-	5	-	2	-	3	-
35-	-	-	4	1	-	-	-	1	-	-	9	1	5	-	1	1
40-	-	-	7	3	-	-	-	1	-	-	15	1	1	-	9	1
45-	1	-	5	1	-	-	-	3	-	1	8	1	-	-	5	1
50-	-	-	6	2	-	-	-	3	-	-	11	1	4	-	5	1
55-	-	-	12	1	-	-	3	1	-	-	13	2	2	-	10	2
60-	-	-	8	6	-	-	1	2	-	-	16	1	1	-	9	1
65-	-	-	8	2	-	-	1	-	-	-	22	1	-	-	1	1
70-	-	-	8	6	-	-	1	2	-	1	16	2	1	1	2	1
75-	-	-	3	8	-	-	1	2	-	-	10	4	-	-	6	4
80-	-	-	12	11	-	-	-	-	-	-	4	5	-	-	1	5
85 and over	-	-	3	10	-	-	-	-	-	-	3	1	-	-	3	1

Causes of death	E963, E964*		E970-E979 Suicide and self-inflicted injury		E970 Suicide and self-inflicted poisoning by analgesic and soporific substances		E971 Suicide and self-inflicted poisoning by other solid and liquid substances		E972 Suicide and self-inflicted poisoning by gases in domestic use		E973 Suicide and self-inflicted poisoning by other gases		E974 Suicide and self-inflicted injury by hanging and strangulation		E975 Suicide and self-inflicted injury by submersion (drowning)	
	E965 Late effects of injuries due to war operations															
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	59	-	3,307	2,407	704	976	86	87	1,367	1,001	115	10	444	106	195	151
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-	-	-	4	2	-	1	-	-	-	-	-	-	2	-	1	-
15-	-	-	61	32	4	8	6	1	33	19	1	-	6	1	1	2
20-	1	-	172	71	35	22	9	3	77	31	12	-	9	3	6	5
25-	-	-	180	96	30	32	6	4	87	49	11	-	22	3	8	1
30-	-	-	191	135	39	52	3	7	85	56	11	1	21	5	12	5
35-	1	-	221	153	59	67	6	6	91	51	11	1	19	6	5	10
40-	5	-	282	199	80	87	15	4	96	74	19	-	38	9	7	13
45-	3	-	284	220	77	101	7	4	101	86	12	1	42	11	15	12
50-	2	-	332	275	78	111	4	8	133	114	16	3	46	10	24	20
55-	1	-	410	304	86	135	5	6	169	122	9	1	62	16	26	9
60-	5	-	417	260	90	97	12	13	170	104	8	1	57	12	25	30
65-	21	-	261	248	56	98	2	3	92	112	2	-	42	11	29	16
70-	13	-	228	177	29	79	4	4	120	78	1	1	28	4	22	9
75-	4	-	153	150	29	61	4	3	62	61	1	1	29	10	6	10
80-	3	-	84	64	10	18	3	1	41	33	-	-	15	3	6	8
85 and over	-	-	27	21	2	7	-	-	10	11	1	-	6	2	2	1

\* E934 Cataclysm 45,70; E940 Generalized vaccinia following vaccination - ; E941 Postvaccinal encephalitis - ; E942 Other complications of smallpox vaccination - ; E943 Post-immunization jaundice and hepatitis - ; E944 Other complications of prophylactic inoculation 15; E945 Complications of anaesthesia for non-therapeutic purpose 15,30; E946 Other complications due to non-therapeutic medical and surgical procedures 30; E951 Therapeutic misadventure in infusion or transfusion 0,45,60; E952 Therapeutic misadventure in local applications 75,50,55; E953 Therapeutic misadventure in administration of drugs or biologicals 55,60,65,70,30,35,40,50,50,70,75; E954 Therapeutic misadventure in anaesthesia - ; E955 Other and unspecified therapeutic misadventure 55,45; E956 Late complication of surgical operation 60; E957 Late complication of amputation stump - ; E958 Late complication of irradiation 75; E959 Late complications of other forms of treatment 55; E961 Late effect of accidental poisoning 35,60; E963 Late effect of self-inflicted injury 35; E964 Late effect of injury purposely inflicted by another person (not in war) - .

TABLE 17 - continued

Causes of death	E976		E977		E978		E979		E980-E985		E980		E981		E982	
	Suicide and self-inflicted injury by firearms and explosives		Suicide and self-inflicted injury by cutting and piercing instruments		Suicide and self-inflicted injury by jumping from high place		Suicide and self-inflicted injury by other and unspecified means		Homicide and injury purposely inflicted by other persons (not in war)		Non-accidental poisoning by another person		Assault by firearm and explosive		Assault by cutting and piercing instruments	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	152	9	64	16	51	32	129	39	128	127	18	12	12	12	30	23
0-	-	-	-	-	-	-	-	-	14	14	1	-	-	-	-	-
1-	-	-	-	-	-	-	-	-	14	16	9	9	-	-	-	-
5-	-	-	-	-	-	-	-	-	6	3	2	2	-	-	1	-
10-	-	-	-	-	-	-	1	1	2	5	1	-	-	-	-	-
15-	5	-	-	-	2	-	3	1	11	10	1	-	2	4	5	-
20-	11	2	1	-	3	2	9	3	14	15	-	-	3	2	4	-
25-	5	2	-	-	2	-	9	5	12	8	-	-	-	-	7	-
30-	9	-	1	1	-	3	10	5	8	11	1	-	1	-	3	-
35-	12	2	3	-	4	3	11	7	12	8	-	-	4	3	3	-
40-	4	2	7	1	3	5	13	4	10	7	1	-	1	2	2	-
45-	11	-	3	1	2	3	14	1	5	6	-	-	-	-	1	-
50-	13	-	4	5	5	1	9	3	7	6	-	-	1	1	1	-
55-	22	1	10	7	8	4	13	3	4	7	-	-	-	-	1	-
60-	21	-	11	-	4	2	15	1	4	3	-	-	-	-	1	-
65-	16	-	8	1	4	3	10	4	2	2	-	-	-	-	1	-
70-	7	-	6	-	5	2	6	-	1	3	-	-	-	-	-	-
75-	11	-	5	-	2	4	4	-	-	2	-	-	-	-	-	-
80-	3	-	3	-	2	-	1	1	1	1	1	1	-	-	-	-
85 and over	2	-	2	-	1	-	1	-	1	-	1	-	-	-	-	-

Causes of death	E983  Assault by other means		E984*		E990-E999*		XVII		FRACTURES							
			E985  Execution		E990-E999  Injury resulting from operations of war		N800-N999  Alternative classification of accidents, poisonings and violence (nature of injury)		N800-N809  Fracture of skull, spine and trunk		N800  of vault of skull		N801  of base of skull		N802  of face bones	
			M	F	M	F	M	F	M	F	M	F	M	F	M	F
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	66	80	2	-	-	-	14,074	10,549	3,920	1,562	54	21	463	154	23	1
0-	13	12	-	-	-	-	343	262	18	20	-	-	1	3	-	-
1-	5	7	-	-	-	-	375	252	108	75	3	3	11	12	-	-
5-	3	-	-	-	-	-	337	138	119	49	3	1	20	5	-	-
10-	1	4	-	-	-	-	275	86	129	35	2	-	16	9	-	-
15-	3	5	-	-	-	-	1,046	197	462	81	10	3	69	12	2	-
20-	5	7	2	-	-	-	1,031	199	403	37	3	2	63	3	6	-
25-	5	4	-	-	-	-	750	202	249	33	5	-	41	3	1	-
30-	3	9	-	-	-	-	661	241	175	36	3	-	32	7	1	-
35-	5	4	-	-	-	-	705	281	209	32	2	1	22	5	1	-
40-	6	3	-	-	-	-	816	360	213	41	2	1	26	2	1	-
45-	4	5	-	-	-	-	783	407	223	57	2	-	28	11	-	-
50-	5	4	-	-	-	-	926	520	241	57	4	-	21	9	2	-
55-	3	6	-	-	-	-	1,123	619	271	88	2	1	23	8	2	-
60-	3	3	-	-	-	-	1,113	694	242	119	4	2	25	7	2	-
65-	1	2	-	-	-	-	780	793	195	153	3	1	19	16	1	-
70-	1	3	-	-	-	-	843	984	196	172	3	1	21	9	1	-
75-	-	2	-	-	-	-	822	1,308	212	189	1	2	9	16	3	-
80-	-	-	-	-	-	-	749	1,476	156	158	2	2	12	8	-	-
85 and over	-	-	-	-	-	-	596	1,530	99	130	-	1	4	9	-	-

\* E984 Injury by intervention of police - ; E990 Injury due to war operations by gas and chemicals - ; E991 Injury due to war operations by gunshot - ; E992 Injury due to war operations by grenade and land mine - ; E993 Injury due to war operations by bomb - ; E994 Injury due to war operations by marine mine, depth charge, and torpedo - ; E995 Injury due to war operations by explosion of artillery shell - ; E996 Injury due to war operations by explosion of undetermined origin - ; E997 Injury due to war operations by aircraft destruction - ; E998 Injury due to war operations by other and unspecified means - ; E999 Injury due to war operations but occurring after cessation of hostilities -.

TABLE 17 - continued

Causes of death	FRACTURES															
	N803 Other and unqualified skull fractures		N804 Multiple fractures involving skull or face with other bones		N805 Fracture and fracture dislocation of vertebral column, without mention of spinal cord lesion		N806 Fracture and fracture dislocation of vertebral column with spinal cord lesion		N807 of rib(s), sternum, and larynx		N808 of pelvis		N809 Multiple and ill-defined fractures of trunk		N810-N819 Fracture of upper limb	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	1,636	551	782	276	278	115	88	35	223	87	115	128	258	184	60	132
0-	17	14	-	1	-	-	-	-	-	1	-	-	-	-	-	-
1-	68	41	15	13	6	2	-	-	-	-	-	-	-	-	-	-
5-	61	25	27	8	4	4	3	3	-	-	1	-	4	3	-	-
10-	83	15	11	9	8	-	2	1	2	-	3	-	2	1	1	1
15-	229	45	108	11	19	6	2	-	3	1	5	-	15	2	1	-
20-	192	18	87	8	24	1	7	-	2	1	6	1	13	3	2	-
25-	99	14	58	8	12	4	5	-	9	1	7	2	12	1	1	-
30-	74	14	33	10	8	1	5	-	5	1	3	-	11	2	-	-
35-	89	12	46	10	12	1	9	-	13	1	3	-	12	2	-	-
40-	94	18	38	7	19	5	5	1	6	-	4	1	18	6	2	2
45-	93	24	44	10	13	6	8	2	16	1	9	1	10	2	1	-
50-	98	21	44	12	24	4	9	3	12	2	4	3	23	3	-	-
55-	113	37	54	19	22	4	7	3	13	3	9	5	26	7	3	-
60-	90	37	58	22	15	10	8	5	15	8	6	8	19	20	5	4
65-	56	46	40	30	22	10	4	7	24	11	6	8	20	24	4	4
70-	51	52	40	32	20	16	5	6	24	10	12	18	19	28	6	16
75-	67	57	33	29	20	16	6	3	32	12	18	27	23	27	7	32
80-	38	27	31	24	17	17	3	1	24	15	8	30	21	32	15	33
85 and over	24	34	15	13	13	8	-	-	23	19	10	24	10	18	12	40

Causes of death	FRACTURES															
	N810 of clavicle		N812 of humerus		N813 of radius and ulna		N814 of carpal bone(s)		N818 Other, multiple, and ill-defined fractures of upper limb		N819 Multiple fractures involving both upper limbs, and upper limb with rib(s) and sternum		N820-N829 Fracture of lower limb		N820 of neck of femur	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	2	2	29	72	4	16	3	19	1	8	21	14	1,104	2,770	475	1,479
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-
5-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-
10-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
15-	-	-	-	-	-	-	-	-	-	-	1	-	10	2	-	-
20-	-	-	1	-	-	-	-	-	-	-	1	-	18	3	-	-
25-	-	-	-	-	-	-	-	-	-	-	1	-	7	3	-	-
30-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
35-	-	-	-	-	-	-	-	-	-	-	-	-	7	-	-	-
40-	-	-	-	-	-	-	1	1	-	-	1	1	9	3	3	-
45-	-	-	-	-	-	-	-	-	-	-	1	-	10	3	3	-
50-	-	-	-	-	-	-	-	-	-	-	-	-	23	16	3	4
55-	-	-	1	-	-	-	-	-	-	-	2	-	36	25	9	9
60-	-	-	-	2	-	-	-	1	-	-	5	-	68	56	19	19
65-	1	-	2	2	-	1	-	-	-	1	1	-	57	110	24	42
70-	1	-	2	7	-	1	-	3	1	1	2	4	116	254	48	130
75-	-	-	1	14	3	9	-	2	-	2	3	5	191	487	95	254
80-	-	1	11	18	-	4	2	4	-	3	2	3	256	791	117	454
85 and over	-	1	11	28	-	1	-	8	-	1	1	1	293	1,015	154	567



TABLE 17 - continued

Causes of death	FRACTURES															
	N821 of other and unspecified parts of femur		N822 of patella		N823 of tibia and fibula		N824 of ankle		N825 of one or more tarsal and metatarsal bones		N826 of one or more phalanges of foot		N827 Other, multiple, and ill-defined fractures of lower limb		N828 Multiple fractures involving both lower limbs, lower with upper limb, and lower limb(s) with rib(s) and sternum	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	426	1,056	8	9	45	76	10	23	4	1	1	-	32	19	84	98
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
5-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	1	-	-	-	1	-	-	-	-	-	-	-	1	-	7	-
20-	3	-	-	-	2	-	-	-	-	-	-	-	3	1	5	2
25-	-	-	-	-	1	1	-	-	-	-	-	-	3	-	2	2
30-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
35-	1	-	-	-	1	-	-	-	-	-	-	-	1	-	4	-
40-	2	-	-	-	-	2	-	-	1	-	-	-	-	-	1	1
45-	-	-	-	-	1	2	1	1	1	-	1	-	-	-	1	-
50-	7	2	1	-	4	3	1	3	-	-	-	-	1	-	6	3
55-	7	5	2	1	4	6	-	1	-	-	-	-	3	1	8	1
60-	26	22	-	1	6	7	-	3	1	-	-	-	3	-	13	4
65-	17	45	1	1	2	10	4	2	-	-	-	-	4	-	4	10
70-	50	99	1	2	6	9	-	3	1	-	-	-	3	2	7	7
75-	79	196	-	2	8	13	-	1	-	-	-	-	5	3	4	18
80-	111	286	2	2	6	11	2	5	-	1	-	-	3	6	11	25
85 and over	121	400	1	-	3	12	2	4	-	-	-	-	1	6	11	24

Causes of death	FRACTURES		N830-N839		N840-N848		N850-N856		N850, N851		N852		N853		N854 Subarachnoid, subdural, and extradural haemorrhage following injury (without mention of cerebral laceration or contusion)	
	N829 of unspecified bones		Dislocation without fracture		Sprains and strains of joints and adjacent muscles		Head injury (excluding skull fracture)		Open wound, contusion and haematoma of scalp		Concussion		Cerebral laceration and contusion			
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	19	9	38	22	12	4	1,003	534	16	37	44	28	338	158	160	147
0-	-	-	-	-	-	-	11	13	-	-	-	-	1	2	6	5
1-	1	-	2	1	-	-	39	26	-	-	3	1	10	7	7	6
5-	-	-	1	-	-	-	35	16	-	-	1	-	10	7	2	1
10-	-	-	1	-	-	-	26	11	1	-	2	-	9	5	5	-
15-	-	2	4	-	-	-	125	17	-	-	2	1	53	7	14	2
20-	5	-	3	1	-	-	97	13	1	-	4	-	36	7	4	1
25-	1	-	-	-	-	-	43	7	1	-	3	-	15	4	1	-
30-	-	-	1	1	1	-	45	7	-	-	2	-	16	2	6	2
35-	-	-	3	-	-	-	34	10	-	-	3	1	14	3	1	1
40-	2	-	2	2	-	-	43	11	1	-	2	1	18	4	3	3
45-	2	-	2	1	-	-	48	15	2	-	-	-	18	6	4	3
50-	-	1	4	-	1	-	66	24	2	-	2	-	19	7	9	5
55-	3	1	3	-	1	1	76	28	-	3	3	-	22	14	15	5
60-	-	-	4	1	1	-	65	33	-	3	1	3	28	7	16	9
65-	1	-	-	4	2	-	57	38	1	3	2	1	19	5	14	13
70-	-	2	3	4	1	1	59	52	4	6	1	3	18	13	12	19
75-	-	-	-	4	-	-	56	78	2	6	5	6	12	21	16	26
80-	4	1	3	-	2	2	46	69	-	8	1	4	17	19	15	22
85 and over	-	2	2	3	3	-	32	66	1	11	8	7	3	18	10	24

TABLE 17 - continued

Causes of death	N855 Other and unspecified intracranial haemorrhage following injury (without mention of cerebral laceration or contusion)		N856 Head injury of other and unspecified nature		N860-N869 Internal injury of chest, abdomen, and pelvis		N860 Traumatic pneumothorax and haemothorax		N861 Injury to heart and lung		N862 Injury to other and unspecified intrathoracic organs		N863 Injury to gastro-intestinal tract		N864 Injury to liver	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	97	52	348	112	1,381	336	82	21	245	57	435	98	29	11	118	24
0-	4	4	-	2	3	3	-	-	-	-	-	1	-	-	3	-
1-	3	3	16	9	36	19	1	-	3	5	4	1	2	3	11	1
5-	6	3	16	5	51	14	1	1	6	-	7	2	1	-	11	3
10-	1	1	8	5	29	10	1	-	6	2	4	-	2	-	3	3
15-	11	2	45	5	174	19	7	1	38	1	47	4	2	-	20	-
20-	9	1	43	4	146	22	7	2	26	4	41	4	4	-	16	1
25-	4	1	19	2	124	22	2	-	19	3	54	10	2	1	7	1
30-	5	-	16	3	105	12	1	-	13	2	47	4	1	2	8	1
35-	3	2	13	3	83	11	7	-	15	7	31	2	3	-	8	-
40-	3	1	16	2	94	11	4	-	13	1	33	5	4	-	8	1
45-	6	1	18	5	77	21	4	2	14	3	24	7	-	-	7	2
50-	8	1	26	11	89	25	7	1	16	5	34	7	-	-	4	2
55-	6	1	30	8	119	24	12	1	19	4	34	7	4	2	6	3
60-	4	4	16	7	100	29	8	2	20	1	36	13	1	-	2	1
65-	2	6	19	10	47	32	5	1	10	6	13	14	1	2	1	2
70-	6	4	18	7	44	21	5	5	15	4	11	3	1	1	2	1
75-	8	9	13	10	37	19	5	1	6	5	12	8	-	-	1	1
80-	5	6	9	10	16	16	3	3	6	2	2	5	-	-	-	1
85 and over	3	2	7	4	7	6	2	1	-	2	1	1	1	-	-	-

Causes of death	N865 Injury to spleen		N866 Injury to kidney		N867 Injury to pelvic organs		N868 Injury to other and unspecified intra-abdominal organs		N869 Internal injury, unspecified or involving intrathoracic with intra-abdominal organs		N870-N879 Laceration and open wound of face, neck, and trunk		N874 Open wound of neck		N875 Open wound of chest	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	35	16	13	7	18	5	125	32	281	65	152	43	85	20	34	13
0-	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	1
1-	3	-	-	1	1	-	5	3	6	5	-	1	-	-	-	-
5-	2	1	-	-	-	-	11	4	12	3	4	-	1	-	1	-
10-	3	1	-	-	1	-	3	1	6	3	2	-	1	-	1	-
15-	4	2	1	-	2	-	13	5	40	6	14	3	5	1	2	2
20-	5	1	-	-	1	1	14	2	32	7	11	7	4	3	4	3
25-	2	-	-	1	1	-	9	2	28	4	7	2	2	-	3	2
30-	2	-	-	-	-	-	5	-	28	3	7	2	6	2	1	-
35-	-	-	-	-	-	-	9	1	10	1	13	3	4	-	7	2
40-	-	-	2	-	-	-	10	-	20	4	11	6	9	3	1	2
45-	1	-	2	2	2	1	2	2	21	2	10	1	6	-	-	-
50-	3	2	-	-	1	-	9	-	15	8	8	5	4	4	2	-
55-	4	1	-	-	-	1	12	3	28	2	14	7	11	6	1	-
60-	1	2	1	2	3	-	10	3	18	5	22	2	12	-	4	1
65-	2	2	3	-	-	-	5	2	7	3	8	1	4	1	3	-
70-	-	1	2	1	2	-	4	1	2	4	9	-	6	-	2	-
75-	2	2	1	-	1	-	3	-	6	2	5	-	4	-	1	-
80-	-	-	1	-	3	2	-	2	1	1	4	-	3	-	1	-
85 and over	1	-	-	-	-	-	1	1	1	1	3	2	3	-	-	-

TABLE 17 - continued

Causes of death	Rem. of N870-N879		N880-N888		N890-N898		N900-N908		N910-N918		N920-N929		N930-N936		N933	
	Open wound of other sites of face, neck and trunk		Laceration and open wound of upper limb		Laceration and open wound of lower limb		Laceration and open wounds of multiple location		Superficial injury		Contusion and crushing with intact skin surface		Effects of foreign body entering through orifice		Foreign body in pharynx and larynx	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	33	10	19	1	23	11	124	54	7	5	38	36	294	242	277	223
0-	-	-	-	-	-	-	-	-	1	-	-	-	138	114	136	112
1-	-	1	-	-	-	-	-	-	-	-	1	-	24	19	22	15
5-	2	-	-	-	-	3	4	1	-	-	-	-	6	1	6	1
10-	-	-	-	-	-	-	2	2	-	-	-	-	2	3	2	2
15-	7	-	-	-	-	-	16	2	-	-	1	-	5	-	5	-
20-	3	1	5	-	3	-	17	1	-	-	1	1	9	6	9	6
25-	2	-	-	-	2	1	11	2	-	-	1	-	11	1	10	1
30-	-	-	-	-	1	-	4	4	-	-	1	-	11	5	11	4
35-	2	1	1	-	-	1	10	5	-	-	2	-	2	7	1	6
40-	1	1	2	-	1	-	7	4	-	-	-	-	11	9	11	7
45-	4	1	1	-	2	-	6	3	-	1	1	-	9	7	9	7
50-	2	1	-	-	1	2	7	6	1	-	4	-	7	12	6	11
55-	2	1	4	1	5	-	6	5	-	-	3	1	13	8	11	7
60-	6	1	1	-	1	1	14	5	-	-	2	3	12	14	12	13
65-	1	-	2	-	3	-	10	2	-	-	3	2	11	7	8	6
70-	1	-	1	-	3	1	4	5	1	1	4	5	10	7	8	7
75-	-	-	1	-	1	2	5	3	-	-	3	7	4	10	3	7
80-	-	-	-	-	-	-	1	3	1	2	4	8	6	6	4	6
85 and over	-	2	1	-	-	-	-	1	3	1	7	9	3	6	3	5

Causes of death	N934		N935		N936		BURNS									
	Foreign body in bronchus and lung		Foreign body in digestive tract		Foreign body in genito-urinary tract		N940-N949		N941		N942		N943		N945	
							Burns		confined to face, head, and neck		confined to trunk		confined to upper limb(s), except wrist and hand		confined to lower limb(s)	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	7	6	10	10	-	3	285	522	9	16	9	25	6	7	27	30
0-	1	1	1	1	-	-	11	6	1	-	-	1	-	-	1	-
1-	2	4	-	-	-	-	26	47	-	-	2	2	-	-	2	2
5-	-	-	-	-	-	-	10	25	-	-	-	1	-	-	-	-
10-	-	-	-	1	-	-	5	3	-	-	1	-	-	-	-	-
15-	-	-	-	-	-	-	8	6	-	-	-	-	-	-	-	-
20-	-	-	-	-	-	-	9	3	-	-	1	-	-	-	-	-
25-	-	-	1	-	-	-	7	4	-	-	-	-	-	-	-	-
30-	-	-	-	-	-	1	6	7	-	-	-	-	-	-	-	-
35-	1	-	-	-	-	1	12	3	1	-	-	-	-	-	-	-
40-	-	1	-	-	-	1	10	13	1	-	-	-	1	-	-	-
45-	-	-	-	-	-	-	10	10	1	1	-	-	-	-	1	1
50-	-	-	1	1	-	-	16	15	-	-	-	-	-	-	-	1
55-	-	-	2	1	-	-	12	15	-	-	-	-	-	-	1	-
60-	-	-	-	1	-	-	17	25	1	1	1	1	1	-	3	1
65-	1	-	2	1	-	-	11	41	-	-	-	4	1	-	2	2
70-	1	-	1	-	-	-	26	61	-	3	-	3	1	2	5	4
75-	1	-	-	3	-	-	28	78	1	6	2	4	-	1	7	5
80-	-	-	2	-	-	-	34	96	2	3	2	4	-	2	2	11
85 and over	-	-	-	1	-	-	27	64	1	2	-	5	2	2	3	3



TABLE 17 - continued

Causes of death	BURNS										EFFECTS OF POISONING					
	N946		N947		N948		N949		N950-N959		N960-N979		N960		N961	
	involving face, head, and neck, with limb(s)		involving trunk with limb(s)		involving face, head, and neck, with trunk and limb(s)		involving other and unspecified parts		Injury to nerves and spinal cord, without bone injury		Effects of poisons		by noxious foodstuffs		by alcohol	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	17	21	52	119	88	154	77	150	48	17	3,341	3,313	-	-	20	6
0-	1	2	2	1	3	1	3	1	-	-	11	5	-	-	-	-
1-	1	3	1	12	9	14	11	14	-	-	57	31	-	-	-	-
5-	-	1	1	-	2	9	3	7	-	-	7	6	-	-	-	-
10-	-	-	-	-	6	2	2	1	-	-	6	6	-	-	-	-
15-	-	-	-	2	7	3	1	1	3	1	72	39	-	-	-	-
20-	-	-	1	1	4	1	3	1	3	-	167	79	-	-	-	-
25-	1	-	-	-	3	2	3	2	2	-	164	112	-	-	-	-
30-	-	-	1	3	3	1	2	3	3	-	182	136	-	-	2	1
35-	-	-	1	-	6	-	4	3	1	-	210	172	-	-	-	1
40-	1	-	1	3	3	6	3	4	5	-	272	217	-	-	4	1
45-	1	-	2	1	2	4	3	3	2	1	250	234	-	-	3	-
50-	1	-	1	4	10	7	4	3	6	-	306	297	-	-	3	1
55-	2	1	4	4	-	6	5	4	6	1	368	348	-	-	3	-
60-	-	1	5	5	1	11	5	5	6	1	382	305	-	-	4	-
65-	-	1	2	11	-	10	6	13	4	4	231	325	-	-	-	1
70-	-	2	7	13	9	14	4	20	1	6	249	309	-	-	-	-
75-	1	4	6	16	5	24	6	18	3	-	193	317	-	-	1	1
80-	5	2	7	21	10	24	6	29	2	3	139	234	-	-	-	-
85 and over	3	4	10	15	5	15	3	18	1	-	75	141	-	-	-	-

Causes of death	EFFECTS OF POISONING															
	N962		N963		N964		N965		N966		N967		N968		N969	
	by petroleum products		by industrial solvents		by corrosive aromatics, acids, and caustic alkalis		by mercury and its compounds		by lead and its compounds		by arsenic and antimony and their compounds		by carbon monoxide		by other gases and vapours	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	2	-	5	-	31	25	1	1	2	2	3	-	2,150	1,883	69	36
0-	-	-	-	-	-	-	-	1	-	-	-	-	11	1	-	3
1-	-	-	1	-	-	-	-	-	1	2	-	-	24	20	11	5
5-	-	-	-	-	-	-	-	-	-	-	-	-	5	6	2	-
10-	-	-	-	-	-	1	-	-	-	-	-	-	3	3	1	-
15-	-	-	1	-	1	-	-	-	-	-	1	-	56	22	2	-
20-	-	-	-	-	1	2	-	-	-	-	-	-	113	43	2	1
25-	-	-	-	-	1	1	-	-	-	-	1	-	113	61	4	2
30-	-	-	-	-	-	2	-	-	-	-	-	-	122	66	-	1
35-	1	-	-	-	1	1	-	-	-	-	1	-	115	64	4	2
40-	-	-	2	-	3	-	-	-	-	-	-	-	144	90	2	-
45-	-	-	-	-	1	2	-	-	-	-	-	-	142	104	4	-
50-	-	-	-	-	4	2	-	-	-	-	-	-	178	137	5	-
55-	-	-	-	-	3	2	-	-	-	-	-	-	229	166	3	2
60-	-	-	-	-	7	6	1	-	1	-	-	-	238	155	5	2
65-	-	-	-	-	1	1	-	-	-	-	-	-	142	191	7	1
70-	-	-	1	-	3	1	-	-	-	-	-	-	188	192	5	10
75-	-	-	-	-	2	2	-	-	-	-	-	-	145	228	4	4
80-	-	-	-	-	1	2	-	-	-	-	-	-	119	206	4	1
85 and over	1	-	-	-	2	-	-	-	-	-	-	-	63	128	4	2

TABLE 17 - continued

Causes of death	EFFECTS OF POISONING															
	N970 by morphine and other opium derivatives		N971 by barbituric acid and derivatives		N972 by aspirin and salicylates		N973 by bromides		N974 by other analgesic and soporific drugs		N976 by strychnine		N977 by belladonna, hyoscine and atropine		N978 by venom	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	5	10	798	1,066	133	177	-	-	43	42	5	1	-	-	5	-
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-	-	-	1	-	5	1	-	-	1	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-	-	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-
15-	-	-	4	9	2	6	-	-	-	1	-	-	-	-	-	-
20-	-	-	31	21	7	7	-	-	6	-	-	-	-	-	-	-
25-	-	1	34	35	1	5	-	-	6	2	-	-	-	-	-	-
30-	-	-	44	48	9	10	-	-	3	3	-	-	-	-	-	-
35-	-	-	70	81	6	11	-	-	4	3	-	-	-	-	-	2
40-	-	2	81	96	18	12	-	-	5	7	2	-	-	-	-	2
45-	1	-	78	108	14	13	-	-	3	3	1	1	-	-	-	-
50-	-	1	99	126	12	22	-	-	3	3	-	-	-	-	-	-
55-	-	4	106	134	16	30	-	-	5	5	1	-	-	-	-	-
60-	1	1	98	118	21	13	-	-	1	4	1	-	-	-	-	-
65-	2	-	64	105	10	19	-	-	2	3	-	-	-	-	-	-
70-	1	-	42	84	3	15	-	-	3	4	-	-	-	-	1	-
75-	-	-	30	70	6	7	-	-	1	4	-	-	-	-	-	-
80-	-	-	10	23	2	2	-	-	-	-	-	-	-	-	-	-
85 and over	-	1	4	8	1	2	-	-	-	-	-	-	-	-	-	-

Causes of death	POISONING		N980-N989		N980		N981		N983		N984		N985		N987	
	N979															
	by other and unspecified substances	Effects of weather, exposure, and related conditions	Effects of reduced temperature	Effects of heat and insolation	Caisson disease	Effects of lightning	Effects of hunger	Effects of exposure, not elsewhere classified								
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	69	61	110	111	70	80	2	1	2	-	2	-	3	-	31	3
0-	-	-	5	4	4	1	1	1	-	-	-	-	-	-	-	-
1-	13	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20-	7	5	3	-	1	-	-	-	-	-	1	-	-	-	1	-
25-	4	4	2	-	-	-	-	-	2	-	-	-	-	-	-	-
30-	2	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35-	6	7	6	-	5	-	-	-	-	-	-	-	1	-	-	-
40-	9	9	3	2	1	1	-	-	-	-	-	-	-	-	2	-
45-	3	3	8	-	4	-	-	-	-	-	1	-	1	-	2	-
50-	2	5	5	5	1	3	-	-	-	-	-	-	-	-	4	-
55-	2	5	9	9	6	5	1	-	-	-	-	-	-	-	2	-
60-	4	6	5	2	3	2	-	-	-	-	-	-	1	-	1	-
65-	3	4	13	11	7	5	-	-	-	-	-	-	-	-	6	-
70-	2	3	8	14	4	11	-	-	-	-	-	-	-	-	4	-
75-	4	1	13	20	10	16	-	-	-	-	-	-	-	-	3	-
80-	3	-	16	23	14	18	-	-	-	-	-	-	-	-	2	-
85 and over	-	-	14	21	10	18	-	-	-	-	-	-	-	-	4	-

TABLE 17 - continued

Causes of death	N988		N990-N999		N990		N991		N992		N993		N994		N995	
	Effects of excessive exertion		Other and unspecified injuries and reactions		Drowning		Asphyxia and strangulation		Electrocution		Injury due to radiation, except sunburn		Other general effects of external causes		Certain early complications of trauma	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	-	-	2,115	834	864	335	681	229	127	34	-	1	35	26	1	-
0-	-	-	145	96	4	7	105	61	1	-	-	-	34	26	-	-
1-	-	-	81	32	48	15	20	13	7	2	-	-	-	-	-	-
5-	-	-	100	21	82	15	6	2	5	-	-	-	-	-	-	-
10-	-	-	72	16	47	7	20	4	2	2	-	-	-	-	-	-
15-	-	-	151	27	77	10	29	6	17	3	-	-	-	-	-	-
20-	-	-	134	26	59	11	20	10	16	1	-	-	-	-	-	-
25-	-	-	119	15	43	4	33	7	11	1	-	-	-	-	-	-
30-	-	-	117	31	50	10	29	13	8	1	-	-	-	-	-	-
35-	-	-	112	37	40	15	28	9	16	1	-	-	-	-	-	-
40-	-	-	131	39	47	18	43	12	11	3	-	-	-	-	-	-
45-	-	-	123	53	43	24	47	14	7	3	-	-	1	-	-	-
50-	-	-	141	56	55	32	52	11	6	5	-	1	-	-	-	-
55-	-	-	174	58	68	21	66	18	8	1	-	-	-	-	-	-
60-	-	-	166	94	63	55	59	16	4	3	-	-	-	-	-	-
65-	-	-	122	59	58	34	44	11	3	3	-	-	-	-	1	-
70-	-	-	102	55	42	22	30	5	2	2	-	-	-	-	-	-
75-	-	-	63	62	15	18	28	11	2	2	-	-	-	-	-	-
80-	-	-	48	32	18	11	16	4	-	1	-	-	-	-	-	-
85 and over	-	-	14	25	5	6	6	2	1	-	-	-	-	-	-	-

Causes of death	N996		N997		N998		N999	
	Injury of other and unspecified nature		Reactions and complications due to non-therapeutic medical and surgical procedures		Adverse reaction to injections, infusions, and transfusions for therapeutic purposes		Adverse reaction to other therapeutic procedures	
Ages at death	M	F	M	F	M	F	M	F
All ages	399	190	1	3	-	3	7	13
0-	1	1	-	-	-	1	-	-
1-	6	2	-	-	-	-	-	-
5-	7	4	-	-	-	-	-	-
10-	3	3	-	-	-	-	-	-
15-	27	7	1	1	-	-	-	-
20-	39	4	-	-	-	-	-	-
25-	32	3	-	-	-	-	-	-
30-	30	4	-	2	-	-	-	1
35-	28	11	-	-	-	-	-	1
40-	30	5	-	-	-	-	-	1
45-	25	9	-	-	-	1	-	2
50-	28	5	-	-	-	-	-	2
55-	29	17	-	-	-	-	3	1
60-	39	18	-	-	-	1	1	1
65-	15	11	-	-	-	-	1	-
70-	27	24	-	-	-	-	1	2
75-	17	29	-	-	-	-	1	2
80-	14	16	-	-	-	-	-	-
85 and over	2	17	-	-	-	-	-	-



TABLE 17A. Death rates per million living, by sex and age, from principal causes, 1963

England and Wales

Causes of death	All Causes		I 001-138  Infective and parasitic diseases		TUBERCULOSIS						020-029  Syphilis and its sequelae		022  Aneurysm of aorta		080-096  Diseases attributable to viruses	
					001-019  All forms		001-008  Respiratory system		002  Pulmonary tuberculosis							
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	12,806	11,592	146	70	96	32	89	24	81	24	21	14	12	9	15	1
0-	24,364	18,853	258	197	7	2	2	-	2	-	-	-	-	-	101	6
1-	983	825	76	51	6	8	1	1	1	1	-	-	-	-	37	2
5-	442	276	14	14	1	2	0	0	0	0	1	0	0	-	8	-
15-	988	390	13	11	5	4	2	1	2	1	0	-	0	-	6	-
25-	1,097	740	20	27	12	18	10	14	10	14	1	1	0	0	5	-
35-	2,459	1,787	76	49	58	36	49	31	48	31	5	1	2	0	8	-
45-	7,498	4,504	151	69	108	45	99	36	93	35	14	4	7	2	17	1
55-	22,389	10,866	326	92	255	49	239	40	216	39	43	17	27	9	14	1
65-	56,044	30,686	617	159	432	66	412	49	373	47	137	56	78	26	22	2
75-	129,399	88,696	731	277	469	109	443	84	411	82	168	103	93	84	53	4
85 and over	272,778	220,166	700	370	392	105	382	44	371	44	106	139	85	113	117	9

Causes of death	NEOPLASMS															
	II 140-239  Neoplasms		140-205  Malignant neoplasms including neoplasms of lymphatic and haemato-poietic tissues		140-148  Malignant neoplasm of buccal cavity and pharynx		141  Tongue		150-159  Malignant neoplasm of digestive organs and peritoneum		150  Oesophagus		151  Stomach		153  Large intestine except rectum	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	2,446	1,982	2,417	1,952	43	25	12	5	835	762	60	44	339	245	156	22
0-	122	99	89	64	2	2	-	-	9	2	-	-	-	-	-	-
1-	121	90	117	82	1	-	-	-	6	2	-	-	-	-	-	-
5-	81	61	76	57	1	0	-	-	-	2	-	-	-	-	-	-
15-	111	67	102	63	1	1	0	-	7	4	-	-	1	1	2	-
25-	188	196	179	185	1	3	0	0	35	27	2	2	11	9	7	-
35-	518	713	501	690	8	8	2	1	156	116	7	7	65	31	34	3
45-	2,048	1,948	2,013	1,908	22	20	6	2	608	416	40	26	260	118	97	12
55-	6,083	3,610	6,022	3,554	80	48	18	8	1,855	1,115	129	66	827	332	293	33
65-	12,377	6,089	12,284	6,019	199	69	53	14	4,385	2,592	313	148	1,824	829	803	76
75-	18,213	10,240	18,070	10,148	493	143	150	39	7,666	5,405	586	319	2,805	1,858	1,672	1,56
85 and over	20,382	13,920	20,180	13,754	923	226	318	70	9,120	7,726	933	379	2,672	2,635	2,333	2,52

Causes of death	NEOPLASMS															
	153.3		153.8		153.0-2;7;9		154		155		155.0		155.1;8		156	
	Sigmoid colon		Large intestine (including colon), part unspecified		Others included under 153		Rectum		Biliary passages and of liver (stated to be primary site)		Liver		Others included under 155		Liver (secondary and unspecified)	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	53	68	22	32	82	123	129	105	28	37	11	7	17	30	13	1
0-	-	-	-	-	-	-	-	-	5	2	5	2	-	-	2	-
1-	-	-	-	-	-	-	-	-	1	2	1	2	1	-	-	-
5-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
15-	1	0	1	-	1	1	1	1	1	-	1	-	-	-	0	-
25-	1	2	1	1	5	4	5	3	3	2	2	1	1	0	1	-
35-	10	14	5	6	20	15	19	18	8	4	6	2	2	3	2	-
45-	31	44	15	18	51	61	83	69	23	16	10	4	13	12	8	-
55-	105	116	39	41	150	176	245	146	65	56	30	10	36	47	30	-
65-	279	243	105	98	419	385	671	350	141	146	46	26	95	121	73	3
75-	550	411	248	247	873	906	1,371	728	219	241	66	35	153	206	124	8
85 and over	774	562	329	340	1,230	1,620	1,909	1,093	244	274	53	61	191	213	95	8

TABLE 17A - continued

Causes of death	NEOPLASMS															
	157		160-165		161		162		162.1		163		170-181		170	
	Pancreas		Malignant neoplasm of respiratory system		Larynx		Bronchus and trachea, and of lung specified as primary		Bronchus and lung		Lung, unspecified as to whether primary or secondary		Malignant neoplasm of breast and genito-urinary organs		Breast	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	98	82	944	163	28	6	641	104	640	103	268	48	320	760	3	390
0-	-	-	-	-	-	-	-	-	-	-	-	-	16	5	-	-
1-	1	-	2	-	-	-	1	-	1	-	-	-	13	11	-	-
5-	-	-	1	1	1	-	-	-	-	0	1	0	3	4	-	-
15-	1	-	3	1	0	-	1	-	1	-	0	0	14	8	-	1
25-	4	2	23	7	-	-	15	4	15	4	7	2	20	70	-	40
35-	16	13	153	50	4	2	108	28	107	28	38	18	33	389	1	208
45-	84	45	928	194	17	6	647	130	645	129	256	54	142	1,057	4	590
55-	237	134	3,003	377	65	10	2,085	244	2,079	243	833	109	470	1,582	6	813
65-	500	302	5,159	569	173	21	3,498	371	3,493	369	1,453	164	1,612	2,123	12	1,020
75-	826	536	4,448	610	221	30	2,762	373	2,757	370	1,422	181	4,210	3,030	29	1,505
	901	675	2,248	579	170	30	1,326	309	1,326	309	668	218	6,299	4,051	42	2,269

Causes of death	NEOPLASMS															
	171		172		174		175		175.0		176		176.0		177	
	Cervix uteri		Corpus uteri		Uterus unspecified		Ovary, Fallopian tube and broad ligament		Ovary		Other and unspecified female genital organs		Vulva		Prostate	
Ages at death		F		F		F		F		F		F		F	M	
All ages		102		49		12		126		125		21		15	166	
0-		-		-		-		-		-		-		-	-	
1-		-		-		-		2		2		1		-	-	
5-		-		-		-		1		1		-		-	0	
15-		0		-		-		5		4		-		-	0	
25-		11		2		0		13		13		1		1	0	
35-		99		8		6		52		52		4		2	1	
45-		177		39		14		195		193		10		6	19	
55-		193		120		23		310		307		26		16	146	
65-		255		167		39		371		370		72		53	863	
75-		311		236		51		367		365		155		122	2,849	
85 and over		396		235		57		348		348		209		135	4,547	

Causes of death	NEOPLASMS															
	180		181		181.0;8		190-199		193		193.0		194		196	
	Kidney		Bladder and other urinary organs		Bladder		Malignant neoplasm of other and unspecified sites		Brain and other parts of nervous system		Brain		Thyroid gland		Bone	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	36	22	99	38	99	37	136	135	49	35	43	31	4	12	12	10
0-	16	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-
0-	16	2	-	2	-	2	37	25	21	12	7	-	-	-	-	-
1-	10	9	1	-	1	-	40	27	32	17	19	9	-	-	1	1
5-	3	3	0	-	0	-	24	20	17	14	11	10	-	-	3	3
15-	-	1	0	-	-	-	24	18	8	9	6	8	-	0	10	3
25-	1	1	1	0	1	0	33	42	16	21	14	19	-	0	2	4
35-	12	7	4	3	4	3	77	71	40	36	38	33	2	2	7	2
45-	48	14	54	16	52	16	168	132	88	54	82	49	6	12	13	6
55-	91	39	207	55	205	54	338	248	143	77	131	69	11	23	24	13
65-	161	76	537	120	534	117	448	380	94	64	87	60	19	45	34	29
75-	192	104	1,081	298	1,074	292	615	530	24	22	19	20	25	63	76	60
85 and over	223	122	1,389	409	1,389	405	1,071	771	32	13	32	13	42	74	106	52

TABLE 17A - continued

Causes of death	NEOPLASMS															
	199		200-205		200		200-0		200-1		201		203		204	
	Other and unspecified sites		Neoplasms of lymphatic and haemato-poietic tissues		Lympho-sarcoma and reticulo-sarcoma		Reticulum-cell sarcoma		Lympho-sarcoma		Hodgkin's disease		Multiple myeloma (plasmocytoma)		Leukaemia and aleukaemia	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	40	48	139	107	29	20	12	9	15	11	23	13	16	15	66	55
0-	2	5	23	30	2	2	2	-	-	2	-	-	-	-	21	27
1-	1	2	55	42	4	1	1	1	3	1	1	-	-	-	50	40
5-	1	0	47	30	8	2	2	-	5	2	5	1	-	-	34	27
15-	2	1	55	31	10	5	4	2	5	2	18	10	0	0	26	15
25-	4	4	67	36	11	4	5	3	6	1	27	12	0	1	28	18
35-	10	10	75	58	17	10	11	5	6	5	20	15	5	2	31	27
45-	32	34	147	90	30	17	13	9	17	6	36	11	20	13	55	45
55-	104	94	275	185	67	35	25	14	37	20	38	20	47	37	107	86
65-	191	173	480	286	103	66	43	27	57	35	39	21	82	65	238	129
75-	289	255	639	429	116	95	39	40	68	51	48	39	80	58	370	220
85 and over	361	322	520	401	106	96	53	44	53	48	32	13	85	39	286	231

Causes of death	NEOPLASMS												III		240-245	
	204-0		204-1		204-3		210-229		230-239		237		240-289		Allergic disorders	
	Lymphatic leukaemia		Myeloid leukaemia		Acute leukaemia		Benign neoplasm		Neoplasm of unspecified nature		Unspecified nature of brain and other parts of nervous system		Allergic, endocrine system, metabolic, and nutritional diseases			
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	14	10	12	11	32	28	13	19	15	12	12	9	113	195	31	41
0-	2	-	-	-	16	20	21	15	12	20	-	7	145	96	40	12
1-	1	1	1	1	46	36	2	5	3	3	3	3	21	16	6	10
5-	2	1	2	1	27	22	3	2	2	3	2	3	15	11	9	6
15-	1	1	2	1	19	12	5	2	4	2	4	2	17	20	13	16
25-	0	-	7	4	17	12	5	7	4	4	4	3	34	35	20	23
35-	2	2	8	6	19	16	8	15	8	7	7	7	43	56	18	35
45-	8	4	14	12	25	26	13	27	23	13	22	11	89	107	34	53
55-	28	18	24	22	44	37	23	30	39	26	31	22	210	276	71	77
65-	75	31	58	30	81	53	42	43	51	26	35	20	455	692	90	84
75-	163	66	51	44	116	87	83	56	59	37	22	8	902	1,193	107	95
85 and over	95	87	53	65	106	70	148	118	53	48	-	-	1,262	1,307	85	113

Causes of death	241		250-254		252		252-0		253		260		280-289		IV	
	Asthma		Diseases of thyroid gland		Thyro-toxicosis with or without goitre		Toxic diffuse goitre		Myxoedema and cretinism		Diabetes mellitus		Avita-minoses, and other metabolic diseases		Diseases of the blood and blood-forming organs	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	30	40	5	33	1	11	1	10	3	20	60	101	11	14	32	5
0-	23	5	-	-	-	-	-	-	-	-	7	-	37	37	33	2
1-	6	10	1	1	-	-	-	-	1	1	4	1	6	3	6	2
5-	9	5	-	-	-	-	-	-	-	-	4	2	2	2	2	5
15-	12	16	1	1	0	1	0	1	0	0	2	1	1	2	5	5
25-	20	23	1	1	0	0	0	0	1	0	7	6	5	4	5	5
35-	17	34	1	5	0	2	0	2	1	1	14	10	6	4	5	1
45-	34	53	3	15	1	10	1	9	1	3	35	21	11	10	11	4
55-	70	76	11	43	6	18	6	18	3	23	94	120	23	22	45	17
65-	89	81	20	133	5	46	5	44	15	81	293	414	31	45	140	17
75-	102	98	39	235	-	60	-	56	36	163	680	771	56	71	392	46
85 and over	85	100	95	200	11	22	11	22	64	170	1,029	884	42	85	795	88



TABLE 17A - continued

Causes of death	290		290.0		291		292		V 300-326		300-309		304		VI 330-398	
	Pernicious and other hyperchromic anaemias		Pernicious anaemia		Iron deficiency anaemias (hypo-chromic anaemias)		Other anaemias of specified type		Mental, psycho-neurotic and personality disorders		Psychoses		Senile psychosis		Diseases of the nervous system and sense organs	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	9	20	7	17	4	11	8	12	19	30	14	25	9	19	1,534	2,115
0-	-	-	-	-	-	-	9	5	42	42	-	-	-	-	398	387
1-	-	-	-	-	-	-	3	3	11	13	-	-	-	-	70	71
5-	-	-	-	-	-	-	1	2	3	3	0	-	-	-	29	22
15-	-	-	-	-	1	-	2	2	1	3	-	1	-	-	50	31
25-	-	1	-	-	-	-	3	4	2	3	1	1	-	-	83	68
35-	0	1	-	1	0	2	2	3	7	2	2	2	-	-	180	176
45-	2	3	1	2	1	2	4	5	9	11	6	5	-	0	519	531
55-	6	10	6	9	2	7	11	15	25	25	19	19	3	1	1,990	1,602
65-	40	51	33	42	15	31	35	46	47	61	40	56	27	41	7,138	5,870
75-	168	209	136	171	65	108	87	66	224	231	211	223	200	211	20,907	18,984
85 and over	371	440	233	401	212	240	85	61	604	614	594	614	551	605	44,920	42,822

  

Causes of death	330-334		330		331		332		334		340-345		345		350-357	
	Vascular lesions affecting central nervous system		Subarachnoid haemorrhage		Cerebral haemorrhage		Cerebral embolism and thrombosis		Other and ill-defined vascular lesions affecting central nervous system		Inflammatory diseases of central nervous system		Multiple sclerosis		Other diseases of central nervous system	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	1,413	1,987	62	96	515	730	688	956	148	204	32	35	15	20	83	87
0-	35	22	12	5	14	12	7	5	2	-	216	249	-	2	66	52
1-	4	1	2	1	1	-	-	-	2	1	30	31	-	1	32	30
5-	5	4	3	3	2	0	-	-	0	0	7	5	-	-	16	13
15-	16	12	10	9	5	3	0	-	-	-	6	4	1	1	26	13
25-	37	33	27	24	8	7	2	2	0	1	15	14	9	9	28	17
35-	120	116	60	62	46	43	13	9	2	1	27	35	17	27	30	24
45-	426	447	107	132	225	246	69	63	6	6	44	48	31	41	44	33
55-	1,806	1,434	157	202	933	774	631	415	84	43	55	63	35	48	118	95
65-	6,699	5,513	167	267	2,655	2,405	3,325	2,456	553	385	65	57	33	39	360	284
75-	20,078	18,342	155	339	6,143	6,157	11,184	9,785	2,596	2,061	49	36	24	20	763	580
85 and over	43,945	41,990	159	235	10,255	10,427	24,984	24,033	8,547	7,295	42	22	32	4	901	771

  

Causes of death	350		352		353		353.0;1;3		356		VII 400-468		410-416		410	
	Paralysis agitans		Other cerebral paralysis		Epilepsy		Others included under 353		Motor neurone disease and muscular atrophy		Diseases of the circulatory system		Chronic rheumatic heart disease		Diseases of mitral valve	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	31	38	13	15	17	14	11	9	13	9	4,752	4,344	104	188	64	136
0-	-	-	-	-	16	7	7	2	7	12	56	27	2	-	2	-
1-	-	-	-	-	15	17	9	10	2	1	8	5	1	1	1	1
5-	-	-	0	-	10	7	5	4	1	-	9	1	-	-	0	-
15-	-	-	-	-	22	11	13	8	0	-	43	30	13	9	4	6
25-	-	-	1	0	23	12	15	7	2	0	157	95	38	43	21	33
35-	1	1	1	1	18	14	13	10	6	3	804	283	89	121	51	83
45-	6	3	1	-	14	12	11	7	14	9	2,949	905	163	251	98	188
55-	33	33	14	11	14	17	10	11	39	20	8,590	3,176	242	394	154	290
65-	169	156	76	44	15	21	11	16	53	42	21,839	11,944	340	510	211	353
75-	477	349	183	149	17	21	12	14	54	26	52,703	38,252	443	658	297	481
85 and over	382	383	350	296	42	17	42	17	32	-	118,473	101,581	573	923	414	710

TABLE 17A - continued

Causes of death	411		416		420-422		420		420-0		420-1		421		421-1	
	Diseases of aortic valve specified as rheumatic		Other heart disease specified as rheumatic		Arterio-sclerotic and degenerative heart disease		Arterio-sclerotic heart disease, including coronary disease		Arterio-sclerotic heart disease so described		Heart disease specified as involving coronary arteries		Chronic endocarditis not specified as rheumatic		of aortic valve, not specified as rheumatic	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	15	10	17	31	3,659	2,945	2,883	1,737	32	37	2,845	1,694	70	67	59	47
0-	-	-	-	-	5	7	-	2	-	-	-	2	-	-	-	-
1-	-	-	-	-	2	1	-	1	-	-	-	1	-	-	-	-
5-	0	-	-	-	1	1	-	-	-	-	-	-	0	0	-	0
15-	3	-	5	2	12	4	4	1	-	-	4	1	2	2	2	1
25-	6	1	6	7	73	17	59	10	-	-	59	10	7	2	5	3
35-	13	6	17	23	595	90	563	80	-	0	563	80	15	3	13	3
45-	23	9	30	39	2,413	415	2,312	359	4	-	2,306	358	52	19	49	13
55-	33	13	37	70	7,060	2,030	6,646	1,786	21	8	6,613	1,774	154	65	140	47
65-	53	34	52	97	17,095	8,218	14,725	6,397	127	80	14,561	6,301	329	212	267	148
75-	65	49	54	93	38,683	26,417	25,121	14,533	590	393	24,461	14,077	651	563	527	380
85 and over	64	65	32	87	85,366	72,064	35,058	23,493	1,368	1,115	33,637	22,321	965	1,115	710	819

Causes of death	421-4		422		422-1		422-2		430-434		433		434		434-1	
	Other and ill-defined, not specified as rheumatic		Other myocardial degeneration		With arterio-sclerosis		Other diseases included under 422		Other diseases of heart		Functional disease of heart		Other and unspecified diseases of heart		Congestive heart failure	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	7	11	706	1,142	341	530	363	609	289	347	79	126	197	212	128	167
0-	-	-	5	5	-	-	5	5	37	17	14	-	12	7	5	5
1-	-	-	2	1	-	-	2	1	4	6	1	-	1	3	-	-
5-	0	-	1	0	-	-	1	0	4	1	1	-	2	1	0	-
15-	0	0	5	2	-	-	5	2	9	5	2	1	3	2	1	0
25-	2	1	7	5	0	-	5	5	15	13	1	1	5	5	1	1
35-	2	0	17	6	3	-	13	6	33	18	4	1	19	10	6	3
45-	4	6	48	37	14	10	33	24	92	59	9	17	67	34	27	13
55-	11	16	260	180	110	75	144	100	340	201	78	64	231	126	114	79
65-	37	33	2,042	1,609	1,059	781	976	812	1,295	907	345	319	914	563	526	434
75-	54	83	12,912	11,321	6,424	5,454	6,475	5,846	4,154	3,302	1,318	1,276	2,783	2,000	2,117	1,667
85 and over	138	135	49,343	47,456	22,704	21,002	26,638	26,424	9,512	8,110	2,853	3,036	6,617	5,013	5,408	4,194

Causes of death	434-2		434-3;4		440-443		443		444-447		444		445		446	
	Left ventricular failure		Others included under 434		Hypertensive heart disease		Other and unspecified hypertensive heart disease		Other hypertensive disease		Essential benign hypertension		Essential malignant hypertension		Hypertension with arteriolar nephrosclerosis	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	23	24	44	19	179	256	170	246	113	120	74	95	23	11	16	14
0-	2	-	5	2	-	-	-	-	-	-	-	-	-	-	-	-
1-	1	-	1	3	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
15-	0	-	1	1	0	0	-	0	1	1	-	-	1	1	-	-
25-	0	0	2	3	2	1	2	0	13	6	2	1	11	5	0	0
35-	2	2	9	5	12	5	9	3	38	14	8	4	28	9	2	2
45-	6	4	31	14	64	38	52	35	89	45	32	20	51	23	6	2
55-	25	13	91	29	278	181	260	173	204	107	126	72	66	28	13	7
65-	120	65	262	61	957	853	926	824	469	362	370	309	39	18	59	35
75-	324	222	335	103	2,367	2,461	2,287	2,378	1,177	997	928	845	10	15	240	136
85 and over	721	597	488	213	3,584	4,172	3,393	3,933	2,450	2,125	1,654	1,768	-	9	785	348

TABLE 17A - continued

	450-456		450		450+0		450+1		451		460-468		463		465	
uses of death	Diseases of arteries		General arterio-sclerosis		Without mention of gangrene		With mention of gangrene as a consequence		Aortic aneurysm, non-syphilitic and dissecting aneurysm		Diseases of veins and other diseases of circulatory system		Phlebitis and thrombo-phlebitis of lower extremities		Pulmonary embolism and infarction	
ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	325	369	220	296	198	272	23	24	85	55	81	117	7	11	37	45
0-	5	-	2	-	2	-	-	-	-	-	5	2	-	-	-	2
1-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	0	2	-	-	-	-	-	-	-	0	-	0	-	-	-	0
15-	3	6	-	-	-	-	-	-	1	-	3	4	-	-	0	2
25-	9	8	0	-	0	-	-	-	3	2	6	7	0	-	3	4
35-	20	13	2	1	2	1	1	-	11	3	15	21	1	2	3	8
45-	75	35	15	6	14	5	0	1	43	12	51	59	7	7	21	22
55-	309	124	97	46	87	41	9	5	172	56	151	137	17	16	63	50
65-	1,268	679	676	434	582	399	94	34	505	198	412	412	30	43	203	151
75-	5,019	3,544	4,023	3,006	3,602	2,765	421	241	832	447	856	865	70	60	432	348
85 and over	15,790	12,909	14,634	11,943	13,478	10,967	1,156	976	923	801	1,198	1,263	127	91	562	505

	466		VIII 470-527		480-483		480		481		490-493		490		491	
uses of death	Other venous embolism and thrombosis		Diseases of the respiratory system		Influenza		Influenza with pneumonia		Influenza with other respiratory manifestations and influenza unqualified		Pneumonia		Lobar pneumonia		Broncho-pneumonia	
ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	29	49	2,053	1,372	63	73	40	46	23	27	742	790	88	68	614	684
0-	2	-	3,816	2,936	49	37	45	37	5	-	2,973	2,255	108	94	2,553	1,915
1-	-	-	227	213	5	5	3	4	2	1	153	147	9	9	130	120
5-	-	-	38	33	2	2	2	2	0	0	26	19	2	2	22	14
15-	1	2	41	26	3	2	1	2	1	1	24	13	3	1	18	11
25-	2	1	48	45	5	5	4	3	1	2	23	26	4	6	16	17
35-	8	6	163	124	12	8	9	6	3	2	61	57	17	12	38	38
45-	16	22	752	303	28	17	20	12	8	5	200	121	55	27	124	85
55-	58	55	3,302	915	90	47	58	33	31	13	711	398	158	68	505	307
65-	148	178	9,619	3,177	249	159	157	102	89	56	2,598	1,587	367	169	2,089	1,338
75-	282	378	24,147	11,487	792	636	499	390	291	244	10,265	6,853	933	552	8,933	6,034
85 and over	382	575	51,750	33,541	2,089	1,969	1,103	1,176	965	788	28,971	21,938	2,131	1,176	25,970	19,961

	493		500-502		500		501		502		502+0		502+1		510-527	
uses of death	Pneumonia, other and unspecified		Bronchitis		Acute bronchitis		Bronchitis, unqualified		Chronic bronchitis		Bronchitis with emphysema		Other		Other diseases of respiratory system	
ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	31	31	1,088	434	70	71	42	46	975	317	497	94	478	223	157	72
0-	138	136	607	493	485	377	101	81	21	35	2	2	19	32	138	116
1-	8	9	44	38	32	26	8	11	4	1	1	-	4	1	10	13
5-	1	2	6	8	3	4	2	2	1	3	-	1	1	3	5	4
15-	2	1	7	3	3	1	1	1	2	2	1	1	1	1	7	8
25-	1	1	9	7	1	2	2	1	6	4	2	1	3	3	11	8
35-	3	6	59	37	7	7	3	4	49	26	31	11	18	15	31	22
45-	14	5	418	126	19	13	11	9	388	104	230	44	158	60	106	37
55-	38	17	2,168	393	74	40	49	30	2,045	322	1,202	131	844	191	331	77
65-	128	66	5,984	1,251	233	137	172	100	5,579	1,014	2,992	330	2,587	684	785	179
75-	357	245	11,760	3,577	832	530	564	392	10,364	2,655	4,458	701	5,906	1,954	1,322	409
85 and over	827	762	18,134	8,023	2,375	1,956	1,485	1,189	14,274	4,878	4,666	923	9,608	3,955	2,534	1,555



TABLE 17A - continued

Causes of death	522		523		525		526		527		527.1		IX 530-587		540-545	
	Pulmonary congestion and hypostasis		Pneumo- coniosis due to silica and silicates (occupa- tional)		Other chronic interstitial pneumonia		Bronchiectasis		Other diseases of lung and pleural cavity		Emphysema without mention of bronchitis		Diseases of the digestive system		Diseases of stomach and duodenum	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	12	19	29	0	12	6	43	25	49	14	44	10	338	317	130	6
0-	-	5	-	-	28	30	5	-	87	59	37	7	935	711	14	1
1-	-	-	-	-	1	1	1	-	3	5	-	-	69	65	1	1
5-	-	-	-	-	-	0	1	1	1	0	-	-	16	14	0	0
15-	-	-	-	-	1	-	3	2	1	2	0	2	15	16	2	2
25-	-	-	-	-	0	1	6	4	2	1	1	0	28	28	6	4
35-	0	-	2	-	2	2	13	14	8	5	7	4	84	59	27	1
45-	1	1	18	0	8	3	39	21	31	6	27	5	220	142	80	2
55-	2	2	77	1	31	9	90	38	109	20	98	15	591	359	252	6
65-	14	15	173	-	59	22	218	85	281	40	262	27	1,442	925	614	20
75-	211	129	229	-	95	35	347	130	375	86	348	72	3,310	2,223	1,427	55
85 and over	1,347	1,215	148	4	106	30	371	109	445	131	361	91	5,249	4,098	2,248	1,13

Causes of death	540		540.0		540.1		541		541.0		541.1		550-553		550	
	Ulcer of stomach		Without mention of perforation		With perforation		Ulcer of duodenum		Without mention of perforation		With perforation		Appendicitis		Acute appendicitis	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	59	41	45	32	14	9	64	23	39	12	24	10	13	11	11	9
0-	2	5	-	-	2	5	-	2	-	2	-	-	2	-	2	1
1-	1	-	1	-	-	-	-	-	-	-	-	-	6	3	6	4
5-	-	-	-	-	-	-	0	-	-	-	0	-	4	2	4	2
15-	1	0	0	-	1	0	1	1	-	-	1	1	5	2	5	2
25-	2	2	1	1	1	1	3	2	3	1	1	0	2	4	2	2
35-	12	5	9	4	3	1	14	5	9	1	5	4	6	2	5	5
45-	33	13	22	9	11	3	40	11	26	3	15	7	10	7	10	1
55-	118	39	93	27	25	12	117	25	71	13	46	12	19	14	15	1
65-	283	125	215	93	68	32	300	64	177	34	123	30	55	31	45	2
75-	612	351	488	285	124	66	759	176	476	113	284	63	102	63	83	5
85 and over	1,177	649	912	536	265	113	976	388	679	196	297	192	738	91	95	6

Causes of death	560, 561		560		561		561.0		561.1		570-578		570		570.2	
	Hernia of abdominal cavity		Hernia of abdominal cavity without mention of obstruction		Hernia of abdominal cavity with obstruction		Inguinal		Femoral		Other diseases of intestines and peritoneum		Intestinal obstruction without mention of hernia		Mesenteric infarction	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	30	32	10	10	21	22	12	3	3	11	90	112	34	37	12	1
0-	199	141	159	133	40	7	33	-	-	-	558	419	63	62	7	1
1-	1	1	1	1	-	-	-	-	-	-	44	35	8	7	1	1
5-	0	0	0	-	-	0	-	-	-	-	4	4	2	0	-	-
15-	1	1	1	0	1	0	0	-	-	-	5	7	1	1	-	-
25-	1	1	1	0	1	1	0	-	-	0	10	10	3	2	1	1
35-	2	3	1	1	1	2	-	-	-	0	20	22	7	5	2	6
45-	9	9	3	3	6	5	2	0	1	1	47	42	18	12	6	1
55-	34	32	12	11	22	21	9	1	3	8	132	113	58	39	21	1
65-	113	95	27	27	86	68	50	7	10	31	367	311	162	107	66	4
75-	418	265	86	64	330	202	209	26	49	118	795	778	369	279	136	12
85 and over	710	353	177	91	594	261	414	57	127	148	1,336	1,511	435	562	148	16

TABLE 17A - continued

Uses of death	570.5		571		572		572.1		572.2		580-587		581		584	
	Others included under 570		Gastro-enteritis and colitis, except ulcerative, age 4 weeks and over		Chronic enteritis and ulcerative colitis		Diverticulitis		Ulcerative colitis		Diseases of liver, gallbladder and pancreas		Cirrhosis of liver		Cholelithiasis	
ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	11	11	19	19	25	44	16	30	7	11	70	86	31	26	10	18
0-	2	15	461	333	7	10	-	-	5	5	162	136	7	10	-	-
1-	-	2	32	26	0	1	1	-	1	1	16	24	2	1	-	-
5-	0	0	2	2	0	1	-	-	-	1	6	6	1	1	-	-
15-	-	-	1	1	2	5	1	-	1	4	2	4	1	1	-	-
25-	0	0	1	1	5	7	1	-	4	6	8	6	3	2	0	1
35-	1	2	2	1	7	11	2	1	2	8	30	21	19	9	2	2
45-	7	3	6	1	17	17	6	3	7	12	69	57	43	29	3	5
55-	19	10	9	9	44	47	29	24	11	19	147	129	88	57	12	21
65-	53	33	24	27	128	142	85	107	37	29	274	264	123	86	44	57
75-	134	81	110	95	207	322	161	270	37	40	496	498	114	96	158	137
85 and over	138	200	286	274	456	514	403	453	32	52	721	819	106	100	233	283

  

Uses of death	585		587		587.0		X		590-594		592		593		600-609	
	Cholecystitis and cholangitis, without mention of calculi		Diseases of pancreas		Acute pancreatitis		Diseases of the genito-urinary system		Nephritis and nephrosis		Chronic nephritis		Nephritis not specified as acute or chronic		Other diseases of urinary system	
ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	7	13	15	18	9	13	260	166	74	61	53	45	13	10	75	97
0-	-	-	143	113	7	2	119	44	14	20	-	-	5	-	105	25
1-	-	1	12	21	0	1	12	9	6	5	-	1	1	-	5	5
5-	-	-	5	4	0	-	10	8	7	6	5	4	0	1	3	2
15-	-	-	1	0	1	0	27	24	20	19	14	13	2	2	7	5
25-	-	0	2	1	2	1	41	27	32	18	27	12	1	3	9	7
35-	0	1	6	5	4	5	68	56	48	24	38	20	5	1	20	24
45-	2	4	13	6	11	5	125	111	81	47	61	35	14	8	39	54
55-	7	10	21	23	19	21	270	207	120	82	87	56	17	17	94	116
65-	28	32	46	55	40	51	985	473	255	172	167	126	63	30	317	281
75-	109	121	76	91	63	82	3,383	1,064	530	334	370	256	104	59	846	693
85 and over	223	287	53	109	42	91	9,608	2,043	1,039	549	785	414	201	105	2,216	1,442

  

Uses of death	600		600.0		610-617		610		XIII		720-727		722		722.0	
	Infections of kidney		Pyelitis, pyelocystitis and pyelo-nephritis		Diseases of male genital organs		Hyperplasia of prostate		Diseases of the bones and organs of movement		Arthritis and rheumatism, except rheumatic fever		Rheumatoid arthritis and allied conditions		Rheumatoid arthritis	
ages at death	M	F	M	F	M		M		M	F	M	F	M	F	M	F
All ages	51	75	49	73	111		109		28	58	16	43	10	31	9	31
0-	59	17	56	17	-		-		23	30	2	-	-	-	-	-
1-	1	2	1	2	1		-		1	1	1	-	1	-	1	-
5-	2	1	1	1	-		-		5	3	-	1	-	0	-	0
15-	5	5	5	5	0		-		11	3	0	1	0	1	0	1
25-	6	6	6	6	1		-		3	3	1	1	0	1	0	1
35-	14	17	13	17	0		0		6	8	2	3	1	3	0	3
45-	25	42	24	42	5		4		18	18	11	12	7	10	6	10
55-	66	94	62	91	57		54		47	61	31	44	24	38	19	38
65-	208	215	200	209	412		399		114	172	69	139	50	113	46	112
75-	593	531	583	523	2,006		1,969		263	478	170	371	83	246	78	245
85 and over	1,622	1,045	1,612	1,010	6,352		6,235		604	832	392	592	106	318	106	318

TABLE 17A - continued

Causes of death	730-738		XIV 750-759		751		754		756		757		XV 760-776*		760-5-773-5	
	Osteomyelitis and other diseases of bone and joint		Congenital malformations		Spina bifida and meningocele		Congenital malformations of circulatory system		Congenital malformations of digestive system		Congenital malformations of genito-urinary system		Certain diseases of early infancy		With immaturity	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	6	10	122	102	13	20	61	45	12	7	13	9	245	158	90	50
0-	2	2	4,451	4,152	654	1,066	2,059	1,695	532	323	321	99	13,106	9,408	4,804	3,321
1-	-	-	119	108	13	25	66	50	6	4	4	2	2	1	-	-
5-	1	0	41	28	1	2	31	18	1	2	1	1	1	0	-	-
15-	-	-	34	16	1	1	25	12	1	1	2	1	-	-	-	-
25-	1	0	16	18	0	1	11	13	0	0	2	2	-	-	-	-
35-	1	2	29	19	-	1	17	11	1	-	8	6	-	-	-	-
45-	2	2	30	38	-	-	14	15	1	1	12	18	-	-	-	-
55-	4	10	42	35	0	1	19	19	2	1	16	11	-	-	-	-
65-	31	26	42	41	-	0	19	20	6	3	12	17	-	-	-	-
75-	78	95	54	38	-	-	27	17	10	8	15	7	-	-	-	-
85 and over	180	209	64	39	-	-	11	13	32	9	21	13	-	-	-	-

Causes of death	760-769		760		761		762		763		770-776		773		776	
	Birth injuries, asphyxia and infections of newborn		Intra-cranial and spinal injury at birth		Other birth injury		Postnatal asphyxia and atelectasis		Pneumonia of newborn		Other diseases peculiar to early infancy		Ill-defined diseases peculiar to early infancy		Immaturity, unqualified	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	145	90	37	23	14	9	67	41	18	11	100	68	15	7	68	4
0-	7,742	5,344	1,996	1,359	752	540	3,584	2,425	939	686	5,364	4,064	792	442	3,659	2,891
1-	1	-	-	-	-	-	1	-	-	-	1	1	-	1	-	-
5-	-	-	-	-	-	-	-	-	-	-	1	0	-	-	-	-
15-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
55-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
75-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
85 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Causes of death	XVI 780-795		790-795		794		XVII E800-E999		MOTOR VEHICLE TRAFFIC ACCIDENTS							
	Symptoms, senility and ill-defined conditions		Senility and ill-defined diseases		Senility without mention of psychosis		Accidents, poisonings and violence (external cause)		E810-E825 Motor vehicle traffic accidents		E812 to pedestrian		E813 to pedal cyclist		E815 to rider or passenger of motorcycle in collision with other motor vehicle	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	95	169	90	165	86	162	616	436	198	72	62	45	19	2	34	
0-	45	42	35	32	-	-	803	646	14	12	2	5	-	-	-	-
1-	1	2	1	1	-	-	238	169	88	57	72	48	6	1	1	-
5-	1	-	-	-	-	-	177	68	92	37	55	29	28	2	1	-
15-	1	1	1	0	-	-	618	120	383	53	28	9	17	3	143	-
25-	2	1	2	0	-	-	468	153	182	36	18	4	6	3	32	-
35-	2	1	2	0	-	-	472	200	130	32	22	10	9	1	21	-
45-	6	3	5	2	-	-	566	293	148	53	38	22	16	3	18	-
55-	9	7	5	3	0	0	848	444	209	96	80	59	30	4	22	-
65-	86	59	61	52	49	45	1,125	826	274	164	165	136	44	1	8	-
75-	1,429	1,191	1,373	1,160	1,349	1,147	2,669	2,505	586	274	464	246	46	1	5	-
85 and over	11,930	11,250	11,707	11,137	11,644	11,124	6,320	6,664	679	240	583	200	11	-	-	-

\* Note: The group 760-776 relates particularly to the causes of death within the first 28 days of life, but it includes also some deaths from the causes specified at all ages



TABLE 17A - continued

Causes of death	MOTOR VEHICLE TRAFFIC ACCIDENTS						ACCIDENTAL POISONING								E900-E904	
	E816 Other motor vehicle traffic accident involving two or more motor vehicles		E821 to rider of motorcycle not involving collision		E823 involving running off roadway		E870-E888 Accidental poisoning by solid and liquid substances		E871 by barbituric acid and derivatives		E890-E895 Accidental poisoning by gases and vapours		E890 by utility (illuminating) gas		Accidental falls	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	41	13	14	1	17	4	14	14	10	11	26	33	23	31	91	149
0-	7	7	-	-	2	-	-	2	-	-	9	-	5	-	40	35
1-	3	6	1	-	3	-	14	4	1	-	4	3	4	3	20	17
5-	4	3	-	-	1	1	1	1	1	-	1	2	1	1	13	2
15-	61	16	62	5	44	9	3	5	1	3	13	4	11	3	20	3
25-	69	16	15	1	25	4	10	8	6	6	12	6	8	6	26	3
35-	45	12	7	2	17	5	16	21	12	15	12	8	8	7	33	4
45-	46	16	5	0	16	5	20	21	15	18	20	10	15	8	45	14
55-	49	20	6	0	11	5	31	26	24	22	39	30	33	27	92	46
65-	38	16	3	-	8	4	32	26	25	20	78	83	73	80	228	250
75-	49	16	3	-	2	1	24	26	12	22	253	287	243	283	1,082	1,439
85 and over	32	17	-	-	11	4	64	17	21	17	488	492	488	475	4,072	5,314

  

Causes of death	E900 Fall on stairs		E902 Other falls from one level to another		E903 Fall on same level		E904 Unspecified falls		E910-E936 Other accidents		E916 Accident caused by fire and explosion of combustible material		E921 Inhalation and ingestion of food causing obstruction or suffocation		E929 Accidental drowning and submersion	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	15	20	19	9	37	82	18	38	106	57	14	23	11	9	23	7
0-	7	10	26	15	2	2	5	7	705	555	33	17	307	266	9	10
1-	4	5	12	8	3	2	2	2	99	76	23	34	11	9	29	9
5-	1	1	10	0	1	1	1	-	55	22	5	9	1	1	32	6
15-	1	-	14	2	1	1	3	1	89	12	5	3	3	2	25	3
25-	4	1	14	1	2	-	2	-	75	13	4	5	6	2	15	2
35-	7	1	16	2	5	1	3	2	87	18	6	6	4	4	17	3
45-	8	4	15	3	12	3	5	2	90	29	8	9	5	6	15	7
55-	18	11	25	3	29	21	11	10	112	45	14	15	8	6	26	12
65-	51	43	28	13	95	128	48	64	119	99	28	56	12	6	32	14
75-	177	193	80	58	583	835	228	351	268	265	126	160	12	12	36	10
85 and over	488	483	244	279	2,365	3,062	976	1,485	668	488	318	261	21	26	32	22

  

Causes of death	E970-E979 Suicide and self-inflicted injury		E970 Suicide and self-inflicted poisoning by analgesic and soporific substances		E972 Suicide and self-inflicted poisoning by gases in domestic use		E974 Suicide and self-inflicted injury by hanging and strangulation		XVII N800-N999 Alternative classification of accidents, poisonings and violence (nature of injury)		FRACTURES					
											N800-N809 of skull, spine and trunk		N801 of base of skull		N803 Other and unqualified skull fractures	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	145	99	31	40	60	41	19	4	616	436	172	65	20	6	72	23
0-	-	-	-	-	-	-	-	-	803	646	42	49	2	7	40	35
1-	-	-	-	-	-	-	-	-	238	169	69	50	7	8	43	27
5-	1	1	-	0	-	-	1	-	177	68	72	26	10	4	42	12
15-	69	31	12	9	33	15	4	1	618	120	258	36	39	5	125	19
25-	123	80	23	29	57	36	14	3	468	153	141	24	24	3	57	10
35-	156	110	43	48	58	39	18	5	472	200	131	23	15	2	57	9
45-	204	157	51	67	78	63	29	7	566	293	154	36	16	6	63	14
55-	314	191	67	78	129	76	45	9	848	444	195	70	18	5	77	25
65-	339	198	59	82	147	88	49	7	1,125	826	271	151	28	12	74	46
75-	403	193	66	71	175	85	75	12	2,669	2,505	625	312	36	22	178	76
85 and over	286	91	21	30	106	48	64	9	6,320	6,664	1,050	566	42	39	255	148

TABLE 17A - continued

Causes of death	FRACTURES												N850-N856		N853	
	N804 Multiple fractures involving skull or face with other bones	N805 Fracture and fracture dislocation of vertebral column, without mention of spinal cord lesion	N809 Multiple and ill-defined fractures of trunk	N820-N829 Fracture of lower limb	N820 Fracture of neck of femur	N821 Fracture of other and unspecified parts of femur	Head injury (excluding skull fracture)		Cerebral laceration and contusion							
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	34	11	12	5	11	8	48	114	21	61	19	44	44	22	15	7
0-	-	2	-	-	-	-	-	-	-	-	-	-	26	32	2	5
1-	10	9	4	1	3	2	1	1	-	-	-	-	25	17	6	5
5-	11	5	3	1	1	1	-	0	-	-	-	0	18	8	5	4
15-	58	6	13	2	8	2	8	2	-	-	1	-	66	9	26	4
25-	30	6	7	2	8	1	3	1	-	-	0	-	29	5	10	2
35-	26	5	10	2	9	2	5	1	1	-	1	-	24	7	10	2
45-	29	7	12	3	11	2	11	6	2	1	2	1	38	12	12	4
55-	42	14	14	5	17	9	39	27	11	9	13	9	54	21	19	7
65-	55	29	29	12	27	24	120	169	50	80	46	67	80	42	26	8
75-	109	48	63	30	75	53	759	1,150	360	637	323	434	173	132	49	36
85 and over	159	57	138	35	106	78	3,107	4,421	1,633	2,470	1,283	1,742	339	287	32	78

Causes of death	N856 Head injury of other and unspecified nature		N860-N869 Internal injury of chest, abdomen, and pelvis		N862 Injury to other and unspecified intrathoracic organs		N869 Internal injury, unspecified or involving intrathoracic with intra-abdominal organs		N930-N936 Effects of foreign body entering through orifice		N933 Foreign body in pharynx and larynx		N940-N949 Burns		N960-N979 Effects of poisons	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All ages	15	5	60	14	19	4	12	3	13	10	12	9	12	22	146	137
0-	-	5	7	7	-	2	-	2	323	281	319	276	26	15	26	12
1-	10	6	23	13	3	1	4	3	15	13	14	10	17	31	36	21
5-	7	3	23	7	3	1	5	2	2	1	2	1	4	9	4	4
15-	26	3	95	12	26	2	21	4	4	2	4	2	5	3	71	36
25-	12	2	76	12	34	5	19	2	7	2	7	2	4	4	115	86
35-	9	2	55	7	20	2	9	2	4	5	4	4	7	5	150	121
45-	15	5	55	15	19	4	12	3	5	6	5	6	9	8	184	168
55-	17	5	83	18	27	7	17	2	9	7	9	7	11	14	285	221
65-	26	8	63	25	17	8	6	3	15	7	11	6	26	47	333	295
75-	37	18	90	31	24	12	12	3	17	14	12	12	105	157	564	496
85 and over	74	17	74	26	11	4	11	4	32	26	32	22	286	279	795	614

Causes of death	POISONING				N990-N999		N990		N991		N996	
	N968		N971		Other and unspecified injuries and reactions		Drowning		Asphyxia and strangulation		Injury of other and unspecified nature	
	by carbon monoxide		by barbituric acid and derivatives									
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F
All ages	94	78	35	44	93	34	38	14	30	9	17	8
0-	26	2	-	-	340	237	9	17	246	151	2	2
1-	15	13	1	-	51	21	30	10	13	9	4	1
5-	2	3	1	-	50	11	37	7	8	2	3	2
15-	50	20	10	9	85	16	40	6	15	5	20	3
25-	78	44	26	29	78	16	31	5	21	7	21	2
35-	80	48	47	55	75	24	27	10	22	7	18	5
45-	106	76	59	74	87	34	32	18	33	8	18	4
55-	177	108	77	85	129	51	50	26	47	11	26	12
65-	229	178	73	88	155	53	69	26	51	7	29	16
75-	449	391	68	84	189	85	56	26	75	13	53	40
85 and over	668	557	42	35	148	109	53	26	64	9	21	74

# TABLE 18A. Accidental poisoning and other non-transport accidents by place of occurrence, by sex and age, 1963

England and Wales

Note. The deaths in this table have been classified to the several forms of violence in accordance with the information furnished by H.M. Coroners. "Open verdicts" are normally included with accidental deaths.

Deaths from poisoning will be analysed periodically in the *Statistical Review, Part III, Commentary*, to distinguish individual poisons stated to be responsible. These details can be obtained on request from the General Register Office.

Age-groups	Total		At work		Home		Farm		Mine and quarry		Industrial place and premises		Place for recreation and sport		Street and highway		Public building		Residential institution		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
<b>E870-E936. Non-transport accidents</b>																								
All ages	5,411	6,145	983	20	2,621	4,323	110	7	277	3	506	10	50	10	248	181	139	60	357	723	662	189	441	639
0-	538	388	-	-	437	325	6	3	1	1	2	2	4	1	2	3	3	2	10	8	47	21	26	22
5-	241	84	-	-	46	47	11	-	6	2	11	2	16	1	5	3	9	-	5	1	123	23	9	5
15-	1,269	332	533	6	328	217	49	1	150	-	268	3	22	2	44	2	39	7	26	20	264	35	79	45
45-	1,247	666	404	5	481	457	30	1	119	-	204	2	5	-	61	20	51	12	52	48	148	56	96	70
and over	2,116	4,675	46	9	1,329	3,277	14	2	1	-	21	1	3	6	136	153	37	39	264	646	80	54	231	497
<b>E870. Accidental poisoning by morphine and other opium derivatives</b>																								
All ages	1	2	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
and over	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>E871. Accidental poisoning by barbituric acid and derivatives</b>																								
All ages	218	264	2	-	153	208	-	1	1	-	1	-	1	-	-	-	5	5	3	2	8	2	46	46
0-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	61	74	-	-	44	58	-	-	-	-	-	-	1	-	-	-	3	2	-	2	3	1	10	11
45-	109	120	2	-	77	95	-	-	1	-	1	-	-	-	-	-	2	3	2	-	4	1	22	21
and over	45	70	-	-	29	55	-	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	14	14
<b>E872. Accidental poisoning by aspirin and salicylates</b>																								
All ages	30	30	-	-	16	18	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	12	11
0-	5	1	-	-	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
15-	8	6	-	-	3	5	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	4	1
45-	12	12	-	-	5	9	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	6	3
and over	5	10	-	-	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	7
<b>E873. Accidental poisoning by bromides</b>																								
All ages	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>E874. Accidental poisoning by other analgesic and soporific drugs</b>																								
All ages	15	12	-	-	10	9	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	4	3	3
0-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	10	6	-	-	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	3	3
45-	3	3	-	-	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
and over	1	3	-	-	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>E875. Accidental poisoning by sulphonamides</b>																								
All ages	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-



TABLE 18A - continued

Age-groups	Total		At work		Home		Farm		Mine and quarry		Industrial place and premises		Place for recreation and sport		Street and highway		Public building		Residential institution		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
E876. Accidental poisoning by strychnine																								
All ages	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E877. Accidental poisoning by belladonna, hyoscine and atropine																								
All ages	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E878. Accidental poisoning by other and unspecified drugs																								
All ages	23	24	-	-	17	13	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	4	1
0-	11	3	-	-	11	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	3	14	-	-	1	6	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-
45-	3	4	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65 and over	6	3	-	-	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
E879. Accidental poisoning by noxious foodstuffs																								
All ages	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E880. Accidental poisoning by alcohol																								
All ages	17	6	-	-	9	3	-	-	-	-	-	-	-	-	-	4	-	-	-	-	1	-	3	-
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	5	3	-	-	2	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	3	-
45-	12	1	-	-	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65 and over	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E881. Accidental poisoning by petroleum products																								
All ages	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65 and over	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E882. Accidental poisoning by industrial solvents																								
All ages	5	-	2	-	3	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
0-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	3	-	2	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
45-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65 and over	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E883. Accidental poisoning by corrosive aromatics, acids and caustic alkalis																								
All ages	5	3	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
65 and over	4	1	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
E884. Accidental poisoning by mercury and its compounds																								
All ages	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
0-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 18A - continued

Age-groups	Total		At work		Home		Farm		Mine and quarry		Industrial place and premises		Place for recreation and sport		Street and highway		Public building		Residential institution		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
<b>E885. Accidental poisoning by lead and its compounds</b>																								
All ages	1	2	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
0-	1	2	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>E886. Accidental poisoning by arsenic and antimony and their compounds</b>																								
All ages	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>E887. Accidental poisoning by fluorides</b>																								
All ages	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>E888. Accidental poisoning by other and unspecified solid and liquid substances</b>																								
All ages	8	4	-	-	5	2	-	-	-	-	2	-	-	-	-	-	-	1	-	-	-	1	1	-
0-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	2	3	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-	2	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
and over	2	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>E890. Accidental poisoning by utility (illuminating) gas</b>																								
All ages	527	751	8	1	495	738	-	-	-	-	5	-	-	-	3	-	5	1	1	2	6	-	12	10
0-	8	4	-	-	7	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
5-	4	2	-	-	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	88	46	2	-	76	42	-	-	-	-	1	-	-	-	2	-	-	-	1	1	4	-	4	3
45-	132	104	5	-	113	100	-	-	-	-	4	-	-	-	1	-	4	1	-	-	-	-	5	3
and over	295	595	1	1	290	590	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	3	4
<b>E891. Accidental poisoning by motor vehicle exhaust gas</b>																								
All ages	21	2	1	-	16	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	2	-
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	6	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
45-	12	2	-	-	10	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-
and over	3	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
<b>E892. Accidental poisoning by other carbon monoxide gas</b>																								
All ages	40	37	3	-	33	34	-	-	-	-	-	-	-	-	-	-	4	-	1	-	1	1	1	2
0-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	3	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	16	9	1	-	13	8	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	-	-
45-	12	13	2	-	10	12	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1
and over	10	12	-	-	8	11	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1
<b>E893. Accidental poisoning by cyanide gas</b>																								
All ages	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>E894. Accidental poisoning by other specified gases and vapours</b>																								
All ages	14	6	9	-	4	4	-	-	-	-	9	-	-	-	-	-	1	-	-	-	1	-	-	1
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	8	2	5	-	2	-	-	-	-	-	5	-	-	-	-	-	1	-	-	-	1	-	-	1
45-	6	1	4	-	2	1	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-
and over	-	3	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 18A - continued

Age-groups	Total		At work		Home		Farm		Mine and quarry		Industrial place and premises		Place for recreation and sport		Street and highway		Public building		Residential institution		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
E895. Accidental poisoning by unspecified gases and vapours																								
All ages	2	-	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	2	-	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
45-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E870-E895. Accidental poisoning																								
All ages	928	1,144	27	1	767	1,035	-	1	2	-	20	-	1	-	4	-	20	7	5	5	22	5	87	91
0-	32	11	-	-	30	11	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
5-	6	7	-	-	6	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
15-	212	164	12	-	154	126	-	-	1	-	9	-	1	-	3	-	7	3	2	3	12	2	23	30
45-	304	263	13	-	232	225	-	-	1	-	10	-	-	-	1	-	10	4	2	1	7	2	41	31
65 and over	374	699	2	1	345	668	-	1	-	-	1	-	-	-	-	-	3	-	1	1	2	-	22	29
E900. Fall on stairs																								
All ages	344	483	5	5	292	420	-	1	-	-	4	1	1	1	3	7	25	19	15	30	4	3	-	1
0-	9	11	-	-	9	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	4	2	-	-	3	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
15-	37	6	-	1	29	5	-	-	-	-	1	-	-	1	-	4	-	2	-	1	-	-	-	-
45-	70	45	4	1	55	42	-	-	-	-	3	-	-	1	-	7	2	4	1	-	-	-	-	-
65 and over	224	419	1	3	196	360	-	1	-	-	1	-	1	1	1	7	14	17	8	29	3	3	-	1
E901. Fall from ladders																								
All ages	78	9	52	-	30	8	1	-	1	-	23	-	-	-	7	-	6	-	1	1	9	-	-	-
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	21	-	18	-	6	-	1	-	1	-	7	-	-	-	4	-	-	-	-	-	2	-	-	-
45-	39	4	33	-	8	4	-	-	-	-	15	-	-	-	3	-	5	-	1	-	7	-	-	-
65 and over	18	5	1	-	16	4	-	-	-	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-
E902. Other falls from one level to another																								
All ages	429	210	199	-	132	122	7	-	14	1	127	-	8	1	14	5	25	4	41	66	59	8	2	3
0-	30	18	-	-	28	16	-	-	-	1	-	-	-	1	-	-	-	-	-	-	1	-	1	-
5-	33	1	-	-	5	1	1	-	-	-	4	-	6	-	2	-	2	-	-	-	13	-	-	-
15-	144	14	104	-	12	6	2	-	11	-	68	-	2	-	4	-	13	-	3	4	28	4	1	-
45-	112	19	83	-	27	8	4	-	2	-	50	-	-	-	6	1	6	1	6	5	11	3	-	1
65 and over	110	158	12	-	60	91	-	-	1	-	5	-	-	-	2	4	4	3	32	57	6	1	-	2
E903. Fall on same level																								
All ages	850	1,991	17	5	443	1,318	3	-	3	-	11	1	5	3	168	158	23	18	186	477	4	14	4	2
0-	5	4	-	-	5	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
5-	4	3	-	-	1	1	-	-	-	-	-	-	-	-	2	2	1	-	-	-	-	-	-	-
15-	24	4	3	-	7	1	-	-	-	-	1	-	2	-	7	1	5	1	1	1	-	-	1	-
45-	114	74	8	2	36	33	-	-	3	-	7	1	1	-	34	18	7	2	21	17	3	2	2	1
65 and over	703	1,906	6	3	394	1,280	3	-	-	-	3	-	2	3	125	137	10	15	164	458	1	12	1	1
E904. Unspecified falls																								
All ages	372	920	7	2	129	419	-	-	-	-	7	-	-	1	6	3	4	2	29	64	7	2	190	429
0-	5	6	-	-	1	3	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	3	3
5-	4	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	2	-
15-	26	7	1	1	3	2	-	-	-	-	1	-	-	-	2	1	1	-	1	-	4	-	14	4
45-	42	38	3	-	15	17	-	-	-	-	5	-	-	-	1	-	2	1	1	1	2	-	16	19
65 and over	295	869	3	1	110	397	-	-	-	-	-	-	-	1	2	2	-	1	27	63	1	2	155	403
E900-E904. Accidental falls																								
All ages	2,073	3,613	280	12	1,026	2,287	11	1	18	1	172	2	14	6	198	173	83	43	272	638	83	27	196	435
0-	49	39	-	-	43	33	-	-	-	1	-	-	-	1	1	-	-	-	1	-	1	-	4	3
5-	45	6	-	-	9	4	1	-	-	-	5	-	6	-	4	2	4	-	1	-	13	-	2	-
15-	252	31	126	2	57	14	3	-	12	-	77	1	4	-	18	2	23	1	7	5	35	4	16	4
45-	377	180	131	3	141	104	4	-	5	-	80	1	1	-	45	19	27	6	33	24	23	5	18	21
65 and over	1,350	3,357	23	7	776	2,132	3	1	1	-	10	-	3	5	130	150	29	36	231	608	11	18	156	407
E910. Blow from falling object																								
All ages	239	15	199	-	13	6	8	-	105	-	73	1	5	-	9	3	3	-	1	-	20	5	2	-
0-	7	3	-	-	4	1	-	-	-	-	-	-	-	-	1	1	1	-	-	-	1	1	-	-
5-	5	3	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	1	2	1	-
15-	126	1	119	-	2	-	5	-	62	-	41	-	3	-	3	-	-	-	-	-	10	1	-	-
45-	91	2	78	-	3	1	3	-	43	-	32	-	-	-	4	-	1	-	1	-	4	1	-	-
65 and over	10	6	2	-	4	4	-	-	-	-	-	1	-	-	1	1	-	-	-	-	4	-	1	-



TABLE 18A - continued

Age-groups	Total		At work		Home		Farm		Mine and quarry		Industrial place and premises		Place for recreation and sport		Street and highway		Public building		Residential institution		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
E911. Accident caused by vehicle																								
All ages	72	-	70	-	1	-	-	-	51	-	17	-	-	-	1	-	1	-	-	-	1	-	-	-
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	31	-	30	-	-	-	-	-	18	-	11	-	-	-	-	-	1	-	-	-	1	-	-	-
45-	41	-	40	-	1	-	-	-	33	-	6	-	-	-	1	-	-	-	-	-	-	-	-	-
and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E912. Accident caused by machinery																								
All ages	207	4	186	-	2	-	41	1	46	-	94	-	3	1	5	-	2	-	1	1	12	1	1	-
0-	3	1	-	-	-	-	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
5-	9	1	-	-	-	-	4	-	-	-	-	-	1	-	-	-	-	-	-	-	2	1	-	-
15-	112	1	110	-	1	-	22	-	25	-	51	-	1	-	2	-	-	-	1	-	9	-	1	-
45-	77	-	71	-	1	-	8	-	21	-	42	-	1	-	3	-	-	-	-	-	1	-	-	-
and over	6	1	5	-	-	-	5	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
E913. Accident caused by cutting and piercing instruments																								
All ages	11	3	5	-	2	2	1	-	-	-	2	-	-	-	1	-	1	-	-	-	-	1	4	-
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	2	-	-
45-	8	2	5	-	2	2	1	-	-	-	2	-	-	-	-	-	1	-	-	-	-	2	-	-
and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E914. Accident caused by electric current																								
All ages	111	32	61	-	40	32	10	-	5	-	38	-	1	-	3	-	5	-	-	-	9	-	-	-
0-	8	2	-	-	6	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-
5-	7	2	-	-	2	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	3	-	-	-
15-	73	8	49	-	22	8	6	-	5	-	30	-	1	-	3	-	2	-	-	-	4	-	-	-
45-	17	12	12	-	4	12	3	-	-	-	6	-	-	-	-	-	3	-	-	-	1	-	-	-
and over	6	8	-	-	6	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E915. Accident caused by explosion of pressure vessel																								
All ages	10	2	7	-	3	2	-	-	-	-	7	-	-	-	-	-	-	-	-	-	-	-	-	-
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	6	-	5	-	1	-	-	-	-	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-
45-	3	1	2	-	1	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
and over	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
*E916. Accident caused by fire and explosion of combustible material																								
All ages	323	560	32	5	260	545	1	-	2	-	28	2	1	-	1	1	8	6	15	2	4	2	3	2
0-	50	58	-	-	50	57	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
5-	17	29	-	-	11	28	-	-	-	-	3	-	1	-	-	-	-	-	-	-	2	1	-	-
15-	50	44	19	2	28	40	-	-	-	-	18	1	-	-	-	-	2	3	1	-	-	-	-	-
45-	62	71	10	2	45	66	-	-	2	-	6	1	-	-	-	-	4	2	2	1	2	1	1	-
and over	144	358	3	1	126	354	1	-	-	-	1	-	-	-	1	-	2	1	12	1	-	-	1	2
+E917. Accident caused by hot substance, corrosive liquid, and steam																								
All ages	51	52	9	1	28	40	-	-	-	-	9	1	-	-	-	-	-	1	7	8	-	-	7	2
0-	13	11	-	-	12	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
5-	2	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	10	2	6	1	-	-	-	-	-	-	6	1	-	-	-	-	-	-	1	1	-	-	3	-
45-	12	2	3	-	7	1	-	-	-	-	3	-	-	-	-	-	-	-	1	-	-	-	1	1
and over	14	36	-	-	8	27	-	-	-	-	-	-	-	-	-	-	1	4	7	-	-	2	1	-
E918. Accident caused by radiation																								
All ages	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E919. Accident caused by firearm																								
All ages	69	8	16	-	22	5	9	1	4	-	5	-	1	-	2	-	-	-	-	-	23	-	3	2
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	8	2	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	35	4	6	-	9	3	3	-	4	-	1	-	-	-	1	-	-	-	-	-	14	-	3	1
45-	23	2	10	-	8	1	5	1	-	-	4	-	1	-	1	-	-	-	-	-	4	-	-	-
and over	3	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

E916 Including burns by clothing: domestic fire M14, F96; gas fire M2, F33; electric fire M5, F86; other M51, F101. Burns by falling onto fire: en fire M31, F44; gas fire M3, F1; electric fire M6, F11; other M2, F1. Conflagration M91 F95; other and unspecified means M118, F92.

E917 Including scalds M30, F35.

TABLE 18A - continued

Age-groups	Total		At work		Home		Farm		Mine and quarry		Industrial place and premises		Place for recreation and sport		Street and highway		Public building		Residential institution		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
E920. Foreign body entering eye and adnexa																								
All ages	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E921. Inhalation and ingestion of food causing obstruction or suffocation																								
All ages	254	219	1	-	176	154	-	-	-	-	2	-	2	-	2	-	9	-	38	45	7	2	18	1
0-	149	122	-	-	132	106	-	-	-	-	-	-	-	-	-	-	1	-	8	6	2	1	6	-
5-	2	3	-	-	1	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
15-	41	25	-	-	20	11	-	-	-	-	-	-	1	-	1	-	4	-	8	9	5	1	2	-
45-	36	37	1	-	13	20	-	-	-	-	2	-	1	-	1	-	3	-	11	15	-	-	5	-
65 and over	26	32	-	-	10	14	-	-	-	-	-	-	-	-	-	-	1	-	10	15	-	-	5	-
E922. Inhalation and ingestion of other object causing obstruction or suffocation																								
All ages	21	12	2	-	10	11	2	-	-	-	1	-	-	-	1	-	1	-	3	1	-	-	3	-
0-	6	10	-	-	6	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	6	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-
15-	5	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	2	-
45-	2	2	1	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-
65 and over	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
E923. Foreign body entering other orifice																								
All ages	14	11	-	-	10	7	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	2	-
0-	6	1	-	-	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-
5-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
15-	2	3	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
45-	2	2	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65 and over	4	4	-	-	3	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-
*E924. Accidental mechanical suffocation in bed and cradle																								
All ages	94	54	-	-	94	54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
0-	91	50	-	-	91	50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	1	4	-	-	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65 and over	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E925. Accidental mechanical suffocation in other and unspecified circumstances																								
All ages	86	19	45	-	32	12	4	-	30	-	10	2	2	-	2	-	-	1	-	1	4	-	2	-
0-	16	9	-	-	15	8	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
5-	3	3	-	-	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	-	-
15-	48	2	32	-	10	1	3	-	20	-	9	-	2	-	2	-	-	-	-	1	2	-	-	-
45-	17	3	13	-	3	2	-	-	10	-	1	-	-	-	-	-	-	-	-	-	1	-	2	-
65 and over	2	2	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E926. Lack of care of infants under 1 year of age																								
Under 1 year	34	27	-	-	19	15	-	-	-	-	-	-	-	-	-	-	1	1	-	-	8	7	6	-
E927. Accidents caused by bites and stings of venomous animals and insects																								
All ages	5	3	3	-	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	4	3	2	-	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
45-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65 and over	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E928. Other accidents caused by animals																								
All ages	11	2	9	-	1	1	9	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-
0-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
5-	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-	3	-	3	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65 and over	5	-	5	-	-	-	4	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-

\* E924 Including accidental mechanical suffocation: in bed M23, F18; in cot, cradle, etc. M71, F36.

TABLE 18A - continued

Age-groups	Total		At work		Home		Farm		Mine and quarry		Industrial place and premises		Place for recreation and sport		Street and highway		Public building		Residential institution		Other specified places		Place not specified	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
E929. Accidental drowning and submersion																								
All ages	528	174	15	-	17	28	6	2	11	2	18	2	14	1	-	-	2	-	2	6	443	126	15	7
0-	49	18	-	-	9	5	3	2	1	-	1	2	2	-	-	-	-	-	-	32	9	1	-	
5-	109	21	-	-	-	-	-	-	6	2	2	-	6	1	-	-	-	-	-	94	16	1	2	
15-	185	28	9	-	2	3	1	-	3	-	6	-	5	-	-	-	-	-	1	164	24	3	1	
45-	115	60	4	-	3	9	1	-	1	-	4	-	1	-	-	1	-	1	4	96	44	7	3	
5 and over	70	47	2	-	3	11	1	-	-	-	5	-	-	-	-	1	-	-	2	57	33	3	1	
E930. High and low air pressure																								
All ages	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
15-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	
45-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
5 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
E931. Excessive heat and insolation																								
All ages	2	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
0-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
15-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
45-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
5 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
E932. Excessive cold																								
All ages	69	79	-	-	29	47	2	-	-	-	-	-	-	1	5	-	-	-	1	1	9	2	23	28
0-	4	1	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	7	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-	13	10	-	-	1	6	-	-	-	-	-	-	-	-	3	-	-	-	1	1	2	1	4	2
5 and over	45	67	-	-	26	40	-	-	-	-	-	-	-	1	-	-	-	-	-	3	-	16	26	
E933. Hunger, thirst, and exposure																								
All ages	33	28	-	-	11	12	2	1	1	-	-	-	-	-	1	1	-	-	-	1	10	6	8	7
0-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	4	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-	11	6	-	-	4	3	1	-	1	-	-	-	-	-	-	-	-	-	-	2	2	1	-	-
5 and over	18	20	-	-	7	9	-	-	-	-	-	-	-	-	1	1	-	-	-	5	3	7	7	
E934. Cataclysm																								
All ages	-	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
5 and over	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
E935. Lightning																								
All ages	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
0-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
5 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E936. Other and unspecified accidents																								
All ages	162	81	14	1	55	24	3	-	2	-	9	-	6	1	11	1	3	-	10	13	4	4	59	38
0-	19	22	-	-	12	13	-	-	-	-	-	-	1	-	1	-	-	-	1	1	1	1	4	6
5-	20	3	-	-	10	1	1	-	-	-	-	-	-	-	1	-	1	-	1	-	2	2	4	-
15-	58	9	5	1	19	1	1	-	-	-	4	-	5	1	6	-	-	3	1	1	1	19	5	
45-	31	10	6	-	8	2	1	-	2	-	3	-	-	-	1	-	1	-	-	-	-	15	8	
5 and over	34	37	3	-	6	7	-	-	-	-	2	-	-	-	3	-	1	-	5	11	-	-	17	19
E910-E936. Other accidents																								
All ages	2,410	1,388	676	7	828	1,001	99	5	257	2	314	8	35	4	46	8	36	10	80	80	557	157	158	113
0-	457	338	-	-	364	281	6	3	1	-	2	2	4	-	1	3	3	2	10	7	45	21	21	19
5-	190	71	-	-	31	38	10	-	6	2	6	2	10	1	1	1	5	-	4	1	110	22	7	4
15-	805	137	395	4	117	77	46	1	137	-	182	2	17	2	23	-	9	3	17	12	217	29	40	11
45-	566	223	260	2	108	128	26	1	113	-	114	1	4	-	15	1	14	2	17	23	118	49	37	18
5 and over	392	619	21	1	208	477	11	-	-	-	10	1	-	1	6	3	5	3	32	37	67	36	53	61



TABLE 18C. Deaths from violent causes - External cause according to nature of injury, 1963

England and Wales

Inter- mediate List No.	External cause of injury	Nature of injury (Intermediate List)													AN 149	AN 148	Effects of poisons	All other unspeci- fied effects of external causes
		Nature of injury (Intermediate List)																
		AN 136	AN 139	AN 140	AN 141	AN 142	AN 143	AN 144	AN 145	AN 146	AN 147	AN 148	AN 149					
	Total	Fracture of skull	Fracture of spine and trunk	Fracture of limbs	Dislo- cation without fracture	Sprains and strains of joints and adjacent muscles	Head injury (exclu- ding fracture)	Internal injury of chest, abdomen and pelvis	Lacer- ation and open wounds	Super- ficial injury, con- tusion and bruising with infant surface	Effects of foreign bodies entering through orifice	Burns	Effects of poisons	All other unspeci- fied effects of external causes				
		AN 136	AN 139	AN 140	AN 141	AN 142	AN 143	AN 144	AN 145	AN 146	AN 147	AN 148	AN 149	AN 150				
	Total	14,074	962	1,164	38	12	1,003	1,381	318	45	294	285	3,341	2,273				
		1,013	549	2,902	22	4	534	336	109	41	242	522	3,313	2,262				
AE 138	Motor vehicle accidents (E810-E835)	2,958	496	186	19	1	552	930	84	12	2	11	1	235				
	to pedestrian (E812)	1,782	299	106	6	-	208	265	37	9	-	5	-	106				
	to cyclist (E813)	1,418	194	98	9	-	196	182	24	10	-	-	-	89				
	to rider or passenger of motorcycle in collision with motor vehicle or object (E814)	457	224	76	2	-	128	113	17	5	-	-	-	67				
	to rider or passenger of motorcycle in collision with motor vehicle or object (E814)	228	46	12	2	-	50	74	4	-	-	-	-	15				
	to rider or passenger of motorcycle in collision with motor vehicle or object (E814)	34	5	2	1	-	7	4	4	-	-	-	-	2				
	to rider or passenger of motorcycle in collision with motor vehicle or object (E814)	32	1	1	-	-	-	1	-	-	-	-	-	1				
	to rider or passenger of motorcycle in collision with motor vehicle or object (E814)	2	-	-	-	-	-	-	-	-	-	-	-	-				
	to rider or passenger of motorcycle in collision with motor vehicle or object (E814)	775	59	19	2	-	115	126	16	-	-	-	-	32				
	to rider or passenger of motorcycle in collision with motor vehicle or object (E814)	56	7	1	-	-	8	8	1	-	-	-	-	1				
	to rider or passenger of motorcycle in collision with motor vehicle or object (E814)	934	102	30	2	-	87	321	21	2	-	4	-	53				
	to rider or passenger of motorcycle in collision with motor vehicle or object (E814)	326	43	8	4	-	37	109	8	3	-	3	-	17				
	to rider or passenger of motorcycle in collision with motor vehicle or object (E814)	315	22	6	1	-	35	46	3	-	-	-	-	10				
	to rider or passenger of motorcycle in collision with motor vehicle or object (E814)	27	19	1	1	-	4	2	-	-	-	-	-	1				
	to rider or passenger of motorcycle in collision with motor vehicle or object (E814)	72	21	1	1	-	8	24	-	-	-	3	-	2				
	to rider or passenger of motorcycle in collision with motor vehicle or object (E814)	15	6	2	1	-	5	99	12	-	2	1	-	1				
	to rider or passenger of motorcycle in collision with motor vehicle or object (E814)	379	42	7	1	-	36	23	4	1	-	1	-	6				
	to rider or passenger of motorcycle in collision with motor vehicle or object (E814)	98	3	5	1	-	11	8	-	-	-	3	-	3				
	to rider or passenger of motorcycle in collision with motor vehicle or object (E814)	55	3	4	1	-	3	1	1	-	-	1	-	1				
	to rider or passenger of motorcycle in collision with motor vehicle or object (E814)	27	1	2	2	-	11	42	7	-	-	-	-	15				
	to rider or passenger of motorcycle in collision with motor vehicle or object (E814)	180	15	9	2	-	5	4	2	-	-	-	-	10				
	to rider or passenger of motorcycle in collision with motor vehicle or object (E814)	54	8	10	2	-	-	-	-	-	-	-	-	-				
AE 139	Other transport accidents	143	37	11	-	-	36	59	18	2	-	3	3	177				
AE 140	Accidental poisoning	66	2	5	1	-	10	5	2	-	-	1	928	14				
AE 141	Accidental falls	928	-	-	-	-	-	-	-	-	-	-	1,144	-				
AE 142	Accident caused by fire and explosion of combustible material	1,144	288	933	8	-	182	68	8	18	1	-	-	44				
AE 143	Accident caused by fire and explosion of combustible material	3,613	228	2,785	11	-	263	22	9	28	-	-	-	55				
AE 144	Accident caused by fire and explosion of combustible material	207	39	9	2	-	10	78	8	3	-	-	-	14				
AE 145	Accident caused by fire and explosion of combustible material	323	1	1	-	-	-	1	1	-	-	218	98	1				
AE 146	Accident caused by fire and explosion of combustible material	560	1	-	-	-	-	1	-	-	-	458	100	-				
AE 147	Accident caused by fire and explosion of combustible material	51	-	-	-	-	-	-	-	-	-	51	-	-				
AE 148	Accident caused by fire and explosion of combustible material	52	-	-	-	-	-	-	-	-	-	52	-	-				
AE 149	Accident caused by fire and explosion of combustible material	69	1	-	-	-	24	16	21	-	-	1	-	3				
AE 150	Accident caused by fire and explosion of combustible material	8	-	-	-	-	2	1	4	-	-	-	-	5				
AE 151	Accident caused by fire and explosion of combustible material	528	-	-	-	-	-	-	-	-	-	-	-	528				
AE 152	Accident caused by fire and explosion of combustible material	174	-	-	-	-	-	-	-	-	-	-	-	174				
AE 153	Accident caused by fire and explosion of combustible material	1,322	77	21	5	-	75	160	16	10	291	1	7	541				
AE 154	Accident caused by fire and explosion of combustible material	632	42	23	1	-	31	19	8	4	242	1	3	283				
AE 155	Accident caused by fire and explosion of combustible material	3,308	19	4	4	-	95	35	128	-	-	1	2,272	706				
AE 156	Accident caused by fire and explosion of combustible material	2,407	6	2	-	-	5	12	26	-	-	5	2,054	285				
AE 157	Accident caused by fire and explosion of combustible material	128	2	-	-	-	17	20	18	-	-	1	19	18				
AE 158	Accident caused by fire and explosion of combustible material	127	1	-	-	-	15	11	25	-	-	-	12	44				
AE 159	Accident caused by fire and explosion of combustible material	59	2	-	-	-	12	14	10	-	-	-	14	6				
AE 160	Accident caused by fire and explosion of combustible material	-	-	-	-	-	-	-	-	-	-	-	-	-				

TABLE 18D. Deaths from road traffic accidents and from accidental falls - Nature of injury according to external cause, sex and age, 1963

England and Wales

Nature of injury (Intermediate List)		External cause of injury by age						
		All ages	0-	5-	15-	25-	45-	65- 75 and over
Road vehicle accidents to pedestrians (ICD Nos. E812, E840, E842, E844)								
Total	M	1,428	115	189	95	127	327	243
	F	1,113	73	96	28	45	249	294
N138 Fracture of skull	M	649	60	99	45	54	162	105
	F	475	47	48	17	26	103	120
N139 Fracture of spine and trunk	M	194	9	11	4	19	38	45
	F	224	3	11	3	10	46	70
N140 Fracture of limbs	M	99	1	-	4	3	21	17
	F	79	1	1	1	2	13	26
N141 Dislocation without fracture	M	6	2	1	-	-	2	-
	F	2	-	-	-	-	-	2
N142 Sprains and strains of joints and adjacent muscle	M	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-
N143 Head injury (excluding fracture)	M	199	18	27	19	16	38	34
	F	131	12	15	5	4	32	22
N144 Internal injury of chest, abdomen, and pelvis	M	182	21	42	15	19	42	21
	F	113	9	13	2	3	39	26
N145 Laceration and open wounds	M	21	-	5	3	3	3	4
	F	17	-	2	-	-	4	5
N146 Superficial injury, contusion and crushing with intact skin surface	M	10	-	-	-	-	3	2
	F	5	-	-	-	-	1	2
N147 Effects of foreign body entering through orifice	M	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-
N148 Burns	M	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-
N149 Effects of poisons	M	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-
N150 All other and unspecified effects of external causes	M	68	4	4	5	13	18	15
	F	67	1	6	-	-	11	21
Road accidents to pedal cyclists (ICD Nos. E813, E843)								
Total	M	486	9	109	61	55	149	71
	F	68	2	8	10	12	32	3
N138 Fracture of skull	M	264	4	61	38	35	81	31
	F	39	2	3	8	6	17	3
N139 Fracture of spine and trunk	M	50	-	7	2	6	20	11
	F	5	-	-	-	1	4	-
N140 Fracture of limbs	M	18	-	-	-	1	4	11
	F	4	-	-	-	-	4	-
N141 Dislocation without fracture	M	2	-	-	-	1	1	-
	F	-	-	-	-	-	-	-
N142 Sprains and strains of joints and adjacent muscle	M	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-
N143 Head injury (excluding fracture)	M	56	2	17	9	3	13	6
	F	10	-	3	-	2	4	-
N144 Internal injury of chest, abdomen, and pelvis	M	76	3	19	12	9	19	10
	F	4	-	1	-	2	1	-
N145 Laceration and open wounds	M	4	-	1	-	-	3	-
	F	4	-	-	1	1	2	-
N146 Superficial injury, contusion and crushing with intact skin surface	M	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-
N147 Effects of foreign body entering through orifice	M	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-
N148 Burns	M	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-
N149 Effects of poisons	M	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-
N150 All other and unspecified effects of external causes	M	16	-	4	-	-	8	2
	F	2	-	1	1	-	-	-

TABLE 18D - continued

Nature of injury (Intermediate List)		External cause of injury by age							
		All ages	0-	5-	15-	25-	45-	65-	75 and over
Accident to rider or passenger of motorcycle (ICD Nos. E814, E815, E821)									
Total	M	1,140	2	3	715	244	152	19	5
	F	85	1	1	44	22	16	1	-
AN138 Fracture of skull	M	630	2	2	399	136	80	7	4
	F	49	-	1	28	14	6	-	-
AN139 Fracture of spine and trunk	M	82	-	-	44	25	10	3	-
	F	7	1	-	4	-	2	-	-
AN140 Fracture of limbs	M	25	-	-	13	5	5	2	-
	F	3	-	-	2	1	-	-	-
AN141 Dislocation without fracture	M	4	-	-	2	1	1	-	-
	F	-	-	-	-	-	-	-	-
AN142 Sprains and strains of joints and adjacent muscle	M	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-
AN143 Head injury (excluding fracture)	M	157	-	1	99	29	24	3	1
	F	12	-	-	6	2	4	-	-
AN144 Internal injury of chest, abdomen, and pelvis	M	180	-	-	120	35	22	3	-
	F	11	-	-	3	3	4	1	-
AN145 Laceration and open wounds	M	19	-	-	13	3	3	-	-
	F	1	-	-	-	1	-	-	-
AN146 Superficial injury, contusion and crushing with intact skin surface	M	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-
AN147 Effects of foreign body entering through orifice	M	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-
AN148 Burns	M	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-
AN149 Effects of poisons	M	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-
AN150 All other and unspecified effects of external causes	M	43	-	-	25	10	7	1	-
	F	2	-	-	1	1	-	-	-
Motor vehicle traffic accidents (ICD Nos. E810, E811, E816-E819, E822, E823)									
Total	M	1,418	15	20	389	520	367	69	38
	F	446	12	12	84	118	147	46	27
AN138 Fracture of skull	M	487	11	10	167	185	96	11	7
	F	140	7	9	31	46	36	8	3
AN139 Fracture of spine and trunk	M	159	1	1	21	54	53	19	10
	F	54	-	-	6	11	24	9	4
AN140 Fracture of limbs	M	41	-	-	9	7	18	5	2
	F	14	-	-	2	3	3	4	2
AN141 Dislocation without fracture	M	4	-	-	4	-	-	-	-
	F	5	1	-	1	1	1	1	-
AN142 Sprains and strains of joints and adjacent muscle	M	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-
AN143 Head injury (excluding fracture)	M	134	1	3	52	38	27	6	7
	F	54	1	1	13	15	16	2	6
AN144 Internal injury of chest, abdomen, and pelvis	M	454	-	5	98	183	140	19	9
	F	134	3	2	24	33	46	17	9
AN145 Laceration and open wounds	M	34	-	-	12	11	8	2	1
	F	12	-	-	-	5	5	1	1
AN146 Superficial injury, contusion and crushing with intact skin surface	M	2	-	-	-	1	-	1	-
	F	4	-	-	1	-	1	1	1
AN147 Effects of foreign body entering through orifice	M	2	-	-	1	-	1	-	-
	F	-	-	-	-	-	-	-	-
AN148 Burns	M	8	-	-	3	4	1	-	-
	F	5	-	-	1	1	3	-	-
AN149 Effects of poisons	M	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-
AN150 All other and unspecified effects of external causes	M	93	2	1	22	37	23	6	2
	F	24	-	-	5	3	12	3	1



TABLE 18D - continued

Nature of injury (Intermediate List)		External cause of injury by age							
		All ages	0-	5-	15-	25-	45-	65-	75 and over
Accidental falls (ICD Nos. E900-E904)									
Total	M	2,073	49	45	68	184	377	329	1,021
	F	3,613	39	6	9	22	180	538	2,819
AN138 Fracture of skull	M	516	24	32	41	124	151	63	81
	F	228	20	2	6	7	37	49	107
AN139 Fracture of spine and trunk	M	288	-	2	11	16	60	63	136
	F	228	-	1	-	3	17	50	157
AN140 Fracture of limbs	M	933	-	1	-	5	80	143	704
	F	2,765	-	1	-	2	81	348	2,333
AN141 Dislocation without fracture	M	8	-	1	-	1	3	2	1
	F	11	-	-	-	-	1	5	5
AN142 Sprains and strains of joints and adjacent muscle	M	7	-	-	-	1	2	2	2
	F	4	-	-	-	-	1	1	2
AN143 Head injury (excluding fracture)	M	182	18	4	6	18	46	32	58
	F	263	13	2	1	5	30	60	152
AN144 Internal injury of chest, abdomen, and pelvis	M	68	5	4	7	11	15	11	15
	F	22	4	-	2	2	2	4	8
AN145 Laceration and open wounds	M	8	-	1	-	1	4	2	-
	F	9	1	-	-	1	1	2	4
AN146 Superficial injury, contusion and crushing with intact skin surface	M	18	1	-	-	-	2	3	12
	F	28	-	-	-	-	3	5	20
AN147 Effects of foreign body entering through orifice	M	1	-	-	-	-	-	1	-
	F	-	-	-	-	-	-	-	-
AN148 Burns	M	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-
AN149 Effects of poisons	M	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-
AN150 All other and unspecified effects of external causes	M	44	1	-	3	7	14	7	12
	F	55	1	-	-	2	7	14	31

TABLE 19. Causes of death at different periods of life and Standardised Mortality Ratios, by sex, 1963

Classified in accordance with the International Abbreviated List with certain sub-divisions.

Abbreviated List No.	Causes of death	England and Wales										
		Age										
		All ages	Under 1 year	Years								
1-	5-			15-	25-	35-	45-	55-	65-	75 and over		
	ALL CAUSES	M 292,410 F 280,458	10,401 7,641	1,548 1,232	1,528 909	3,318 1,284	3,304 2,144	7,922 5,725	22,637 14,240	59,004 32,166	80,861 66,008	101,887 149,109
B1	Tuberculosis of respiratory system	M 2,022 F 587	1 -	1 1	1 1	6 4	31 40	159 99	300 114	631 119	595 106	297 103
B2	Tuberculosis, other forms	M 169 F 182	2 1	9 11	3 5	12 9	4 12	28 15	26 27	40 25	29 35	16 42
B3	Syphilis and its sequelae	M 485 F 335	- -	- -	2 1	1 -	2 2	17 4	43 12	114 50	197 120	109 146
B4	Typhoid fever	M 3 F 1	- -	1 -	- -	- -	1 -	- -	- -	1 -	- -	- 1
B5	Cholera	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
B6	Dysentery, all forms	M 21 F 14	1 -	3 -	1 1	1 1	1 1	1 1	2 -	4 4	1 -	8 6
B7	Scarlet fever and streptococcal sore throat	M 7 F 3	1 1	2 -	1 -	1 -	- 1	1 -	- -	- -	1 -	- 1
B8	Diphtheria	M 1 F 1	- -	- 1	- -	- -	- -	- -	- -	- -	- -	- -
B9	Whooping cough	M 15 F 21	11 18	4 2	- 1	- -	- -	- -	- -	- -	- -	- -
B10	Meningococcal infections	M 88 F 58	35 24	33 18	5 1	2 3	1 3	1 1	4 3	3 1	3 -	2 4
B11	Plague	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
B12	Acute poliomyelitis	M 2 F 1	- -	- -	1 -	- -	- 1	1 -	- -	- -	- -	- -
B13	Smallpox	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
B14	Measles	M 62 F 65	11 13	34 25	10 19	2 5	2 1	- -	- 1	- -	1 1	2 -
B15	Typhus and other rickettsial diseases	M 1 F 1	- -	- 1	- -	- -	- -	1 -	- -	- -	- -	- -
B16	Malaria	M 4 F 2	- -	- -	- -	- -	- 1	- -	1 1	1 -	1 -	- -
B17	All other diseases classified as infective and parasitic	M 448 F 427	48 23	33 17	22 16	18 15	19 17	38 38	81 59	65 73	62 79	62 90
B18	Malignant neoplasm: (140-205)	M 55,192 F 47,224	38 26	184 123	263 186	344 206	540 537	1,614 2,211	6,077 6,032	15,870 10,521	17,723 12,948	12,539 14,434
	stomach (151)	M 7,744 F 5,937	- -	- -	- -	3 3	33 26	209 98	786 373	2,179 984	2,631 1,783	1,903 2,670
	trachea, bronchus and lung (162, 163)	M 20,757 F 3,677	- -	1 -	2 2	6 1	68 16	470 148	2,726 580	7,689 1,045	7,144 1,149	2,651 736
	breast (170)	M 70 F 9,442	- -	- -	- -	- 3	- 115	3 665	12 1,865	17 2,406	21 2,195	21 2,193
	uterus (171-174)	M 3,969 F 3,969	- -	- -	- -	5 43	43 363	363 731	731 1,002	998 1,002	827 998	827 998
	Leukaemia and aleukaemia (204)	M 1,511 F 1,319	9 11	79 59	116 90	87 51	83 52	100 86	166 142	283 254	343 277	245 297
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M 25,110 F 22,880	29 15	104 64	145 94	248 143	356 285	832 851	2,387 2,341	5,702 4,830	7,588 6,546	7,719 7,711
B19	Benign and unspecified neoplasms	M 654 F 740	14 14	7 11	17 16	30 16	27 30	53 71	107 127	162 165	134 149	103 141
B20	Diabetes mellitus	M 1,371 F 2,433	3 -	7 1	13 8	8 4	20 17	46 31	105 67	249 355	423 890	497 1,060
B21	Anaemias	M 558 F 1,187	7 3	6 6	4 8	9 5	8 13	8 22	20 37	67 109	152 315	277 665
B22	Vascular lesions affecting central nervous system	M 32,264 F 48,076	15 9	7 2	16 13	53 40	112 97	387 372	1,287 1,414	4,759 4,246	9,666 11,860	15,962 30,023
B23	Non-meningococcal meningitis	M 212 F 183	70 71	32 19	11 5	5 3	6 5	19 9	26 7	23 23	23 24	12 17
B24	Rheumatic fever	M 52 F 45	1 -	1 1	11 3	7 2	1 2	6 3	5 6	14 7	4 9	2 12
B25	Chronic rheumatic heart disease	M 2,382 F 4,542	1 -	1 1	2 -	43 28	113 125	286 389	491 795	639 1,165	491 1,096	315 943

**England and Wales, standard regions, Wales, conurbations, urban  
and rural aggregates outside conurbations, and hospital regions**

Abbreviated List No.	Causes of death		England and Wales - continued										
			All ages	Under 1 year	Age								
					Years								
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over
B26	Arteriosclerotic heart disease including coronary disease (420) Degenerative heart disease (421, 422)	M	65,840	-	-	-	14	179	1,814	6,981	17,515	21,245	18,092
		F	42,016	1	1	-	3	28	257	1,136	5,286	13,761	21,543
		M	17,719	2	3	3	25	41	103	304	1,091	3,420	12,727
		F	29,240	2	1	2	10	20	30	177	724	3,916	24,358
B27	Other diseases of heart	M	6,602	16	7	14	29	45	106	279	895	1,869	3,342
B28	Hypertension with heart disease	F	8,399	7	9	4	17	39	59	187	595	1,951	5,531
		M	4,082	-	-	-	1	7	38	192	732	1,381	1,731
		F	6,201	-	-	-	1	2	15	120	536	1,834	3,693
B29	Hypertension without mention of heart	M	2,574	-	-	-	5	39	123	269	538	676	924
B46 (Pt.)	Other circulatory diseases (450-468)	F	2,901	-	-	-	4	17	46	142	317	779	1,596
		M	9,262	4	-	1	19	47	113	382	1,213	2,423	5,060
		F	11,762	1	-	7	33	42	108	298	773	2,347	8,153
B30	Influenza	M	1,442	21	8	7	9	15	39	84	238	359	663
B31	Pneumonia	F	1,772	15	8	6	8	14	27	54	138	343	1,159
		M	16,945	1,269	241	89	79	70	197	604	1,873	3,749	8,774
		F	19,118	914	220	62	42	74	182	381	1,178	3,413	12,652
B32	Bronchitis	M	24,832	259	70	20	24	27	190	1,262	5,714	8,634	8,632
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	F	10,500	200	57	27	9	19	119	399	1,162	2,691	5,817
		M	3,651	80	39	17	25	34	100	320	876	1,136	1,024
		F	1,805	61	33	14	26	22	70	123	231	388	837
B33	Ulcer of stomach and duodenum	M	2,799	1	1	1	6	15	83	221	620	841	1,010
B34	Appendicitis	F	1,542	3	-	-	3	10	31	75	189	407	824
		M	299	1	10	15	16	7	18	30	50	79	73
		F	257	-	4	8	7	13	6	21	41	66	91
B35	Intestinal obstruction and hernia	M	1,472	112	13	7	8	12	29	82	241	397	571
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	F	1,661	82	12	2	6	8	25	66	210	435	815
		M	1,031	202	53	7	9	21	30	69	143	227	270
		F	1,566	140	40	9	18	25	40	76	166	373	679
B37	Cirrhosis of liver	M	701	3	3	5	3	9	62	130	231	178	77
		F	621	4	1	4	4	5	28	92	168	185	130
B38	Nephritis and nephrosis	M	1,695	6	10	25	67	97	153	244	315	368	410
		F	1,484	8	7	19	61	52	76	150	244	370	497
B39	Hyperplasia of prostate	M	2,479	-	-	-	-	-	1	13	142	576	1,747
B40	Complications of pregnancy, childbirth and puerperium	F	243	-	-	-	58	102	79	4	-	-	-
B41	Congenital malformations	M	2,783	1,900	187	141	113	49	92	91	112	60	38
		F	2,466	1,683	162	92	54	51	61	120	103	89	51
B42	Birth injuries, postnatal asphyxia and atelectasis	M	2,705	2,703	2	-	-	-	-	-	-	-	-
		F	1,753	1,753	-	-	-	-	-	-	-	-	-
B43	Diarrhoea of newborn (764) Other infections of newborn (763, 765-768)	M	42	42	-	-	-	-	-	-	-	-	-
		F	23	23	-	-	-	-	-	-	-	-	-
		M	447	447	-	-	-	-	-	-	-	-	-
		F	312	312	-	-	-	-	-	-	-	-	-
B44	Other diseases of early infancy and immaturity unqualified	M	2,406	2,403	1	2	-	-	-	-	-	-	-
		F	1,727	1,725	1	1	-	-	-	-	-	-	-
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	2,173	19	2	3	4	6	7	18	24	124	1,966
		F	4,092	17	3	-	3	4	3	10	20	126	3,906
B46 (Rem.)	All other diseases (Remainder 001-795)	M	8,342	309	158	175	244	285	450	785	1,560	1,990	2,386
		F	12,320	225	181	144	180	249	556	980	1,909	3,125	4,771
BE47	Motor vehicle accidents	M	4,589	6	141	317	1,306	563	431	458	558	400	409
BE48	All other accidents	F	1,762	6	87	122	175	103	102	168	283	354	362
		M	5,990	323	220	283	512	457	558	618	837	697	1,485
		F	6,253	242	149	92	93	90	172	252	456	993	3,714
BE49	Suicide and self-inflicted injury	M	3,308	-	-	4	233	371	504	616	827	489	264
BE50	Homicide and operations of war	F	2,407	-	-	2	103	231	352	495	564	425	235
		M	187	14	14	8	26	20	28	17	14	37	9
		F	127	14	16	8	25	19	15	12	10	5	3
EN47	Fractures, head injuries and internal injuries	M	7,468	32	184	390	1,438	751	694	778	985	781	1,435
EN48	Burns	F	5,334	36	121	137	194	120	121	218	406	852	3,129
		M	285	11	26	15	17	13	22	26	29	37	89
		F	522	6	47	28	9	11	16	25	40	102	238
EN49	Effects of poisons	M	3,341	11	57	13	239	346	482	556	750	480	407
EN50	All other injuries	F	3,313	5	31	12	118	248	389	531	653	634	692
		M	2,980	289	108	194	383	301	323	349	472	325	236
		F	1,380	215	53	47	75	64	115	153	214	189	255



TABLE 19 - continued

Abbreviated List No.	Causes of death	Northern Region												S.M.R. (England and Wales =100)
		Age												
		All ages	Under 1 year	Years										
				1-	5-	15-	25-	35-	45-	55-	65-	75 and over		
	ALL CAUSES	M F	21,020 18,552	786 584	114 96	124 63	201 87	214 158	678 454	1,659 1,002	4,548 2,357	5,737 4,756	6,959 8,995	106 108
B1	Tuberculosis of respiratory system	M F	141 36	- -	- -	1 -	1 2	1 7	12 7	20 7	49 12	40 3	17 4	102 96
B2	Tuberculosis, other forms	M F	15 14	1 -	- 1	- 2	- 1	- 1	2 -	4 3	3 3	4 1	1 2	129 118
B3	Syphilis and its sequelae	M F	43 19	- -	- -	- -	1 -	- -	3 1	3 2	11 4	13 9	12 3	130 92
B4	Typhoid fever	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
B5	Cholera	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
B6	Dysentery, all forms	M F	- 2	- -	- -	- -	- -	- -	- -	- -	- 1	- -	- 1	- 225
B7	Scarlet fever and streptococcal sore throat	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
B8	Diphtheria	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
B9	Whooping cough	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
B10	Meningococcal infections	M F	11 3	4 2	6 1	- -	- -	- -	- -	- -	1 -	- -	- -	170 72
B11	Plague	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
B12	Acute poliomyelitis	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
B13	Smallpox	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
B14	Measles	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
B15	Typhus and other rickettsial diseases	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
B16	Malaria	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
B17	All other diseases classified as infective and parasitic	M F	32 29	1 2	3 1	3 3	- 1	1 2	3 1	7 3	6 3	6 5	2 8	102 104
B18	Malignant neoplasm: (140-205)	M F	3,926 3,041	2 -	12 13	22 8	25 18	31 43	131 157	441 424	1,190 694	1,243 827	829 857	104 102
	stomach (151)	M F	611 451	- -	- -	- -	- -	1 3	20 7	61 27	177 84	211 153	141 177	116 123
	trachea, bronchus and lung (162, 163)	M F	1,512 214	- -	- -	- -	1 -	4 1	42 13	212 41	585 63	507 59	161 37	107 91
	breast (170)	M F	- 526	- -	- -	- -	- -	- 11	- 31	- 115	- 149	- 114	- 106	- 88
	uterus (171-174)	M F	- 318	- -	- -	- -	- -	- 4	- 41	- 62	- 74	- 77	- 60	- 126
	Leukaemia and aleukaemia (204)	M F	95 74	1 -	8 8	8 4	4 7	4 4	9 4	11 10	14 17	20 10	16 10	90 86
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M F	1,706 1,458	1 -	4 5	14 4	20 11	22 20	60 61	157 169	413 307	504 414	511 467	100 102
	Benign and unspecified neoplasms	M F	35 41	- -	1 1	2 1	- -	1 -	7 1	8 11	8 11	6 9	2 7	78 86
	Diabetes mellitus	M F	103 168	- -	2 -	- -	- -	1 -	8 2	4 5	23 27	26 77	39 57	111 112
	B21	Anaemias	M F	35 65	- -	2 1	1 1	- 1	- 1	- 1	6 3	7 7	19 16	92 34
B22	Vascular lesions affecting central nervous system	M F	2,601 3,462	1 -	- 1	1 -	6 1	9 10	33 35	97 94	397 345	763 956	1,294 2,020	119 119
B23	Non-meningococcal meningitis	M F	14 10	8 2	1 2	- 2	- -	- -	- 1	2 -	3 1	- 2	- -	92 79
B24	Rheumatic fever	M F	5 3	1 -	- -	- -	1 1	1 -	1 -	1 -	- -	- 1	- -	136 103
B25	Chronic rheumatic heart disease	M F	182 284	- -	- -	- -	2 -	10 11	38 29	32 50	46 92	35 62	19 40	112 98

TABLE 19 - continued

Abbrevi- ated List No.	Causes of death		Northern Region - continued											S.M.R. (England and Wales =100)
			Age											
			All ages	Under 1 year	Years									
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over	
B26	Arteriosclerotic heart disease including coronary disease (420) Degenerative heart disease (421, 422)	M	4,925	-	-	-	1	12	150	540	1,415	1,554	1,253	110
F		3,108	-	-	-	-	-	36	93	452	1,135	1,392	121	
M		1,170	-	1	1	1	2	3	19	67	225	851	99	
F		1,754	-	-	-	3	3	3	9	65	260	1,411	102	
B27	Other diseases of heart	M	495	3	-	2	1	3	12	19	77	151	227	111
		F	517	-	-	-	1	3	4	18	42	142	307	102
B28	Hypertension with heart disease	M	261	-	-	-	-	-	1	9	42	100	109	94
		F	437	-	-	-	-	1	1	6	42	150	237	116
B29	Hypertension without mention of heart	M	158	-	-	-	-	2	10	15	33	35	63	91
		F	157	-	-	-	-	-	5	9	14	45	84	89
B46 (Pt.)	Other circulatory diseases (450-468)	M	637	-	-	-	1	4	7	27	70	164	364	102
		F	710	1	-	1	2	3	7	13	39	142	502	101
B30	Influenza	M	145	3	-	-	-	-	3	6	34	33	66	149
		F	136	-	1	-	1	2	3	3	9	26	91	127
B31	Pneumonia	M	1,106	102	11	7	7	5	19	31	157	241	526	96
		F	1,017	69	18	3	2	8	19	19	79	219	581	88
B32	Bronchitis	M	1,625	8	5	-	1	-	19	103	431	603	455	96
		F	631	10	2	-	-	1	12	37	92	166	311	98
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	219	8	1	1	1	2	8	21	61	58	58	88
		F	122	2	-	-	4	2	5	12	15	28	54	108
B33	Ulcer of stomach and duodenum	M	208	-	-	-	2	-	8	28	44	62	64	110
		F	100	-	-	-	-	-	3	8	15	23	51	106
B34	Appendicitis	M	22	-	2	-	1	-	2	-	3	9	5	107
		F	14	-	1	1	1	-	1	-	2	1	7	86
B35	Intestinal obstruction and hernia	M	86	7	-	2	1	1	3	4	22	22	24	86
		F	92	4	1	-	-	-	2	4	8	39	34	89
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	58	12	6	-	-	-	2	4	8	10	16	81
		F	86	8	3	-	2	3	2	5	8	29	26	87
B37	Cirrhosis of liver	M	54	-	-	-	-	-	7	10	16	15	6	113
		F	49	-	-	-	-	-	2	10	14	12	11	124
B38	Nephritis and nephrosis	M	126	1	3	1	4	9	12	16	28	21	31	109
		F	106	1	-	2	4	2	5	11	20	38	23	113
B39	Hyperplasia of prostate	M	144	-	-	-	-	-	-	-	8	38	98	87
B40	Complications of pregnancy, childbirth and puerperium	F	12	-	-	-	3	3	6	-	-	-	-	71
B41	Congenital malformations	M	190	136	9	8	10	3	4	8	9	1	2	93
		F	193	135	11	7	4	6	6	8	10	6	-	108
B42	Birth injuries, postnatal asphyxia and atelectasis	M	175	174	1	-	-	-	-	-	-	-	-	87
		F	121	121	-	-	-	-	-	-	-	-	-	93
B43	Diarrhoea of newborn (764) Other infections of newborn (763, 765-768)	M	2	2	-	-	-	-	-	-	-	-	-	64
		F	2	2	-	-	-	-	-	-	-	-	-	117
		M	29	29	-	-	-	-	-	-	-	-	-	87
		F	29	29	-	-	-	-	-	-	-	-	-	125
B44	Other diseases of early infancy and immaturity unqualified	M	227	227	-	-	-	-	-	-	-	-	-	127
		F	163	163	-	-	-	-	-	-	-	-	-	127
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	193	2	-	1	-	-	1	1	1	20	167	134
		F	289	1	1	-	-	1	-	1	2	9	274	122
B46 (Rem.)	All other diseases (Remainder 001-795)	M	540	20	9	18	16	17	27	47	104	116	166	94
		F	779	11	10	10	11	19	45	69	139	199	266	101
BE47	Motor vehicle accidents	M	314	-	20	22	68	40	44	33	40	25	22	96
		F	127	-	16	10	11	10	7	13	22	19	19	109
BE48	All other accidents	M	538	33	17	31	38	30	60	60	78	59	132	129
		F	452	21	11	11	9	6	9	20	23	75	267	118
BE49	Suicide and self-inflicted injury	M	218	-	-	-	9	26	37	38	57	31	20	96
		F	165	-	-	-	4	13	34	31	44	25	14	105
BE50	Homicide and operations of war	M	12	1	2	-	3	3	1	1	-	1	-	91
		F	7	-	-	1	1	1	2	1	1	-	-	78
EN47	Fractures, head injuries and internal injuries	M	619	1	23	30	79	60	78	66	95	57	130	118
		F	417	1	19	12	12	9	11	17	26	62	248	127
EN48	Burns	M	24	-	3	1	3	-	5	1	-	5	6	121
		F	41	-	3	6	2	2	1	3	4	8	12	124
EN49	Effects of poisons	M	208	1	4	-	11	22	32	42	42	30	24	91
		F	200	-	1	-	4	14	31	36	48	38	28	94
EN50	All other injuries	M	231	32	9	22	25	17	27	23	38	24	14	110
		F	93	20	4	4	7	5	9	9	12	11	12	101

TABLE 19 - continued

Abbreviated List No.	Causes of death		Tyneside Conurbation												S.M.R. (England and Wales =100)
			Age												
			All ages	Under 1 year	Years								75 and over		
					1-	5-	15-	25-	35-	45-	55-	65-			
	ALL CAUSES	M	5,593	196	40	26	35	58	184	491	1,252	1,577	1,734	111	
		F	4,900	143	20	13	20	46	135	272	642	1,224	2,385	108	
B1	Tuberculosis of respiratory system	M	39	-	-	-	-	1	6	7	13	9	3	111	
		F	8	-	-	-	-	-	1	1	5	1	-	80	
B2	Tuberculosis, other forms	M	4	-	-	-	-	-	-	2	-	2	-	135	
		F	6	-	-	-	-	1	-	2	2	1	-	191	
B3	Syphilis and its sequelae	M	18	-	-	-	-	-	-	-	7	5	6	214	
		F	6	-	-	-	-	-	-	1	2	3	-	109	
B4	Typhoid fever	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B5	Cholera	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B6	Dysentery, all forms	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B7	Scarlet fever and streptococcal sore throat	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B9	Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B10	Meningococcal infections	M	2	1	1	-	-	-	-	-	-	-	-	121	
		F	1	-	1	-	-	-	-	-	-	-	-	92	
B11	Plague	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B13	Smallpox	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B14	Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B15	Typhus and other rickettsial diseases	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B16	Malaria	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B17	All other diseases classified as infective and parasitic	M	8	-	2	1	-	-	1	2	1	1	-	100	
		F	9	1	1	1	-	-	1	1	1	1	2	122	
B18	Malignant neoplasm:	M	1,208	1	5	5	5	8	50	149	379	391	215	126	
	(140-205)	F	811	-	5	-	5	11	43	102	209	204	232	103	
	stomach (151)	M	180	-	-	-	-	-	7	17	59	55	42	135	
		F	116	-	-	-	-	2	-	8	26	32	48	119	
	trachea, bronchus and lung	M	525	-	-	-	-	2	20	83	194	182	44	145	
	(162, 163)	F	60	-	-	-	-	-	4	9	20	17	10	96	
	breast (170)	M	2	-	-	-	-	-	-	-	1	1	-	167	
		F	150	-	-	-	-	1	14	29	45	29	32	94	
	uterus (171-174)	F	85	-	-	-	-	3	11	13	21	17	20	127	
	Leukaemia and aleukaemia (204)	M	23	-	3	-	1	1	5	1	5	4	3	86	
		F	19	-	4	-	2	1	1	3	4	2	2	83	
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M	478	1	2	5	4	5	18	48	120	149	126	111	
	F	381	-	1	-	3	4	13	40	93	107	120	100		
B19	Benign and unspecified neoplasms	M	7	-	1	-	-	1	-	1	2	1	1	61	
		F	9	-	-	-	-	-	-	4	3	1	1	71	
B20	Diabetes mellitus	M	21	-	-	-	-	1	1	2	5	5	7	89	
		F	41	-	-	-	-	-	1	-	6	15	19	103	
B21	Anaemias	M	12	-	1	1	-	-	-	-	2	3	5	127	
		F	12	-	-	1	-	-	-	2	1	2	6	63	
B22	Vascular lesions affecting central nervous system	M	686	-	-	1	1	3	7	23	106	199	346	126	
		F	870	-	-	-	1	6	14	23	88	236	502	113	
B23	Non-meningococcal meningitis	M	2	1	1	-	-	-	-	-	-	-	-	51	
		F	4	1	-	2	-	-	-	-	-	1	-	120	
B24	Rheumatic fever	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B25	Chronic rheumatic heart disease	M	44	-	-	-	1	2	8	7	11	10	5	106	
		F	97	-	-	-	-	5	10	13	30	25	14	126	



TABLE 19 - continued

Abbrevi- ated List No.	Causes of death		Tyneside Conurbation - continued											
			Age											S.M.R. (England and Wales =100)
			All ages	Under 1 year	Years								75 and over	
					1-	5-	15-	25-	35-	45-	55-	65-		
B26	Arteriosclerotic heart disease including coronary disease (420) Degenerative heart disease (421, 422)	M	1,235	-	-	-	-	3	38	154	362	393	285	109
F		768	-	-	-	-	-	10	26	113	274	345	113	
M		260	-	1	-	-	-	2	11	16	48	182	89	
F		439	-	-	-	1	3	3	4	17	67	344	97	
B27	Other diseases of heart	M	112	-	-	1	-	-	2	3	19	32	55	100
		F	136	-	-	-	1	-	2	8	7	36	82	102
B28	Hypertension with heart disease	M	86	-	-	-	-	-	1	4	15	33	33	124
		F	133	-	-	-	-	-	-	2	5	49	77	134
B29	Hypertension without mention of heart	M	51	-	-	-	-	1	4	6	8	11	21	116
		F	55	-	-	-	-	-	-	3	4	17	31	118
B46 (Pt.)	Other circulatory diseases (450-468)	M	149	-	-	-	-	1	1	10	15	39	83	96
		F	205	-	-	-	-	-	2	7	10	40	146	110
B30	Influenza	M	41	-	-	-	-	-	1	1	11	12	16	167
		F	46	-	-	-	1	-	1	2	5	9	28	163
B31	Pneumonia	M	285	23	4	2	1	-	4	9	55	63	124	99
		F	267	13	4	-	-	-	6	6	19	58	161	87
B32	Bronchitis	M	509	2	-	-	-	-	6	30	121	207	143	120
		F	218	4	-	-	-	-	6	12	28	59	109	129
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	44	3	-	-	1	1	3	5	8	10	13	70
		F	30	2	-	-	-	1	2	2	2	4	17	101
B33	Ulcer of stomach and duodenum	M	46	-	-	-	-	-	4	9	3	16	14	96
		F	24	-	-	-	-	-	1	4	2	6	11	96
B34	Appendicitis	M	1	-	-	-	-	-	-	-	-	-	1	19
		F	1	-	-	-	-	-	-	-	-	-	1	23
B35	Intestinal obstruction and hernia	M	21	-	-	-	-	-	-	-	8	5	8	83
		F	29	3	-	-	-	-	1	2	1	9	13	107
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	14	4	4	-	-	-	-	-	2	1	3	77
		F	16	2	1	-	-	2	-	-	2	4	5	61
B37	Cirrhosis of liver	M	18	-	-	-	-	-	5	-	7	5	1	147
		F	11	-	-	-	-	-	-	3	3	4	1	104
B38	Nephritis and nephrosis	M	31	-	2	-	2	2	3	3	5	3	11	105
		F	31	-	-	-	1	-	3	2	6	8	11	124
B39	Hyperplasia of prostate	M	42	-	-	-	-	-	-	-	1	11	30	102
B40	Complications of pregnancy, childbirth and puerperium	F	-	-	-	-	-	-	-	-	-	-	-	-
B41	Congenital malformations	M	41	30	3	1	2	-	-	4	1	-	-	78
		F	48	28	1	5	2	3	1	2	3	3	-	103
B42	Birth injuries, postnatal asphyxia and atelectasis	M	39	39	-	-	-	-	-	-	-	-	-	76
		F	22	22	-	-	-	-	-	-	-	-	-	66
B43	Diarrhoea of newborn (764)	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	227
	Other infections of newborn (763, 765-768)	M	4	4	-	-	-	-	-	-	-	-	-	47
		F	5	5	-	-	-	-	-	-	-	-	-	84
B44	Other diseases of early infancy and immaturity unqualified	M	65	65	-	-	-	-	-	-	-	-	-	142
		F	48	48	-	-	-	-	-	-	-	-	-	145
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	42	1	-	-	-	-	-	-	1	4	36	119
		F	77	-	1	-	-	1	-	-	-	3	72	124
B46 (Rem.)	All other diseases (Remainder 001-795)	M	131	7	2	5	4	4	11	12	17	29	40	91
		F	207	5	4	1	3	5	11	15	35	48	80	101
EE47	Motor vehicle accidents	M	72	-	6	5	11	9	8	8	11	7	7	88
		F	31	-	1	2	2	2	4	3	4	7	6	101
EE48	All other accidents	M	139	14	6	4	5	11	11	16	24	14	34	132
		F	119	8	1	1	1	3	3	7	10	20	65	117
EE49	Suicide and self-inflicted injury	M	58	-	-	-	2	8	6	12	16	8	6	100
		F	57	-	-	-	2	3	8	12	19	9	4	136
EE50	Homicide and operations of war	M	6	1	1	-	-	2	1	1	-	-	-	178
		F	2	-	-	-	-	-	1	1	-	-	-	85
EN47	Fractures, head injuries and internal injuries	M	143	1	7	8	14	15	13	17	26	12	30	108
		F	104	-	2	2	2	1	5	5	9	15	63	120
EN48	Burns	M	9	-	2	-	-	-	1	-	-	3	3	181
		F	9	-	-	1	-	1	-	2	-	3	2	103
EN49	Effects of poisons	M	68	1	2	-	3	7	6	14	12	11	12	116
		F	76	-	-	-	3	4	11	14	23	15	6	134
EN50	All other injuries	M	55	13	2	1	1	8	6	6	13	3	2	103
		F	20	8	-	-	-	2	-	2	1	3	4	83

TABLE 19 - continued

Abbrevi- ated List No.	Causes of death	East and West Ridings Region												S.M.R. (England and Wales =100)
		Age												
		All ages	Under 1 year	Years										
				1-	5-	15-	25-	35-	45-	55-	65-	75 and over		
	ALL CAUSES	M 27,151 F 25,419	1,057 800	150 133	160 82	301 109	309 201	766 496	2,164 1,362	5,780 3,124	7,766 6,409	8,698 12,703	105 105	
B1	Tuberculosis of respiratory system	M 204 F 48	- -	- -	- -	1 6	3 5	20 11	21 11	78 11	59 6	22 9	112 92	
B2	Tuberculosis, other forms	M 15 F 16	- -	1 -	1 -	4 -	1 1	1 1	1 -	6 3	- 3	- 8	99 99	
B3	Syphilis and its sequelae	M 47 F 37	- -	- -	- -	- -	- -	3 -	5 1	12 6	18 14	9 16	108 127	
B4	Typhoid fever	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B5	Cholera	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B6	Dysentery, all forms	M 1 F 1	- -	- -	- -	- -	- -	- 1	1 -	- -	- -	- -	54 83	
B7	Scarlet fever and streptococcal sore throat	M 2 F -	- -	1 -	- -	1 -	- -	- -	- -	- -	- -	- -	319 -	
B8	Diphtheria	M - F 1	- -	- 1	- -	- -	- -	- -	- -	- -	- -	- -	- 107	
B9	Whooping cough	M 2 F 3	2 5	- 1	- -	- -	- -	- -	- -	- -	- -	- -	148 159	
B10	Meningococcal infections	M 7 F 6	5 2	1 3	- -	- -	- -	- -	- -	- -	- -	1 1	88 116	
B11	Plague	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B12	Acute poliomyelitis	M 1 F -	- -	- -	- -	- -	- -	1 -	- -	- -	- -	- -	552 -	
B13	Smallpox	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B14	Measles	M 7 F 7	1 3	4 1	2 3	- -	- -	- -	- -	- -	- -	- -	126 119	
B15	Typhus and other rickettsial diseases	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B16	Malaria	M - F 1	- -	- -	- -	- -	1 -	- -	- -	- -	- -	- -	- 548	
B17	All other diseases classified as infective and parasitic	M 43 F 34	4 2	3 1	1 4	2 1	3 -	4 4	7 2	10 8	5 4	4 8	107 90	
B18	Malignant neoplasm: (140-205)	M 4,989 F 4,152	2 3	20 13	25 13	21 13	49 43	165 184	587 561	1,469 943	1,629 1,185	1,022 1,194	101 100	
	stomach (151)	M 760 F 565	- -	- -	- -	- -	3 4	13 11	83 44	222 98	279 164	160 244	110 109	
	trachea, bronchus and lung (162, 163)	M 1,853 F 329	- -	- -	- 1	1 -	6 3	57 17	265 63	684 100	622 97	218 48	99 100	
	breast (170)	M 8 F 766	- -	- -	- -	- -	- 7	- 47	- 159	3 217	2 175	3 161	129 91	
	uterus (171-174)	M - F 367	- -	- -	- -	1 -	2 34	- 70	- 87	- 96	- 77	- 104	- 104	
	Leukaemia and aleukaemia (204)	M 107 F 120	- 2	7 3	9 8	2 2	5 7	6 7	7 8	30 23	23 32	18 28	79 102	
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M 2,261 F 2,005	2 1	13 10	16 4	18 10	35 20	89 68	232 217	530 418	703 621	623 636	101 100	
	Benign and unspecified neoplasms	M 70 F 66	4 2	- -	1 2	3 1	3 1	5 4	15 9	14 19	15 15	10 13	119 100	
	Diabetes mellitus	M 120 F 229	- -	1 -	1 -	1 -	2 -	2 3	5 4	20 48	46 81	42 93	99 108	
	B21	Anaemias	M 49 F 99	1 -	1 -	- -	1 -	1 1	- 2	4 2	4 8	15 30	22 56	101 97
B22	Vascular lesions affecting central nervous system	M 3,145 F 4,386	1 1	- 3	2 2	1 7	18 11	30 28	122 130	507 428	1,012 1,150	1,452 2,630	112 107	
B23	Non-meningococcal meningitis	M 13 F 20	2 9	- 2	- -	- 2	- -	- -	- 1	- 4	- -	- 2	68 122	
B24	Rheumatic fever	M 2 F 4	- -	1 1	- 1	- 1	- -	- -	- -	- -	- -	- 1	43 100	
B25	Chronic rheumatic heart disease	M 213 F 456	- -	- -	- -	5 4	11 17	37 44	41 106	61 122	38 94	20 69	99 113	

TABLE 19 - continued

Abbreviated List No.	Causes of death		East and West Ridings Region - continued												S.M.R. (England and Wales =100)
			Age												
			All ages	Under 1 year	Years										
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over		
B26	Arteriosclerotic heart disease including coronary disease (420) Degenerative heart disease (421, 422)	M	6,356	-	-	-	1	22	178	713	1,806	2,084	1,552	108	
F		4,262	-	-	-	-	5	18	122	616	1,482	2,019	117		
M		1,468	-	-	1	3	5	6	34	94	342	983	97		
F		2,307	1	-	-	1	1	2	14	70	373	1,845	95		
B27	Other diseases of heart	M	527	1	-	1	3	5	8	24	75	169	241	92	
F		703	-	3	1	1	5	14	59	180	439	98			
B28	Hypertension with heart disease	M	341	-	-	-	-	-	6	12	53	120	150	95	
F		524	-	-	-	-	1	7	62	154	299	99			
B29	Hypertension without mention of heart	M	220	-	-	-	1	1	8	17	56	66	71	97	
F		204	-	-	-	-	2	4	14	22	60	102	82		
B46 (Pt.)	Other circulatory diseases (450-468)	M	925	-	-	-	2	3	10	27	104	220	559	115	
F		1,238	-	-	1	1	6	7	31	66	247	879	124		
B30	Influenza	M	78	1	1	-	1	2	2	10	17	13	31	62	
F		83	-	-	-	-	2	2	4	5	14	56	55		
B31	Pneumonia	M	1,469	142	21	11	11	4	18	55	179	320	708	100	
F		1,546	116	21	4	5	5	20	30	97	285	963	95		
B32	Bronchitis	M	2,549	32	9	4	5	2	23	124	594	905	851	116	
F		1,049	27	9	2	3	3	12	49	109	290	545	116		
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	289	15	1	3	2	2	11	34	61	93	67	89	
F		158	16	1	3	1	1	9	12	25	32	58	101		
B33	Ulcer of stomach and duodenum	M	236	-	-	-	1	-	11	15	63	64	82	95	
F		130	-	-	-	-	-	4	7	17	42	60	98		
B34	Appendicitis	M	32	-	2	3	1	1	1	4	6	10	120	120	
F		20	-	-	-	-	1	1	1	7	9	89	89		
B35	Intestinal obstruction and hernia	M	146	14	-	2	-	2	3	4	24	37	60	113	
F		155	9	2	1	-	-	4	7	17	46	69	108		
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	98	32	4	1	-	1	5	10	28	16	107	107	
F		136	18	3	-	-	5	5	2	15	35	53	100		
B37	Cirrhosis of liver	M	73	-	-	1	-	-	6	11	22	26	7	115	
F		62	-	-	-	-	-	5	6	14	17	20	112		
B38	Nephritis and nephrosis	M	173	-	-	3	7	10	15	18	44	34	42	115	
F		165	1	-	4	6	5	3	17	27	54	48	127		
B39	Hyperplasia of prostate	M	217	-	-	-	-	-	-	17	58	142	102		
B40	Complications of pregnancy, childbirth and puerperium	F	25	-	-	-	4	10	11	-	-	-	-	115	
B41	Congenital malformations	M	250	184	21	11	10	4	4	5	8	1	2	100	
F		231	166	18	7	7	5	5	8	8	5	2	104		
B42	Birth injuries, postnatal asphyxia and atelectasis	M	276	275	1	-	-	-	-	-	-	-	-	114	
F		192	192	-	-	-	-	-	-	-	-	-	-	122	
B43	Diarrhoea of newborn (764) Other infections of newborn (763, 765-768)	M	7	7	-	-	-	-	-	-	-	-	-	185	
		F	5	5	-	-	-	-	-	-	-	-	-	242	
		M	51	51	-	-	-	-	-	-	-	-	-	127	
		F	34	34	-	-	-	-	-	-	-	-	-	121	
B44	Other diseases of early infancy and immaturity unqualified	M	224	224	-	-	-	-	-	-	-	-	-	104	
F		144	144	-	-	-	-	-	-	-	-	-	93		
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	119	3	1	-	-	-	-	1	1	3	110	65	
F		255	2	-	-	-	1	-	1	-	8	243	76		
B46 (Rem.)	All other diseases (Remainder 001-795)	M	720	31	17	14	20	18	43	70	147	178	182	97	
F		1,127	18	23	11	16	30	44	104	175	301	405	105		
BE47	Motor vehicle accidents	M	438	-	17	38	113	64	34	34	57	44	37	108	
F		163	1	12	16	18	9	5	23	21	24	34	104		
BE48	All other accidents	M	599	23	19	30	51	42	60	71	81	60	162	113	
F		715	25	17	8	7	6	19	21	48	128	436	134		
BE49	Suicide and self-inflicted injury	M	324	-	-	-	27	27	46	64	81	54	25	109	
F		213	-	-	-	8	20	32	41	50	43	19	99		
BE50	Homicide and operations of war	M	16	-	-	2	2	1	4	3	-	3	1	96	
F		7	1	1	-	2	1	2	-	-	-	-	61		
EN47	Fractures, head injuries and internal injuries	M	711	-	21	40	122	88	72	65	87	71	145	108	
F		595	3	13	16	19	11	7	24	41	94	367	130		
M		32	3	2	3	2	-	2	2	5	4	9	127		
EN48	Burns	M	66	1	5	5	3	-	1	3	3	14	33	146	
F															
EN49	Effects of poisons	M	338	-	5	2	33	23	42	62	74	55	42	113	
F		301	1	4	-	9	21	39	46	58	68	55	102		
EN50	All other injuries	M	296	20	8	25	36	23	28	43	53	31	29	111	
F		136	22	8	3	7	3	11	12	17	19	34	111		



TABLE 19- continued

Abbrevi- ated List No.	Causes of death	West Yorkshire Conurbation												S.M.R. (England and Wales =100)
		Age												
		All ages	Under 1 year	Years										
1-	5-			15-	25-	35-	45-	55-	65-	75 and over				
	ALL CAUSES	M 11,539 F 11,673	452 344	64 48	70 31	112 43	132 80	316 203	985 599	2,583 1,451	3,375 2,953	3,450 5,921	110 110	
B1	Tuberculosis of respiratory system	M 88 F 25	- -	- -	- -	1 2	9 3	11 6	33 5	26 4	7 5	119 111		
B2	Tuberculosis, other forms	M 4 F 10	- -	- -	1 -	1 -	- 1	- -	2 1	- 3	- 4	65 144		
B3	Syphilis and its sequelae	M 22 F 18	- -	- -	- -	- -	- -	2 -	3 -	6 1	9 8	125 140		
B4	Typhoid fever	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -		
B5	Cholera	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -		
B6	Dysentery, all forms	M 1 F 1	- -	- -	- -	- -	- 1	1 -	- -	- -	- -	134 192		
B7	Scarlet fever and streptococcal sore throat	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -		
B8	Diphtheria	M - F 1	- -	1 -	- -	- -	- -	- -	- -	- -	- -	727		
B9	Whooping cough	M - F 1	- -	1 -	- -	- -	- -	- -	- -	- -	- -	131		
B10	Meningococcal infections	M 4 F 3	2 1	1 2	- -	- -	- -	- -	- -	- -	- -	125 142		
B11	Plague	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -		
B12	Acute poliomyelitis	M 1 F -	- -	- -	- -	- -	- -	1 -	- -	- -	- -	385		
B13	Smallpox	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -		
B14	Measles	M 1 F 2	1 2	- -	- -	- -	- -	- -	- -	- -	- -	45 84		
B15	Typhus and other rickettsial diseases	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -		
B16	Malaria	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -		
B17	All other diseases classified as infective and parasitic	M 22 F 15	2 1	2 2	1 2	2 -	1 -	2 3	5 -	3 5	3 2	1 2	135 92	
B18	Malignant neoplasm: (140-205)	M 2,084 F 1,833	1 1	8 5	8 7	6 6	19 13	68 68	246 240	630 417	673 547	425 529	104 100	
	stomach (151)	M 328 F 274	- -	- -	- -	- -	1 2	7 4	36 16	97 53	119 86	68 113	117 120	
	trachea, bronchus and lung (162, 163)	M 800 F 147	- -	- -	1 -	- -	2 7	22 30	112 40	308 46	258 41	98 23	105 102	
	breast (170)	M 3 F 338	- -	- -	- -	- -	4 19	- 70	- 89	1 87	1 69	119 92		
	uterus (171-174)	M 171 F 171	- -	- -	- 1	2 2	14 34	34 40	40 46	46 34	34 110	110		
	Leukaemia and aleukaemia (204)	M 40 F 47	- -	3 2	3 5	1 -	- 2	3 4	1 6	12 11	9 15	8 15	73 93	
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M 913 F 856	1 1	5 3	5 1	5 5	16 5	36 22	97 86	212 187	286 271	250 275	101 97	
	Benign and unspecified neoplasms	M 34 F 28	3 -	- -	- -	1 -	1 1	1 2	11 6	6 6	4 8	7 5	143 98	
	Diabetes mellitus	M 48 F 98	- -	- -	- -	- -	1 -	1 1	1 1	9 24	22 31	14 41	99 105	
	Anaemias	M 19 F 42	- -	1 -	- -	- -	1 1	- -	2 2	2 1	7 14	6 24	97 94	
B22	Vascular lesions affecting central nervous system	M 1,382 F 2,023	- -	- -	2 1	- 4	10 5	13 11	52 60	243 207	422 523	640 1,212	122 112	
B23	Non-meningococcal meningitis	M 4 F 8	- 3	1 -	1 -	- -	2 -	- -	- -	- 4	- -	- 1	52 116	
B24	Rheumatic fever	M - F 3	- -	- 1	- 1	- -	- -	- -	- -	- -	- -	- 1	- 175	
B25	Chronic rheumatic heart disease	M 79 F 220	- -	- -	- -	- 1	5 6	8 17	14 46	28 62	14 46	10 42	91 124	

TABLE 19 - continued

Abbreviated List No.	Causes of death		West Yorkshire Conurbation - continued											S.M.R. (England and Wales =100)
			Age											
			All ages	Under 1 year	Years								75 and over	
					1-	5-	15-	25-	35-	45-	55-	65-		
B26	Arteriosclerotic heart disease including coronary disease (420) Degenerative heart disease (421, 422)	M	2,949	-	-	-	1	13	84	354	838	985	674	124
		F	2,174	-	-	-	-	1	8	69	306	739	1,051	135
		M	549	-	-	1	1	3	2	14	36	137	355	90
		F	988	-	-	-	1	-	1	6	36	153	791	92
B27	Other diseases of heart	M	217	-	-	1	1	1	5	14	33	74	88	94
		F	303	-	1	-	-	-	1	4	29	77	191	96
B28	Hypertension with heart disease	M	117	-	-	-	-	-	2	2	23	49	41	81
		F	225	-	-	-	-	1	-	4	31	63	126	96
B29	Hypertension without mention of heart	M	74	-	-	-	-	1	3	7	20	21	22	80
		F	84	-	-	-	-	1	2	4	8	20	49	76
B46 (Pt.)	Other circulatory diseases (450-468)	M	292	-	-	-	1	1	3	16	35	78	158	90
		F	501	-	-	-	1	3	5	11	33	100	348	114
B30	Influenza	M	35	-	1	-	1	-	1	3	7	6	16	69
		F	41	-	-	-	-	1	-	3	2	4	31	62
B31	Pneumonia	M	661	68	12	4	8	2	7	29	94	161	276	111
		F	806	58	9	-	2	2	8	16	41	144	526	113
B32	Bronchitis	M	1,071	4	1	1	2	-	10	55	261	380	357	120
		F	481	6	3	-	2	-	6	18	48	124	274	121
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	128	7	1	1	1	2	3	12	29	37	35	97
		F	81	5	-	1	-	-	5	9	11	17	33	118
B33	Ulcer of stomach and duodenum	M	101	-	-	-	-	-	5	12	27	26	31	101
		F	67	-	-	-	-	-	2	1	10	22	32	114
B34	Appendicitis	M	11	-	-	1	1	-	-	3	2	-	4	103
		F	11	-	-	-	-	-	-	-	1	5	-	112
B35	Intestinal obstruction and hernia	M	64	8	-	-	-	1	1	3	10	18	23	122
		F	63	5	-	1	-	-	1	2	5	15	34	100
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	37	8	3	1	-	-	-	1	5	13	6	100
		F	67	8	1	-	-	4	2	1	7	20	24	113
B37	Cirrhosis of liver	M	34	-	-	1	-	-	1	7	10	12	3	132
		F	28	-	-	-	-	-	2	3	7	6	10	115
B38	Nephritis and nephrosis	M	72	-	-	1	1	6	4	9	24	18	9	118
		F	77	1	-	1	2	4	2	5	15	19	28	136
B39	Hyperplasia of prostate	M	78	-	-	-	-	-	-	-	5	26	47	92
B40	Complications of pregnancy, childbirth and puerperium	F	13	-	-	-	1	6	6	-	-	-	-	150
B41	Congenital malformations	M	97	68	12	5	2	1	2	4	2	-	1	96
		F	81	60	6	5	2	-	-	2	2	4	-	89
B42	Birth injuries, postnatal asphyxia and atelectasis	M	113	113	-	-	-	-	-	-	-	-	-	115
		F	93	93	-	-	-	-	-	-	-	-	-	146
B43	Diarrhoea of newborn (764) Other infections of newborn (763, 765-768)	M	3	3	-	-	-	-	-	-	-	-	-	196
		F	1	1	-	-	-	-	-	-	-	-	-	119
		M	30	30	-	-	-	-	-	-	-	-	-	184
		F	14	14	-	-	-	-	-	-	-	-	-	123
B44	Other diseases of early infancy and immaturity unqualified	M	103	103	-	-	-	-	-	-	-	-	-	117
		F	64	64	-	-	-	-	-	-	-	-	-	102
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	39	3	-	-	-	-	-	-	1	2	33	53
		F	100	1	-	-	-	1	-	1	-	4	93	67
B46 (Rem.)	All other diseases (Remainder 001-795)	M	317	14	5	6	10	7	17	34	67	81	76	106
		F	522	5	7	3	10	11	18	45	82	135	206	111
BE47	Motor vehicle accidents	M	166	-	6	19	32	23	19	11	26	19	11	104
		F	68	-	6	4	5	3	-	10	10	12	18	102
BE48	All other accidents	M	242	14	10	14	22	15	25	24	28	28	62	114
		F	304	14	5	5	3	5	12	10	14	71	165	130
BE49	Suicide and self-inflicted injury	M	138	-	-	-	16	14	16	23	38	22	9	115
		F	83	-	-	-	2	8	15	14	20	13	11	89
BE50	Homicide and operations of war	M	8	-	-	1	1	1	1	2	-	2	-	120
		F	2	1	-	-	1	-	-	-	-	-	-	43
EN47	Fractures, head injuries and internal injuries	M	259	-	8	17	37	33	31	16	36	31	50	99
		F	228	2	7	3	7	3	1	11	15	49	130	115
EN48	Burns	M	17	2	2	2	1	-	2	1	1	2	4	169
		F	27	-	2	4	-	1	-	2	1	6	11	138
EN49	Effects of poisons	M	169	-	3	1	22	13	16	30	36	28	20	140
		F	137	-	1	-	2	11	22	15	21	32	33	108
EN50	All other injuries	M	109	12	3	14	11	7	12	13	19	10	8	102
		F	65	13	1	2	2	1	4	6	7	9	20	125

TABLE 19 - continued

Abbreviated List No.	Causes of death	North Western Region												S.M.R. (England and Wales =100)
		Age												
		All ages	Under 1 year	Years										
				1-	5-	15-	25-	35-	45-	55-	65-	75 and over		
	ALL CAUSES	M 43,976 F 42,274	1,811 1,296	271 173	219 149	442 175	473 318	1,268 932	3,732 2,258	9,729 5,247	12,555 10,757	13,476 20,969	110 108	
B1	Tuberculosis of respiratory system	M 321 F 86	1 -	1 -	- -	- 1	3 8	26 20	50 16	97 18	98 12	45 11	114 102	
B2	Tuberculosis, other forms	M 25 F 31	1 -	3 1	- 1	4 3	- 4	3 2	3 3	5 6	4 5	2 6	106 119	
B3	Syphilis and its sequelae	M 58 F 44	- -	- -	- -	- -	- 1	3 1	4 1	10 8	30 17	11 16	86 93	
B4	Typhoid fever	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B5	Cholera	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B6	Dysentery, all forms	M 2 F -	1 -	1 -	- -	- -	- -	- -	- -	- -	- -	- -	69 -	
B7	Scarlet fever and streptococcal sore throat	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B8	Diphtheria	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B9	Whooping cough	M 4 F 7	2 5	2 1	- 1	- -	- -	- -	- -	- -	- -	- -	182 227	
B10	Meningococcal infections	M 12 F 12	3 4	5 5	- -	1 1	- -	- -	2 -	- 1	1 -	- 1	94 143	
B11	Plague	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B12	Acute poliomyelitis	M 1 F 1	- -	- -	1 -	- -	- 1	- -	- -	- -	- -	- -	352 716	
B13	Smallpox	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B14	Measles	M 17 F 13	6 5	8 2	3 3	- 3	- -	- -	- -	- -	- -	- -	189 137	
B15	Typhus and other rickettsial diseases	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B16	Malaria	M 2 F -	- -	- -	- -	- -	- -	- -	- -	1 -	1 -	- -	356 -	
B17	All other diseases classified as infective and parasitic	M 65 F 63	13 5	5 3	2 1	1 1	1 5	6 7	13 11	5 11	12 8	7 11	104 103	
B18	Malignant neoplasm: (140-205)	M 8,108 F 6,886	9 2	32 18	34 30	44 28	70 83	237 343	942 887	2,431 1,590	2,674 1,908	1,635 1,997	106 102	
	stomach (151)	M 1,229 F 950	- -	- -	- -	- 1	- 5	7 13	25 67	142 151	341 299	442 413	115 113	
	trachea, bronchus and lung (162, 163)	M 3,166 F 561	- -	1 -	- -	1 -	12 7	87 30	417 88	1,228 166	1,083 164	337 106	109 105	
	breast (170)	M 11 F 1,334	- -	- -	- -	- -	- 21	1 100	2 268	2 347	- 320	6 278	114 98	
	uterus (171-174)	M - F 617	- -	- -	- -	1 6	- 61	- 116	- 174	- 149	- 110	- 108	- 108	
	Leukaemia and aleukaemia (204)	M 213 F 185	3 1	16 11	13 18	13 7	11 5	15 11	31 19	35 38	58 40	18 35	102 98	
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M 3,489 F 3,239	6 1	15 7	21 12	30 19	40 39	109 128	350 329	825 713	1,091 936	1,002 1,055	101 99	
	Benign and unspecified neoplasms	M 110 F 98	2 2	4 -	5 1	3 3	5 4	11 9	11 12	28 24	24 21	17 22	121 92	
	Diabetes mellitus	M 169 F 384	1 -	- -	1 1	1 -	2 2	8 4	14 17	36 64	54 149	52 147	90 112	
	Anaemias	M 95 F 196	1 -	1 -	1 2	2 -	3 3	1 5	- 7	15 13	31 62	40 104	127 119	
	B22	Vascular lesions affecting central nervous system	M 5,110 F 7,296	2 3	1 -	2 2	9 4	18 17	76 71	224 243	888 687	1,625 1,969	2,265 4,300	118 110
B23	Non-meningococcal meningitis	M 35 F 36	12 13	6 4	2 1	1 -	- -	2 1	3 2	6 6	3 2	- 7	116 135	
B24	Rheumatic fever	M 8 F 12	- -	- -	1 -	1 -	- 1	- 2	1 1	4 1	1 3	- 4	110 187	
B25	Chronic rheumatic heart disease	M 374 F 757	- -	- -	1 -	6 13	23 28	49 72	85 160	97 186	78 180	35 118	113 116	



TABLE 19 - continued

Abbrevi- ated List No.	Causes of death		North Western Region - continued												S.M.R. (England and Wales =100)
			Age												
			All ages	Under 1 year	Years										
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over		
B26	Arteriosclerotic heart disease including coronary disease (420)	M	10,055	-	-	-	1	24	333	1,187	2,965	3,260	2,285	111	
	Degenerative heart disease (421, 422)	F	6,322	-	-	-	2	4	50	229	977	2,266	2,794	107	
		M	2,487	-	-	-	3	6	19	56	180	553	1,670	107	
		F	4,260	-	-	-	2	3	5	34	140	703	3,373	109	
B27	Other diseases of heart	M	1,027	3	-	-	2	3	13	54	190	306	456	116	
		F	1,347	2	-	-	-	7	33	122	366	810	117		
B28	Hypertension with heart disease	M	537	-	-	-	-	3	9	27	120	183	195	97	
		F	860	-	-	-	-	-	2	21	73	303	461	100	
B29	Hypertension without mention of heart	M	328	-	-	-	1	5	23	47	75	88	89	93	
		F	352	-	-	-	-	3	5	27	50	103	164	87	
B46 (Pt.)	Other circulatory diseases (450-468)	M	1,244	1	-	1	1	8	12	53	158	324	686	100	
		F	1,651	-	-	2	4	4	19	36	96	342	1,148	103	
B30	Influenza	M	203	3	-	-	2	2	5	15	39	67	70	104	
		F	232	3	1	2	1	1	5	10	28	52	129	95	
B31	Pneumonia	M	2,367	263	44	13	9	3	19	118	294	555	1,049	104	
		F	2,733	180	36	11	3	13	28	48	191	547	1,676	104	
B32	Bronchitis	M	4,165	67	11	4	-	6	35	263	1,148	1,474	1,157	123	
		F	1,955	44	10	3	-	6	24	83	271	582	932	134	
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	473	11	7	4	8	8	14	40	118	148	115	94	
		F	230	3	7	3	4	5	13	27	32	55	81	91	
B33	Ulcer of stomach and duodenum	M	368	-	-	-	1	2	13	38	88	103	123	96	
		F	213	1	-	-	-	1	3	12	30	72	94	99	
B34	Appendicitis	M	42	-	1	4	2	2	4	5	6	11	7	102	
		F	31	-	-	1	1	1	-	3	5	9	11	85	
B35	Intestinal obstruction and hernia	M	181	13	1	-	1	3	3	17	37	50	56	90	
		F	249	14	-	-	-	3	2	12	31	66	121	107	
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	147	37	11	-	-	4	3	7	22	35	28	103	
		F	218	35	2	4	2	1	6	14	22	43	89	99	
B37	Cirrhosis of liver	M	112	1	1	1	1	4	9	17	45	30	3	114	
		F	92	1	1	1	-	1	3	15	21	35	14	102	
B38	Nephritis and nephrosis	M	224	-	2	8	11	16	25	33	34	46	49	96	
		F	240	-	1	3	12	6	11	27	38	55	87	114	
B39	Hyperplasia of prostate	M	299	-	-	-	-	-	-	3	23	76	197	92	
B40	Complications of pregnancy, childbirth and puerperium	F	36	-	-	-	5	14	17	-	-	-	-	106	
B41	Congenital malformations	M	410	298	31	21	12	6	12	11	9	7	3	102	
		F	364	267	16	11	8	6	9	14	8	17	8	101	
B42	Birth injuries, postnatal asphyxia and atelectasis	M	505	505	-	-	-	-	-	-	-	-	-	127	
		F	311	311	-	-	-	-	-	-	-	-	-	121	
B43	Diarrhoea of newborn (764)	M	7	7	-	-	-	-	-	-	-	-	-	114	
		F	5	5	-	-	-	-	-	-	-	-	-	148	
	Other infections of newborn (763, 765-768)	M	90	90	-	-	-	-	-	-	-	-	-	137	
		F	48	48	-	-	-	-	-	-	-	-	-	105	
B44	Other diseases of early infancy and immaturity unqualified	M	358	357	-	1	-	-	-	-	-	-	-	102	
		F	263	263	-	-	-	-	-	-	-	-	-	104	
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	500	2	1	1	2	-	1	4	4	29	456	179	
		F	925	3	-	-	1	1	1	-	5	34	880	172	
B46 (Rem.)	All other diseases (Remainder 001-795)	M	1,223	46	20	24	31	34	64	126	228	316	334	107	
		F	1,811	33	26	16	31	36	86	124	293	481	685	104	
BE47	Motor vehicle accidents	M	676	2	30	35	171	83	73	72	83	70	57	108	
		F	287	1	16	27	21	6	17	28	51	61	59	114	
BE48	All other accidents	M	938	50	40	46	71	74	74	97	129	117	240	114	
		F	976	40	22	20	10	11	39	30	70	164	570	113	
BE49	Suicide and self-inflicted injury	M	466	-	-	2	35	48	81	88	110	62	40	102	
		F	321	-	-	-	8	23	42	70	75	64	39	93	
BE50	Homicide and operations of war	M	28	1	2	1	4	4	2	2	1	9	2	108	
		F	20	3	1	2	3	5	1	1	3	1	-	110	
BN47	Fractures, head injuries and internal injuries	M	1,125	6	35	47	200	107	99	125	145	139	222	111	
		F	835	9	19	29	26	9	17	33	69	139	485	114	
BN48	Burns	M	61	1	4	2	3	4	5	8	8	7	19	156	
		F	108	1	7	7	4	-	6	7	7	22	47	148	
BN49	Effects of poisons	M	505	1	13	3	35	47	82	80	111	72	61	109	
		F	471	-	5	2	7	26	55	74	100	94	108	100	
BN50	All other injuries	M	417	45	20	32	43	51	44	46	59	40	37	101	
		F	190	34	8	11	5	10	21	15	23	35	28	96	

TABLE 19 - continued

Abbrevi- ated List No.	Causes of death	South East Lancashire Conurbation												S.M.R. (England and Wales =100)
		Age												
		All ages	Under 1 year	Years										
				1-	5-	15-	25-	35-	45-	55-	65-	75 and over		
	ALL CAUSES	M 15,951 F 15,623	701 480	111 89	88 56	150 62	180 115	491 351	1,450 842	3,657 1,994	4,450 3,949	4,673 7,685	112 110	
B1	Tuberculosis of respiratory system	M 112 F 25	1 -	- -	- -	- 1	2 2	11 5	25 6	34 9	30 2	9 -	110 80	
B2	Tuberculosis, other forms	M 11 F 17	- -	1 1	- -	2 3	- 4	3 1	2 -	2 4	1 1	- 3	128 178	
B3	Syphilis and its sequelae	M 20 F 18	- -	- -	- -	- -	- -	1 -	4 1	2 4	10 9	3 4	83 104	
B4	Typhoid fever	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B5	Cholera	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B6	Dysentery, all forms	M 1 F -	- -	1 -	- -	- -	- -	- -	- -	- -	- -	- -	97 -	
B7	Scarlet fever and streptococcal sore throat	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B8	Diphtheria	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B9	Whooping cough	M 2 F 3	2 3	- -	- -	- -	- -	- -	- -	- -	- -	- -	248 266	
B10	Meningococcal infections	M 3 F 7	1 2	1 2	- -	1 -	- -	- -	- -	1 -	1 -	1 -	64 228	
B11	Plague	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B12	Acute poliomyelitis	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B13	Smallpox	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B14	Measles	M 7 F 4	4 2	3 1	1 1	- -	- -	- -	- -	- -	- -	- -	214 115	
B15	Typhus and other rickettsial diseases	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B16	Malaria	M 1 F -	- -	- -	- -	- -	- -	- -	- -	- -	1 -	- -	480 -	
B17	All other diseases classified as infective and parasitic	M 25 F 21	7 2	2 2	1 1	- -	1 -	4 2	1 4	3 2	4 5	2 3	109 93	
B18	Malignant neoplasm: (140-205)	M 3,032 F 2,603	1 -	15 9	13 12	13 13	28 30	101 140	383 333	912 605	985 726	581 735	110 105	
	stomach (151)	M 479 F 347	- -	- -	- -	- -	3 -	9 7	50 24	133 52	179 117	105 147	125 114	
	trachea, bronchus and lung (162, 163)	M 1,207 F 211	- -	1 -	- -	1 -	4 4	36 18	173 37	462 53	417 65	113 34	115 107	
	breast (170)	M 3 F 483	- -	- -	- -	- -	- 9	- 34	1 85	1 133	- 113	1 109	87 96	
	uterus (171-174)	M 233 F 233	- -	- -	- -	- -	2 28	28 49	49 66	66 52	52 36	36 110	110 110	
	Leukaemia and aleukaemia (204)	M 77 F 78	1 -	9 5	2 8	4 3	7 3	5 5	11 6	15 22	18 15	5 11	102 112	
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M 1,266 F 1,251	- -	5 4	11 4	8 10	14 12	51 48	148 132	301 279	371 364	357 398	103 105	
	Benign and unspecified neoplasms	M 30 F 34	1 -	2 -	2 -	- -	1 2	2 3	2 2	8 11	8 7	4 9	91 86	
	Diabetes mellitus	M 56 F 151	1 -	- -	- -	- -	2 2	1 2	4 6	10 24	22 56	16 61	84 121	
	Anaemias	M 39 F 78	- -	1 -	- -	1 -	1 3	- 1	- 2	8 3	14 25	14 44	148 131	
	B22	Vascular lesions affecting central nervous system	M 1,834 F 2,608	- 1	1 -	2 -	3 1	7 7	24 16	83 91	318 263	582 672	814 1,557	120 109
B23	Non-meningococcal meningitis	M 9 F 13	2 7	- 2	- -	- -	- -	1 -	2 -	2 1	2 1	- 2	81 133	
B24	Rheumatic fever	M 2 F 4	- -	- -	- -	1 -	- -	- -	- 1	1 -	- 1	- 2	75 170	
B25	Chronic rheumatic heart disease	M 134 F 308	- -	- -	- -	3 4	8 10	16 27	27 63	39 78	25 71	16 55	111 127	

TABLE 19 - continued

Abbreviated List No.	Causes of death		South East Lancashire Conurbation - continued												S.M.R. (England and Wales =100)
			Age												
			All ages	Under 1 year	Years										
1-	5-	15-			25-	35-	45-	55-	65-	75 and over					
B26	Arteriosclerotic heart disease including coronary disease (420) Degenerative heart disease (421, 422)	M	3,376	-	-	-	1	10	133	451	1,065	1,048	668	104	
		F	2,104	-	-	-	-	-	20	86	353	730	915	99	
		M	942	-	-	-	1	4	8	21	75	208	625	117	
		F	1,699	-	-	-	1	1	2	14	57	282	1,342	121	
B27	Other diseases of heart	M	341	2	-	-	1	-	2	18	73	109	136	109	
		F	515	1	-	-	-	5	2	11	50	147	299	124	
B28	Hypertension with heart disease	M	189	-	-	-	-	1	5	9	43	62	69	97	
		F	260	-	-	-	-	-	-	12	21	99	128	84	
B29	Hypertension without mention of heart	M	117	-	-	-	1	2	10	22	29	30	23	93	
		F	130	-	-	-	-	1	3	11	17	43	55	89	
B46 (Pt.)	Other circulatory diseases (450-468)	M	512	-	-	-	1	5	6	18	69	135	278	118	
		F	709	-	-	1	1	-	9	14	36	148	500	123	
B30	Influenza	M	83	1	-	-	1	-	2	9	16	23	31	121	
		F	90	2	-	1	-	-	2	4	16	30	35	103	
B31	Pneumonia	M	784	110	25	3	2	2	3	43	100	170	326	98	
		F	925	74	13	3	1	3	8	15	57	201	550	98	
B32	Bronchitis	M	1,761	17	3	1	-	5	12	117	495	613	498	146	
		F	867	8	4	1	-	2	11	42	122	263	414	164	
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	160	3	4	2	1	2	5	14	43	50	36	89	
		F	106	2	7	1	1	1	4	10	9	29	42	115	
B33	Ulcer of stomach and duodenum	M	139	-	-	-	-	1	2	13	34	33	56	102	
		F	96	-	-	-	-	1	2	3	16	31	43	123	
B34	Appendicitis	M	15	-	-	3	-	1	3	2	2	2	2	102	
		F	8	-	-	-	-	-	-	-	1	4	3	60	
B35	Intestinal obstruction and hernia	M	74	2	-	-	-	2	1	6	19	20	24	104	
		F	96	6	-	-	-	2	1	2	9	29	47	114	
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	54	16	6	-	-	-	2	3	5	12	10	105	
		F	96	16	1	2	1	1	1	6	11	17	40	120	
B37	Cirrhosis of liver	M	46	-	1	-	1	2	4	4	20	13	1	129	
		F	33	-	1	-	-	1	-	3	8	13	7	100	
B38	Nephritis and nephrosis	M	69	-	1	3	2	4	11	8	9	15	16	82	
		F	79	-	1	1	6	-	4	7	12	21	27	103	
B39	Hyperplasia of prostate	M	84	-	-	-	-	-	-	1	4	24	55	75	
B40	Complications of pregnancy, childbirth and puerperium	F	15	-	-	-	3	6	6	-	-	-	-	119	
B41	Congenital malformations	M	138	101	8	8	2	4	4	6	2	2	1	94	
		F	119	90	7	3	3	-	2	4	4	2	4	90	
B42	Birth injuries, postnatal asphyxia and atelectasis	M	208	208	-	-	-	-	-	-	-	-	-	143	
		F	114	114	-	-	-	-	-	-	-	-	-	121	
B43	Diarrhoea of newborn (764) Other infections of newborn (763, 765-768)	M	2	2	-	-	-	-	-	-	-	-	-	89	
		F	2	2	-	-	-	-	-	-	-	-	-	162	
		M	35	35	-	-	-	-	-	-	-	-	-	146	
		F	22	22	-	-	-	-	-	-	-	-	-	131	
B44	Other diseases of early infancy and immaturity unqualified	M	134	134	-	-	-	-	-	-	-	-	-	104	
		F	95	95	-	-	-	-	-	-	-	-	-	102	
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	142	-	1	1	-	-	-	2	2	9	127	149	
		F	326	-	-	-	-	-	-	-	3	13	310	171	
B46 (Rem.)	All other diseases (Remainder 001-795)	M	425	23	5	10	10	10	20	50	90	99	108	104	
		F	657	12	16	3	7	12	40	42	117	167	241	103	
BE47	Motor vehicle accidents	M	258	2	16	16	60	30	20	33	32	21	28	114	
		F	124	1	8	12	8	2	5	10	20	30	28	134	
BE48	All other accidents	M	344	24	13	22	25	27	32	32	49	38	82	116	
		F	324	16	14	13	4	5	19	12	22	54	165	104	
BE49	Suicide and self-inflicted injury	M	187	-	-	-	16	16	40	34	42	26	13	111	
		F	108	-	-	-	2	9	12	24	27	20	14	84	
BE50	Homicide and operations of war	M	14	1	1	1	2	2	2	1	-	3	1	148	
		F	10	2	-	1	1	3	1	1	1	-	-	149	
EN47	Fractures, head injuries and internal injuries	M	418	5	17	23	66	43	35	52	47	42	88	114	
		F	289	7	9	14	10	3	5	11	27	52	151	109	
		M	23	1	2	-	1	1	1	3	4	4	6	164	
EN48	Burns	M	46	-	6	4	2	-	1	3	2	8	20	174	
		F													
EN49	Effects of poisons	M	211	1	5	2	18	14	35	33	51	35	17	125	
		F	160	-	2	2	1	11	22	28	34	31	29	91	
EN50	All other injuries	M	151	20	6	14	18	17	23	12	21	7	13	100	
		F	71	12	5	6	2	5	9	5	7	13	7	98	



TABLE 19 - continued

Abbrevi- ated List No.	Causes of death	Merseyside Conurbation													S.M.R. (England and Wales =100)
		Age													
		All ages	Under 1 year	Years									75 and over		
				1-	5-	15-	25-	35-	45-	55-	65-				
	ALL CAUSES	M	8,491	422	63	33	90	98	247	788	1,922	2,381	2,447	114	
		F	7,986	335	26	28	32	62	190	434	921	1,964	3,994	106	
B1	Tuberculosis of respiratory system	M	79	-	-	-	-	-	8	12	19	26	14	151	
		F	17	-	-	-	-	1	4	3	3	4	2	105	
B2	Tuberculosis, other forms	M	3	1	-	-	-	-	-	-	1	-	1	66	
		F	4	-	-	1	-	-	1	-	1	-	1	78	
B3	Syphilis and its sequelae	M	16	-	-	-	-	-	1	-	1	9	5	130	
		F	11	-	-	-	-	-	1	-	2	3	5	122	
B4	Typhoid fever	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B5	Cholera	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B6	Dysentery, all forms	M	1	1	-	-	-	-	-	-	-	-	-	177	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B7	Scarlet fever and streptococcal sore throat	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B9	Whooping cough	M	2	-	2	-	-	-	-	-	-	-	-	392	
		F	3	-	-	1	-	-	-	-	-	-	-	420	
B10	Meningococcal infections	M	5	2	2	-	1	-	-	-	-	-	-	174	
		F	2	1	1	-	-	-	-	-	-	-	-	106	
B11	Plague	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B13	Smallpox	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B14	Measles	M	3	1	2	-	-	-	-	-	-	-	-	145	
		F	1	-	-	1	-	-	-	-	-	-	-	46	
B15	Typhus and other rickettsial diseases	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B16	Malaria	M	1	-	-	-	-	-	-	-	1	-	-	944	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B17	All other diseases classified as infective and parasitic	M	14	2	1	-	-	-	2	5	-	3	1	112	
		F	11	-	-	-	1	2	2	-	3	-	3	90	
B18	Malignant neoplasm: (140-205)	M	1,694	3	8	5	12	15	46	214	518	556	317	120	
	stomach (151)	F	1,328	1	4	8	6	17	67	168	266	389	402	103	
		M	219	-	-	-	-	2	5	40	61	71	40	112	
		F	168	-	-	-	-	1	-	15	19	59	74	106	
	trachea, bronchus and lung (162, 163)	M	751	-	-	-	-	3	20	91	292	247	98	141	
		F	138	-	-	-	-	1	4	19	39	46	29	137	
	breast (170)	M	3	-	-	-	-	-	1	1	1	-	-	170	
		F	236	-	-	-	-	4	20	47	55	57	53	91	
	uterus (171-174)	F	101	-	-	-	-	1	9	16	26	27	22	93	
	Leukaemia and aleukaemia (204)	M	46	1	3	2	3	-	4	8	8	12	5	113	
		F	36	1	3	3	3	1	5	5	4	8	3	96	
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M	675	2	5	3	9	10	16	74	156	226	174	106	
	F	649	-	1	5	3	9	29	66	123	192	221	104		
B19	Benign and unspecified neoplasms	M	30	-	1	2	1	2	3	4	8	5	4	173	
		F	20	1	-	-	2	1	1	4	4	4	3	97	
B20	Diabetes mellitus	M	28	-	-	-	-	-	2	3	7	9	7	81	
		F	69	-	-	-	-	-	-	2	11	28	28	105	
B21	Anaemias	M	19	-	-	-	-	2	-	-	4	3	10	138	
		F	28	-	-	-	-	-	2	1	2	8	15	89	
B22	Vascular lesions affecting central nervous system	M	833	-	-	-	3	1	15	43	159	252	360	106	
		F	1,240	1	-	-	1	1	19	54	106	312	746	98	
B23	Non-meningococcal meningitis	M	8	4	-	-	-	-	1	1	1	1	-	124	
		F	7	2	-	1	-	-	-	1	1	-	2	123	
B24	Rheumatic fever	M	1	-	-	1	-	-	-	-	-	-	-	67	
		F	2	-	-	-	-	-	2	-	-	-	-	158	
B25	Chronic rheumatic heart disease	M	77	-	-	-	1	5	15	19	21	12	4	124	
		F	160	-	-	-	3	11	19	36	41	30	20	128	

TABLE 19 - continued

Abbrevi- ated List No.	Causes of death		Merseyside Conurbation - continued												S.M.R. (England and Wales =100)
			Age												
			All ages	Under 1 year	Years										
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over		
B26	Arteriosclerotic heart disease including coronary disease (420) Degenerative heart disease (421, 422)	M	2,047	-	-	-	-	5	58	256	596	618	514	123	
		F	1,281	-	-	-	1	-	10	50	181	455	584	114	
		M	304	-	-	-	-	-	4	8	25	57	210	72	
		F	573	-	-	-	-	1	1	8	23	67	473	76	
B27	Other diseases of heart	M	213	-	-	-	-	-	5	12	36	66	94	132	
		F	277	1	-	-	-	1	1	3	20	70	181	126	
B28	Hypertension with heart disease	M	95	-	-	-	-	1	1	4	20	32	37	95	
		F	205	-	-	-	-	-	-	2	17	53	133	125	
B29	Hypertension without mention of heart	M	42	-	-	-	-	2	7	5	6	13	9	65	
		F	57	-	-	-	-	1	1	8	8	14	25	74	
B46 (Pt.)	Other circulatory diseases (450-468)	M	199	-	-	1	-	2	-	16	33	61	86	89	
		F	234	-	-	-	2	1	2	7	19	50	153	76	
B30	Influenza	M	21	1	-	-	-	1	1	-	5	5	8	59	
		F	26	-	-	-	-	-	-	1	3	6	16	56	
B31	Pneumonia	M	624	67	6	5	1	-	2	29	75	164	275	147	
		F	773	47	8	3	-	1	3	9	53	148	501	152	
B32	Bronchitis	M	800	29	4	-	-	-	8	50	223	279	207	129	
		F	385	28	2	-	-	1	4	15	50	110	175	137	
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	77	3	1	1	4	3	2	7	15	26	15	83	
		F	39	-	-	-	-	1	4	7	8	8	11	79	
B33	Ulcer of stomach and duodenum	M	72	-	-	-	1	-	2	4	21	19	25	103	
		F	36	1	-	-	-	-	1	-	2	12	20	88	
B34	Appendicitis	M	8	-	-	-	2	-	-	3	-	2	1	102	
		F	6	-	-	-	1	1	-	1	1	-	2	85	
B35	Intestinal obstruction and hernia	M	29	6	-	-	-	1	1	3	3	8	7	77	
		F	47	1	-	-	-	-	-	4	7	12	23	105	
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	23	8	1	-	-	1	-	3	5	3	2	82	
		F	48	8	1	1	-	-	2	2	5	7	22	111	
B37	Cirrhosis of liver	M	29	-	-	-	-	2	3	4	10	8	2	159	
		F	26	1	-	-	-	-	1	3	4	12	5	152	
B38	Nephritis and nephrosis	M	39	-	-	2	3	4	7	7	5	6	5	89	
		F	37	-	-	-	2	1	2	7	5	7	13	91	
B39	Hyperplasia of prostate	M	54	-	-	-	-	-	-	-	3	13	38	92	
B40	Complications of pregnancy, childbirth and puerperium	F	5	-	-	-	-	2	3	-	-	-	-	68	
B41	Congenital malformations	M	89	71	5	4	5	1	1	1	-	1	-	98	
		F	93	75	4	2	1	1	2	1	1	5	1	115	
B42	Birth injuries, postnatal asphyxia and atelectasis	M	106	106	-	-	-	-	-	-	-	-	-	115	
		F	82	82	-	-	-	-	-	-	-	-	-	137	
B43	Diarrhoea of newborn (764) Other infections of newborn (763, 765-768)	M	2	2	-	-	-	-	-	-	-	-	-	140	
		F	2	2	-	-	-	-	-	-	-	-	-	255	
		M	17	17	-	-	-	-	-	-	-	-	-	112	
		F	7	7	-	-	-	-	-	-	-	-	-	66	
B44	Other diseases of early infancy and immaturity unqualified	M	82	81	-	1	-	-	-	-	-	-	-	100	
		F	54	54	-	-	-	-	-	-	-	-	-	92	
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	41	-	-	-	1	-	1	1	-	-	38	81	
		F	75	1	-	-	-	-	-	-	-	3	71	72	
B46 (Rem.)	All other diseases (Remainder 001-795)	M	276	11	7	3	7	9	12	22	43	74	88	127	
		F	383	10	1	2	3	7	13	15	43	94	195	114	
EE47	Motor vehicle accidents	M	112	-	9	6	28	11	11	10	13	16	8	86	
		F	56	-	4	7	2	1	4	6	12	9	11	110	
EE48	All other accidents	M	192	6	14	2	17	16	16	19	29	26	47	118	
		F	221	8	1	-	2	3	9	6	12	35	145	131	
EE49	Suicide and self-inflicted injury	M	82	-	-	-	2	14	12	22	16	8	8	93	
		F	48	-	-	-	3	4	9	10	7	8	7	71	
BE50	Homicide and operations of war	M	2	-	-	-	1	-	-	1	-	-	-	38	
		F	7	1	-	1	2	2	-	-	-	1	-	177	
EN47	Fractures, head injuries and internal injuries	M	216	-	11	7	35	16	18	21	32	32	44	106	
		F	206	1	4	8	4	2	4	8	15	33	127	143	
EN48	Burns	M	11	-	-	-	1	1	1	1	2	2	3	143	
		F	10	-	-	-	1	-	1	-	1	-	7	69	
EN49	Effects of poisons	M	101	-	6	-	6	13	18	18	19	10	11	113	
		F	86	-	-	-	3	4	13	12	14	17	23	93	
EN50	All other injuries	M	60	6	6	1	6	11	2	12	5	6	5	71	
		F	30	8	1	-	1	4	4	2	1	3	6	74	

TABLE 19 - continued

Abbreviated List No.	Causes of death		North Midland Region											S.M.R. (England and Wales =100)
			Age											
			All ages	Under 1 year	Years								75 and over	
1-	5-	15-			25-	35-	45-	55-	65-					
	ALL CAUSES	M	21,976	797	133	112	285	253	619	1,685	4,255	5,902	7,935	95
		F	20,011	572	102	79	88	158	419	1,050	2,302	4,837	10,404	98
B1	Tuberculosis of respiratory system	M	99	-	-	-	-	1	7	17	34	27	13	62
		F	31	-	-	-	-	3	8	1	5	8	6	70
B2	Tuberculosis, other forms	M	15	-	1	-	1	-	5	3	4	1	-	111
		F	16	-	2	-	1	1	2	1	3	4	2	117
B3	Syphilis and its sequelae	M	34	-	-	-	-	1	1	1	11	15	5	89
		F	21	-	-	-	-	1	-	1	7	4	8	86
B4	Typhoid fever	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B5	Cholera	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B6	Dysentery, all forms	M	1	-	-	-	-	-	-	-	-	-	1	60
		F	3	-	-	1	1	-	-	-	-	-	1	288
B7	Scarlet fever and streptococcal sore throat	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B9	Whooping cough	M	1	-	1	-	-	-	-	-	-	-	-	82
		F	-	-	-	-	-	-	-	-	-	-	-	-
B10	Meningococcal infections	M	2	-	1	-	-	-	-	-	-	-	1	28
		F	4	3	1	-	-	-	-	-	-	-	-	86
B11	Plague	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B13	Smallpox	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B14	Measles	M	5	-	3	2	-	-	-	-	-	-	-	99
		F	6	2	3	1	-	-	-	-	-	-	-	114
B15	Typhus and other rickettsial diseases	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B16	Malaria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B17	All other diseases classified as infective and parasitic	M	30	4	3	5	-	1	3	4	1	7	2	83
		F	31	2	-	-	-	4	4	3	7	8	7	96
B18	Malignant neoplasm:	M	4,061	1	14	19	30	40	114	454	1,154	1,280	955	93
	(140-205)	F	3,389	4	9	14	15	46	161	461	734	956	989	97
	stomach (151)	M	577	-	-	-	-	2	12	65	163	193	142	94
		F	430	-	-	-	-	2	8	23	70	139	188	99
	trachea, bronchus and lung	M	1,414	-	-	-	-	4	32	184	529	495	170	86
	(162, 163)	F	213	-	-	-	-	4	9	47	47	71	35	78
	breast (170)	M	8	-	-	-	-	-	1	-	3	3	1	144
		F	700	-	-	-	-	11	52	147	173	161	156	100
	uterus (171-174)	F	329	-	-	-	-	8	20	64	76	91	70	111
	Leukaemia and aleukaemia (204)	M	115	-	4	10	7	9	6	13	27	21	18	95
		F	93	3	5	4	3	4	9	12	18	9	26	94
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M	1,947	1	10	9	23	25	63	192	432	568	624	98
	F	1,624	1	4	10	12	17	63	168	350	485	514	96	
B19	Benign and unspecified neoplasms	M	47	2	-	1	4	2	3	6	14	10	5	90
		F	60	2	2	2	3	6	2	8	13	12	10	108
B20	Diabetes mellitus	M	118	1	-	1	2	-	5	9	19	33	48	109
		F	194	-	-	1	1	1	1	3	26	69	92	109
B21	Anaemias	M	42	-	-	1	-	1	1	1	5	9	24	95
		F	90	2	-	-	-	-	3	7	10	23	45	104
B22	Vascular lesions affecting central nervous system	M	2,601	2	2	-	2	10	31	97	341	794	1,322	102
		F	3,545	1	-	-	4	11	38	99	294	938	2,160	102
B23	Non-meningococcal meningitis	M	23	9	5	-	1	-	-	-	1	5	2	135
		F	16	6	1	-	-	2	1	3	2	1	-	112
B24	Rheumatic fever	M	2	-	-	1	-	-	1	-	-	-	-	48
		F	6	-	-	1	-	-	-	1	1	2	1	178
B25	Chronic rheumatic heart disease	M	164	-	-	-	4	6	17	37	43	35	22	86
		F	296	-	-	-	1	6	20	66	103	65	35	87



TABLE 19 - continued

Abbreviated List No.	Causes of death		North Midland Region - continued											S.M.R. (England and Wales =100)
			Age											
			All ages	Under 1 year	Years									
1-	5-	15-			25-	35-	45-	55-	65-	75 and over				
B26	Arteriosclerotic heart disease including coronary disease (420) Degenerative heart disease (421, 422)	M	4,482	-	-	-	1	14	134	499	1,198	1,393	1,243	86
		F	2,652	-	-	-	-	4	19	70	339	942	1,278	87
		M	1,590	-	-	1	3	4	10	29	86	294	1,163	113
		F	2,371	-	-	-	1	1	3	17	65	320	1,964	114
B27	Other diseases of heart	M	594	-	-	-	1	6	9	25	73	157	323	114
		F	676	-	3	1	1	4	5	14	43	161	444	112
B28	Hypertension with heart disease	M	357	-	-	-	-	-	2	17	64	119	155	111
		F	499	-	-	-	-	-	-	14	56	150	279	112
B29	Hypertension without mention of heart	M	209	-	-	-	1	2	9	27	41	48	81	102
		F	251	-	-	-	-	1	6	12	31	79	123	119
B46 (Pt.)	Other circulatory diseases (450-468)	M	738	-	-	-	1	1	9	30	106	199	392	101
		F	837	-	-	1	1	3	9	19	52	160	592	99
B30	Influenza	M	92	2	1	-	-	2	2	5	13	27	40	80
		F	88	-	3	-	-	-	3	3	5	18	56	69
B31	Pneumonia	M	1,214	99	22	6	5	8	19	33	126	291	605	90
		F	1,129	58	16	5	3	3	11	32	79	215	707	81
B32	Bronchitis	M	1,805	26	4	3	3	1	17	87	399	595	670	92
		F	704	24	6	4	1	3	13	33	73	186	361	92
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	246	15	3	-	2	1	5	26	66	58	70	85
		F	175	9	7	2	6	1	7	9	25	31	78	132
B33	Ulcer of stomach and duodenum	M	224	-	-	-	-	1	6	22	39	76	80	101
		F	102	-	-	-	1	-	4	2	18	33	44	91
B34	Appendicitis	M	25	-	1	1	1	2	2	3	3	8	4	105
		F	21	-	-	1	-	1	-	1	5	3	10	110
B35	Intestinal obstruction and hernia	M	114	13	3	-	1	-	-	3	17	28	49	98
		F	119	8	-	-	2	-	3	5	11	33	57	98
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	71	23	4	2	2	-	2	2	9	13	14	86
		F	100	10	3	1	1	2	2	6	15	25	35	86
B37	Cirrhosis of liver	M	47	-	-	-	-	-	5	11	13	10	8	84
		F	47	-	-	-	1	1	1	5	19	11	9	102
B38	Nephritis and nephrosis	M	146	-	2	1	8	8	13	24	32	28	30	108
		F	107	1	1	-	1	3	4	13	21	24	39	97
B39	Hyperplasia of prostate	M	167	-	-	-	-	-	-	1	15	38	113	85
B40	Complications of pregnancy, childbirth and puerperium	F	20	-	-	-	8	8	4	-	-	-	-	105
B41	Congenital malformations	M	201	119	18	13	11	2	14	6	9	6	3	89
		F	160	108	10	10	4	4	5	6	5	4	4	81
B42	Birth injuries, postnatal asphyxia and atelectasis	M	184	184	-	-	-	-	-	-	-	-	-	84
		F	113	113	-	-	-	-	-	-	-	-	-	80
B43	Diarrhoea of newborn (764) Other infections of newborn (763, 765-768)	M	5	5	-	-	-	-	-	-	-	-	-	147
		F	2	2	-	-	-	-	-	-	-	-	-	107
		M	27	27	-	-	-	-	-	-	-	-	-	75
		F	22	22	-	-	-	-	-	-	-	-	-	87
B44	Other diseases of early infancy and immaturity unqualified	M	209	209	-	-	-	-	-	-	-	-	-	107
		F	155	155	-	-	-	-	-	-	-	-	-	111
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	195	1	-	-	-	-	1	2	2	9	180	113
		F	367	-	-	-	-	1	1	1	3	14	347	126
B46 (Rem.)	All other diseases (Remainder 001-795)	M	618	27	11	7	15	26	31	64	144	154	139	93
		F	844	16	17	9	8	15	46	65	152	212	304	93
BE47	Motor vehicle accidents	M	433	-	15	23	127	59	51	54	43	31	30	117
		F	137	1	7	12	9	7	10	21	20	29	21	103
BE48	All other accidents	M	497	28	16	24	48	32	50	45	67	61	126	104
		F	452	22	8	11	10	4	8	21	21	68	279	99
BE49	Suicide and self-inflicted injury	M	230	-	-	-	10	21	39	41	62	41	16	87
		F	139	-	-	-	1	14	13	27	38	29	17	76
BE50	Homicide and operations of war	M	11	-	3	1	1	1	1	-	1	2	1	73
		F	14	1	3	2	3	1	2	-	1	1	-	140
BN47	Fractures, head injuries and internal injuries	M	679	1	20	30	137	73	84	74	72	63	125	113
		F	395	5	11	12	9	6	9	18	23	65	237	101
BN48	Burns	M	20	1	1	2	-	-	1	5	3	1	6	89
		F	42	1	1	2	-	-	1	2	1	10	24	108
BN49	Effects of poisons	M	195	1	2	-	11	19	26	30	51	37	18	73
		F	178	1	1	3	7	11	13	29	39	38	36	72
BN50	All other injuries	M	277	25	11	16	38	21	30	31	47	34	24	115
		F	127	17	5	8	7	9	10	20	17	14	20	121

TABLE 19 - continued

Abbreviated List No.	Causes of death	Midland Region												S.M.R. (England and Wales =100)
		Age												
		All ages	Under 1 year	Years										
1-	5-			15-	25-	35-	45-	55-	65-	75 and over				
	ALL CAUSES	M 27,946 F 24,998	1,095 848	169 155	179 84	378 153	399 232	845 611	2,493 1,406	6,065 3,017	7,541 5,990	8,782 12,502	102 100	
B1	Tuberculosis of respiratory system	M 233 F 74	- -	- -	- -	- -	6 10	14 9	30 13	75 17	78 15	30 10	119 131	
B2	Tuberculosis, other forms	M 26 F 14	- 1	1 1	- 1	1 -	1 1	7 -	4 3	7 2	4 3	1 2	152 80	
B3	Syphilis and its sequelae	M 40 F 22	- -	- -	- -	- -	- -	3 6	6 1	9 4	18 8	4 9	88 74	
B4	Typhoid fever	M 1 F -	- -	- -	- -	- -	- -	- -	- -	1 -	- -	- -	314 -	
B5	Cholera	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B6	Dysentery, all forms	M 1 F 1	- -	- -	- -	- -	- -	- -	1 -	- -	- -	- 1	49 76	
B7	Scarlet fever and streptococcal sore throat	M - F 1	- 1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- 327	
B8	Diphtheria	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B9	Whooping cough	M 4 F 6	3 6	1 -	- -	- -	- -	- -	- -	- -	- -	- -	248 266	
B10	Meningococcal infections	M 9 F 5	5 4	4 1	- -	- -	- -	- -	- -	- -	- -	- -	96 82	
B11	Plague	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B12	Acute poliomyelitis	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B13	Smallpox	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B14	Measles	M 15 F 11	2 1	8 8	3 1	1 1	- -	- -	- -	- -	- -	1 -	227 158	
B15	Typhus and other rickettsial diseases	M - F 1	- -	- 1	- -	- -	- -	- -	- -	- -	- -	- -	- 925	
B16	Malaria	M - F 1	- -	- -	- -	- -	- -	- -	1 -	- -	- -	- -	- 467	
B17	All other diseases classified as infective and parasitic	M 40 F 39	1 2	2 4	5 1	3 1	4 1	4 3	6 6	3 5	6 8	6 8	88 95	
B18	Malignant neoplasm: (140-205)	M 5,250 F 4,250	1 1	18 13	28 17	40 28	68 59	153 233	667 562	1,647 995	1,591 1,149	1,037 1,193	100 98	
	stomach (151)	M 747 F 576	- -	- -	- -	1 -	4 1	26 13	90 32	222 114	253 177	151 239	103 109	
	trachea, bronchus and lung (162, 163)	M 1,985 F 259	- -	- -	- -	1 1	10 -	50 13	299 46	800 86	625 75	200 38	100 76	
	breast (170)	M 5 F 878	- -	- -	- -	- 1	- 13	- 77	1 165	1 236	1 195	2 191	75 100	
	uterus (171-174)	M 365 F -	- -	- -	- -	- -	7 -	36 -	71 -	93 -	93 -	65 -	99 -	
	Leukaemia and aleukaemia (204)	M 147 F 108	- -	6 7	13 8	11 6	11 3	9 5	19 13	35 22	25 16	18 28	98 86	
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M 2,366 F 2,064	1 1	12 6	15 9	27 20	43 35	68 89	258 235	589 444	687 593	666 632	100 99	
	Benign and unspecified neoplasms	M 69 F 77	1 3	- 3	2 2	6 2	4 3	7 14	14 11	13 16	10 10	12 13	107 109	
	Diabetes mellitus	M 137 F 231	- -	- -	2 -	- -	3 3	5 5	17 4	24 41	45 88	41 90	107 107	
	B21	Anaemias	M 40 F 114	1 -	1 2	1 2	- 1	- 1	- 2	3 4	3 7	9 34	22 61	78 109
B22	Vascular lesions affecting central nervous system	M 3,147 F 4,292	4 2	- -	1 2	5 3	16 3	51 44	148 164	514 383	951 1,107	1,457 2,584	107 103	
B23	Non-meningococcal meningitis	M 15 F 20	4 11	2 1	- -	1 -	1 -	- 2	2 -	3 1	2 4	- 1	68 108	
B24	Rheumatic fever	M 9 F 2	- -	- -	2 1	2 -	- -	- -	1 1	2 -	2 -	- -	167 47	
B25	Chronic rheumatic heart disease	M 233 F 457	- -	- -	- -	7 1	12 16	33 57	53 82	58 113	44 112	26 76	99 108	

TABLE 19 - continued

Abbrevi- ated List No.	Causes of death		Midland Region - continued											S.M.R. (England and Wales =100)	
			Age												
			All ages	Under 1 year	Years										
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over		
B26	Arteriosclerotic heart disease including coronary disease (420) Degenerative heart disease (421, 422)	M	5,844	-	-	-	1	24	192	705	1,607	1,838	1,477	95	
		F	3,514	-	-	-	-	2	19	113	465	1,211	1,704	96	
		M	1,658	-	2	-	2	3	13	35	144	341	1,118	105	
		F	2,616	-	-	-	-	3	4	12	56	378	2,163	105	
B27	Other diseases of heart	M	597	3	1	1	2	5	11	35	81	174	284	99	
		F	757	1	1	-	1	7	8	22	57	184	476	104	
B28	Hypertension with heart disease	M	445	-	-	-	-	1	2	35	108	138	161	119	
		F	587	-	-	-	-	-	4	21	51	170	341	109	
B29	Hypertension without mention of heart	M	221	-	-	-	-	5	17	30	42	56	71	92	
		F	191	-	-	-	1	6	5	12	18	50	99	75	
B46 (Pt.)	Other circulatory diseases (450-468)	M	752	1	-	-	4	8	12	45	121	198	363	90	
		F	898	-	-	-	6	5	15	34	76	166	596	88	
B30	Influenza	M	96	1	-	-	-	2	6	9	22	26	30	72	
		F	112	3	1	-	1	1	1	7	11	32	55	72	
B31	Pneumonia	M	1,651	145	25	10	5	12	26	86	212	374	756	106	
		F	1,619	96	25	6	7	5	22	37	117	312	992	96	
B32	Bronchitis	M	2,633	12	6	1	1	4	27	164	682	909	827	115	
		F	1,009	16	6	1	1	-	12	43	129	270	531	109	
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	384	12	6	1	5	6	15	42	86	122	89	112	
		F	163	2	2	1	3	3	8	5	15	31	93	100	
B33	Ulcer of stomach and duodenum	M	326	-	-	-	1	3	12	30	91	101	88	125	
		F	161	-	-	-	-	3	4	9	26	36	83	118	
B34	Appendicitis	M	34	-	1	1	4	1	2	3	8	6	8	118	
		F	32	-	1	2	2	3	-	4	2	9	9	135	
B35	Intestinal obstruction and hernia	M	140	12	2	2	-	-	4	12	17	40	51	102	
		F	149	9	3	-	-	-	1	7	24	33	72	100	
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	101	28	5	-	2	1	6	6	20	12	21	101	
		F	144	19	8	-	2	3	4	8	19	37	44	101	
B37	Cirrhosis of liver	M	66	-	-	2	-	2	1	11	25	16	9	96	
		F	66	1	-	-	-	1	1	9	20	18	16	115	
B38	Nephritis and nephrosis	M	170	1	-	2	9	13	22	24	39	37	23	103	
		F	141	1	1	1	10	9	9	14	25	35	36	103	
B39	Hyperplasia of prostate	M	239	-	-	-	-	-	-	-	15	51	173	109	
B40	Complications of pregnancy, childbirth and puerperium	F	29	-	-	-	8	10	9	2	-	-	-	110	
B41	Congenital malformations	M	276	182	21	21	15	5	8	10	6	3	5	93	
		F	275	192	20	10	7	4	8	14	8	7	5	106	
B42	Birth injuries, postnatal asphyxia and atelectasis	M	294	294	-	-	-	-	-	-	-	-	-	101	
		F	204	204	-	-	-	-	-	-	-	-	-	108	
B43	Diarrhoea of newborn (764) Other infections of newborn (763, 765-768)	M	8	8	-	-	-	-	-	-	-	-	-	177	
		F	5	5	-	-	-	-	-	-	-	-	-	202	
		M	69	69	-	-	-	-	-	-	-	-	-	-	144
		F	41	41	-	-	-	-	-	-	-	-	-	-	122
B44	Other diseases of early infancy and immaturity unqualified	M	225	224	1	-	-	-	-	-	-	-	-	87	
		F	159	158	-	1	-	-	-	-	-	-	-	-	86
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	197	-	-	-	-	1	1	2	1	11	181	103	
		F	365	1	-	-	-	-	1	1	1	7	354	105	
B46 (Rem.)	All other diseases (Remainder 001-795)	M	746	34	19	14	32	31	56	75	151	164	170	93	
		F	1,075	29	20	17	19	28	51	109	177	274	351	96	
EE47	Motor vehicle accidents	M	546	2	17	49	161	77	38	54	58	43	47	114	
		F	178	1	9	11	21	9	10	11	33	38	35	105	
EE48	All other accidents	M	603	42	24	30	48	44	55	52	72	71	165	101	
		F	663	33	22	7	13	12	14	18	43	123	378	118	
EE49	Suicide and self-inflicted injury	M	330	-	-	-	18	33	37	72	97	47	26	98	
		F	211	-	-	-	11	20	29	41	59	30	21	90	
EE50	Homicide and operations of war	M	26	3	2	1	2	3	5	4	1	3	2	134	
		F	16	4	2	-	3	1	3	1	1	1	-	120	
EN47	Fractures, head injuries and internal injuries	M	835	3	22	55	166	100	72	80	92	91	154	110	
		F	569	10	16	12	25	12	9	19	49	111	306	119	
EN48	Burns	M	28	3	4	1	3	2	3	2	-	2	8	100	
		F	54	1	12	-	2	3	1	2	3	11	19	113	
EN49	Effects of poisons	M	329	2	4	-	19	29	36	66	83	44	46	97	
		F	284	-	2	-	13	20	30	38	61	53	67	90	
EN50	All other injuries	M	313	39	13	24	41	26	24	34	53	27	32	101	
		F	161	27	3	6	8	7	16	12	23	17	42	119	



TABLE 19 - continued

Abbreviated List No.	Causes of death	West Midlands Conurbation												S.M.R. (England and Wales =100)
		Age												
		All ages	Under 1 year	Years									75 and over	
1-	5-			15-	25-	35-	45-	55-	65-					
	ALL CAUSES	M F	13,593 12,201	571 439	94 82	78 42	183 77	188 130	438 329	1,323 700	3,117 1,501	3,635 2,938	3,966 5,963	106 101
B1	Tuberculosis of respiratory system	M F	122 35	- -	- -	- -	- -	5 7	8 3	20 6	39 10	35 5	15 4	131 126
B2	Tuberculosis, other forms	M F	19 4	- 1	1 1	- 1	- -	1 1	4 -	3 -	6 -	3 -	1 -	232 47
B3	Syphilis and its sequelae	M F	26 9	- -	- -	- -	- -	- -	1 -	5 1	7 2	9 2	4 4	122 63
B4	Typhoid fever	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
B5	Cholera	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
B6	Dysentery, all forms	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
B7	Scarlet fever and streptococcal sore throat	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
B8	Diphtheria	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
B9	Whooping cough	M F	3 5	3 5	- -	- -	- -	- -	- -	- -	- -	- -	- -	381 454
B10	Meningococcal infections	M F	4 4	1 3	3 1	- -	- -	- -	- -	- -	- -	- -	- -	88 134
B11	Plague	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
B12	Acute poliomyelitis	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
B13	Smallpox	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
B14	Measles	M F	9 8	2 1	7 7	- -	- -	- -	- -	- -	- -	- -	- -	281 236
B15	Typhus and other rickettsial diseases	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
B16	Malaria	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
B17	All other diseases classified as infective and parasitic	M F	22 15	1 1	2 2	1 1	2 -	2 1	3 -	3 3	2 -	4 5	2 2	101 75
B18	Malignant neoplasm: (140-205)	M F	2,663 2,132	- -	10 7	11 11	20 16	34 29	80 132	386 286	879 511	800 564	443 576	108 101
	stomach (151)	M F	349 299	- -	- -	- -	1 -	2 -	14 8	45 22	107 65	113 96	67 118	102 117
	trachea, bronchus and lung (162, 163)	M F	1,120 143	- -	- -	- -	1 -	6 -	28 11	180 19	465 45	335 43	105 25	119 86
	breast (170)	M F	3 471	- -	- -	- -	- 1	- 4	- 44	- 88	1 130	- 109	2 95	96 109
	uterus (171-174)	M F	166 -	- -	- -	- -	- -	4 19	19 33	33 44	44 39	39 27	27 91	91 91
	Leukaemia and aleukaemia (204)	M F	65 51	- -	4 3	5 6	6 3	6 1	5 5	9 5	17 10	10 6	3 12	91 83
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M F	1,126 1,002	- -	6 4	6 5	12 12	20 20	33 45	152 119	289 217	342 281	266 299	102 99
	Benign and unspecified neoplasms	M F	41 31	1 1	- -	1 1	4 1	3 1	5 4	9 6	7 9	6 4	5 3	133 90
	Diabetes mellitus	M F	61 101	- -	- -	1 -	- -	3 2	2 2	7 -	13 18	21 41	14 38	102 97
	B21	Anaemias	M F	27 51	1 -	1 2	- 1	- -	- -	- 1	2 1	3 2	5 16	15 28
B22	Vascular lesions affecting central nervous system	M F	1,495 2,084	2 1	- -	1 -	3 -	10 1	22 30	77 81	260 191	449 563	671 1,216	110 104
B23	Non-meningococcal meningitis	M F	7 15	3 9	- 1	- -	- -	- -	- 1	1 -	1 1	2 2	- 1	66 166
B24	Rheumatic fever	M F	4 -	- -	- -	2 -	- -	- -	- -	- -	1 -	1 -	- -	156 -
B25	Chronic rheumatic heart disease	M F	120 233	- -	- -	- -	3 1	6 11	20 29	31 45	30 53	20 55	10 39	106 112

TABLE 19 - continued

Abbreviated List No.	Causes of death		West Midlands Conurbation - continued											S.M.R. (England and Wales =100)
			Age											
			All ages	Under 1 year	Years								75 and over	
1-	5-	15-			25-	35-	45-	55-	65-					
B26	Arteriosclerotic heart disease including coronary disease (420) Degenerative heart disease (421, 422)	M	2,748	-	-	-	1	13	98	338	753	864	681	95
		F	1,696	-	-	-	-	-	8	52	238	566	832	95
		M	750	-	2	-	-	-	5	18	77	160	487	104
		F	1,182	-	-	-	-	2	3	5	24	173	975	99
B27	Other diseases of heart	M	214	1	1	1	1	2	3	19	32	67	87	77
B28	Hypertension with heart disease	F	317	-	-	-	-	4	5	7	28	87	186	91
		M	231	-	-	-	-	1	1	20	60	67	82	134
B29	Hypertension without mention of heart	F	316	-	-	-	-	-	3	11	25	96	181	122
		M	112	-	-	-	-	3	7	15	22	25	40	99
B46 (Pt.)	Other circulatory diseases (450-468)	F	106	-	-	-	1	3	2	6	13	25	56	86
		M	300	-	-	-	-	7	8	20	56	77	132	78
B30	Influenza	F	402	-	-	-	3	3	7	15	35	70	269	82
		M	53	1	-	-	-	1	4	8	16	12	11	86
B31	Pneumonia	F	63	3	-	-	1	1	-	5	5	15	33	85
		M	883	78	15	4	4	4	16	55	123	204	380	122
B32	Bronchitis	F	877	56	12	4	4	4	12	24	62	169	530	109
		M	1,389	7	2	-	-	2	17	94	385	472	410	130
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	F	542	15	4	-	-	6	22	65	137	293	121	
		M	138	7	3	1	1	5	6	20	27	34	34	85
B33	Ulcer of stomach and duodenum	F	88	1	-	1	1	2	4	3	7	17	52	111
		M	184	-	-	-	1	1	8	16	50	57	51	152
B34	Appendicitis	F	85	-	-	-	-	2	-	5	15	22	41	129
		M	14	-	1	-	2	-	1	2	3	1	4	103
B35	Intestinal obstruction and hernia	F	15	-	-	-	-	2	-	1	1	7	4	130
		M	69	6	2	-	-	-	2	7	11	15	26	107
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	F	72	4	-	-	-	1	3	10	18	36	100	
		M	67	22	3	-	2	-	4	5	12	7	12	141
B37	Cirrhosis of liver	F	77	16	6	-	-	1	3	5	11	17	18	111
		M	26	-	-	1	-	1	1	4	11	6	2	79
B38	Nephritis and nephrosis	F	34	-	-	-	-	-	1	3	10	12	8	121
		M	91	1	-	2	5	5	14	11	26	20	7	116
B39	Hyperplasia of prostate	F	64	-	1	1	7	5	5	9	11	14	11	96
		M	126	-	-	-	-	-	-	-	8	25	93	126
B40	Complications of pregnancy, childbirth and puerperium	F	19	-	-	-	4	5	9	1	-	-	-	144
B41	Congenital malformations	M	129	87	8	6	9	4	3	6	3	1	2	89
		F	136	98	9	3	5	2	3	9	3	1	3	107
B42	Birth injuries, postnatal asphyxia and atelectasis	M	154	154	-	-	-	-	-	-	-	-	-	108
		F	102	102	-	-	-	-	-	-	-	-	-	111
B43	Diarrhoea of newborn (764) Other infections of newborn (763, 765-768)	M	3	3	-	-	-	-	-	-	-	-	-	136
		F	4	4	-	-	-	-	-	-	-	-	-	331
		M	36	36	-	-	-	-	-	-	-	-	-	153
		F	20	20	-	-	-	-	-	-	-	-	-	122
B44	Other diseases of early infancy and immaturity unqualified	M	114	114	-	-	-	-	-	-	-	-	-	90
		F	63	62	-	1	-	-	-	-	-	-	-	70
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	63	-	-	-	-	1	1	1	7	52	73	
		F	140	-	-	-	-	-	-	1	1	4	134	85
B46 (Rem.)	All other diseases (Remainder 001-795)	M	346	15	7	3	21	16	31	32	78	75	68	92
		F	492	16	10	10	9	16	27	54	76	123	151	90
EE47	Motor vehicle accidents	M	249	1	12	28	75	25	14	23	26	24	21	109
		F	87	1	5	4	7	2	4	4	15	27	18	104
EE48	All other accidents	M	294	23	14	15	18	15	26	23	38	35	87	103
		F	347	17	12	2	6	7	6	5	18	64	210	129
EE49	Suicide and self-inflicted injury	M	178	-	-	-	10	15	21	41	51	24	16	109
		F	119	-	-	-	9	15	17	20	31	16	11	102
EE50	Homicide and operations of war	M	9	1	-	-	1	2	2	1	-	1	1	97
		F	9	2	2	-	2	-	1	1	-	1	-	136
EN47	Fractures, head injuries and internal injuries	M	391	2	15	31	80	35	28	33	43	47	77	108
		F	296	7	8	4	9	4	3	7	24	68	162	128
EN48	Burns	M	12	1	2	1	-	-	1	2	-	-	5	90
		F	28	-	7	-	-	-	1	-	1	6	13	121
EN49	Effects of poisons	M	194	1	4	-	11	13	25	40	48	26	26	119
		F	171	-	2	-	10	15	18	21	32	29	44	110
EN50	All other injuries	M	133	21	5	11	13	9	9	13	24	11	17	90
		F	67	13	2	2	5	5	6	2	7	5	20	101

TABLE 19 - continued

Abbreviated List No.	Causes of death	Eastern Region													S.M.R. (England and Wales =100)
		Age													
		All ages	Under 1 year	Years											
				1-	5-	15-	25-	35-	45-	55-	65-	75 and over			
	ALL CAUSES	M 22,201 F 21,389	698 496	106 95	143 76	263 108	255 161	562 424	1,470 940	3,863 2,251	5,953 4,828	8,888 12,010	90 94		
B1	Tuberculosis of respiratory system	M 99 F 39	- -	- -	- -	- 1	4 1	6 3	14 7	33 9	30 4	12 14	60 93		
B2	Tuberculosis, other forms	M 7 F 7	- -	- -	- -	- -	- -	2 1	1 2	2 1	2 1	1 1	50 48		
B3	Syphilis and its sequelae	M 33 F 32	- -	- -	1 -	- -	- -	- 1	3 -	7 3	15 14	7 14	82 120		
B4	Typhoid fever	M 1 F 1	- -	1 -	- -	- -	- -	- -	- -	- -	- -	1 1	398 197		
B5	Cholera	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -		
B6	Dysentery, all forms	M 4 F 2	- -	- -	- -	- -	- -	- -	- -	1 1	- -	3 1	223 175		
B7	Scarlet fever and streptococcal sore throat	M 1 F 1	- -	- -	1 -	- -	- -	- -	- -	- -	- -	1 1	166 392		
B8	Diphtheria	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -		
B9	Whooping cough	M 1 F 1	1 1	- -	- -	- -	- -	- -	- -	- -	- -	- -	76 54		
B10	Meningococcal infections	M 5 F 2	- -	3 1	1 1	1 1	- -	- -	- -	- -	- -	- -	65 40		
B11	Plague	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -		
B12	Acute poliomyelitis	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -		
B13	Smallpox	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -		
B14	Measles	M 1 F 3	- -	1 1	1 -	- -	1 -	- -	1 1	- -	- -	- -	18 54		
B15	Typhus and other rickettsial diseases	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -		
B16	Malaria	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -		
B17	All other diseases classified as infective and parasitic	M 26 F 36	2 -	2 2	- 2	1 2	- 1	3 4	3 2	3 8	4 8	8 7	69 104		
B18	Malignant neoplasm: (140-205)	M 4,163 F 3,628	5 4	18 13	23 17	31 15	43 27	138 190	403 393	1,136 758	1,279 1,016	1,087 1,175	91 96		
	stomach (151)	M 567 F 380	- -	- -	- -	1 1	2 1	17 6	38 16	156 49	180 130	174 177	88 80		
	trachea, bronchus and lung (162, 163)	M 1,508 F 276	- -	- -	- -	- -	1 -	34 11	192 33	546 68	525 98	210 66	89 95		
	breast (170)	M 4 F 760	- -	- -	- -	- -	19 62	- 122	- 178	1 185	2 194	1 101	69 101		
	uterus (171-174)	M - F 300	- -	- -	- -	- -	4 30	- 48	- 76	- 67	- 75	- 75	95 95		
	Leukaemia and aleukaemia (204)	M 130 F 99	- 3	9 4	14 8	7 7	6 4	11 5	8 9	22 14	30 28	23 17	103 93		
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M 1,954 F 1,813	5 1	9 9	9 9	24 7	34 19	76 76	165 165	411 373	542 508	679 646	93 99		
B19	Benign and unspecified neoplasms	M 46 F 71	- -	- 1	- 3	2 2	2 2	2 8	5 14	9 11	13 14	13 16	85 120		
B20	Diabetes mellitus	M 126 F 192	1 -	1 -	1 2	1 -	5 1	3 -	9 2	18 21	37 68	50 98	109 99		
B21	Anaemias	M 36 F 86	- -	- 1	- 1	1 -	1 -	- 1	2 2	3 9	6 21	23 51	76 90		
B22	Vascular lesions affecting central nervous system	M 2,580 F 3,803	1 -	- -	4 -	6 5	6 7	23 20	88 94	297 315	719 871	1,436 2,491	94 98		
B23	Non-meningococcal meningitis	M 17 F 13	6 2	2 3	1 1	1 1	- -	1 1	1 -	1 1	4 3	- 1	94 85		
B24	Rheumatic fever	M 4 F -	- -	- -	3 -	- -	- -	- -	- -	1 -	- -	- -	92 -		
B25	Chronic rheumatic heart disease	M 138 F 249	1 -	- 1	1 -	1 -	6 4	11 18	26 31	37 58	31 72	24 65	70 69		



TABLE 19 - continued

Abbreviated List No.	Causes of death		Eastern Region - continued												S.M.R. (England and Wales =100)
			Age												
			All ages	Under 1 year	Years										
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over		
B26	Arteriosclerotic heart disease including coronary disease (420) Degenerative heart disease (421, 422)	M	4,962	-	-	-	1	10	121	459	1,112	1,616	1,643	91	
F		3,342	-	-	-	-	3	20	69	347	985	1,918	99		
M		1,332	-	-	-	2	5	7	15	66	264	973	87		
F		2,044	1	-	1	1	-	3	16	47	244	1,731	85		
B27	Other diseases of heart	M	546	1	1	4	1	-	10	25	60	144	300	97	
		F	632	2	1	1	1	4	1	6	46	132	438	93	
B28	Hypertension with heart disease	M	281	-	-	-	1	-	1	6	39	87	147	82	
		F	399	-	-	-	1	-	1	7	36	106	248	80	
B29	Hypertension without mention of heart	M	172	-	-	-	1	2	9	14	32	39	75	80	
		F	178	-	-	-	-	1	2	13	25	41	96	76	
B46 (Pt.)	Other circulatory diseases (450-468)	M	771	-	-	-	1	2	9	30	100	197	432	98	
		F	932	-	-	-	1	2	6	27	71	212	613	97	
B30	Influenza	M	152	-	1	-	1	2	6	6	18	36	82	124	
		F	150	1	1	1	1	-	2	2	10	23	109	104	
B31	Pneumonia	M	1,514	75	17	8	6	8	26	48	141	319	866	104	
		F	1,625	49	13	9	4	4	17	29	82	294	1,124	104	
B32	Bronchitis	M	1,560	13	7	1	-	3	9	57	287	527	656	75	
		F	653	4	5	1	1	1	7	23	61	140	410	77	
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	225	2	3	3	2	3	4	13	45	80	70	74	
		F	152	11	7	-	3	-	3	12	16	32	68	104	
B33	Ulcer of stomach and duodenum	M	218	-	-	-	-	2	2	10	39	54	111	93	
		F	117	-	-	-	2	-	2	2	16	25	70	94	
B34	Appendicitis	M	15	-	-	-	1	-	-	1	4	3	6	60	
		F	20	-	1	1	-	1	2	2	3	7	3	97	
B35	Intestinal obstruction and hernia	M	140	8	-	-	1	1	7	7	23	36	57	112	
		F	128	3	-	-	-	-	4	3	18	32	68	95	
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	71	8	1	2	-	3	4	4	10	18	21	81	
		F	115	6	2	-	4	1	3	9	9	28	53	90	
B37	Cirrhosis of liver	M	36	-	-	-	-	-	3	7	12	8	6	63	
		F	41	-	-	2	1	1	-	4	8	17	8	83	
B38	Nephritis and nephrosis	M	107	-	-	2	2	4	11	15	12	26	35	75	
		F	96	-	1	1	5	3	10	5	15	23	33	81	
B39	Hyperplasia of prostate	M	232	-	-	-	-	-	-	1	14	50	167	108	
B40	Complications of pregnancy, childbirth and puerperium	F	22	-	-	-	3	12	7	-	-	-	-	111	
B41	Congenital malformations	M	214	139	12	12	9	6	6	6	12	7	5	89	
		F	192	130	12	8	6	-	9	8	8	7	4	91	
B42	Birth injuries, postnatal asphyxia and atelectasis	M	176	176	-	-	-	-	-	-	-	-	-	74	
		F	90	90	-	-	-	-	-	-	-	-	-	59	
B43	Diarrhoea of newborn (764) Other infections of newborn (763, 765-768)	M	1	1	-	-	-	-	-	-	-	-	-	27	
		F	1	1	-	-	-	-	-	-	-	-	-	50	
		M	22	22	-	-	-	-	-	-	-	-	-	56	
		F	21	21	-	-	-	-	-	-	-	-	-	77	
B44	Other diseases of early infancy and immaturity unqualified	M	175	175	-	-	-	-	-	-	-	-	-	83	
		F	138	138	-	-	-	-	-	-	-	-	-	91	
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	147	3	-	-	1	1	-	-	4	8	130	77	
		F	284	1	-	-	-	-	-	1	1	7	274	84	
B46 (Rem.)	All other diseases (Remainder 001-795)	M	755	27	20	20	26	31	30	58	116	166	261	108	
		F	1,023	16	17	14	19	19	40	79	134	256	429	103	
BE47	Motor vehicle accidents	M	384	-	5	36	100	38	36	34	54	43	38	98	
		F	126	-	5	3	11	14	8	19	26	20	20	89	
BE48	All other accidents	M	443	31	11	19	39	36	38	45	61	42	121	87	
		F	511	15	6	5	6	6	9	22	39	69	334	100	
BE49	Suicide and self-inflicted injury	M	248	-	-	-	21	28	35	51	52	39	22	91	
		F	183	-	-	1	10	25	18	33	37	36	23	95	
BE50	Homicide and operations of war	M	14	-	1	-	2	2	1	1	2	4	1	89	
		F	8	-	2	-	1	1	2	2	-	-	-	76	
EN47	Fractures, head injuries and internal injuries	M	604	4	8	39	115	50	49	55	91	67	126	95	
		F	453	-	7	5	10	14	11	27	40	60	279	104	
EN48	Burns	M	26	-	4	1	1	1	2	3	4	5	5	107	
		F	28	1	1	1	-	1	-	1	-	6	17	66	
EN49	Effects of poisons	M	212	2	1	1	16	23	36	37	38	28	30	76	
		F	241	-	3	-	13	26	20	33	40	48	58	91	
EN50	All other injuries	M	247	25	4	14	30	30	23	36	36	28	21	98	
		F	106	14	2	3	5	5	6	15	22	11	23	94	

TABLE 19 - continued

Abbrevi- ated List No.	Causes of death	London and South Eastern Region												S.M.R. (England and Wales =100)
		Age												
		All ages	Under 1 year	Years										
1-	5-			15-	25-	35-	45-	55-	65-	75 and over				
	ALL CAUSES	M 69,009 F 71,224	2,239 1,608	323 247	302 195	750 314	793 510	1,746 1,347	5,218 3,542	13,807 7,753	18,708 15,470	25,123 40,238	97 96	
B1	Tuberculosis of respiratory system	M 527 F 156	- -	- 1	- 1	2 -	10 6	44 22	81 37	154 32	145 29	91 29	107 103	
B2	Tuberculosis, other forms	M 36 F 48	- -	1 3	1 1	1 3	2 1	6 5	3 4	7 3	7 14	8 14	89 103	
B3	Syphilis and its sequelae	M 135 F 113	- -	- -	1 -	- -	- -	3 1	15 5	32 12	45 37	39 58	114 127	
B4	Typhoid fever	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B5	Cholera	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B6	Dysentery, all forms	M 7 F 4	- -	1 -	- -	- -	- 1	- -	- -	3 1	1 -	2 2	140 111	
B7	Scarlet fever and streptococcal sore throat	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B8	Diphtheria	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B9	Whooping cough	M - F 3	- 3	- 6	- 2	- -	- 1	- -	- -	- -	- -	- -	- 65	
B10	Meningococcal infections	M 23 F 15	11 5	6 4	2 -	- 1	1 1	- -	1 2	1 -	1 -	2 -	116 112	
B11	Plague	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B12	Acute poliomyelitis	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B13	Smallpox	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B14	Measles	M 9 F 14	1 2	5 2	- 8	1 1	1 -	- -	- -	- -	1 -	- -	65 97	
B15	Typhus and other rickettsial diseases	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B16	Malaria	M 2 F -	- -	- -	- -	- -	- -	1 -	1 -	- -	- -	- -	205 -	
B17	All other diseases classified as infective and parasitic	M 115 F 106	11 7	4 4	4 2	6 5	7 4	10 8	23 19	19 19	9 22	22 16	108 98	
B18	Malignant neoplasm: (140-205)	M 14,182 F 12,531	11 6	41 25	60 53	86 52	141 119	383 534	1,521 1,599	4,058 2,785	4,481 3,322	3,400 4,036	105 101	
	stomach (151)	M 1,665 F 1,370	- -	- -	- -	- -	5 7	52 22	157 87	490 224	516 378	445 652	88 87	
	trachea, bronchus and lung (162, 163)	M 5,804 F 1,237	- -	- -	1 1	2 -	24 -	97 32	709 177	2,082 353	2,000 397	889 277	115 129	
	breast (170)	M 19 F 2,631	- -	- -	- -	- -	- 18	1 167	5 528	5 669	3 578	5 671	111 107	
	uterus (171-174)	M 879 F -	- -	- -	- -	2 -	8 -	80 -	143 -	200 -	230 -	216 -	85 -	
	Leukaemia and aleukaemia (204)	M 416 F 377	2 1	19 13	29 25	23 10	23 11	25 27	53 43	71 68	98 84	73 95	115 112	
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M 6,278 F 6,037	9 5	22 12	30 27	61 40	89 75	208 206	597 621	1,410 1,271	1,864 1,655	1,988 2,125	102 101	
B19	Benign and unspecified neoplasms	M 166 F 189	3 2	- 2	4 5	7 2	8 10	8 17	32 39	42 37	31 39	31 36	105 100	
B20	Diabetes mellitus	M 324 F 569	- -	1 -	3 1	3 1	4 6	9 11	25 18	67 68	90 190	122 274	97 88	
B21	Anaemias	M 135 F 287	3 1	- 2	- -	5 2	2 5	2 3	5 6	18 23	31 71	69 174	99 91	
B22	Vascular lesions affecting central nervous system	M 6,304 F 10,938	1 2	3 1	2 3	14 7	24 18	81 72	244 313	922 908	1,734 2,372	3,279 7,242	80 85	
B23	Non-meningococcal meningitis	M 51 F 36	16 15	4 4	3 -	1 -	2 2	3 -	6 -	3 4	7 5	6 6	104 82	
B24	Rheumatic fever	M 5 F 8	- -	- -	- -	- -	- -	2 1	- 1	2 2	- -	1 4	42 69	
B25	Chronic rheumatic heart disease	M 574 F 1,190	- -	- -	- -	9 2	21 15	41 71	111 154	168 291	117 313	107 344	99 101	

TABLE 19 - continued

Abbrevi- ated List No.	Causes of death		London and South Eastern Region - continued												S.M.R. (England and Wales =100)
			Age												
			All ages	Under 1 year	Years								75 and over		
				1-	5-	15-	25-	35-	45-	55-	65-				
B26	Arteriosclerotic heart disease including coronary disease (420) Degenerative heart disease (421, 422)	M	15,672	-	-	-	5	32	394	1,599	4,087	4,998	4,557	97	
F		10,731	1	1	-	1	6	52	242	1,149	3,191	6,088	96		
M		3,658	2	-	-	-	7	8	22	60	200	602	2,757	84	
F		7,042	-	1	1	1	7	7	38	108	723	6,156	88		
B27	Other diseases of heart	M	1,538	3	2	2	12	17	25	57	174	405	841	95	
		F	2,195	2	1	1	6	8	17	49	119	445	1,547	97	
B28	Hypertension with heart disease	M	842	-	-	-	-	-	8	40	133	271	390	84	
		F	1,464	-	-	-	-	-	2	15	79	371	997	88	
B29	Hypertension without mention of heart	M	730	-	-	-	-	12	30	61	158	191	278	116	
		F	1,004	-	-	-	2	1	10	29	103	255	604	129	
B46 (Pt.)	Other circulatory diseases (450-468)	M	2,303	2	-	-	7	12	32	91	331	627	1,201	101	
		F	3,186	-	-	-	14	10	27	77	227	655	2,176	100	
B30	Influenza	M	392	9	4	6	4	3	8	24	55	92	187	111	
		F	521	4	1	2	-	1	8	11	35	105	354	110	
B31	Pneumonia	M	4,630	251	51	20	15	13	36	129	448	1,011	2,656	112	
		F	5,878	184	44	7	6	24	38	110	316	922	4,227	115	
B32	Bronchitis	M	6,097	72	19	6	7	6	34	269	1,255	2,056	2,373	100	
		F	2,798	54	8	11	3	2	23	80	260	623	1,734	100	
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	783	6	12	2	3	6	23	52	169	244	266	88	
		F	456	11	6	3	3	4	11	29	60	96	233	96	
B33	Ulcer of stomach and duodenum	M	687	1	1	1	1	3	13	41	140	219	267	100	
		F	412	1	-	-	-	4	8	19	35	94	251	100	
B34	Appendicitis	M	72	1	-	4	3	1	3	4	10	24	22	100	
		F	66	-	1	1	2	3	1	6	12	14	26	99	
B35	Intestinal obstruction and hernia	M	369	23	3	1	1	4	4	25	45	103	160	103	
		F	439	9	3	-	3	2	3	15	63	104	237	100	
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	278	38	16	1	3	7	7	19	38	65	84	113	
		F	442	25	5	2	4	5	10	18	46	100	227	108	
B37	Cirrhosis of liver	M	160	1	-	1	2	1	11	31	51	42	20	94	
		F	140	2	-	1	2	1	7	23	34	43	27	87	
B38	Nephritis and nephrosis	M	371	2	1	3	12	22	24	56	62	89	100	90	
		F	343	3	-	4	11	11	17	38	59	75	125	89	
B39	Hyperplasia of prostate	M	584	-	-	-	-	-	1	7	26	122	428	96	
B40	Complications of pregnancy, childbirth and puerperium	F	63	-	-	-	15	31	16	1	-	-	-	105	
B41	Congenital malformations	M	672	447	40	33	22	11	26	23	36	22	12	108	
		F	536	329	38	19	10	13	10	32	39	27	19	95	
B42	Birth injuries, postnatal asphyxia and atelectasis	M	593	593	-	-	-	-	-	-	-	-	-	99	
		F	386	386	-	-	-	-	-	-	-	-	-	99	
B43	Diarrhoea of newborn (764) Other infections of newborn (763, 765-768)	M	8	8	-	-	-	-	-	-	-	-	-	86	
		F	1	1	-	-	-	-	-	-	-	-	-	20	
		M	78	78	-	-	-	-	-	-	-	-	-	79	
		F	65	65	-	-	-	-	-	-	-	-	-	94	
B44	Other diseases of early infancy and immaturity unqualified	M	522	521	-	1	-	-	-	-	-	-	-	98	
	F	392	392	-	-	-	-	-	-	-	-	-	-	102	
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	308	5	-	-	1	2	2	4	6	13	275	58	
	F	713	8	-	-	2	-	-	-	3	5	18	677	63	
B46 (Rem.)	All other diseases (Remainder 001-795)	M	1,991	71	31	40	57	80	112	179	367	450	604	99	
	F	3,197	54	37	35	38	55	149	243	461	764	1,361	99		
EE47	Motor vehicle accidents	M	887	1	23	46	262	97	70	88	110	83	107	84	
	F	450	-	12	20	40	20	21	24	68	116	129	101		
EE48	All other accidents	M	1,234	40	51	53	116	105	108	127	185	155	294	87	
	F	1,299	30	37	14	22	25	43	72	115	200	741	78		
EE49	Suicide and self-inflicted injury	M	911	-	-	1	69	124	152	161	220	118	66	115	
	F	769	-	-	-	45	84	120	168	174	113	65	125		
EE50	Homicide and operations of war	M	44	7	3	1	6	4	8	3	5	7	-	100	
	F	29	4	4	1	8	5	2	3	1	1	-	95		
EN47	Fractures, head injuries and internal injuries	M	1,439	8	37	65	290	142	103	150	195	161	288	82	
	F	1,063	4	22	23	48	30	29	38	90	189	590	75		
EN48	Burns	M	54	1	4	4	3	4	2	3	5	8	20	80	
	F	102	1	6	4	1	4	3	5	12	17	49	75		
EN49	Effects of poisons	M	1,049	2	17	2	77	125	164	166	234	135	127	131	
	F	1,089	3	11	1	48	85	131	185	199	183	243	128		
EN50	All other injuries	M	534	37	19	30	83	59	69	60	86	59	32	77	
	F	293	26	14	7	18	15	23	39	57	41	53	85		



TABLE 19 - continued

Abbreviated List No.	Causes of death		Greater London												S.M.R. (England and Wales =100)
			Age												
			All ages	Under 1 year	Years										
1-	5-	15-			25-	35-	45-	55-	65-	75 and over					
	ALL CAUSES	M	48,630	1,718	234	197	527	603	1,362	4,040	10,460	12,956	16,533	99	
		F	48,855	1,218	171	127	248	394	1,007	2,641	5,594	10,718	26,737	99	
B1	Tuberculosis of respiratory system	M	381	-	-	-	2	6	30	64	117	100	62	109	
		F	114	-	1	-	-	5	17	26	25	18	22	105	
B2	Tuberculosis, other forms	M	24	-	-	-	1	2	4	2	6	4	5	82	
		F	36	-	2	1	2	1	3	3	3	11	10	109	
B3	Syphilis and its sequelae	M	101	-	-	-	-	-	3	10	26	32	30	122	
		F	90	-	-	-	-	-	-	4	11	30	45	148	
B4	Typhoid fever	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B5	Cholera	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B6	Dysentery, all forms	M	7	-	1	-	-	-	-	-	3	1	2	201	
		F	4	-	-	-	-	1	-	-	1	-	2	159	
B7	Scarlet fever and streptococcal sore throat	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B9	Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	3	3	-	-	-	-	-	-	-	-	-	-	
B10	Meningococcal infections	M	16	8	5	1	-	1	-	-	1	-	-	88	
		F	12	4	3	-	1	1	-	2	-	-	1	111	
B11	Plague	M	-	-	-	-	-	-	-	-	-	-	-	123	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B13	Smallpox	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B14	Measles	M	5	1	3	-	1	-	-	-	-	-	-	50	
		F	3	-	1	2	-	-	-	-	-	-	-	29	
B15	Typhus and other rickettsial diseases	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B16	Malaria	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B17	All other diseases classified as infective and parasitic	M	78	7	3	1	3	5	9	17	16	7	10	102	
		F	86	6	3	2	4	3	8	14	16	18	12	112	
B18	Malignant neoplasm: (140-205)	M	10,453	9	34	42	66	112	301	1,191	3,124	3,196	2,378	111	
	stomach (151)	F	8,863	6	16	39	40	90	399	1,181	2,031	2,321	2,740	103	
		M	1,242	-	-	-	-	4	42	126	383	379	308	94	
		F	1,011	-	-	-	-	5	19	70	178	286	453	94	
	trachea, bronchus and lung (162, 163)	M	4,406	-	-	-	2	17	78	557	1,623	1,463	666	123	
		F	904	-	-	-	-	-	28	126	268	272	209	135	
	breast (170)	M	12	-	-	1	-	-	1	2	3	2	4	100	
		F	1,860	-	-	-	-	13	128	400	490	400	429	108	
	uterus (171-174)	M	630	-	-	-	1	6	60	111	136	160	156	87	
	Leukaemia and aleukaemia (204)	M	296	2	13	22	19	18	18	45	49	62	48	116	
		F	272	1	8	17	8	20	33	50	61	66	66	115	
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M	4,497	7	21	20	45	73	162	461	1,066	1,290	1,352	106	
	F	4,186	5	8	21	31	58	144	441	909	1,142	1,427	101		
B19	Benign and unspecified neoplasms	M	127	3	-	3	6	7	5	26	36	21	20	113	
		F	132	2	2	5	1	7	14	31	27	19	24	98	
B20	Diabetes mellitus	M	217	-	1	2	3	1	7	18	47	64	74	94	
		F	425	-	-	-	1	4	8	12	51	144	205	96	
B21	Anaemias	M	85	2	-	-	3	2	2	12	19	43	92		
		F	199	1	2	-	2	3	2	4	16	46	123	92	
B22	Vascular lesions affecting central nervous system	M	3,973	1	3	-	12	21	64	182	643	1,126	1,921	74	
		F	6,945	2	-	1	6	14	49	241	614	1,578	4,440	79	
B23	Non-meningococcal meningitis	M	40	12	2	2	1	1	2	6	3	5	6	113	
		F	26	10	2	-	-	2	-	-	3	5	4	83	
B24	Rheumatic fever	M	3	-	-	-	-	-	2	-	1	-	-	34	
		F	4	-	-	-	-	-	1	-	1	-	2	49	
B25	Chronic rheumatic heart disease	M	450	-	-	-	7	16	35	87	132	87	86	108	
		F	951	-	-	-	1	13	60	130	228	244	275	114	

TABLE 19 - continued

Abbreviated List No.	Causes of death		Greater London - continued											S.M.R. (England and Wales =100)
			Age											
			All ages	Under 1 year	Years									
1-	5-	15-			25-	35-	45-	55-	65-	75 and over				
B26	Arteriosclerotic heart disease including coronary disease (420) Degenerative heart disease (421, 422)	M	11,178	-	-	-	4	25	309	1,248	3,094	3,430	3,068	100
		F	7,579	1	-	-	1	4	41	184	841	2,246	4,261	99
		M	2,160	1	-	-	6	6	20	48	128	359	1,592	75
		F	4,225	-	1	1	1	5	4	28	66	439	3,680	79
B27	Other diseases of heart	M	977	3	1	2	8	13	19	45	124	246	516	89
		F	1,484	2	1	1	5	8	12	32	81	299	1,043	97
B28	Hypertension with heart disease	M	559	-	-	-	-	-	7	29	91	173	259	82
		F	992	-	-	-	-	-	2	13	51	242	684	88
B29	Hypertension without mention of heart	M	547	-	-	-	-	9	24	45	120	147	202	126
		F	782	-	-	-	1	1	6	22	77	203	472	148
B46 (Pt.)	Other circulatory diseases (450-468)	M	1,619	2	-	-	6	9	26	73	255	437	811	106
		F	2,285	-	-	-	11	8	17	56	169	472	1,552	107
B30	Influenza	M	184	5	1	2	3	1	4	12	23	47	86	77
		F	266	4	1	-	-	1	4	7	22	54	173	83
B31	Pneumonia	M	3,297	199	36	12	14	8	27	104	336	722	1,839	118
		F	4,193	152	29	3	6	19	27	74	226	639	3,018	121
B32	Bronchitis	M	4,646	56	12	3	6	4	26	212	1,011	1,531	1,785	111
		F	2,147	45	6	3	1	-	18	56	205	479	1,334	113
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	546	5	6	1	1	3	18	36	131	171	174	88
		F	319	7	5	3	2	3	6	21	45	69	158	98
B33	Ulcer of stomach and duodenum	M	470	1	1	-	1	2	10	28	100	148	179	100
		F	271	1	-	-	-	2	8	14	21	67	158	97
B34	Appendicitis	M	43	1	-	4	3	1	3	1	7	15	8	85
		F	39	-	-	1	2	3	1	-	9	7	16	84
B35	Intestinal obstruction and hernia	M	258	18	2	1	1	1	2	22	40	67	104	105
		F	319	6	2	-	3	2	3	11	46	72	174	106
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	211	30	11	1	3	7	6	15	32	46	60	122
		F	303	17	4	2	3	3	7	14	29	68	156	108
B37	Cirrhosis of liver	M	115	1	-	1	1	-	10	24	43	23	12	94
		F	104	2	-	1	2	1	5	19	25	31	18	92
B38	Nephritis and nephrosis	M	261	1	1	2	7	18	20	46	44	57	65	90
		F	229	3	-	4	10	8	12	34	40	50	68	85
B39	Hyperplasia of prostate	M	386	-	-	-	-	-	-	5	16	85	280	96
B40	Complications of pregnancy, childbirth and puerperium	F	56	-	-	-	14	27	14	1	-	-	-	124
B41	Congenital malformations	M	518	353	30	25	16	7	17	18	29	14	9	114
		F	381	234	24	13	6	11	7	23	30	19	14	93
B42	Birth injuries, postnatal asphyxia and atelectasis	M	455	455	-	-	-	-	-	-	-	-	-	104
		F	289	289	-	-	-	-	-	-	-	-	-	-
B43	Diarrhoea of newborn (764) Other infections of newborn (763, 765-768)	M	8	8	-	-	-	-	-	-	-	-	-	117
		F	1	1	-	-	-	-	-	-	-	-	-	27
		M	54	54	-	-	-	-	-	-	-	-	-	74
		F	50	50	-	-	-	-	-	-	-	-	-	99
B44	Other diseases of early infancy and immaturity unqualified	M	401	401	-	-	-	-	-	-	-	-	-	103
		F	303	303	-	-	-	-	-	-	-	-	-	108
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	151	4	-	-	1	2	2	3	4	9	126	43
		F	381	6	-	-	1	-	-	3	2	10	359	51
B46 (Rem.)	All other diseases (Remainder 001-795)	M	1,400	47	26	29	33	65	86	142	270	302	400	99
		F	2,197	39	28	23	26	42	106	178	329	519	907	98
BE47	Motor vehicle accidents	M	593	1	14	31	163	70	47	52	74	64	77	77
		F	324	-	7	11	30	12	16	19	47	94	88	103
BE48	All other accidents	M	881	22	38	30	84	70	86	97	144	109	201	87
		F	847	18	27	10	16	22	34	50	81	131	458	75
BE49	Suicide and self-inflicted injury	M	718	-	-	1	56	105	122	128	174	89	43	124
		F	569	-	-	-	42	63	94	132	124	73	41	128
BE50	Homicide and operations of war	M	34	7	3	1	5	3	7	2	3	3	-	107
		F	27	4	4	1	7	5	2	2	1	1	-	121
EN47	Fractures, head injuries and internal injuries	M	989	8	27	42	189	102	73	102	134	116	196	79
		F	674	4	15	14	36	23	22	27	59	134	340	70
		M	38	-	4	2	2	2	1	3	4	5	15	80
		F	78	-	5	3	-	4	3	3	10	15	35	84
EN49	Effects of poisons	M	849	2	15	2	64	105	136	136	195	101	93	146
		F	819	3	9	1	43	63	104	148	150	124	174	135
EN50	All other injuries	M	350	20	9	17	53	39	52	38	62	43	17	69
		F	196	15	9	4	16	12	17	25	34	26	38	80

TABLE 19 - continued

Abbrevi- ated List No.	Causes of death	Southern Region												S.M.R. (England and Wales =100)	
		Age													
		All ages	Under 1 year	Years											
1-	5-			15-	25-	35-	45-	55-	65-	75 and over					
	ALL CAUSES	M	17,452	604	103	96	241	182	394	1,221	3,093	4,668	6,850	92	
		F	17,233	472	74	64	81	138	331	783	1,766	3,684	9,840	94	
B1	Tuberculosis of respiratory system	M	96	-	-	-	-	2	8	18	31	21	16	76	
		F	33	-	-	-	-	-	6	3	6	9	9	91	
B2	Tuberculosis, other forms	M	9	-	1	-	-	-	2	1	2	1	2	84	
		F	14	-	1	-	-	1	1	4	1	1	5	123	
B3	Syphilis and its sequelae	M	43	-	-	-	-	1	-	2	8	19	13	139	
		F	21	-	-	-	-	-	-	-	4	5	12	97	
B4	Typhoid fever	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B5	Cholera	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B6	Dysentery, all forms	M	1	-	-	-	-	1	-	-	-	-	-	74	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B7	Scarlet fever and streptococcal sore throat	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B9	Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B10	Meningococcal infections	M	6	3	1	1	-	-	-	-	-	1	-	104	
		F	5	2	1	-	-	1	1	-	-	-	-	133	
B11	Plague	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B13	Smallpox	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B14	Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	5	-	4	1	-	-	-	-	-	-	-	119	
B15	Typhus and other rickettsial diseases	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B16	Malaria	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B17	All other diseases classified as infective and parasitic	M	33	3	1	1	2	1	2	4	11	5	3	116	
		F	28	2	-	2	2	2	2	7	2	3	6	104	
	Malignant neoplasm:	M	3,290	3	7	20	24	28	86	325	832	1,117	848	94	
	(140-205)	F	2,912	1	9	13	12	33	138	368	617	785	936	98	
	stomach (151)	M	428	-	-	-	1	2	12	45	90	158	120	87	
		F	296	-	-	-	-	-	4	26	41	78	147	77	
	trachea, bronchus and lung	M	1,186	-	-	-	-	1	23	153	419	417	173	91	
	(162, 163)	F	216	-	-	-	-	1	9	27	68	67	44	94	
B18	breast (170)	M	3	-	-	-	-	-	-	1	-	1	1	68	
		F	578	-	-	-	1	4	41	113	134	136	149	98	
	uterus (171-174)	F	239	-	-	-	1	2	19	48	63	51	55	97	
	Leukaemia and aleukaemia (204)	M	90	1	3	10	5	6	2	8	16	20	19	93	
		F	93	-	4	6	4	5	2	12	18	19	23	112	
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M	1,583	2	4	10	18	19	49	118	307	521	535	98	
		F	1,490	1	5	7	6	21	63	142	293	434	518	103	
B19	Benign and unspecified neoplasms	M	44	-	-	1	2	1	2	9	11	14	4	106	
		F	52	1	-	-	2	1	6	11	13	10	8	113	
B20	Diabetes mellitus	M	75	-	-	-	-	1	4	7	15	26	22	85	
		F	125	-	1	1	2	1	2	5	10	43	60	80	
B21	Anaemias	M	30	-	-	-	-	-	2	2	7	9	10	82	
		F	65	-	-	1	-	2	2	2	6	13	39	84	
B22	Vascular lesions affecting central nervous system	M	1,831	1	-	1	3	3	17	86	244	479	997	87	
		F	2,979	-	-	2	2	9	23	72	221	659	1,991	94	
B23	Non-meningococcal meningitis	M	13	4	3	1	-	1	-	1	2	-	1	95	
		F	11	6	1	-	-	-	1	-	-	3	-	94	
B24	Rheumatic fever	M	6	-	-	2	1	-	1	-	2	-	-	178	
		F	3	-	-	-	-	-	-	1	-	-	2	106	
B25	Chronic rheumatic heart disease	M	119	-	-	-	-	2	6	16	20	26	30	19	80
		F	241	-	-	-	2	6	19	30	62	54	68	85	



TABLE 19 - continued

Abbreviated List No.	Causes of death		Southern Region - continued											S.M.R. (England and Wales =100)
			Age											
			All ages	Under 1 year	Years									
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over	
B26	{ Arteriosclerotic heart disease including coronary disease (420) Degenerative heart disease (421, 422)	M	3,944	-	-	-	-	11	73	350	931	1,254	1,325	94
F		2,490	-	-	-	-	2	15	52	271	711	1,439	91	
M		1,171	-	-	-	-	4	3	8	19	59	204	874	99
F		2,006	-	-	-	-	1	1	-	8	46	247	1,703	102
B27	Other diseases of heart	M	389	-	2	2	1	3	2	11	42	102	224	90
		F	483	-	-	-	-	2	5	7	32	101	334	87
B28	Hypertension with heart disease	M	276	-	-	-	-	-	2	14	39	98	123	104
		F	400	-	-	-	-	-	-	8	37	101	254	98
B29	Hypertension without mention of heart	M	139	-	-	-	-	2	8	18	25	29	57	84
		F	141	-	-	-	-	1	2	6	11	39	82	75
B46 (Pt.)	Other circulatory diseases (450-468)	M	556	-	-	-	-	1	7	31	68	150	299	91
		F	713	-	-	1	2	3	2	26	54	145	480	92
B30	Influenza	M	112	1	-	-	-	1	2	5	11	25	67	119
		F	174	1	-	-	-	3	1	3	8	26	131	149
B31	Pneumonia	M	1,096	44	17	3	6	4	11	39	95	213	664	98
		F	1,208	45	12	4	7	6	9	19	73	188	845	95
B32	Bronchitis	M	1,298	7	5	1	1	-	11	57	272	431	513	81
		F	563	11	4	1	-	-	3	16	44	137	347	82
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	213	3	4	-	-	1	6	14	47	57	81	91
		F	122	4	1	-	-	2	5	4	18	24	64	105
B33	Ulcer of stomach and duodenum	M	159	-	-	-	-	2	4	11	35	45	62	88
		F	110	-	-	-	-	1	-	6	9	26	68	110
B34	Appendicitis	M	17	-	-	1	-	-	2	2	2	5	5	88
		F	15	-	-	-	-	1	-	1	3	4	6	92
B35	Intestinal obstruction and hernia	M	73	3	3	-	-	-	-	1	14	16	36	76
		F	92	7	2	-	-	-	2	5	4	21	51	85
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	64	10	4	-	1	1	1	4	7	15	21	96
		F	104	9	3	1	2	2	1	4	5	19	58	103
B37	Cirrhosis of liver	M	37	-	-	-	-	1	7	7	13	5	4	85
		F	38	-	-	-	-	-	6	3	15	6	8	98
B38	Nephritis and nephrosis	M	90	1	1	-	4	6	8	14	7	22	27	83
		F	83	-	-	3	4	5	7	7	10	15	32	88
B39	Hyperplasia of prostate	M	172	-	-	-	-	-	-	-	5	36	131	104
B40	Complications of pregnancy, childbirth and puerperium	F	9	-	-	-	1	5	3	-	-	-	-	62
B41	Congenital malformations	M	202	133	23	0	7	2	4	6	9	4	4	111
		F	174	116	10	9	4	7	1	9	7	7	4	109
B42	Birth injuries, postnatal asphyxia and atelectasis	M	170	170	-	-	-	-	-	-	-	-	-	96
		F	114	114	-	-	-	-	-	-	-	-	-	99
B43	{ Diarrhoea of newborn (764) Other infections of newborn (763, 765-768)	M	2	2	-	-	-	-	-	-	-	-	-	72
		F	-	-	-	-	-	-	-	-	-	-	-	-
		M	17	17	-	-	-	-	-	-	-	-	-	58
		F	14	14	-	-	-	-	-	-	-	-	-	68
B44	Other diseases of early infancy and immaturity unqualified	M	149	149	-	-	-	-	-	-	-	-	-	94
		F	100	100	-	-	-	-	-	-	-	-	-	88
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	87	-	-	-	-	2	-	1	2	5	77	59
		F	209	-	2	-	-	-	-	2	2	8	195	75
B46 (Rem.)	All other diseases (Remainder 001-795)	M	536	13	11	16	19	13	24	49	78	129	184	100
		F	780	18	13	12	14	11	28	45	102	202	335	99
BE47	Motor vehicle accidents	M	334	1	5	25	121	36	27	34	39	19	27	108
		F	104	1	2	8	13	15	10	8	14	13	20	94
BE48	All other accidents	M	354	36	15	9	21	22	22	31	56	51	91	91
		F	365	19	8	3	3	6	9	15	30	41	231	89
BE49	Suicide and self-inflicted injury	M	186	-	-	-	19	25	24	27	44	29	18	90
		F	119	-	-	1	3	8	21	25	28	18	15	81
BE50	Homicide and operations of war	M	13	-	-	2	3	1	1	1	2	2	1	107
		F	9	1	-	1	1	2	-	1	1	-	2	114
BN47	Fractures, head injuries and internal injuries	M	494	5	7	26	126	40	37	52	72	45	84	100
		F	323	1	5	9	13	15	11	13	24	36	196	92
BN48	Burns	M	18	1	1	-	2	1	-	2	3	2	6	97
		F	17	-	2	1	-	-	1	1	4	1	7	50
BN49	Effects of poisons	M	182	1	2	2	15	20	21	16	45	33	27	86
		F	177	-	-	2	4	11	21	29	34	29	47	86
BN50	All other injuries	M	193	30	10	8	21	23	16	23	21	21	20	100
		F	80	20	3	1	3	5	7	6	11	6	18	92

TABLE 19 - continued

Abbreviated List No.	Causes of death	South Western Region												S.M.R. (England and Wales =100)
		Age												
		All ages	Under 1 year	Years										
1-	5-			15-	25-	35-	45-	55-	65-	75 and over				
	ALL CAUSES	M 23,125 F 23,149	650 473	99 81	98 64	273 97	218 163	526 376	1,471 1,037	4,088 2,400	6,638 5,295	9,064 13,163	94 96	
B1	Tuberculosis of respiratory system	M 119 F 42	- -	- -	- -	- -	- 3	6 10	20 9	39 4	32 8	22 8	73 92	
B2	Tuberculosis, other forms	M 11 F 11	- -	- -	- -	- -	- 2	- -	2 4	2 2	3 3	2 -	84 77	
B3	Syphilis and its sequelae	M 28 F 12	- -	- -	- -	- -	- -	- -	3 1	8 1	14 6	3 4	69 42	
B4	Typhoid fever	M 1 F -	- -	- -	- -	- -	1 -	- -	- -	- -	- -	- -	468 -	
B5	Cholera	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B6	Dysentery, all forms	M 3 F -	- -	1 -	1 -	- -	- -	- -	- -	- -	- -	1 -	176 -	
B7	Scarlet fever and streptococcal sore throat	M 2 F 1	- -	- -	- -	- -	- 1	1 -	- -	- -	1 -	- -	384 428	
B8	Diphtheria	M 1 F -	- -	- -	1 -	- -	- -	- -	- -	- -	- -	- -	332 -	
B9	Whooping cough	M 3 F -	3 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	284 -	
B10	Meningococcal infections	M 10 F 1	2 1	6 -	1 -	- -	- -	- -	- -	1 -	- -	- -	157 24	
B11	Plague	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B12	Acute poliomyelitis	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B13	Smallpox	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B14	Measles	M 3 F 3	1 -	1 2	- -	- -	- 1	- -	- -	- -	- -	1 -	67 64	
B15	Typhus and other rickettsial diseases	M 1 F -	- -	- -	- -	- -	- -	1 -	- -	- -	- -	- -	443 -	
B16	Malaria	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B17	All other diseases classified as infective and parasitic	M 43 F 36	4 1	7 1	1 -	2 2	- -	2 1	10 3	6 7	5 9	6 12	124 107	
B18	Malignant neoplasm: (140-205)	M 4,058 F 3,743	3 3	11 8	18 12	23 16	40 41	118 150	393 444	1,049 784	1,374 1,066	1,029 1,219	89 97	
	stomach (151)	M 568 F 444	- -	- -	- -	- 1	- 2	5 5	20 26	45 65	139 131	197 214	88 88	
	trachea, bronchus and lung (162, 163)	M 1,318 F 253	- -	- -	1 -	- -	- 5	30 5	168 39	443 62	487 83	184 64	78 85	
	breast (170)	M 3 F 770	- -	- -	- -	- 1	- 7	- 53	- 146	- 173	- 211	- 179	52 101	
	uterus (171-174)	M 292 F -	- -	- -	- -	- -	- -	21 -	52 -	79 -	77 -	63 -	92 -	
	Leukaemia and aleukaemia (204)	M 119 F 100	2 1	3 4	5 5	7 2	2 5	12 9	11 10	24 24	30 18	23 22	99 95	
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M 2,050 F 1,884	1 2	8 4	12 7	16 12	28 27	56 57	169 171	443 381	658 546	659 677	97 99	
	Benign and unspecified neoplasms	M 29 F 49	1 2	1 1	1 -	- 1	- 2	4 3	2 10	11 9	6 11	3 10	56 84	
	Diabetes mellitus	M 122 F 189	- -	2 -	3 1	- -	- 3	1 2	9 5	17 29	40 58	50 91	105 91	
	Anaemias	M 41 F 102	- -	1 -	- 1	- 1	- -	2 3	1 2	2 16	14 22	21 57	84 99	
B22	Vascular lesions affecting central nervous system	M 2,777 F 4,310	1 -	1 -	1 1	5 3	2 8	25 25	87 115	315 368	879 1,002	1,461 2,788	98 102	
B23	Non-meningococcal meningitis	M 16 F 7	4 4	4 -	2 -	- -	- -	2 1	- -	2 1	1 1	1 -	101 51	
B24	Rheumatic fever	M 6 F 3	- -	- -	2 -	- -	- -	- -	2 1	1 1	1 1	- -	152 83	
B25	Chronic rheumatic heart disease	M 184 F 280	- -	1 -	- -	2 2	5 7	20 25	36 56	48 59	49 68	23 63	98 77	

TABLE 19 - continued

Abbreviated List No.	Causes of death		South Western Region - continued												S.M.R. (England and Wales =100)	
			Age													
			All ages	Under 1 year	Years											
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over			
B26	Arteriosclerotic heart disease including coronary disease (420) Degenerative heart disease (421, 422)	M F M F	5,151 3,158 2,037 3,138	- - - -	- - - -	- - - -	- - - -	16 13 12 1	113 65 19 1	439 331 116 85	1,200 1,002 373 409	1,628 1,747 1,516 2,626	94 87 127 118			
B27	Other diseases of heart	M F	526 648	- -	- -	1 -	4 1	- 2	6 3	14 10	71 47	150 139	280 446	91 88		
B28	Hypertension with heart disease	M F	404 587	- -	- -	- -	- -	1 2	2 11	10 53	65 186	152 335	174 335	114 108		
B29	Hypertension without mention of heart	M F	178 220	- -	- -	- -	- -	5 3	- 6	19 7	43 20	46 57	65 127	82 88		
B46 (Pt.)	Other circulatory diseases (450-468)	M F	828 974	- -	- -	- 1	- 1	5 2	10 10	33 23	103 57	218 174	459 706	102 94		
B30	Influenza	M F	132 212	1 2	- -	- 1	- 1	1 4	2 1	3 7	23 22	28 37	74 137	106 136		
B31	Pneumonia	M F	1,220 1,588	68 47	19 19	7 6	10 3	10 5	12 10	33 38	147 94	275 282	639 1,084	83 95		
B32	Bronchitis	M F	1,514 623	9 3	3 3	- 2	5 -	3 -	6 8	60 14	312 67	566 170	550 356	71 69		
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M F	317 140	3 1	- 1	2 2	2 1	2 2	6 4	22 5	80 16	109 43	91 65	104 92		
B33	Ulcer of stomach and duodenum	M F	223 117	- 1	- -	- -	- -	2 1	7 1	16 2	48 13	65 30	85 69	94 88		
B34	Appendicitis	M F	23 24	- -	3 -	- 1	3 -	- 1	1 1	2 1	6 6	3 8	5 6	94 113		
B35	Intestinal obstruction and hernia	M F	136 125	8 12	1 -	- -	3 1	1 1	4 -	4 5	19 11	40 29	56 66	109 88		
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M F	73 117	4 1	- 4	1 1	- -	- 2	3 5	10 6	7 15	21 38	27 45	88 89		
B37	Cirrhosis of liver	M F	52 45	- -	- -	- -	- -	- -	7 1	6 7	17 13	14 12	8 12	94 90		
B38	Nephritis and nephrosis	M F	151 110	1 1	- 2	3 1	3 4	5 3	12 3	21 13	27 18	37 30	42 35	110 90		
B39	Hyperplasia of prostate	M	229	-	-	-	-	-	-	1	9	55	164	102		
B40	Complications of pregnancy, childbirth and puerperium	F	11	-	-	-	6	4	1	-	-	-	-	65		
B41	Congenital malformations	M F	202 184	147 130	8 13	5 5	8 3	5 4	7 5	10 10	4 6	6 4	2 4	101 104		
B42	Birth injuries, postnatal asphyxia and atelectasis	M F	171 110	171 110	- -	- -	- -	- -	- -	- -	- -	- -	- -	90 89		
B43	Diarrhoea of newborn (764) Other infections of newborn (763, 765-768)	M F M F	2 1 28 17	2 1 28 17	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -	68 62 89 77		
		B44	Other diseases of early infancy and immaturity unqualified	M F	142 96	142 95	- 1	- -	- -	- -	- -	- -	- -	- -	- -	84 79
		B45	Senility without mention of psychosis, ill-defined and unknown causes	M F	253 418	1 -	- -	- -	- -	- -	- -	3 -	10 14	239 404	126 111	
		B46 (Rem.)	All other diseases (Remainder 001-795)	M F	679 913	19 20	9 12	6 12	19 10	17 22	32 30	66 70	133 147	177 239	201 351	99 89
BE47	Motor vehicle accidents	M F	382 124	- 1	7 3	24 10	129 23	44 8	36 9	35 12	46 20	31 23	30 15	108 89		
BE48	All other accidents	M F	384 453	25 20	12 9	18 6	39 8	31 8	39 16	42 20	51 35	43 72	84 259	81 84		
BE49	Suicide and self-inflicted injury	M F	217 194	- -	- -	- -	15 8	21 20	23 25	40 43	56 41	40 42	22 15	86 105		
BE50	Homicide and operations of war	M F	13 13	2 -	1 2	- 1	1 2	- 2	2 1	1 2	1 2	4 -	1 1	91 142		
EN47	Fractures, head injuries and internal injuries	M F	549 392	3 2	7 4	29 12	135 22	51 10	52 11	56 15	72 27	54 58	90 231	93 86		
EN48	Burns	M F	8 23	- -	1 3	1 1	- -	- -	- 1	- -	- 4	1 2	5 12	35 53		
EN49	Effects of poisons	M F	190 266	1 -	6 3	1 2	15 11	17 24	25 32	32 44	41 49	29 61	23 40	74 102		
EN50	All other injuries	M F	249 103	23 19	6 4	11 2	34 8	28 4	23 7	30 18	41 18	34 16	19 7	110 96		



TABLE 19 - continued

Abbreviated List No.	Causes of death	Wales I (South East)												S.M.R. (England and Wales =100)
		Age												
		All ages	Under 1 year	Years										
				1-	5-	15-	25-	35-	45-	55-	65-	75 and over		
	ALL CAUSES	M 13,192 F 11,136	530 382	60 60	66 38	128 48	149 74	387 240	1,131 630	2,776 1,383	3,831 2,836	4,134 5,445	108 108	
B1	Tuberculosis of respiratory system	M 132 F 34	- -	- -	- 1	2 1	1 1	11 6	24 8	30 4	48 11	16 2	155 151	
B2	Tuberculosis, other forms	M 9 F 9	- -	1 2	1 -	1 -	- -	- 2	2 4	2 -	2 -	- 1	128 129	
B3	Syphilis and its sequelae	M 18 F 10	- -	- -	- 1	- -	- -	1 -	- -	5 1	7 4	5 4	88 81	
B4	Typhoid fever	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B5	Cholera	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B6	Dysentery, all forms	M 1 F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	1 -	115 -	
B7	Scarlet fever and streptococcal sore throat	M 1 F -	- -	1 -	- -	- -	- -	- -	- -	- -	- -	- -	349 -	
B8	Diphtheria	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B9	Whooping cough	M - F 1	- 1	- 1	- -	- -	- -	- -	- -	- -	- -	- -	- 118	
B10	Meningococcal infections	M 1 F 4	1 1	1 2	- -	- -	- -	- -	1 1	- -	- -	- -	28 172	
B11	Plague	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B12	Acute poliomyelitis	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B13	Smallpox	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B14	Measles	M 5 F 2	- -	5 2	- -	- -	- -	- -	- -	- -	- -	- -	198 75	
B15	Typhus and other rickettsial diseases	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B16	Malaria	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B17	All other diseases classified as infective and parasitic	M 11 F 13	3 -	2 -	1 -	- -	1 1	- 3	2 1	1 3	2 1	3 -	59 79	
B18	Malignant neoplasm: (140-205)	M 2,206 F 1,789	1 -	11 2	11 5	14 7	19 14	65 80	254 247	647 416	740 489	444 529	95 101	
	stomach (151)	M 385 F 318	- -	- -	- -	- -	2 1	8 6	45 19	120 61	130 90	80 141	118 145	
	trachea, bronchus and lung (162, 163)	M 750 F 86	- -	- -	- -	- -	1 -	15 7	96 13	277 22	284 30	77 14	85 62	
	breast (170)	M 6 F 322	- -	- -	- -	- -	- 3	- 19	2 76	1 84	2 72	1 68	204 90	
	uterus (171-174)	M - F 184	- -	- -	- -	- -	- 2	- 17	- 41	- 51	- 48	- 25	- 122	
	Leukaemia and aleukaemia (204)	M 58 F 50	- -	4 -	4 3	7 3	5 3	5 6	2 3	7 9	13 15	11 8	92 98	
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M 1,007 F 829	1 -	7 2	7 2	7 4	11 5	37 25	109 95	242 189	311 234	275 273	96 97	
	Benign and unspecified neoplasms	M 27 F 22	- -	- 1	- -	- -	- 1	3 6	4 -	10 8	5 2	5 4	99 77	
	Diabetes mellitus	M 51 F 117	- -	- -	1 1	- -	1 -	1 -	4 4	4 17	17 51	23 44	89 130	
	Anaemias	M 40 F 49	1 -	- -	- -	- -	- -	- -	1 2	2 6	16 13	20 28	172 113	
B22	Vascular lesions affecting central nervous system	M 1,429 F 1,969	1 -	- -	2 2	1 2	5 2	15 13	60 58	240 208	478 586	627 1,098	106 113	
B23	Non-meningococcal meningitis	M 13 F 11	5 2	1 1	- 1	- -	- 1	- -	3 -	4 3	- -	- -	149 153	
B24	Rheumatic fever	M 4 F 2	- -	- -	- -	2 -	- -	1 -	- -	1 1	- -	- -	184 116	
B25	Chronic rheumatic heart disease	M 160 F 261	- -	- -	- -	5 3	12 12	17 28	41 50	43 61	27 60	15 47	160 151	

TABLE 19 - continued

Abbreviated List No.	Causes of death		Wales I (South East) - continued											S.M.R. (England and Wales =100)	
			Age												
			All ages	Under 1 year	Years										
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over		
E26	Arteriosclerotic heart disease including coronary disease (420) Degenerative heart disease (421, 422)	M	3,255	-	-	-	3	11	101	376	892	1,085	787	118	
F		1,822	-	-	-	-	2	10	67	266	646	831	118		
M		791	-	-	-	-	3	1	12	67	144	564	108		
F		1,114	-	-	-	-	-	2	8	33	174	397	107		
E27	Other diseases of heart	M	222	1	-	-	1	1	7	11	34	63	104	81	
		F	270	-	-	-	3	-	2	13	18	64	170	89	
E28	Hypertension with heart disease	M	254	-	-	-	-	2	4	16	53	88	91	149	
		F	309	-	-	-	-	-	1	9	35	103	161	137	
E29	Hypertension without mention of heart	M	154	-	-	-	1	3	5	15	25	55	50	143	
		F	132	-	-	-	-	-	1	8	16	34	73	124	
E46 (Pt.)	Other circulatory diseases (450-468)	M	331	-	-	-	2	2	4	12	41	82	188	86	
		F	426	-	-	-	1	1	4	9	21	77	313	100	
E30	Influenza	M	24	-	1	1	1	-	1	1	4	5	10	40	
		F	42	-	-	1	-	1	3	2	7	28	65	65	
E31	Pneumonia	M	467	66	11	3	4	2	5	22	51	108	195	66	
		F	555	53	10	7	2	1	6	14	30	102	330	80	
E32	Bronchitis	M	1,248	12	1	-	1	2	8	60	263	448	453	120	
		F	393	6	4	2	-	5	14	42	104	214	102	102	
E46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	413	2	1	-	-	3	7	50	116	137	97	270	
		F	57	2	-	-	1	2	1	6	7	12	26	85	
E33	Ulcer of stomach and duodenum	M	107	-	-	-	-	-	2	8	23	37	37	91	
		F	53	-	-	-	-	-	6	7	14	24	94	94	
E34	Appendicitis	M	9	-	-	-	-	-	1	3	1	4	-	72	
		F	10	-	-	-	1	1	-	1	2	2	3	103	
E35	Intestinal obstruction and hernia	M	55	10	-	-	-	-	-	2	15	15	13	90	
		F	74	6	1	-	-	1	1	3	15	23	24	121	
E36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	44	7	1	-	1	2	-	5	3	7	18	103	
		F	57	5	5	-	-	-	-	3	9	12	23	98	
E37	Cirrhosis of liver	M	40	-	2	-	-	1	5	11	11	6	4	136	
		F	27	-	-	-	-	-	1	6	6	9	5	114	
E38	Nephritis and nephrosis	M	91	-	-	1	6	4	9	15	18	17	21	129	
		F	56	-	1	-	1	3	4	4	9	15	19	100	
E39	Hyperplasia of prostate	M	112	-	-	-	-	-	-	-	7	28	77	109	
E40	Complications of pregnancy, childbirth and puerperium	F	15	-	-	-	5	5	4	1	-	-	-	153	
E41	Congenital malformations	M	132	93	2	4	8	3	5	6	9	2	-	117	
		F	122	88	12	4	1	2	3	6	3	2	1	123	
E42	Birth injuries, postnatal asphyxia and atelectasis	M	128	128	-	-	-	-	-	-	-	-	-	117	
		F	85	85	-	-	-	-	-	-	-	-	-	120	
E43	Diarrhoea of newborn (764)	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	1	1	-	-	-	-	-	-	-	-	-	108	
	Other infections of newborn (763, 765-768)	M	30	30	-	-	-	-	-	-	-	-	-	166	
		F	15	15	-	-	-	-	-	-	-	-	-	119	
E44	Other diseases of early infancy and immaturity unqualified	M	143	143	-	-	-	-	-	-	-	-	-	147	
		F	97	97	-	-	-	-	-	-	-	-	-	139	
E45	Senility without mention of psychosis, ill-defined and unknown causes	M	116	2	-	1	-	-	1	1	-	9	102	130	
		F	190	1	-	-	-	-	-	-	-	6	183	132	
E46 (Rem.)	All other diseases (Remainder 001-795)	M	363	17	8	15	6	10	22	36	57	96	96	104	
		F	547	7	5	4	10	11	31	49	95	141	194	119	
EE47	Motor vehicle accidents	M	135	-	1	11	37	15	15	17	21	8	10	71	
		F	46	-	4	4	4	5	5	5	8	7	67	67	
EE48	All other accidents	M	287	7	11	14	23	31	46	34	41	26	54	116	
		F	255	12	7	5	2	5	3	7	22	39	153	111	
EE49	Suicide and self-inflicted injury	M	127	-	-	1	8	14	22	23	34	18	7	92	
		F	71	-	-	-	3	2	15	12	12	21	6	76	
EE50	Homicide and operations of war	M	6	-	-	-	1	1	2	-	1	1	-	78	
		F	2	-	1	-	-	-	-	1	-	-	-	39	
EN47	Fractures, head injuries and internal injuries	M	297	1	3	17	47	27	36	42	49	22	53	96	
		F	208	1	4	4	5	4	6	9	12	30	133	106	
EN48	Burns	M	11	-	2	-	-	1	2	-	1	-	5	93	
		F	35	-	7	1	-	-	1	-	1	9	16	179	
EN49	Effects of poisons	M	102	-	3	2	4	15	15	18	22	15	8	73	
		F	75	-	1	2	-	7	13	13	15	18	6	59	
EN50	All other injuries	M	145	6	4	7	18	18	32	14	25	16	5	117	
		F	56	11	-	2	4	-	3	3	11	11	11	105	

TABLE 19- continued

Abbreviated List No.	Causes of death	Wales II (remainder)												S.M.R. (England and Wales =100)
		Age												
		All ages	Under 1 year	Years										
1-	5-			15-	25-	35-	45-	55-	65-	75 and over				
	ALL CAUSES	M F	5,362 5,073	134 110	20 16	29 15	56 24	59 31	131 95	393 230	1,000 566	1,562 1,146	1,978 2,840	99 99
B1	Tuberculosis of respiratory system	M F	51 8	- -	- -	- -	- -	- -	5 3	5 2	11 1	17 1	13 1	143 82
B2	Tuberculosis, other forms	M F	1 2	- -	- -	- -	1 -	- -	- -	- -	- -	1 -	- 1	35 65
B3	Syphilis and its sequelae	M F	6 4	- -	- -	- -	- -	- -	- -	1 -	1 -	3 2	1 2	67 65
B4	Typhoid fever	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
B5	Cholera	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
B6	Dysentery, all forms	M F	- 1	- -	- -	- -	- -	- -	- -	- -	- 1	- -	- -	- 415
B7	Scarlet fever and streptococcal sore throat	M F	1 -	1 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	895 -
B8	Diphtheria	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
B9	Whooping cough	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
B10	Meningococcal infections	M F	2 1	1 -	- -	- -	- -	1 -	- -	1 -	- -	- -	- -	147 112
B11	Plague	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
B12	Acute poliomyelitis	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
B13	Smallpox	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
B14	Measles	M F	- 1	- -	- -	1 -	- -	- -	- -	- -	- -	- -	- -	- 100
B15	Typhus and other rickettsial diseases	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
B16	Malaria	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
B17	All other diseases classified as infective and parasitic	M F	10 12	2 -	1 1	- -	1 -	- 1	1 1	2 2	- -	1 3	2 4	133 166
B18	Malignant neoplasm: (140-205)	M F	959 903	- 2	- -	3 4	6 2	11 9	24 41	90 86	257 205	315 245	253 309	95 108
	stomach (151)	M F	207 157	- -	- -	- -	1 -	- -	4 3	15 6	59 26	72 44	56 78	145 145
	trachea, bronchus and lung (162, 163)	M F	261 33	- -	- -	- -	- -	- -	3 2	31 6	96 10	99 8	32 7	70 52
	breast (170)	M F	1 177	- -	- -	- -	- -	- 1	- 16	1 26	- 46	- 48	- 40	78 109
	uterus (171-174)	M F	79 -	- -	- -	- -	- -	- -	4 16	16 29	29 19	19 11	11 -	116 -
	Leukaemia and aleukaemia (204)	M F	21 20	- -	- -	1 1	1 -	1 1	- 1	3 3	2 3	5 6	8 5	80 89
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M F	469 437	- 2	- -	2 3	4 2	10 7	17 15	40 29	100 91	139 120	157 168	101 107
	Benign and unspecified neoplasms	M F	11 15	1 -	1 -	- -	3 -	1 -	1 1	1 2	2 4	- 6	1 2	97 120
	Diabetes mellitus	M F	26 35	- -	- -	- -	- -	1 -	- 1	2 -	6 4	9 16	8 14	101 78
	Anaemias	M F	15 34	- -	- -	- -	- -	- -	- -	1 -	2 4	5 10	7 20	139 154
B22	Vascular lesions affecting central nervous system	M F	739 1,096	- -	- -	- -	1 2	1 1	5 3	34 32	94 89	232 250	372 719	118 122
B23	Non-meningococcal meningitis	M F	2 3	- 1	1 -	- -	- -	- -	- 1	1 1	- -	- -	- -	59 102
B24	Rheumatic fever	M F	1 2	- -	- -	- -	- -	- -	- -	- -	1 1	- 1	- -	118 258
B25	Chronic rheumatic heart disease	M F	41 71	- -	- -	- -	- -	1 3	7 6	9 10	12 18	17 16	5 18	101 91



TABLE 19 - continued

Abbreviated List No.	Causes of death		Wales II (remainder) - continued												S.M.R. (England and Wales =100)
			Age												
			All ages	Under 1 year	Years										
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over		
B26	Arteriosclerotic heart disease including coronary disease (420) Degenerative heart disease (421, 422)	M	1,194	-	-	-	-	3	25	114	302	408	342	98	
		F	615	-	-	-	-	-	5	14	73	190	333	79	
		M	357	-	-	-	-	1	2	6	12	78	258	100	
		F	588	-	-	-	-	-	-	5	9	85	489	105	
B27	Other diseases of heart	M	141	1	1	1	1	2	3	4	18	48	62	110	
		F	171	-	-	-	-	1	2	1	10	37	120	108	
B28	Hypertension with heart disease	M	84	-	-	-	-	-	1	6	16	25	36	107	
		F	135	-	-	-	-	-	1	1	12	40	81	116	
B29	Hypertension without mention of heart	M	65	-	-	-	-	-	4	6	8	23	24	136	
		F	71	-	-	-	-	-	-	5	7	17	42	132	
B46 (Pt.)	Other circulatory diseases (450-468)	M	177	-	-	-	-	1	1	3	11	44	117	98	
		F	197	-	-	-	-	3	2	3	14	27	148	89	
B30	Influenza	M	16	-	-	-	-	-	1	-	2	7	6	58	
		F	22	1	-	-	1	-	-	1	3	3	13	66	
B31	Pneumonia	M	211	14	3	1	1	1	6	10	23	42	110	65	
		F	220	17	6	-	-	-	2	5	20	47	123	62	
B32	Bronchitis	M	338	1	-	-	-	-	1	18	71	120	127	72	
		F	122	1	-	-	-	1	-	7	14	23	76	63	
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	89	3	1	1	-	-	1	6	27	30	20	132	
		F	30	-	1	-	-	-	4	2	2	4	17	92	
B33	Ulcer of stomach and duodenum	M	43	-	-	-	-	-	5	2	10	15	11	82	
		F	27	-	-	-	-	-	-	2	3	12	10	95	
B34	Appendicitis	M	8	-	-	1	-	-	-	3	3	-	1	149	
		F	4	-	-	-	-	-	-	1	-	2	1	88	
B35	Intestinal obstruction and hernia	M	32	1	-	-	-	-	1	3	8	10	9	116	
		F	39	1	-	1	-	1	3	-	8	9	16	129	
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	26	3	1	-	-	2	1	3	9	3	4	142	
		F	47	4	2	-	1	1	2	1	3	7	26	168	
B37	Cirrhosis of liver	M	24	1	-	-	-	-	1	8	6	6	2	198	
		F	14	-	-	-	-	-	1	4	4	5	-	130	
B38	Nephritis and nephrosis	M	46	-	1	1	1	-	2	8	12	11	10	153	
		F	37	-	-	-	3	2	3	1	2	6	20	142	
B39	Hyperplasia of prostate	M	84	-	-	-	-	-	-	-	3	24	57	168	
B40	Complications of pregnancy, childbirth and puerperium	F	1	-	-	-	-	-	1	-	-	-	-	28	
B41	Congenital malformations	M	34	22	2	3	1	2	2	-	1	1	-	80	
		F	35	22	2	2	-	-	-	5	1	3	-	93	
B42	Birth injuries, postnatal asphyxia and atelectasis	M	33	33	-	-	-	-	-	-	-	-	-	81	
		F	27	27	-	-	-	-	-	-	-	-	-	103	
B43	Diarrhoea of newborn (764) Other infections of newborn (763, 765-768)	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
		M	6	6	-	-	-	-	-	-	-	-	-	90	
		F	6	6	-	-	-	-	-	-	-	-	-	129	
B44	Other diseases of early infancy and immaturity unqualified	M	32	32	-	-	-	-	-	-	-	-	-	89	
		F	20	20	-	-	-	-	-	-	-	-	-	77	
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	58	-	-	-	-	-	-	2	-	7	49	130	
		F	77	-	-	-	-	-	-	-	1	1	75	97	
B46 (Rem.)	All other diseases (Remainder 001-795)	M	171	4	3	1	3	8	9	15	35	44	49	113	
		F	224	3	1	4	4	3	6	23	34	56	90	102	
BE47	Motor vehicle accidents	M	60	-	1	8	17	10	7	3	7	3	4	79	
		F	20	-	1	1	4	1	-	4	3	3	3	67	
BE48	All other accidents	M	113	8	4	9	18	10	6	14	16	12	16	109	
		F	112	5	2	2	3	1	3	6	10	14	66	98	
BE49	Suicide and self-inflicted injury	M	51	-	-	-	2	4	8	11	14	10	2	93	
		F	22	-	-	-	2	2	3	4	6	4	1	56	
BE50	Homicide and operations of war	M	4	-	-	-	1	-	1	1	-	1	-	130	
		F	2	-	-	-	1	-	-	-	-	1	-	102	
BN47	Fractures, head injuries and internal injuries	M	116	-	1	12	21	13	12	13	15	11	18	91	
		F	84	-	1	3	5	-	-	5	5	8	57	86	
BN48	Burns	M	3	1	-	-	-	-	-	-	-	2	-	60	
		F	6	-	-	-	-	-	-	1	1	2	2	64	
BN49	Effects of poisons	M	31	-	-	-	3	6	3	7	9	2	1	56	
		F	31	-	-	-	2	3	4	4	10	4	4	55	
BN50	All other injuries	M	78	7	4	5	14	5	7	9	13	11	3	160	
		F	35	5	2	-	3	1	2	4	3	8	7	153	

TABLE 19 - continued

Abbreviated List No.	Causes of death		Conurbations												S.M.R. (England and Wales =100)
			Age												
			All ages	Under 1 year	Years								75 and over		
1-	5-	15-			25-	35-	45-	55-	65-						
	ALL CAUSES	M F	103,797 101,238	4,060 2,959	606 436	492 297	1,097 482	1,259 827	3,038 2,215	9,077 5,488	22,991 12,103	28,374 23,746	32,803 52,685	105 101	
B1	Tuberculosis of respiratory system	M F	821 224	1 -	- 1	- -	3 1	15 17	72 33	139 48	255 57	226 34	110 33	116 104	
B2	Tuberculosis, other forms	M F	65 77	1 1	2 4	1 3	4 5	3 8	11 6	9 5	17 11	10 16	7 18	109 116	
B3	Syphilis and its sequelae	M F	203 152	- -	- -	- -	- -	- -	8 1	22 7	49 22	74 55	50 67	122 127	
B4	Typhoid fever	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B5	Cholera	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B6	Dysentery, all forms	M F	10 5	1 -	2 -	- -	- -	- 1	- 1	1 -	3 1	1 -	2 2	140 100	
B7	Scarlet fever and streptococcal sore throat	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B8	Diphtheria	M F	- 1	- -	- 1	- -	- -	- -	- -	- -	- -	- -	- -	- 278	
B9	Whooping cough	M F	7 15	5 13	2 1	- 1	- -	- -	- -	- -	- -	- -	- -	130 200	
B10	Meningococcal infections	M F	34 29	15 11	13 10	1 -	1 2	1 1	- -	- 2	1 1	1 -	1 2	109 139	
B11	Plague	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B12	Acute poliomyelitis	M F	1 -	- -	- -	- -	- -	- -	1 -	- -	- -	- -	- -	139 -	
B13	Smallpox	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B14	Measles	M F	25 18	9 5	15 9	- 4	1 -	- -	- -	- -	- -	- -	- -	114 78	
B15	Typhus and other rickettsial diseases	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B16	Malaria	M F	2 -	- -	- -	- -	- -	- -	- -	- -	1 -	1 -	- -	139 -	
B17	All other diseases classified as infective and parasitic	M F	169 157	19 11	12 8	5 7	7 5	9 6	21 16	33 22	25 27	22 31	16 24	107 101	
B18	Malignant neoplasm: (140-205)	M F	21,134 17,570	15 8	80 46	84 77	122 86	216 190	646 849	2,569 2,310	6,442 4,039	6,601 4,751	4,359 5,214	111 103	
	stomach (151)	M F	2,797 2,215	- -	- -	- -	1 -	12 10	84 38	314 155	840 393	916 666	630 953	105 104	
	trachea, bronchus and lung (162, 163)	M F	8,809 1,603	- -	1 -	- 2	4 -	34 5	204 72	1,196 240	3,344 465	2,902 489	1,124 330	122 120	
	breast (170)	M F	26 3,538	- -	- -	- -	- 1	- 35	2 259	4 719	8 942	4 795	8 787	108 103	
	uterus (171-174)	F	1,386	-	-	-	2	18	141	256	333	341	295	95	
	Leukaemia and aleukaemia (204)	M F	547 503	4 2	35 25	34 39	34 19	32 14	40 38	75 56	106 98	115 103	72 109	104 105	
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M F	8,955 8,325	11 6	44 21	50 36	83 64	138 108	316 301	980 884	2,144 1,808	2,664 2,357	2,525 2,740	105 101	
	Benign and unspecified neoplasms	M F	269 254	8 4	4 2	8 6	12 4	15 13	16 24	53 53	67 60	45 43	41 45	118 94	
B20	Diabetes mellitus	M F	431 885	1 -	1 -	3 -	3 1	8 8	14 14	35 21	91 134	143 315	132 392	93 102	
B21	Anaemias	M F	201 410	3 1	4 4	1 2	4 4	6 7	2 6	6 12	31 25	51 111	93 240	109 97	
B22	Vascular lesions affecting central nervous system	M F	10,203 15,770	3 5	4 -	6 3	22 13	52 34	145 139	460 550	1,729 1,469	3,030 3,884	4,752 9,673	95 93	
B23	Non-meningococcal meningitis	M F	70 73	22 32	4 5	3 3	1 -	3 2	4 1	10 1	7 10	10 9	6 10	93 110	
B24	Rheumatic fever	M F	10 13	- -	- 1	3 1	1 -	- -	2 3	- 1	3 1	1 1	- 5	55 80	
B25	Chronic rheumatic heart disease	M F	904 1,969	- -	- -	- -	15 10	42 56	102 162	185 333	261 492	168 471	131 445	107 117	

TABLE 19 - continued

Abbrevi- ated List No.	Causes of death		Conurbations - continued											S.M.R. (England and Wales =100)
			Age											
			All ages	Under 1 year	Years									
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over	
B26	Arteriosclerotic heart disease including coronary disease (420) Degenerative heart disease (421, 422)	M F M F	23,533 15,602 4,965 9,106	- 1 1 -	- - 3 1	- - 1 1	7 2 8 4	69 5 14 12	720 97 41 14	2,801 467 120 65	6,708 2,032 357 223	7,338 5,010 969 1,181	5,890 7,988 3,451 7,605	104 104 87 89
B27	Other diseases of heart	M F	2,074 3,032	6 4	2 2	5 1	11 6	16 18	36 23	111 65	317 215	594 716	976 1,982	95 102
B28	Hypertension with heart disease	M M F	1,277 1,277 2,131	- - -	- - -	- - -	- - -	3 17 1	17 68 5	68 252 44	252 416 150	416 521 602	521 94 1,329	94 97
B29	Hypertension without mention of heart	M F	943 1,214	- -	- -	- -	1 2	18 7	55 14	100 54	205 127	247 322	317 688	108 118
B46 (Pt.)	Other circulatory diseases (450-468)	M M F	3,071 3,071 4,336	2 - -	- - -	1 - 1	8 18 15	25 15 42	44 153 110	153 463 302	463 827 880	1,548 2,968	100 105	
B30	Influenza	M F	417 532	8 9	2 1	2 1	5 2	3 3	13 7	33 22	78 53	105 118	168 316	86 85
B31	Pneumonia	M M F	6,534 6,534 7,841	545 400	98 75	30 13	30 13	16 29	59 64	269 144	783 458	1,484 1,359	3,220 5,286	116 116
B32	Bronchitis	M F	10,176 4,640	115 106	22 19	5 4	8 3	11 3	79 51	558 165	2,496 518	3,482 1,172	3,400 2,599	121 125
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M M F	1,093 1,093 663	28 17	15 12	6 6	9 4	16 8	37 25	94 52	253 82	328 144	307 313	88 103
B33	Ulcer of stomach and duodenum	M F	1,012 579	1 2	1 -	- -	3 -	4 5	31 14	82 27	235 66	299 160	356 305	107 106
B34	Appendicitis	M M F	92 92 80	1 - -	1 - -	8 1	8 3	2 6	7 1	11 2	14 13	20 23	20 31	90 87
B35	Intestinal obstruction and hernia	M F	515 626	40 25	4 2	1 1	1 3	5 4	7 7	41 24	91 78	133 155	192 327	104 106
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M M F	406 406 607	88 88 67	28 14	2 5 4	5 8 11	8 12 15	12 27 28	27 61 65	82 93 133	93 265	115 109	
B37	Cirrhosis of liver	M F	268 236	1 3	1 1	3 1	2 2	5 2	24 9	43 34	101 57	67 78	21 49	108 104
B38	Nephritis and nephrosis	M F	563 517	2 4	4 2	10 7	20 28	39 18	59 28	84 64	113 89	119 119	113 158	96 96
B39	Hyperplasia of prostate	M	770	-	-	-	-	-	-	6	37	184	543	96
B40	Complications of pregnancy, childbirth and puerperium	F	108	-	-	-	22	46	38	2	-	-	-	118
B41	Congenital malformations	M F	1,012 858	710 585	66 51	49 31	36 19	17 17	27 15	39 41	37 43	18 34	13 22	102 97
B42	Birth injuries, postnatal asphyxia and atelectasis	M F	1,075 702	1,075 702	- -	- -	- -	- -	- -	- -	- -	- -	- -	111 112
B43	Diarrhoea of newborn (764)	M F	18 11	18 11	- -	- -	- -	- -	- -	- -	- -	- -	- -	120 133
B43	Other infections of newborn (763, 765-768)	M F	176 118	176 118	- -	- -	- -	- -	- -	- -	- -	- -	- -	110 106
B44	Other diseases of early infancy and immaturity unqualified	M F	899 627	898 626	- -	1 1	- -	- -	- -	- -	- -	- -	- -	104 101
B45	Senility without mention of psychosis, ill-defined and unknown causes	M F	478 1,099	8 8	1 1	1 -	2 1	3 2	4 -	7 5	9 6	31 37	412 1,039	69 77
B46 (Rem.)	All other diseases (Remainder 001-795)	M F	2,895 4,458	117 87	52 66	56 42	85 58	111 93	177 215	292 349	565 682	660 1,086	780 1,780	101 101
BE47	Motor vehicle accidents	M F	1,450 690	4 2	63 31	105 40	369 54	168 22	119 33	137 52	162 108	151 179	152 169	91 108
BE48	All other accidents	M M F	2,092 2,092 2,162	103 81	95 60	87 31	171 32	154 45	196 83	211 90	312 157	250 375	513 1,208	101 98
BE49	Suicide and self-inflicted injury	M F	1,361 984	- -	- -	1 -	102 60	172 102	217 155	260 212	337 228	177 139	95 88	116 110
BE50	Homicide and operations of war	M F F	73 73 57	10 10	5 6	3 3	10 13	10 10	13 5	8 5	3 2	9 3	2 -	111 122
EN47	Fractures, head injuries and internal injuries	M F	2,416 1,797	16 21	85 45	128 45	421 68	244 36	198 40	241 69	318 149	280 351	465 973	94 95
EN48	Burns	M M F	110 110 198	4 - -	12 20	5 12	5 3	4 6	7 6	10 10	11 15	16 38	36 88	113 107
EN49	Effects of poisons	M F	1,592 1,449	5 3	35 14	5 3	124 62	165 108	236 190	271 238	361 274	211 248	179 309	135 119
EN50	All other injuries	M M F	858 858 449	92 92 69	31 18	58 14	102 26	91 29	104 40	94 42	144 57	80 59	62 95	82 90



TABLE 19 - continued

Abbrevi- ated List No.	Causes of death		Urban areas outside conurbations with populations of 100,000 and over												S.M.R. (England and Wales =100)
			Age												
			All ages	Under 1 year	Years										
1-	5-	15-			25-	35-	45-	55-	65-	75 and over					
	ALL CAUSES	M	40,312	1,496	197	215	423	403	1,095	3,138	8,446	11,535	13,364	107	
		F	38,236	1,033	178	121	170	263	822	1,920	4,582	9,097	20,050	107	
B1	Tuberculosis of respiratory system	M	298	-	-	-	1	4	20	37	102	96	38	113	
		F	113	-	-	1	1	6	18	22	25	23	17	145	
B2	Tuberculosis, other forms	M	19	-	1	-	4	-	2	1	4	6	1	85	
		F	24	-	1	-	1	1	-	2	5	6	8	99	
B3	Syphilis and its sequelae	M	49	-	-	-	-	-	3	3	15	19	9	78	
		F	42	-	-	-	-	-	-	2	7	18	15	96	
B4	Typhoid fever	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B5	Cholera	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B6	Dysentery, all forms	M	5	-	-	-	-	-	-	1	1	-	3	183	
		F	1	-	-	-	-	-	-	-	-	-	1	54	
B7	Scarlet fever and streptococcal sore throat	M	1	-	1	-	-	-	-	-	-	-	-	107	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B8	Diphtheria	M	1	-	-	1	-	-	-	-	-	-	-	734	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B9	Whooping cough	M	2	1	1	-	-	-	-	-	-	-	-	98	
		F	4	4	-	-	-	-	-	-	-	-	-	139	
B10	Meningococcal infections	M	14	2	8	-	1	-	-	1	1	-	1	118	
		F	6	4	1	-	-	-	-	-	-	-	1	76	
B11	Plague	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B13	Smallpox	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B14	Measles	M	6	-	3	3	-	-	-	-	-	-	-	72	
		F	7	1	4	2	-	-	-	-	-	-	-	79	
B15	Typhus and other rickettsial diseases	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B16	Malaria	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	1	-	-	-	-	1	-	-	-	-	-	368	
B17	All other diseases classified as infective and parasitic	M	48	2	5	4	2	2	5	8	11	4	5	81	
		F	52	3	1	3	2	4	5	3	9	9	13	92	
	Malignant neoplasm:	M	7,748	6	24	43	46	59	206	856	2,306	2,607	1,595	108	
	(140-205)	F	6,580	3	15	22	21	64	344	831	1,488	1,805	1,987	105	
	stomach (151)	M	1,168	-	-	-	-	6	31	129	327	424	251	116	
		F	860	-	-	-	1	4	17	55	145	253	385	111	
	trachea, bronchus and lung	M	3,040	-	-	-	-	5	64	396	1,135	1,089	351	112	
	(162, 163)	F	482	-	-	-	1	4	26	71	144	148	88	99	
	breast (170)	M	14	-	-	-	-	-	1	3	3	4	3	154	
		F	1,270	-	-	-	1	23	102	245	332	291	276	101	
	uterus (171-174)	F	580	-	-	-	1	5	59	110	152	133	120	110	
	Leukaemia and aleukaemia (204)	M	179	1	7	16	10	10	12	14	38	41	30	90	
		F	165	2	5	9	3	6	14	19	31	37	39	94	
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M	3,347	5	17	27	36	38	98	314	803	1,049	960	103	
		F	3,223	1	10	13	14	22	126	331	684	943	1,079	107	
B19	Benign and unspecified neoplasms	M	106	2	2	1	6	4	5	13	31	27	15	124	
		F	113	3	1	6	2	5	15	13	27	19	22	115	
B20	Diabetes mellitus	M	183	-	-	3	1	2	4	14	34	61	64	104	
		F	329	-	-	1	1	3	2	13	55	116	138	103	
B21	Anaemias	M	65	2	-	1	1	1	2	3	6	18	31	91	
		F	164	1	1	1	1	1	2	7	16	48	86	106	
B22	Vascular lesions affecting central nervous system	M	4,385	3	-	1	4	13	59	179	671	1,373	2,082	107	
		F	6,426	4	1	2	6	6	51	170	588	1,599	3,999	103	
B23	Non-meningococcal meningitis	M	33	9	7	1	1	-	1	3	6	3	2	116	
		F	20	3	2	1	-	-	3	1	6	3	1	81	
B24	Rheumatic fever	M	5	-	1	1	2	-	1	-	-	-	-	72	
		F	8	-	-	-	-	-	-	2	1	3	2	134	
B25	Chronic rheumatic heart disease	M	333	-	-	-	6	19	46	59	96	66	41	106	
		F	617	-	-	-	7	15	61	113	185	127	109	102	

TABLE 19 - continued

Abbreviated List No.	Causes of death		Urban areas outside conurbations with populations of 100,000 and over - continued											S.M.R. (England and Wales =100)
			Age											
			All ages	Under 1 year	Years									
				1-	5-	15-	25-	35-	45-	55-	65-	75 and over		
B26	Arteriosclerotic heart disease including coronary disease (420) Degenerative heart disease (421, 422)	M	9,105	-	-	-	2	26	239	971	2,474	2,932	2,461	107
		F	5,899	-	-	-	-	7	38	159	721	1,926	3,048	107
		M	2,248	-	-	-	6	2	13	43	157	443	1,584	101
		F	3,865	1	-	-	2	1	1	23	96	521	3,220	103
B27	Other diseases of heart	M	858	1	1	2	1	4	15	31	129	255	419	102
		F	1,068	2	1	1	4	3	11	20	91	253	682	98
B28	Hypertension with heart disease	M	655	-	-	-	1	1	3	35	118	241	256	125
		F	933	-	-	-	-	-	1	19	95	272	546	116
B29	Hypertension without mention of heart	M	362	-	-	-	1	6	25	45	70	99	116	109
		F	355	-	-	-	-	-	7	25	40	76	207	94
B46 (Pt.)	Other circulatory diseases (450-468)	M	1,331	-	-	-	3	6	16	55	179	353	719	113
		F	1,754	-	-	1	2	3	12	53	108	352	1,223	115
B30	Influenza	M	128	3	1	-	-	2	5	14	27	29	47	69
		F	185	2	2	-	3	4	2	4	20	25	123	80
B31	Pneumonia	M	2,372	211	37	17	8	5	29	94	264	544	1,163	110
		F	2,495	131	30	16	6	9	30	55	171	438	1,609	100
B32	Bronchitis	M	3,757	40	12	4	3	6	32	172	876	1,334	1,278	117
		F	1,571	24	12	2	-	2	23	65	165	439	839	115
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	500	13	4	1	5	1	8	46	134	160	128	106
		F	246	16	3	3	4	4	8	14	42	55	97	104
B33	Ulcer of stomach and duodenum	M	357	-	-	-	-	2	14	37	80	100	124	99
		F	214	-	-	-	1	1	3	14	27	58	110	106
B34	Appendicitis	M	42	-	3	1	-	2	3	4	7	17	5	108
		F	37	-	1	1	-	2	3	5	5	9	11	109
B35	Intestinal obstruction and hernia	M	192	15	1	1	1	-	6	11	31	47	79	101
		F	227	18	2	-	1	1	1	9	33	49	113	104
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	127	20	1	2	1	4	3	10	18	41	27	94
		F	207	19	6	2	2	2	4	3	17	66	86	100
B37	Cirrhosis of liver	M	97	-	1	1	-	-	15	15	28	26	11	105
		F	94	-	-	1	-	1	9	12	23	26	22	114
B38	Nephritis and nephrosis	M	246	1	-	4	9	15	25	39	50	39	64	111
		F	186	-	3	6	5	5	12	9	32	50	64	95
B39	Hyperplasia of prostate	M	327	-	-	-	-	-	-	-	16	83	228	105
B40	Complications of pregnancy, childbirth and puerperium	F	36	-	-	-	9	15	12	-	-	-	-	111
B41	Congenital malformations	M	405	280	31	19	22	4	16	8	9	12	4	108
		F	329	236	26	11	4	9	3	9	12	10	9	98
B42	Birth injuries, postnatal asphyxia and atelectasis	M	341	341	-	-	-	-	-	-	-	-	-	93
		F	224	224	-	-	-	-	-	-	-	-	-	93
B43	Diarrhoea of newborn (764) Other infections of newborn (765, 765-768)	M	6	6	-	-	-	-	-	-	-	-	-	105
		F	3	3	-	-	-	-	-	-	-	-	-	95
		M	78	78	-	-	-	-	-	-	-	-	-	128
		F	49	49	-	-	-	-	-	-	-	-	-	115
B44	Other diseases of early infancy and immaturity unqualified	M	369	369	-	-	-	-	-	-	-	-	-	113
		F	234	233	1	-	-	-	-	-	-	-	-	99
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	201	4	-	1	1	1	-	-	3	14	177	75
		F	422	-	-	-	-	-	2	2	3	13	402	81
B46 (Rem.)	All other diseases (Remainder 001-795)	M	1,111	47	18	27	31	31	58	111	209	278	301	103
		F	1,609	22	26	11	28	28	71	124	268	426	605	99
BE47	Motor vehicle accidents	M	542	-	10	44	142	68	64	48	58	45	63	90
		F	249	-	11	14	27	16	10	30	43	46	52	106
BE48	All other accidents	M	755	39	23	29	63	59	77	83	106	91	185	96
		F	885	26	25	12	13	13	11	35	63	140	547	108
BE49	Suicide and self-inflicted injury	M	474	-	-	-	42	51	73	85	117	69	37	109
		F	340	-	-	1	12	29	46	52	94	71	35	106
BE50	Homicide and operations of war	M	25	1	1	3	6	3	2	3	2	3	1	101
		F	13	1	2	-	5	2	1	-	1	-	1	76
EN47	Fractures, head injuries and internal injuries	M	903	4	17	54	161	94	105	94	113	75	186	92
		F	764	2	15	17	26	15	11	34	58	120	466	110
EN48	Burns	M	35	2	4	1	1	1	3	2	5	8	8	94
		F	88	2	13	3	2	3	1	6	4	16	38	128
EN49	Effects of poisons	M	481	3	4	4	38	47	66	74	111	72	62	109
		F	468	-	1	4	14	38	45	59	107	101	99	106
EN50	All other injuries	M	377	31	9	17	53	39	42	49	54	53	30	96
		F	167	23	9	3	15	4	11	18	32	20	32	91

TABLE 19 - continued

Abbreviated List No.	Causes of death	Urban areas outside conurbations with populations of 50,000 and under 100,000												S.M.R. (England and Wales =100)
		Age												
		All ages	Under 1 year	Years									75 and over	
1-	5-			15-	25-	35-	45-	55-	65-					
	ALL CAUSES	M 26,778 F 26,027	985 685	135 102	142 81	294 99	315 214	702 505	1,962 1,280	5,271 2,894	7,546 6,085	9,426 14,082	97 92	
B1	Tuberculosis of respiratory system	M 177 F 51	- -	1 -	- -	1 -	2 2	14 8	23 10	55 8	54 14	27 9	94 90	
B2	Tuberculosis, other forms	M 21 F 14	1 -	2 1	- -	2 -	- -	4 2	3 4	4 1	5 4	2 2	135 80	
B3	Syphilis and its sequelae	M 44 F 25	- -	- -	1 1	- -	- -	1 2	2 -	13 1	13 10	14 11	97 74	
B4	Typhoid fever	M 1 F -	- -	1 -	- -	- -	- -	- -	- -	- -	- -	- -	363 -	
B5	Cholera	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B6	Dysentery, all forms	M - F 1	- -	- -	- -	- -	- -	- -	- -	1 -	- -	- -	- 73	
B7	Scarlet fever and streptococcal sore throat	M 2 F 1	- 1	1 -	1 -	- -	- -	- -	- -	- -	- -	- -	309 344	
B8	Diphtheria	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B9	Whooping cough	M 1 F 1	1 -	- 1	- -	- -	- -	- -	- -	- -	- -	- -	72 52	
B10	Meningococcal infections	M 10 F 6	6 1	2 1	1 1	- 1	- 1	- -	1 -	- -	- -	- 1	123 112	
B11	Plague	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B12	Acute poliomyelitis	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B13	Smallpox	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B14	Measles	M 4 F 7	- 1	2 3	1 2	- -	1 1	- -	- -	- -	- -	- -	70 117	
B15	Typhus and other rickettsial diseases	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B16	Malaria	M 1 F -	- -	- -	- -	- -	- -	1 -	- -	- -	- -	- -	273 -	
B17	All other diseases classified as infective and parasitic	M 36 F 35	6 2	5 2	2 2	4 -	1 1	1 3	6 6	5 7	1 3	5 9	87 85	
B18	Malignant neoplasm: (140-205)	M 4,927 F 4,400	2 1	12 10	26 13	29 15	50 59	151 178	521 555	1,437 939	1,593 1,278	1,106 1,352	95 95	
	stomach (151)	M 622 F 480	- -	- -	- -	- -	3 2	19 6	60 28	189 67	218 154	133 223	86 81	
	trachea, bronchus and lung (162, 163)	M 1,858 F 356	- -	- -	- -	1 -	11 8	47 59	241 87	697 87	631 118	230 83	96 99	
	breast (170)	M 8 F 850	- -	- -	- -	- -	- 13	1 47	8 174	2 198	2 207	3 211	5 92	
	uterus (171-174)	M 392 F -	- -	- -	- -	- -	5 -	31 -	80 -	107 -	101 -	68 -	102 -	
	Leukaemia and aleukaemia (204)	M 142 F 115	- 1	5 3	11 8	6 5	8 4	13 6	11 9	32 24	35 28	21 27	101 90	
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M 2,297 F 2,207	2 -	7 7	15 5	22 10	28 34	72 80	208 205	517 456	707 670	719 740	97 98	
B19	Benign and unspecified neoplasms	M 55 F 80	1 3	- 2	2 1	1 4	1 1	4 10	9 11	14 13	15 15	8 20	91 112	
B20	Diabetes mellitus	M 118 F 182	- -	1 -	1 1	1 1	1 2	9 3	4 6	18 25	42 68	41 76	91 75	
B21	Anaemias	M 49 F 110	- -	- -	1 3	2 -	- 1	1 2	3 1	4 11	11 25	27 67	93 92	
B22	Vascular lesions affecting central nervous system	M 3,013 F 4,532	5 -	1 1	- 1	5 5	11 15	32 34	126 121	445 364	906 1,094	1,482 2,897	98 93	
B23	Non-meningococcal meningitis	M 18 F 18	7 10	4 1	1 1	1 -	- 1	- 1	1 2	4 1	- -	- 1	92 104	
B24	Rheumatic fever	M 7 F 5	- -	- -	- 2	- -	- 1	- -	1 1	3 2	1 -	- 1	146 114	
B25	Chronic rheumatic heart disease	M 175 F 367	- -	- -	- -	4 3	16 12	21 31	49 68	35 100	39 94	11 59	79 83	



TABLE 19 - continued

Abbrevi- ated List No.	Causes of death		Urban areas outside conurbations with populations of 50,000 and under 100,000 - continued											S.M.R. (England and Wales =100)	
			Age												
			All ages	Under 1 year	Years										
1-	5-	15-			25-	35-	45-	55-	65-	75 and over					
B26	Arteriosclerotic heart disease including coronary disease (420) Degenerative heart disease (421, 422)	M	6,111	-	-	-	1	26	174	608	1,560	2,079	1,663	99	
		F	3,981	-	-	-	-	4	31	99	501	1,304	2,042	94	
		M	1,728	-	-	-	3	8	8	17	107	339	1,246	102	
		F	2,820	1	-	1	-	3	2	9	79	369	2,356	94	
B27	Other diseases of heart	M	638	-	1	1	1	2	7	28	72	174	352	102	
		F	808	-	1	-	2	3	3	22	52	189	536	95	
B28	Hypertension with heart disease	M	360	-	-	-	-	-	5	19	71	129	136	93	
		F	573	-	-	-	-	3	13	55	157	345	91		
B29	Hypertension without mention of heart	M	212	-	-	-	-	3	10	28	43	48	80	88	
		F	240	-	-	-	-	2	4	8	29	71	126	82	
B46 (Pt.)	Other circulatory diseases (450-468)	M	835	1	-	-	1	5	9	26	101	238	454	95	
		F	1,073	-	-	1	2	6	12	34	75	207	736	90	
B30	Influenza	M	102	2	-	2	1	2	-	8	17	26	44	75	
		F	145	-	2	2	-	1	2	1	5	31	101	81	
B31	Pneumonia	M	1,603	117	22	3	4	6	18	46	162	367	858	100	
		F	1,752	69	17	4	4	3	15	44	110	298	1,188	91	
B32	Bronchitis	M	2,157	20	11	4	5	3	17	104	521	731	741	92	
		F	862	8	1	-	2	2	9	39	89	229	483	81	
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	342	6	5	1	1	7	9	32	72	110	99	100	
		F	169	10	7	1	4	4	12	14	23	26	68	94	
B33	Ulcer of stomach and duodenum	M	256	-	-	-	-	2	5	23	70	75	81	97	
		F	149	-	-	-	1	1	10	16	36	83	96	96	
B34	Appendicitis	M	31	-	1	-	3	-	1	2	5	8	11	111	
		F	20	-	1	1	2	1	-	1	1	6	7	79	
B35	Intestinal obstruction and hernia	M	127	9	3	-	-	-	1	4	24	33	53	91	
		F	131	10	2	-	-	-	2	4	17	33	63	79	
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	99	22	4	-	1	1	3	9	9	24	26	102	
		F	134	13	3	-	1	2	1	8	13	26	67	86	
B37	Cirrhosis of liver	M	58	-	-	-	-	1	1	8	21	18	9	89	
		F	42	-	-	-	-	2	2	7	16	6	11	69	
B38	Nephritis and nephrosis	M	151	1	2	2	5	7	6	25	23	37	43	96	
		F	130	-	2	2	4	7	6	14	31	26	38	89	
B39	Hyperplasia of prostate	M	245	-	-	-	-	-	-	3	15	54	173	103	
B40	Complications of pregnancy, childbirth and puerperium	F	13	-	-	-	2	7	4	-	-	-	-	58	
B41	Congenital malformations	M	255	170	10	13	11	9	12	8	11	8	3	99	
		F	237	168	11	7	5	2	12	10	11	7	4	104	
B42	Birth injuries, postnatal asphyxia and atelectasis	M	262	262	-	-	-	-	-	-	-	-	-	105	
		F	142	142	-	-	-	-	-	-	-	-	-	-	88
B43	Diarrhoea of newborn (764) Other infections of newborn (763, 765-768)	M	3	3	-	-	-	-	-	-	-	-	-	77	
		F	3	3	-	-	-	-	-	-	-	-	-	-	142
		M	46	46	-	-	-	-	-	-	-	-	-	-	111
		F	32	32	-	-	-	-	-	-	-	-	-	-	112
B44	Other diseases of early infancy and immaturity unqualified	M	213	212	1	-	-	-	-	-	-	-	-	96	
		F	161	161	-	-	-	-	-	-	-	-	-	-	102
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	199	2	-	-	-	-	-	1	2	11	183	95	
		F	392	3	-	-	-	1	1	-	3	10	374	93	
B46 (Rem.)	All other diseases (Remainder 001-795)	M	753	35	14	15	29	22	32	63	127	191	225	96	
		F	1,154	20	12	17	11	28	37	74	164	282	509	95	
EE47	Motor vehicle accidents	M	419	-	12	28	111	54	49	46	47	42	30	99	
		F	145	-	10	8	11	13	14	9	17	25	38	85	
EE48	All other accidents	M	598	48	14	33	40	38	49	53	73	75	175	107	
		F	617	26	10	10	9	4	14	21	55	100	368	98	
EE49	Suicide and self-inflicted injury	M	295	-	-	1	25	35	43	51	79	44	17	97	
		F	258	-	-	-	9	22	43	54	57	41	32	112	
EE50	Homicide and operations of war	M	21	-	3	-	2	1	4	1	2	7	1	121	
		F	9	-	1	1	1	1	-	-	2	1	2	76	
EN47	Fractures, head injuries and internal injuries	M	708	2	13	40	119	66	69	73	89	79	158	102	
		F	498	1	14	9	12	12	15	16	38	70	311	93	
		M	19	1	2	-	2	1	1	-	3	2	7	71	
		F	44	2	1	5	3	-	1	2	2	11	17	85	
EN49	Effects of poisons	M	327	-	6	3	26	33	40	49	71	59	40	106	
		F	353	-	2	1	10	23	44	57	67	67	82	110	
EN50	All other injuries	M	279	45	8	19	31	28	35	29	38	28	18	101	
		F	134	23	4	4	5	5	11	9	24	19	30	101	

TABLE 19 - continued

Abbrevi- ated List No.	Causes of death	Urban areas outside conurbations with populations under 50,000												S.M.R. (Englan and Wales =100)
		Age												
		All ages	Under 1 year	Years										
1-	5-			15-	25-	35-	45-	55-	65-	75 and over				
	ALL CAUSES	M 63,659 F 61,594	1,960 1,561	276 248	323 200	650 281	652 393	1,615 1,137	4,515 2,886	12,023 6,757	17,879 14,771	23,766 33,360	100 102	
B1	Tuberculosis of respiratory system	M 420 F 90	- -	- -	1 -	- 2	6 9	29 20	54 12	128 11	136 16	66 20	97 73	
B2	Tuberculosis, other forms	M 36 F 34	- -	3 3	- 1	1 1	1 -	7 3	8 11	8 2	6 5	2 8	101 89	
B3	Syphilis and its sequelae	M 96 F 61	- -	- -	- -	1 -	1 1	4 1	6 2	19 8	47 23	18 26	91 85	
B4	Typhoid fever	M 2 F 1	- -	- -	- -	- -	1 -	- -	- -	1 -	- -	- 1	324 455	
B5	Cholera	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B6	Dysentery, all forms	M 3 F 3	- -	- -	- -	- 1	1 -	- -	- -	- 1	- -	2 1	66 101	
B7	Scarlet fever and streptococcal sore throat	M 3 F -	1 -	- -	- -	- -	- -	1 -	- -	- -	1 -	- -	205 -	
B8	Diphtheria	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B9	Whooping cough	M 2 F 1	1 1	1 -	- -	- -	- -	- -	- -	- -	- -	- -	64 23	
B10	Meningococcal infections	M 13 F 10	5 4	4 5	1 -	- -	- -	- -	1 1	1 -	1 -	- -	70 83	
B11	Plague	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B12	Acute poliomyelitis	M 1 F 1	- -	- -	1 -	- -	1 -	- 1	- -	- -	- -	- -	241 486	
B13	Smallpox	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B14	Measles	M 12 F 16	2 3	7 4	2 4	- 5	- -	- -	- -	- -	1 -	- -	92 117	
B15	Typhus and other rickettsial diseases	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B16	Malaria	M 1 F 1	- -	- -	- -	- -	- -	- -	1 1	- -	- -	- -	120 242	
B17	All other diseases classified as infective and parasitic	M 87 F 98	9 4	4 1	5 2	1 5	3 4	4 8	17 13	10 15	18 19	16 27	92 109	
B18	Malignant neoplasm: (140-205)	M 11,206 F 9,987	6 8	26 19	57 37	71 50	112 103	305 443	1,094 1,180	3,039 2,182	3,666 2,747	2,830 3,218	94 99	
	stomach (151)	M 1,648 F 1,277	- -	- -	- 2	- 2	5 15	34 70	160 212	446 371	553 605	450 605	98 100	
	trachea, bronchus and lung (162, 163)	M 3,820 F 687	- -	- -	1 -	1 -	12 5	73 27	472 108	1,377 183	1,358 235	526 129	86 88	
	breast (170)	M 9 F 1,981	- -	- -	- -	- -	- 21	- 145	3 365	2 507	2 461	2 482	59 99	
	uterus (171-174)	M 895 F -	- -	- -	- 2	- 6	- 75	- 153	- 225	- 251	- 183	- 107	- 107	
	Leukaemia and aleukaemia (204)	M 311 F 273	1 5	14 7	27 19	13 13	18 14	14 13	36 28	52 49	78 60	58 65	96 98	
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M 5,418 F 4,874	5 3	12 12	29 18	57 33	77 55	184 168	423 456	1,162 1,006	1,675 1,369	1,794 1,754	99 100	
B19	Benign and unspecified neoplasms	M 102 F 142	2 3	- 3	3 2	6 4	3 3	9 11	17 26	27 29	20 30	15 31	73 91	
B20	Diabetes mellitus	M 323 F 548	- -	1 -	4 2	2 -	4 2	12 6	24 15	48 70	97 208	131 245	107 105	
B21	Anaemias	M 121 F 279	2 1	1 -	- 2	2 2	- 3	- 8	2 11	13 31	41 73	60 148	98 109	
B22	Vascular lesions affecting central nervous system	M 7,850 F 11,543	3 -	- -	5 5	8 11	18 15	91 81	293 303	1,038 993	2,311 2,875	4,083 7,260	109 111	
B23	Non-meningococcal meningitis	M 43 F 44	18 14	6 6	2 -	1 2	1 2	2 2	3 2	5 5	3 8	2 3	96 115	
B24	Rheumatic fever	M 16 F 10	1 -	- -	2 -	2 1	1 1	2 -	1 1	4 2	2 2	1 2	148 105	
B25	Chronic rheumatic heart disease	M 514 F 856	- -	- -	1 -	13 5	18 24	71 71	105 164	146 203	98 219	82 170	102 89	

TABLE 19 - continued

Abbreviated List No.	Causes of death		Urban areas outside conurbations with populations under 50,000 - continued												S.M.R. (England and Wales =100)
			Age												
			All ages	Under 1 year	Years										
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over		
E26	Arteriosclerotic heart disease including coronary disease (420) Degenerative heart disease (421, 422)	M	14,471	-	-	-	2	30	362	1,439	3,710	4,840	4,088	101	
		F	9,110	-	1	-	1	7	46	219	1,137	3,123	4,576	101	
		M	4,507	-	-	-	4	11	23	62	238	868	3,301	113	
		F	7,166	-	-	-	3	2	7	43	187	1,026	5,898	113	
E27	Other diseases of heart	M	1,525	3	-	4	8	10	30	57	187	466	760	104	
		F	1,819	-	-	2	1	6	15	49	121	423	1,202	100	
E28	Hypertension with heart disease	M	937	-	-	-	-	1	6	39	159	308	424	104	
		F	1,341	-	-	-	1	1	6	21	126	420	766	100	
E29	Hypertension without mention of heart	M	557	-	-	-	2	5	18	47	115	153	217	99	
		F	634	-	-	-	1	2	8	39	68	186	330	101	
E46 (Pt.)	Other circulatory diseases (450-468)	M	2,026	-	-	-	3	4	19	77	242	507	1,174	98	
		F	2,410	-	-	3	3	4	15	58	154	475	1,698	95	
E30	Influenza	M	385	3	2	1	1	3	9	19	65	98	184	121	
		F	426	2	3	1	1	4	10	12	27	78	288	111	
E31	Pneumonia	M	3,186	201	41	19	9	16	41	92	341	704	1,722	85	
		F	3,582	175	49	11	7	16	44	50	213	651	2,366	87	
E32	Bronchitis	M	4,927	51	14	3	4	3	37	259	1,074	1,745	1,737	90	
		F	1,956	31	13	9	-	8	16	72	227	502	1,078	86	
E46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	936	17	7	4	4	4	30	90	231	299	253	118	
		F	352	4	5	4	11	3	14	28	41	73	169	91	
E33	Ulcer of stomach and duodenum	M	642	-	-	-	1	4	18	48	127	203	241	105	
		F	337	1	-	-	-	3	5	12	51	82	183	102	
E34	Appendicitis	M	66	-	1	3	2	1	2	9	11	21	16	102	
		F	66	-	2	2	2	3	1	7	12	13	24	121	
E35	Intestinal obstruction and hernia	M	317	25	3	2	1	5	6	14	57	85	119	98	
		F	364	16	4	-	1	-	9	14	39	109	172	102	
E36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	210	36	14	2	-	5	5	11	26	42	69	94	
		F	318	26	7	-	6	5	7	19	39	68	141	95	
E37	Cirrhosis of liver	M	153	1	-	-	-	2	14	31	41	40	24	103	
		F	123	-	-	-	1	1	4	19	37	42	19	94	
E38	Nephritis and nephrosis	M	394	-	1	4	21	23	32	49	75	86	103	108	
		F	337	2	-	2	11	13	16	34	50	97	112	107	
E39	Hyperplasia of prostate	M	577	-	-	-	-	-	-	3	33	146	395	103	
E40	Complications of pregnancy, childbirth and puerperium	F	43	-	-	-	11	19	12	1	-	-	-	87	
E41	Congenital malformations	M	556	380	39	31	21	7	19	19	20	12	8	96	
		F	520	337	37	27	15	10	15	33	16	23	7	101	
E42	Birth injuries, postnatal asphyxia and atelectasis	M	513	512	1	-	-	-	-	-	-	-	-	91	
		F	369	369	-	-	-	-	-	-	-	-	-	-	101
E43	Diarrhoea of newborn (764) Other infections of newborn (763, 765-768)	M	9	9	-	-	-	-	-	-	-	-	-	103	
		F	3	3	-	-	-	-	-	-	-	-	-	62	
		M	75	75	-	-	-	-	-	-	-	-	-	80	
		F	61	61	-	-	-	-	-	-	-	-	-	94	
E44	Other diseases of early infancy and immaturity unqualified	M	464	464	-	-	-	-	-	-	-	-	-	92	
		F	387	387	-	-	-	-	-	-	-	-	-	107	
E45	Senility without mention of psychosis, ill-defined and unknown causes	M	688	3	-	1	-	2	1	6	5	34	636	139	
		F	1,200	2	1	-	1	1	-	1	4	30	1,160	134	
E46 (Rem.)	All other diseases (Remainder 001-795)	M	1,851	61	38	36	45	68	95	167	342	442	557	103	
		F	2,673	49	40	34	46	42	115	228	396	747	976	102	
EE47	Motor vehicle accidents	M	901	1	25	53	283	116	93	90	100	68	72	95	
		F	351	2	22	32	35	19	21	33	68	55	64	94	
EE48	All other accidents	M	1,263	67	36	74	90	95	118	144	183	143	313	99	
		F	1,407	54	22	16	16	12	34	44	87	202	920	105	
EE49	Suicide and self-inflicted injury	M	636	-	-	2	36	63	94	115	152	111	63	92	
		F	492	-	-	-	14	44	55	105	103	120	51	98	
EE50	Homicide and operations of war	M	33	1	1	-	5	4	6	2	2	10	2	85	
		F	22	2	1	1	4	-	8	3	2	1	-	84	
EN47	Fractures, head injuries and internal injuries	M	1,514	5	31	73	308	147	160	159	192	152	287	97	
		F	1,217	2	26	33	37	18	26	44	89	161	781	106	
		M	65	2	2	5	3	5	5	11	6	6	20	106	
		F	98	1	4	4	1	1	6	1	8	20	52	88	
EN49	Effects of poisons	M	589	2	4	1	30	66	82	102	129	92	81	84	
		F	655	1	2	2	15	46	60	105	121	152	151	94	
EN50	All other injuries	M	665	60	25	50	73	60	64	79	110	82	62	107	
		F	302	54	13	10	16	10	26	35	42	45	51	104	



TABLE 19 - continued

Abbrevi- ated List No.	Causes of death	Rural districts													S.M.R. (Englar and Wales =100)
		Age													
		All ages	Under 1 year	Years											
				1-	5-	15-	25-	35-	45-	55-	65-	75 and over			
	ALL CAUSES	M F	57,864 53,363	1,900 1,403	334 268	356 210	854 252	675 447	1,472 1,046	3,945 2,666	10,273 5,830	15,527 12,309	22,528 28,932	89 96	
B1	Tuberculosis of respiratory system	M F	306 109	- -	- -	- -	1 -	4 6	24 20	47 22	91 18	83 19	56 24	71 96	
B2	Tuberculosis, other forms	M F	28 33	- -	1 2	2 1	1 2	- 3	4 4	5 5	7 6	4 4	4 6	78 92	
B3	Syphilis and its sequelae	M F	93 55	- -	- -	1 -	- -	1 1	1 1	10 1	18 12	44 14	18 27	87 83	
B4	Typhoid fever	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B5	Cholera	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B6	Dysentery, all forms	M F	3 4	- -	1 -	1 1	- -	- -	- -	- -	- 1	- -	1 2	65 144	
B7	Scarlet fever and streptococcal sore throat	M F	1 2	- -	- -	- -	1 -	- 1	- -	- -	- -	- -	- 1	66 332	
B8	Diphtheria	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B9	Whooping cough	M F	3 -	3 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	98 -	
B10	Meningococcal infections	M F	17 7	7 4	6 1	2 -	- -	- 1	- 1	- 1	- -	- 1	- -	93 60	
B11	Plague	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B12	Acute poliomyelitis	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B13	Smallpox	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B14	Measles	M F	15 17	- 3	7 5	4 7	1 -	- -	- -	- 1	- -	- 1	2 -	116 127	
B15	Typhus and other rickettsial diseases	M F	1 1	- -	- 1	- -	- -	- -	1 -	- -	- -	- -	- -	499 487	
B16	Malaria	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B17	All other diseases classified as infective and parasitic	M F	108 85	12 3	7 5	6 2	4 3	4 2	7 6	17 15	14 15	17 17	20 17	113 101	
B18	Malignant neoplasm: (140-205)	M F	10,177 8,687	9 6	42 33	53 37	76 54	103 121	306 397	1,037 1,156	2,646 1,873	3,256 2,367	2,649 2,663	84 94	
	stomach (151)	M F	1,509 1,105	- -	- -	- -	2 -	7 8	41 22	123 65	377 167	520 339	439 504	89 94	
	trachea, bronchus and lung (162, 163)	M F	3,230 549	- -	- -	1 -	- -	6 1	82 15	421 102	1,136 166	1,164 159	420 106	72 77	
	breast (170)	M F	13 1,803	- -	- -	- -	- 1	- 23	- 112	1 362	2 427	5 441	5 437	85 98	
	uterus (171-174)	M F	- 716	- -	- -	- -	- 1	9 57	- 132	- 185	- 172	- 161	- 93	- 93	
	Leukaemia and aleukaemia (204)	M F	332 263	3 1	18 19	28 15	24 11	15 14	21 15	30 30	55 52	74 49	64 57	101 101	
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M F	5,093 4,251	6 5	24 14	24 22	50 22	75 66	162 176	462 465	1,076 876	1,493 1,207	1,721 1,398	92 95	
	Benign and unspecified neoplasms	M F	122 151	1 1	1 3	3 1	5 2	4 8	19 11	15 24	23 36	27 42	24 23	87 105	
	Diabetes mellitus	M F	316 489	2 -	4 1	2 4	1 1	5 2	7 6	28 12	58 71	80 183	129 209	103 102	
	B21	Anaemias	M F	122 224	- -	1 1	1 -	- -	1 1	3 4	6 6	13 26	31 58	66 128	96 95
B22	Vascular lesions affecting central nervous system	M F	6,813 9,805	1 -	2 -	4 2	14 5	18 27	60 67	229 270	876 832	2,046 2,408	3,563 6,194	93 102	
B23	Non-meningococcal meningitis	M F	48 28	14 12	11 5	4 -	1 1	2 -	1 2	2 1	4 1	7 4	2 2	108 77	
B24	Rheumatic fever	M F	14 9	- -	- -	3 1	2 1	- -	1 -	3 1	4 1	- 3	1 2	125 101	
B25	Chronic rheumatic heart disease	M F	456 733	1 -	1 1	1 -	5 3	18 18	46 64	93 117	101 185	120 185	70 160	90 93	

TABLE 19 - continued

Abbreviated List No.	Causes of death		Rural districts - continued												S.M.R. (England and Wales =100)
			Age												
			All ages	Under 1 year	Years										
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over		
E26	Arteriosclerotic heart disease including coronary disease (420)	M	12,620	-	-	-	2	28	319	1,162	3,063	4,056	3,990	87	
		F	7,424	-	-	-	-	5	45	192	895	2,398	3,889	89	
	Degenerative heart disease (421, 422)	M	4,271	1	-	-	2	4	6	18	62	232	801	3,145	103
		F	6,283	-	-	-	1	2	6	37	139	819	5,279	106	
E27	Other diseases of heart	M	1,507	6	3	2	8	13	18	52	190	380	835	100	
		F	1,672	1	5	-	4	9	7	31	116	370	1,129	99	
E28	Hypertension with heart disease	M	853	-	-	-	-	2	7	31	132	287	394	93	
		F	1,223	-	-	-	-	-	-	23	110	383	707	99	
E29	Hypertension without mention of heart	M	500	-	-	-	1	7	15	49	105	129	194	88	
		F	458	-	-	-	1	6	13	16	53	124	245	79	
E46 (Pt.)	Other circulatory diseases (450-468)	M	1,999	1	-	-	4	7	25	71	228	498	1,165	94	
		F	2,189	1	-	1	8	14	27	43	134	433	1,528	93	
E30	Influenza	M	410	5	3	2	2	5	11	10	51	101	220	126	
		F	484	2	-	2	2	6	15	33	91	331	136		
E31	Pneumonia	M	3,250	195	43	20	28	27	50	103	323	650	1,811	84	
		F	3,448	139	49	18	12	17	29	88	226	667	2,203	90	
E32	Bronchitis	M	3,815	33	11	4	4	4	25	169	747	1,342	1,476	69	
		F	1,471	31	12	12	4	4	20	58	163	349	818	70	
E46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	777	16	8	5	6	6	16	58	186	239	237	97	
		F	375	14	6	-	3	3	11	15	43	90	190	105	
E33	Ulcer of stomach and duodenum	M	532	-	-	1	2	3	15	31	108	164	208	85	
		F	263	-	-	-	1	-	7	12	29	71	143	86	
E34	Appendicitis	M	68	-	4	3	3	2	5	4	13	13	21	103	
		F	54	-	-	3	-	1	1	6	10	15	18	106	
E35	Intestinal obstruction and hernia	M	321	23	2	3	5	2	9	12	38	99	128	98	
		F	313	13	2	1	1	3	6	15	43	89	140	95	
E36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	189	36	6	1	2	3	7	12	29	38	55	84	
		F	300	15	10	2	5	5	13	18	32	80	120	96	
E37	Cirrhosis of liver	M	125	1	1	1	1	1	8	33	40	27	12	84	
		F	126	1	-	2	1	1	4	20	35	33	29	104	
E38	Nephritis and nephrosis	M	341	2	3	5	12	13	31	47	54	87	87	92	
		F	314	2	-	2	13	9	14	29	42	78	125	108	
E39	Hyperplasia of prostate	M	560	-	-	-	-	-	1	1	41	109	408	97	
E40	Complications of pregnancy, childbirth and puerperium	F	43	-	-	-	14	15	13	1	-	-	-	92	
E41	Congenital malformations	M	555	360	41	29	23	12	18	17	35	10	10	96	
		F	522	357	37	16	11	13	16	27	21	15	9	105	
E42	Birth injuries, postnatal asphyxia and atelectasis	M	514	513	1	-	-	-	-	-	-	-	-	93	
		F	316	316	-	-	-	-	-	-	-	-	-	88	
E43	Diarrhoea of newborn (764)	M	6	6	-	-	-	-	-	-	-	-	-	70	
		F	3	3	-	-	-	-	-	-	-	-	-	64	
	Other infections of newborn (763, 765-768)	M	72	72	-	-	-	-	-	-	-	-	-	79	
		F	52	52	-	-	-	-	-	-	-	-	-	82	
E44	Other diseases of early infancy and immaturity unqualified	M	461	460	-	1	-	-	-	-	-	-	-	94	
		F	318	318	-	-	-	-	-	-	-	-	-	90	
E45	Senility without mention of psychosis, ill-defined and unknown causes	M	607	2	1	-	1	-	2	4	5	34	558	117	
		F	979	4	1	-	1	-	-	2	4	36	931	118	
E46 (Rem.)	All other diseases (Remainder 001-795)	M	1,732	49	36	41	54	53	88	152	317	419	523	94	
		F	2,426	47	37	40	37	58	118	205	399	584	901	100	
E47	Motor vehicle accidents	M	1,277	1	31	87	401	157	106	137	171	94	92	126	
		F	327	2	13	28	48	33	24	44	47	49	39	94	
E48	All other accidents	M	1,282	66	52	60	148	111	118	127	163	138	299	98	
		F	1,182	55	32	23	23	16	30	62	94	176	671	94	
E49	Suicide and self-inflicted injury	M	542	-	-	-	28	50	77	105	142	88	52	78	
		F	333	-	-	1	8	34	53	72	82	54	29	72	
E50	Homicide and operations of war	M	35	2	4	2	3	2	3	3	5	8	3	87	
		F	26	1	6	3	2	6	1	4	3	-	-	104	
E47	Fractures, head injuries and internal injuries	M	1,927	5	38	95	429	200	162	211	273	195	319	117	
		F	1,058	10	21	33	51	39	29	55	72	150	598	99	
E48	Burns	M	56	2	6	4	6	2	6	3	4	5	18	89	
		F	94	1	9	4	-	1	2	6	11	17	43	90	
E49	Effects of poisons	M	352	1	8	-	21	35	58	60	78	46	45	50	
		F	388	1	12	2	17	33	50	72	84	66	51	60	
E50	All other injuries	M	801	61	35	50	124	83	78	98	126	82	64	125	
		F	328	46	9	16	13	16	27	49	59	46	47	120	

TABLE 19 - continued

Abbreviated List No.	Causes of death		Newcastle Hospital Region												S.M.R. (England and Wales =100)
			Age												
			All ages	Under 1 year	Years								75 and over		
				1-	5-	15-	25-	35-	45-	55-	65-				
	ALL CAUSES	M	19,384	736	108	115	183	204	644	1,558	4,241	5,311	6,284	105	
		F	16,856	556	91	58	83	149	431	926	2,173	4,331	8,058	106	
B1	Tuberculosis of respiratory system	M	134	-	-	1	1	1	11	18	49	37	16	105	
		F	33	-	-	-	1	2	6	7	12	2	3	95	
B2	Tuberculosis, other forms	M	14	1	-	-	-	-	2	4	3	3	1	129	
		F	13	-	-	2	1	1	-	3	3	1	2	119	
B3	Syphilis and its sequelae	M	41	-	-	-	-	-	3	3	11	13	11	133	
		F	18	-	-	-	-	-	1	2	4	9	2	94	
B4	Typhoid fever	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B5	Cholera	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B6	Dysentery, all forms	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	2	-	-	-	-	-	-	-	1	-	1	244	
B7	Scarlet fever and streptococcal sore throat	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B9	Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B10	Meningococcal infections	M	10	4	5	-	-	-	-	-	1	-	-	166	
		F	3	2	1	-	-	-	-	-	-	-	-	77	
B11	Plague	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B13	Smallpox	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B14	Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B15	Typhus and other rickettsial diseases	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B16	Malaria	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B17	All other diseases classified as infective and parasitic	M	31	1	3	3	-	1	3	6	6	6	2	107	
		F	26	2	1	2	1	2	1	2	2	5	8	101	
B18	Malignant neoplasm:	M	3,642	2	12	21	23	31	124	413	1,119	1,142	755	104	
	(140-205)	F	2,770	-	12	8	18	38	146	388	630	755	775	101	
	stomach (151)	M	576	-	-	-	-	1	19	56	170	201	129	118	
		F	418	-	-	-	-	3	6	26	77	143	163	124	
	trachea, bronchus and lung	M	1,429	-	-	1	4	41	203	556	474	150	109		
	(162, 163)	F	190	-	-	-	1	12	38	54	52	33	88		
	breast (170)	M	2	-	-	-	-	-	-	1	1	-	45		
		F	478	-	-	-	-	11	30	106	131	104	96	87	
	uterus (171-174)	F	285	-	-	-	-	4	40	55	67	65	54	122	
	Leukaemia and aleukaemia (204)	M	89	1	8	8	4	4	8	10	14	18	14	91	
	F	66	-	7	4	7	3	4	10	14	8	9	83		
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M	1,546	1	4	13	18	22	56	144	378	448	462	97	
		F	1,333	-	5	4	11	16	54	153	287	383	420	101	
B19	Benign and unspecified neoplasms	M	35	-	1	2	-	1	7	8	8	6	2	84	
		F	38	-	1	1	-	-	1	11	10	8	6	86	
B20	Diabetes mellitus	M	90	-	1	-	-	1	8	4	20	22	34	104	
		F	157	-	-	-	-	-	2	5	25	72	53	113	
B21	Anaemias	M	33	-	2	1	-	-	-	-	6	7	17	94	
		F	61	-	1	1	1	1	3	7	15	31	31	91	
B22	Vascular lesions affecting central nervous system	M	2,396	1	-	1	6	9	32	94	362	708	1,183	118	
		F	3,119	-	1	-	1	10	35	88	319	868	1,797	117	
B23	Non-meningococcal meningitis	M	12	6	1	-	-	-	2	3	-	-	-	85	
		F	9	1	2	2	-	-	1	-	1	2	-	76	
B24	Rheumatic fever	M	5	1	-	-	1	1	1	1	-	-	-	146	
		F	3	-	-	-	1	1	-	-	-	1	-	112	
B25	Chronic rheumatic heart disease	M	173	-	-	-	2	10	36	30	45	33	17	115	
		F	265	-	-	-	-	10	29	47	84	59	36	99	



TABLE 19 - continued

Abbrevi- ated List No.	Causes of death		Newcastle Hospital Region - continued											S.M.R. (England and Wales =100)
			Age											
			All ages	Under 1 year	Years									
1-	5-	15-			25-	35-	45-	55-	65-	75 and over				
B26	Arteriosclerotic heart disease including coronary disease (420) Degenerative heart disease (421, 422)	M	4,511	-	-	-	1	12	142	506	1,311	1,435	1,104	109
		F	2,811	-	-	-	-	34	86	420	1,022	1,249	119	
		M	1,025	-	1	-	1	2	3	19	63	206	730	93
		F	1,488	-	-	-	2	3	3	9	58	226	1,187	94
B27	Other diseases of heart	M	448	3	-	1	1	3	12	18	75	138	197	108
		F	480	-	-	-	1	3	4	18	42	131	281	103
B28	Hypertension with heart disease	M	245	-	-	-	-	1	1	9	41	94	100	95
		F	397	-	-	-	-	1	1	6	37	139	213	115
B29	Hypertension without mention of heart	M	151	-	-	-	-	2	10	15	30	34	60	93
		F	150	-	-	-	-	-	3	8	14	42	83	92
B46 (Pt.)	Other circulatory diseases (450-468)	M	577	-	-	-	1	4	6	26	57	150	333	99
		F	658	-	-	1	2	3	7	12	39	133	461	102
B30	Influenza	M	140	3	-	-	-	-	3	6	32	32	64	154
		F	123	-	1	-	1	2	3	3	8	24	81	125
B31	Pneumonia	M	1,037	94	11	7	7	4	18	29	145	233	489	97
		F	949	65	18	2	2	8	19	15	70	208	542	89
B32	Bronchitis	M	1,526	8	5	-	1	-	19	96	408	567	422	97
		F	581	10	2	-	-	1	12	35	88	153	280	98
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	206	7	1	-	1	2	8	18	59	55	55	89
		F	114	2	-	-	3	2	5	11	13	26	52	110
B33	Ulcer of stomach and duodenum	M	196	-	-	-	1	-	8	28	42	58	59	111
		F	89	-	-	-	-	3	7	13	21	45	103	
B34	Appendicitis	M	20	-	1	-	1	-	2	-	2	9	5	104
		F	14	-	1	1	1	-	1	-	2	1	7	93
B35	Intestinal obstruction and hernia	M	78	7	-	2	1	1	2	3	20	19	23	83
		F	89	4	1	-	-	2	4	7	39	32	94	
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	53	11	5	-	-	-	2	4	7	10	14	80
		F	78	7	3	-	2	3	1	5	8	26	23	86
B37	Cirrhosis of liver	M	49	-	-	-	-	-	7	9	16	13	4	110
		F	41	-	-	-	-	-	2	9	12	9	9	112
B38	Nephritis and nephrosis	M	116	1	3	1	4	8	11	14	26	18	30	108
		F	94	1	-	1	4	2	4	11	20	31	20	108
B39	Hyperplasia of prostate	M	123	-	-	-	-	-	-	-	7	32	84	80
B40	Complications of pregnancy, childbirth and puerperium	F	12	-	-	-	3	3	6	-	-	-	-	77
B41	Congenital malformations	M	177	129	8	6	9	2	3	8	9	1	2	93
		F	183	128	10	7	4	5	6	8	9	6	-	110
B42	Birth injuries, postnatal asphyxia and atelectasis	M	164	163	1	-	-	-	-	-	-	-	-	88
		F	116	116	-	-	-	-	-	-	-	-	-	-
B43	Diarrhoea of newborn (764)	M	2	2	-	-	-	-	-	-	-	-	-	69
		F	2	2	-	-	-	-	-	-	-	-	-	-
B43	Other infections of newborn (763, 765-768)	M	26	26	-	-	-	-	-	-	-	-	-	84
		F	28	28	-	-	-	-	-	-	-	-	-	-
B44	Other diseases of early infancy and immaturity unqualified	M	211	211	-	-	-	-	-	-	-	-	-	127
		F	156	156	-	-	-	-	-	-	-	-	-	-
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	185	2	-	1	-	-	1	1	1	20	159	138
		F	275	1	1	-	-	1	-	1	2	9	260	127
B46 (Rem.)	All other diseases (Remainder 001-795)	M	506	20	8	18	14	16	26	46	98	107	153	95
		F	722	10	9	9	11	19	42	60	131	183	248	101
BE47	Motor vehicle accidents	M	283	-	20	22	61	35	42	30	32	22	19	93
		F	114	-	15	9	10	9	7	13	18	16	17	106
BE48	All other accidents	M	499	32	17	28	34	30	56	54	73	54	121	129
		F	413	21	11	11	8	6	9	18	21	66	242	117
BE49	Suicide and self-inflicted injury	M	203	-	-	-	9	25	34	35	54	27	19	96
		F	155	-	-	-	4	12	32	30	42	23	12	107
BE50	Homicide and operations of war	M	11	1	2	-	3	3	1	1	-	-	-	90
		F	7	-	-	1	1	1	2	1	1	-	-	85
EN47	Fractures, head injuries and internal injuries	M	570	1	23	30	72	54	73	61	85	53	118	117
		F	377	1	18	11	10	8	11	16	24	52	226	124
EN48	Burns	M	24	-	3	1	3	-	5	1	-	5	6	131
		F	39	-	3	6	2	2	1	3	4	8	10	128
EN49	Effects of poisons	M	195	1	4	-	11	22	29	39	39	28	22	91
		F	185	-	1	-	4	13	30	35	44	34	24	94
EN50	All other injuries	M	207	31	9	19	21	17	26	19	35	17	13	106
		F	88	20	4	4	7	5	8	8	10	11	11	104

TABLE 19 - continued

Abbreviated List No.	Causes of death	Leeds Hospital Region													S.M.R. (England and Wales =100)
		Age													
		All ages	Under 1 year	Years											
1-	5-			15-	25-	35-	45-	55-	65-	75 and over					
	ALL CAUSES	M 20,579 F 20,163	790 580	99 79	121 59	216 79	228 146	538 362	1,624 1,013	4,386 2,429	5,892 5,096	6,685 10,320	107 113		
B1	Tuberculosis of respiratory system	M 128 F 40	- -	- -	- -	1 -	2 4	13 3	14 8	50 9	35 7	13 9	94 103		
B2	Tuberculosis, other forms	M 8 F 13	- -	- 1	1 -	1 -	- 1	- 1	- -	4 1	1 3	- 6	71 109		
B3	Syphilis and its sequelae	M 34 F 31	- -	- -	- -	- -	- -	2 -	3 1	8 4	14 13	7 13	105 144		
B4	Typhoid fever	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -		
B5	Cholera	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -		
B6	Dysentery, all forms	M 1 F 1	- -	- -	- -	- -	- -	- 1	1 -	- -	- -	- -	- 72 111		
B7	Scarlet fever and streptococcal sore throat	M 1 F -	- -	- -	- -	1 -	- -	- -	- -	- -	- -	- -	214 -		
B8	Diphtheria	M - F 1	- -	- 1	- -	- -	- -	- -	- -	- -	- -	- -	- 482		
B9	Whooping cough	M - F 2	- 1	- 1	- -	- -	- -	- -	- -	- -	- -	- -	- 142		
B10	Meningococcal infections	M 5 F 4	3 1	1 2	- -	- -	- -	- -	- -	- -	- -	1 1	85 104		
B11	Plague	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -		
B12	Acute poliomyelitis	M 1 F -	- -	- -	- -	- -	- -	1 -	- -	- -	- -	- -	740 -		
B13	Smallpox	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -		
B14	Measles	M 1 F 2	1 2	- -	- -	- -	- -	- -	- -	- -	- -	- -	24 45		
B15	Typhus and other rickettsial diseases	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -		
B16	Malaria	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -		
B17	All other diseases classified as infective and parasitic	M 29 F 28	3 1	2 -	1 3	2 -	3 -	2 4	6 2	3 8	3 3	4 7	97 100		
B18	Malignant neoplasm: (140-205)	M 3,735 F 3,230	1 1	14 10	18 11	14 9	34 34	115 134	428 416	1,087 718	1,226 928	798 969	101 105		
	stomach (151)	M 547 F 433	- -	- -	- -	- -	2 3	10 8	60 30	156 81	192 128	127 183	106 113		
	trachea, bronchus and lung (162, 163)	M 1,410 F 258	- -	- -	- 1	1 -	5 2	42 10	197 49	516 73	484 79	165 44	101 106		
	breast (170)	M 5 F 586	- -	- -	- -	- 5	- 34	- 118	- 164	1 133	2 132	2 94	108 94		
	uterus (171-174)	M 305 F -	- -	- -	- 1	1 2	2 27	52 -	72 -	85 -	66 -	117 -			
	Leukaemia and aleukaemia (204)	M 86 F 88	- -	5 4	7 7	1 2	2 3	5 4	4 5	25 16	20 22	17 25	85 101		
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M 1,687 F 1,560	1 1	9 6	11 3	12 6	25 19	58 51	167 162	389 312	528 481	487 519	101 105		
	Benign and unspecified neoplasms	M 50 F 50	3 1	- -	- -	2 1	2 1	2 3	14 8	8 14	11 11	8 11	114 102		
	Diabetes mellitus	M 96 F 175	- -	2 -	1 -	- -	1 -	2 1	1 2	17 41	41 57	31 74	106 112		
	B21	Anaemias	M 39 F 75	- -	1 -	- -	- -	1 1	- -	3 2	2 6	11 23	21 43	107 100	
B22	Vascular lesions affecting central nervous system	M 2,413 F 3,588	- 1	- -	2 1	1 4	14 8	23 22	87 99	406 334	749 945	1,131 2,174	115 118		
B23	Non-meningococcal meningitis	M 13 F 13	2 6	3 1	2 -	- -	2 -	- -	- -	1 4	1 -	2 2	91 107		
B24	Rheumatic fever	M - F 3	- -	- 1	- 1	- -	- -	- -	- -	- -	- -	- 1	- 102		
B25	Chronic rheumatic heart disease	M 144 F 324	- -	- -	- -	2 3	7 12	25 28	25 65	42 88	26 67	17 61	90 108		

TABLE 19 - continued

Abbreviated List No.	Causes of death		Leeds Hospital Region - continued												S.M.R. (England and Wales =100)
			Age												
			All ages	Under 1 year	Years										
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over		
E26	Arteriosclerotic heart disease including coronary disease (420) Degenerative heart disease (421, 422)	M F M F	5,047 3,530 1,132 1,891	- - - -	- - - -	- - 1 -	1 - 2 2	16 2 4 -	127 12 3 2	555 96 22 12	1,420 498 70 65	1,656 1,220 248 295	1,272 1,702 782 1,515	115 132 100 105	
E27	Other diseases of heart	M F	436 559	1 -	- 2	2 1	1 -	3 -	7 4	20 10	58 48	138 140	206 354	101 106	
E28	Hypertension with heart disease	M F	228 408	- -	- -	- -	- 1	- 1	3 1	6 5	35 47	84 110	100 244	85 104	
E29	Hypertension without mention of heart	M F	152 135	- -	- -	- -	- 2	1 4	4 12	14 10	41 37	44 70	48 351	90 73	
B46 (Pt.)	Other circulatory diseases (450-468)	M F	630 849	- 1	- -	- -	1 1	3 5	7 7	26 22	72 48	170 174	351 591	105 115	
B30	Influenza	M F	66 76	1 -	1 -	- -	1 -	1 2	1 1	7 4	15 4	10 9	29 56	70 68	
B31	Pneumonia	M F	1,171 1,314	115 96	15 12	8 4	9 5	4 4	16 14	50 31	160 85	248 244	546 819	106 110	
B32	Bronchitis	M F	1,774 790	13 14	6 3	2 -	3 2	1 1	16 10	88 31	404 76	646 216	595 437	108 118	
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M F	202 119	12 8	1 -	3 1	1 1	2 -	6 8	24 12	45 17	55 25	53 47	83 103	
B33	Ulcer of stomach and duodenum	M F	186 113	- -	- -	- -	2 -	- 2	9 4	14 16	47 39	53 52	61 115	101 115	
B34	Appendicitis	M F	27 16	- -	2 -	2 -	1 -	1 1	4 1	3 1	4 1	9 6	136 96		
B35	Intestinal obstruction and hernia	M F	108 109	12 5	- 1	1 1	- -	1 -	2 2	5 2	19 11	30 37	38 50	112 103	
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M F	65 108	19 13	3 2	1 -	- -	- 4	- 3	4 1	8 11	18 31	12 43	95 107	
B37	Cirrhosis of liver	M F	56 56	- -	- -	1 -	- -	- 4	2 6	8 6	15 14	22 15	3 17	119 137	
B38	Nephritis and nephrosis	M F	148 139	- 1	- -	2 4	5 3	8 5	10 2	19 9	38 22	33 48	33 45	131 144	
B39	Hyperplasia of prostate	M	177	-	-	-	-	-	-	-	11	47	119	112	
B40	Complications of pregnancy, childbirth and puerperium	F	18	-	-	-	3	7	8	-	-	-	-	112	
B41	Congenital malformations	M F	182 172	133 128	16 13	9 6	4 6	3 2	3 1	5 5	6 4	1 5	2 2	97 104	
B42	Birth injuries, postnatal asphyxia and atelectasis	M F	207 141	207 141	- -	- -	- -	- -	- -	- -	- -	- -	- -	114 120	
B43	Diarrhoea of newborn (764) Other infections of newborn (765, 765-768)	M F M F	4 2 45 23	4 2 45 23	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -	142 130 150 110	
B44	Other diseases of early infancy and immaturity unqualified	M F	173 108	173 108	- -	- -	- -	- -	- -	- -	- -	- -	- -	107 93	
B45	Senility without mention of psychosis, ill-defined and unknown causes	M F	89 210	3 1	- -	- -	- -	1 -	- 1	1 -	3 7	81 200	65 85		
B46 (Rem.)	All other diseases (Remainder 001-795)	M F	537 874	21 8	9 12	8 9	16 12	14 21	24 35	45 81	117 137	137 229	146 330	97 110	
EE47	Motor vehicle accidents	M F	345 121	- -	10 7	30 12	82 13	53 5	32 4	27 16	52 19	36 21	23 24	114 104	
EE48	All other accidents	M F	439 531	18 16	13 9	24 5	38 6	27 6	42 15	50 17	63 30	47 101	117 326	111 134	
EE49	Suicide and self-inflicted injury	M F	242 166	- -	- -	- -	24 6	19 16	34 25	46 32	58 39	41 30	20 18	109 104	
EE50	Homicide and operations of war	M F	13 5	- 1	- 1	2 -	1 2	1 -	3 1	2 -	- -	3 -	1 -	104 59	
EN47	Fractures, head injuries and internal injuries	M F	532 436	- 2	13 8	32 11	89 15	71 7	53 5	45 17	76 27	57 76	96 268	108 129	
EN48	Burns	M F	26 49	2 -	2 2	3 4	1 -	- 1	2 1	2 3	4 3	7 9	139 26		
EN49	Effects of poisons	M F	262 236	- -	4 3	2 -	28 6	15 17	33 31	48 34	52 45	44 54	36 46	117 108	
EN50	All other injuries	M F	219 102	16 15	4 4	19 2	27 6	14 2	23 8	30 11	41 13	23 13	22 28	110 112	



TABLE 19 - continued

Abbreviated List No.	Causes of death	Sheffield Hospital Region												S.M.R. (England and Wales =100)
		Age												
		All ages	Under 1 year	Years										
1-	5-			15-	25-	35-	45-	55-	65-	75 and over				
	ALL CAUSES	M	26,656	994	170	139	347	312	787	2,112	5,294	7,256	9,245	95
		F	23,641	756	148	100	113	203	515	1,311	2,814	5,808	11,873	97
B1	Tuberculosis of respiratory system	M	168	-	-	-	-	2	14	23	61	50	18	87
		F	35	-	-	-	-	4	9	3	5	7	7	66
B2	Tuberculosis, other forms	M	20	-	2	-	3	1	5	4	4	1	-	123
		F	17	-	2	-	1	1	1	1	5	3	3	104
B3	Syphilis and its sequelae	M	46	-	-	-	-	-	2	3	15	18	8	100
		F	24	-	-	-	-	1	-	1	8	4	10	82
B4	Typhoid fever	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B5	Cholera	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B6	Dysentery, all forms	M	1	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	1	-	-	-	-	-	1	50
B7	Scarlet fever and streptococcal sore throat	M	1	-	1	-	-	-	-	-	-	-	-	147
		F	-	-	-	-	-	-	-	-	-	-	-	-
B8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B9	Whooping cough	M	3	2	1	-	-	-	-	-	-	-	-	205
		F	1	1	-	-	-	-	-	-	-	-	-	49
B10	Meningococcal infections	M	4	2	1	-	-	-	-	-	-	-	1	47
		F	5	3	2	-	-	-	-	-	-	-	-	90
B11	Plague	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B13	Smallpox	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B14	Measles	M	11	-	7	4	-	-	-	-	-	-	-	181
		F	10	3	3	4	-	-	-	-	-	-	-	158
B15	Typhus and other rickettsial diseases	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
B16	Malaria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	1	-	-	-	-	-	530
B17	All other diseases classified as infective and parasitic	M	39	4	4	4	-	1	4	5	8	8	1	90
		F	37	3	1	2	1	-	4	4	7	9	6	96
	Malignant neoplasm:	M	4,936	2	14	25	33	50	156	581	1,431	1,575	1,069	94
	(140-205)	F	4,030	6	11	16	15	56	201	569	891	1,139	1,126	97
	stomach (151)	M	734	-	-	-	-	3	14	84	210	260	163	100
		F	524	-	-	-	-	3	11	36	84	163	227	101
	trachea, bronchus and lung	M	1,721	-	-	-	-	3	46	236	649	590	197	87
	(162, 163)	F	268	-	-	-	-	5	16	60	75	80	32	82
	breast (170)	M	7	-	-	-	-	-	-	-	3	2	2	105
		F	809	-	-	-	-	13	60	175	197	193	171	96
	uterus (171-174)	M	383	-	-	-	-	7	25	80	88	105	78	108
	Leukaemia and aleukaemia (204)	M	123	-	5	11	7	12	8	16	29	21	14	85
		F	122	5	4	5	3	9	10	14	27	19	26	103
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M	2,351	2	9	14	26	32	88	245	540	702	693	98
		F	1,924	1	7	11	12	19	79	204	420	579	592	96
B19	Benign and unspecified neoplasms	M	63	2	-	2	5	3	6	7	18	14	6	100
		F	68	3	2	4	3	5	3	6	16	15	11	102
B20	Diabetes mellitus	M	137	1	-	-	3	1	5	11	23	34	59	105
		F	225	-	-	1	1	1	3	4	28	85	102	106
B21	Anaemias	M	47	1	-	1	1	1	1	2	6	12	22	88
		F	108	2	-	-	-	-	5	7	11	30	53	105
B22	Vascular lesions affecting central nervous system	M	3,149	3	1	-	2	12	35	121	428	1,006	1,541	102
		F	4,081	1	-	-	7	12	42	122	369	1,086	2,442	99
B23	Non-meningococcal meningitis	M	23	9	5	-	1	-	-	-	1	5	2	112
		F	23	9	2	-	2	2	1	4	2	1	-	134
B24	Rheumatic fever	M	4	-	1	1	-	-	1	-	-	-	1	80
		F	7	-	-	1	-	-	-	1	1	2	1	173
B25	Chronic rheumatic heart disease	M	214	-	-	-	7	10	28	48	60	39	22	94
		F	392	-	-	-	2	11	32	100	128	82	37	97

TABLE 19 - continued

Abbreviated List No.	Causes of death		Sheffield Hospital Region - continued												S.M.R. (England and Wales =100)
			Age												
			All ages	Under 1 year	Years										
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over		
B26	Arteriosclerotic heart disease including coronary disease (420) Degenerative heart disease (421, 422)	M F M F	5,458 3,146 1,803 2,643	- - - 1	- - - -	- - 1 -	1 - 3 1	19 - 5 2	173 25 12 2	640 88 38 17	1,483 441 102 68	1,717 1,144 362 384	1,425 1,441 1,280 2,168	87 87 107 106	
B27	Other diseases of heart	M F	644 757	- -	- 4	- 1	3 2	8 5	9 4	28 16	84 49	180 194	332 482	102 105	
B28	Hypertension with heart disease	M F	431 584	- -	- -	- -	- -	- -	- 5	- 20	- 72	69 148	186 313	111 109	
B29	Hypertension without mention of heart	M F	254 296	- -	- -	- -	2 1	2 1	11 5	27 14	55 38	63 97	94 141	103 118	
B46 (Pt.)	Other circulatory diseases (450-468)	M F	975 1,148	- -	- -	- 2	1 1	1 4	11 7	28 26	131 61	223 208	580 839	110 114	
B30	Influenza	M F	85 80	2 -	1 3	- -	- -	3 -	2 4	7 2	14 3	23 19	33 49	62 52	
B31	Pneumonia	M F	1,363 1,247	122 76	26 23	8 6	7 3	8 4	19 15	37 30	131 84	323 236	682 770	84 75	
B32	Bronchitis	M F	2,410 931	45 36	6 12	5 6	5 2	2 4	22 13	117 49	550 104	800 249	858 456	102 102	
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M F	319 199	17 16	2 7	1 3	3 6	1 2	9 7	36 8	78 32	90 39	82 79	92 126	
B33	Ulcer of stomach and duodenum	M F	253 109	- -	- -	- -	- 1	1 -	- 6	18 5	51 19	82 33	95 45	95 82	
B34	Appendicitis	M F	27 23	- -	2 -	2 1	- -	1 1	2 1	3 1	4 4	8 4	5 11	94 101	
B35	Intestinal obstruction and hernia	M F	141 144	13 10	3 1	1 -	1 2	1 -	2 4	3 9	24 16	31 38	62 64	100 99	
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M F	99 120	37 16	4 4	2 1	2 1	1 2	2 4	3 6	11 17	20 28	17 41	100 87	
B37	Cirrhosis of liver	M F	62 54	- -	- -	- -	- 1	- 1	8 2	14 5	17 19	15 15	8 11	93 98	
B38	Nephritis and nephrosis	M F	160 128	- 1	2 1	2 1	8 4	10 2	16 4	23 19	34 24	28 32	37 40	98 97	
B39	Hyperplasia of prostate	M	209	-	-	-	-	-	-	1	20	49	139	88	
B40	Complications of pregnancy, childbirth and puerperium	F	25	-	-	-	8	10	7	-	-	-	-	110	
B41	Congenital malformations	M F	240 215	153 148	21 14	13 10	18 5	4 7	14 9	4 8	7 9	4 2	2 3	89 91	
B42	Birth injuries, postnatal asphyxia and atelectasis	M F	229 148	228 148	1 -	- -	- -	- -	- -	- -	- -	- -	- -	87 86	
B43	Diarrhoea of newborn (764) Other infections of newborn (763, 765-768)	M F M F	8 5 31 32	8 5 31 32	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -	195 223 71 105	
B44	Other diseases of early infancy and immaturity unqualified	M F	253 179	253 179	- -	- -	- -	- -	- -	- -	- -	- -	- -	108 106	
B45	Senility without mention of psychosis, ill-defined and unknown causes	M F	208 386	1 1	1 -	- -	- -	- 1	1 1	2 1	- -	5 11	198 371	100 112	
B46 (Rem.)	All other diseases (Remainder 001-795)	M F	712 1,011	27 25	19 27	12 10	21 11	28 22	45 51	77 86	157 177	166 264	160 338	89 93	
BE47	Motor vehicle accidents	M F	486 182	- 2	22 13	27 15	149 14	66 11	45 10	56 27	45 26	35 33	41 31	109 114	
EE48	All other accidents	M F	618 595	31 28	20 13	27 14	53 11	41 4	65 11	68 25	85 38	70 88	158 363	107 109	
EE49	Suicide and self-inflicted injury	M F	297 173	- -	- -	- -	13 3	28 17	49 19	56 31	83 44	49 41	19 18	93 79	
EE50	Homicide and operations of war	M F	15 15	- 1	3 3	1 2	2 3	1 2	2 3	1 -	1 1	3 -	1 -	83 125	
BN47	Fractures, head injuries and internal injuries	M F	807 526	1 6	28 15	33 16	160 14	87 11	93 10	89 25	82 39	71 78	163 312	112 113	
BN48	Burns	M F	23 57	2 2	1 4	2 3	1 -	- -	1 1	5 2	3 1	2 13	6 31	84 123	
BN49	Effects of poisons	M F	264 234	1 2	3 2	- 3	16 10	25 14	35 20	44 36	71 50	46 54	23 43	82 79	
BN50	All other injuries	M F	322 148	27 21	13 8	20 9	40 7	24 9	32 12	43 20	58 19	38 17	27 26	112 117	

TABLE 19 - continued

Abbreviated List No.	Causes of death		East Anglia Hospital Region												S.M.R. (England and Wales =100)
			Age												
			All ages	Under 1 year	Years										
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over		
	ALL CAUSES	M	9,920	270	42	56	113	107	211	575	1,683	2,607	4,256	99	
		F	9,547	208	30	32	37	57	153	397	934	2,163	5,536	104	
B1	Tuberculosis of respiratory system	M	39	-	-	-	-	1	3	5	13	14	3	58	
		F	15	-	-	-	-	-	1	4	3	1	6	79	
B2	Tuberculosis, other forms	M	4	-	-	-	1	-	-	-	1	2	-	70	
		F	4	-	-	-	-	-	1	-	2	-	1	67	
B3	Syphilis and its sequelae	M	16	-	-	1	-	-	-	-	2	8	5	98	
		F	14	-	-	-	-	-	-	-	-	6	8	130	
B4	Typhoid fever	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B5	Cholera	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B6	Dysentery, all forms	M	4	-	-	-	-	-	-	-	1	-	3	548	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B7	Scarlet fever and streptococcal sore throat	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	1	-	-	-	-	-	-	-	-	-	1	967	
B8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B9	Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B10	Meningococcal infections	M	2	-	1	1	-	-	-	-	-	-	-	64	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B11	Plague	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B13	Smallpox	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B14	Measles	M	1	-	-	-	-	1	-	-	-	-	-	45	
		F	2	-	1	-	-	-	-	1	-	-	-	88	
B15	Typhus and other rickettsial diseases	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B16	Malaria	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B17	All other diseases classified as infective and parasitic	M	12	-	-	-	-	-	2	2	2	2	4	78	
		F	15	-	1	1	1	-	1	2	3	1	5	107	
B18	Malignant neoplasm: (140-205) stomach (151)	M	1,778	-	10	5	12	18	46	154	491	550	492	96	
		F	1,570	3	4	7	6	17	66	161	322	443	541	103	
		M	265	-	-	-	-	1	6	15	79	79	85	102	
		F	178	-	-	-	-	-	2	7	21	68	80	93	
	trachea, bronchus and lung (162, 163) breast (170)	M	592	-	-	-	-	-	7	76	225	200	84	86	
		F	102	-	-	-	-	-	2	14	24	39	23	87	
		M	2	-	-	-	-	-	-	-	-	2	-	84	
		F	316	-	-	-	-	7	26	43	72	69	99	104	
	uterus (171-174)	M	128	-	-	-	-	1	10	19	34	29	35	100	
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	54	-	4	2	1	5	5	5	8	12	12	105	
		F	38	2	1	3	1	1	-	3	4	14	9	88	
Other malignant and lymphatic neoplasms (Rem. of 140-205)	M	865	-	6	3	11	12	28	58	179	257	311	101		
	F	808	1	3	4	5	8	26	75	167	224	295	109		
B19	Benign and unspecified neoplasms	M	20	1	-	-	-	1	1	2	4	4	7	90	
		F	31	-	-	2	1	1	5	6	5	3	8	129	
B20	Diabetes mellitus	M	61	-	1	1	-	2	-	2	12	20	23	130	
		F	92	-	-	-	-	-	-	1	10	32	49	117	
B21	Anaemias	M	16	-	-	-	-	1	-	1	2	3	9	83	
		F	41	-	1	-	-	-	1	-	1	11	27	106	
B22	Vascular lesions affecting central nervous system	M	1,170	-	-	-	2	3	7	40	146	331	641	105	
		F	1,662	-	-	-	1	1	9	44	127	390	1,090	106	
B23	Non-meningococcal meningitis	M	6	-	1	1	1	-	-	1	1	1	-	82	
		F	5	1	1	-	-	-	-	-	-	2	1	80	
B24	Rheumatic fever	M	3	-	-	2	-	-	-	-	1	-	-	169	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
B25	Chronic rheumatic heart disease	M	53	-	-	-	-	-	3	3	14	15	7	66	
		F	105	-	-	-	-	2	3	2	9	29	31	72	



TABLE 19 - continued

Abbreviated List No.	Causes of death		East Anglia Hospital Region - continued												S.M.R. (England and Wales =100)
			Age												
			All ages	Under 1 year	Years										
1-	5-	15-			25-	35-	45-	55-	65-	75 and over					
E26	Arteriosclerotic heart disease including coronary disease (420) Degenerative heart disease (421, 422)	M	2,102	-	-	-	-	2	37	160	457	683	763	95	
		F	1,427	-	-	-	-	11	27	135	439	815	105		
		M	739	-	-	-	3	2	4	33	134	561	119		
		F	1,105	1	-	-	-	-	2	9	27	121	945	114	
E27	Other diseases of heart	M	245	-	-	-	-	2	11	24	60	148	107		
		F	303	-	1	-	1	1	4	24	60	211	110		
E28	Hypertension with heart disease	M	111	-	-	-	-	-	1	4	21	33	52	79	
		F	148	-	-	-	-	-	3	14	45	86	73		
E29	Hypertension without mention of heart	M	56	-	-	-	-	3	5	13	10	25	64		
		F	55	-	-	-	-	-	5	4	13	33	58		
E46 (Pt.)	Other circulatory diseases (450-468)	M	400	-	-	-	1	2	4	16	49	107	221	125	
		F	459	-	-	-	-	-	5	10	29	107	308	119	
E30	Influenza	M	111	-	1	-	1	2	4	2	13	28	60	223	
		F	87	-	-	1	-	-	-	1	7	13	65	150	
E31	Pneumonia	M	733	34	6	1	-	2	15	20	74	145	436	124	
		F	749	28	2	6	-	3	5	12	38	138	517	119	
E32	Bronchitis	M	621	4	3	1	-	1	4	27	108	205	268	73	
		F	236	3	1	1	1	2	11	22	58	136	69		
E46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	98	-	1	1	1	2	3	8	21	33	28	79	
		F	59	6	4	-	3	-	1	4	5	15	21	100	
E33	Ulcer of stomach and duodenum	M	111	-	-	-	-	2	6	16	27	60	116		
		F	69	-	-	-	1	-	1	9	17	40	138		
E34	Appendicitis	M	7	-	-	-	-	-	-	1	1	1	4	69	
		F	9	-	1	-	-	-	-	1	2	5	-	108	
E35	Intestinal obstruction and hernia	M	58	2	-	-	1	1	2	2	9	14	27	115	
		F	52	-	-	-	-	-	1	2	8	16	25	96	
E36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	31	2	-	1	-	1	1	2	1	8	15	87	
		F	53	1	2	-	2	-	1	4	4	13	26	103	
E37	Cirrhosis of liver	M	15	-	-	-	-	-	-	2	6	3	4	64	
		F	21	-	-	-	-	-	-	2	5	11	3	105	
E38	Nephritis and nephrosis	M	48	-	-	2	1	1	5	2	6	13	18	83	
		F	32	-	-	1	-	1	1	3	3	11	12	67	
E39	Hyperplasia of prostate	M	111	-	-	-	-	-	-	-	8	22	81	127	
E40	Complications of pregnancy, childbirth and puerperium	F	7	-	-	-	1	4	2	-	-	-	-	87	
E41	Congenital malformations	M	81	48	6	7	4	-	2	1	8	3	2	82	
		F	69	46	3	2	2	-	4	4	3	3	2	80	
E42	Birth injuries, postnatal asphyxia and atelectasis	M	74	74	-	-	-	-	-	-	-	-	-	77	
		F	42	42	-	-	-	-	-	-	-	-	-	67	
E43	Diarrhoea of newborn (764) Other infections of newborn (763, 765-768)	M	1	1	-	-	-	-	-	-	-	-	-	67	
		F	-	-	-	-	-	-	-	-	-	-	-	-	
		M	11	11	-	-	-	-	-	-	-	-	-	69	
		F	9	9	-	-	-	-	-	-	-	-	-	81	
E44	Other diseases of early infancy and immaturity unqualified	M	69	69	-	-	-	-	-	-	-	-	-	80	
		F	55	55	-	-	-	-	-	-	-	-	-	89	
E45	Senility without mention of psychosis, ill-defined and unknown causes	M	62	1	-	-	1	1	-	-	2	-	57	80	
		F	136	-	-	-	-	-	-	1	-	2	133	99	
E46 (Rem.)	All other diseases (Remainder 001-795)	M	323	11	5	5	9	9	14	28	47	69	126	113	
		F	445	4	8	8	5	8	14	35	61	100	202	111	
RE47	Motor vehicle accidents	M	182	-	3	19	43	18	20	13	24	21	21	114	
		F	50	-	-	3	6	7	6	4	8	9	7	87	
RE48	All other accidents	M	212	12	4	8	20	24	18	15	29	19	63	103	
		F	241	9	-	-	3	2	4	10	14	28	171	117	
RE49	Suicide and self-inflicted injury	M	114	-	-	-	10	8	10	25	20	25	16	102	
		F	69	-	-	-	3	8	5	15	10	18	10	89	
RE50	Homicide and operations of war	M	9	-	-	-	2	2	-	-	2	2	1	140	
		F	3	-	-	-	-	-	1	1	-	1	-	71	
EN47	Fractures, head injuries and internal injuries	M	294	2	4	21	54	24	26	17	40	35	71	114	
		F	211	-	-	3	6	6	7	6	11	27	145	120	
EN48	Burns	M	12	-	2	-	-	-	-	1	3	1	5	121	
		F	15	1	-	-	-	1	-	-	-	3	10	87	
EN49	Effects of poisons	M	74	-	-	-	4	5	11	12	17	12	13	65	
		F	86	-	-	-	5	7	6	17	8	20	23	80	
EN50	All other injuries	M	137	10	1	6	17	23	11	23	15	19	12	134	
		F	51	8	-	-	1	3	3	7	13	6	10	112	

TABLE 19 - continued

Abbreviated List No.	Causes of death	North West Metropolitan Hospital Region												S.M.R. (England and Wales =100)
		Age												
		All ages	Under 1 year	Years										
				1-	5-	15-	25-	35-	45-	55-	65-	75 and over		
	ALL CAUSES	M 22,811 F 22,577	819 613	119 89	119 71	264 134	311 199	675 490	1,932 1,245	4,797 2,619	6,022 4,834	7,753 12,283	82 78	
B1	Tuberculosis of respiratory system	M 140 F 50	- -	- 1	- -	1 1	4 3	11 9	25 7	44 12	35 7	20 10	71 83	
B2	Tuberculosis, other forms	M 11 F 13	- -	- 1	- -	1 -	1 -	4 2	1 1	3 -	- 3	1 6	59 75	
B3	Syphilis and its sequelae	M 47 F 33	- -	- -	- -	- -	1 -	2 1	6 -	12 3	13 7	13 22	103 94	
B4	Typhoid fever	M 1 F -	- -	1 -	- -	- -	- -	- -	- -	- -	- -	- -	385 -	
B5	Cholera	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B6	Dysentery, all forms	M 3 F 2	- -	1 -	- -	- -	- -	- -	- -	- 1	1 -	1 1	160 149	
B7	Scarlet fever and streptococcal sore throat	M 1 F -	- -	- -	1 -	- -	- -	- -	- -	- -	- -	- -	168 -	
B8	Diphtheria	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B9	whooping cough	M - F 1	- 1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- 57	
B10	Meningococcal infections	M 5 F 4	1 1	4 -	- -	- 1	- -	- -	- 2	- -	- -	- -	67 80	
B11	Plague	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B12	Acute poliomyelitis	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B13	Smallpox	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B14	Measles	M 2 F 1	- -	2 1	- -	- -	- -	- -	- -	- -	- -	- -	39 18	
B15	Typhus and other rickettsial diseases	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B16	Malaria	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B17	All other diseases classified as infective and parasitic	M 34 F 45	2 5	1 2	- 2	1 3	3 2	3 2	4 6	6 11	8 6	6 6	80 109	
B18	Malignant neoplasm: (140-205)	M 4,811 F 4,210	4 1	15 6	26 17	31 23	50 50	136 206	556 575	1,412 993	1,451 1,077	1,130 1,262	92 88	
	stomach (151)	M 551 F 463	- -	- -	- -	1 1	3 2	17 6	57 33	160 88	175 122	138 211	75 76	
	trachea, bronchus and lung (162, 163)	M 2,006 F 393	- -	- -	- -	- -	8 -	38 8	262 55	735 122	672 116	291 92	102 104	
	breast (170)	M 5 F 877	- -	- -	- -	- -	- 13	- 70	1 198	1 234	1 185	2 177	78 93	
	uterus (171-174)	M 334 F -	- -	- -	- -	1 -	4 -	37 -	65 -	73 -	74 -	80 -	84 -	
	Leukaemia and aleukaemia (204)	M 143 F 137	1 -	5 4	16 10	9 7	5 6	5 9	19 19	23 22	34 29	26 31	101 106	
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M 2,106 F 2,006	3 1	10 2	10 7	21 14	34 25	76 76	217 205	493 454	569 551	673 671	88 86	
	Benign and unspecified neoplasms	M 69 F 62	1 -	- 1	2 3	3 1	2 2	4 8	14 13	18 14	14 8	11 12	115 85	
	Diabetes mellitus	M 110 F 200	1 -	1 -	2 1	1 1	- 4	4 3	7 6	23 23	36 68	35 94	86 80	
	Anaemias	M 39 F 97	- -	- 1	- 1	2 1	1 2	2 1	1 2	4 9	7 16	22 64	72 80	
B22	Vascular lesions affecting central nervous system	M 2,036 F 3,386	- 1	1 -	2 2	7 3	9 5	32 23	81 101	288 292	581 741	1,035 2,218	66 68	
B23	Non-meningococcal meningitis	M 19 F 13	6 8	2 1	- -	- 1	- -	2 1	3 -	2 -	1 2	3 -	98 80	
B24	Rheumatic fever	M 1 F -	- -	- -	1 -	- -	- -	- -	- -	- -	- -	- -	22 -	
B25	Chronic rheumatic heart disease	M 201 F 429	- -	- 1	1 -	3 -	6 8	15 21	36 54	58 89	43 104	39 152	88 94	

TABLE 19 - continued

Abbreviated List No.	Causes of death		North West Metropolitan Hospital Region - continued											S.M.R. (England and Wales =100)
			Age											
			All ages	Under 1 year	Years									
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over	
E26	Arteriosclerotic heart disease including coronary disease (420) Degenerative heart disease (421, 422)	M	5,293	-	-	-	3	16	153	623	1,481	1,605	1,412	85
F		3,501	-	-	-	-	4	16	91	388	1,015	1,987	81	
M		1,053	-	-	-	2	4	11	29	65	187	755	62	
F		1,906	-	-	1	-	3	2	14	38	216	1,632	63	
E27	Other diseases of heart	M	481	-	1	3	2	9	10	22	53	130	251	76
E28	Hypertension with heart disease	F	689	1	-	2	6	5	4	13	29	139	490	79
		M	284	-	-	-	-	-	2	19	41	80	142	74
F	458	-	-	-	1	-	1	6	31	112	307	71		
E29	Hypertension without mention of heart	M	246	-	-	-	1	7	11	19	52	64	92	99
E46 (Pt.)	Other circulatory diseases (450-468)	F	359	-	-	-	-	1	3	13	46	73	223	118
		M	745	-	-	-	3	4	9	41	117	203	368	84
F	1,028	-	-	-	3	5	6	25	78	219	692	83		
E30	Influenza	M	88	-	-	-	-	-	2	6	8	29	43	65
E31	Pneumonia	F	125	-	-	-	-	-	3	5	5	25	87	68
		M	1,485	82	16	6	5	9	17	48	152	318	832	92
F	1,792	79	22	3	5	5	14	35	95	280	1,254	91		
E32	Bronchitis	M	1,888	17	5	1	2	3	14	98	422	626	700	78
E46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	F	827	13	4	1	1	-	6	30	85	164	523	75
		M	257	2	2	1	1	1	7	15	62	83	83	75
F	168	2	3	1	-	2	4	18	24	35	79	91		
E33	Ulcer of stomach and duodenum	M	241	1	1	-	1	4	3	10	52	77	92	91
E34	Appendicitis	F	138	-	-	-	1	1	2	5	13	38	78	86
		M	18	-	-	2	2	1	-	1	2	6	4	63
F	9	-	-	-	1	1	-	-	2	1	4	32		
E35	Intestinal obstruction and hernia	M	118	8	-	-	1	-	6	11	18	27	47	83
E36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	F	130	4	2	-	1	-	3	4	19	26	71	75
		M	95	11	7	1	2	7	4	7	16	18	22	99
F	125	7	1	-	3	3	4	10	5	22	70	78		
E37	Cirrhosis of liver	M	62	-	-	1	-	-	5	12	22	15	7	92
F	50	1	-	2	2	-	3	7	11	15	9	77		
E38	Nephritis and nephrosis	M	107	-	1	-	2	6	12	18	20	24	24	67
F	111	1	-	1	6	4	6	15	17	27	34	74		
E39	Hyperplasia of prostate	M	179	-	-	-	-	-	-	2	7	38	132	75
E40	Complications of pregnancy, childbirth and puerperium	F	22	-	-	-	4	14	4	-	-	-	-	94
E41	Congenital malformations	M	238	170	13	11	6	5	6	7	11	6	3	97
F	202	134	12	7	7	4	4	7	14	9	4	91		
E42	Birth injuries, postnatal asphyxia and atelectasis	M	237	237	-	-	-	-	-	-	-	-	-	101
F	136	136	-	-	-	-	-	-	-	-	-	-	-	88
E43	Diarrhoea of newborn (764)	M	3	3	-	-	-	-	-	-	-	-	-	86
		F	-	-	-	-	-	-	-	-	-	-	-	-
	Other infections of newborn (763, 765-768)	M	26	26	-	-	-	-	-	-	-	-	-	70
		F	34	34	-	-	-	-	-	-	-	-	-	123
E44	Other diseases of early infancy and immaturity unqualified	M	197	197	-	-	-	-	-	-	-	-	-	95
F	143	143	-	-	-	-	-	-	-	-	-	-	-	94
E45	Senility without mention of psychosis, ill-defined and unknown causes	M	81	3	-	-	-	2	-	2	2	12	60	39
F	176	2	-	-	-	-	-	-	-	2	7	165	40	
E46 (Rem.)	All other diseases (Remainder 001-795)	M	689	21	17	16	13	27	47	62	121	162	203	88
F	1,001	26	14	13	12	19	48	73	144	249	403	80		
EE47	Motor vehicle accidents	M	349	-	7	25	96	41	31	32	45	35	37	85
EE48	All other accidents	F	148	-	4	7	10	11	5	13	25	36	37	85
		M	465	23	18	16	42	35	42	49	81	47	112	83
F	476	12	12	5	10	9	21	27	48	62	270	74		
EE49	Suicide and self-inflicted injury	M	334	-	-	-	26	52	64	64	77	36	15	104
EE50	Homicide and operations of war	F	267	-	-	1	23	29	53	66	53	25	17	109
		M	22	3	3	1	4	1	4	1	-	4	1	128
F	10	1	-	1	3	3	1	1	-	-	-	-	79	
EN47	Fractures, head injuries and internal injuries	M	545	6	11	30	102	53	42	54	76	60	111	79
EN48	Burns	F	369	-	9	9	12	12	9	20	34	54	210	68
		M	20	-	2	2	3	-	1	3	2	5	2	75
F	36	-	2	1	-	2	1	1	7	5	17	68		
EN49	Effects of poisons	M	405	2	8	1	37	50	71	62	89	42	43	125
EN50	All other injuries	F	397	1	2	-	27	29	60	72	71	56	79	117
		M	200	18	7	9	26	26	27	27	36	15	9	73
F	99	12	3	4	7	9	10	14	14	8	18	73		



TABLE 19 - continued

Abbreviated List No.	Causes of death		North East Metropolitan Hospital Region												S.M.R. (England and Wales =100)	
			Age													
			All ages	Under 1 year	Years								75 and over			
1-	5-	15-			25-	35-	45-	55-	65-							
	ALL CAUSES	M	19,137	684	88	95	203	225	506	1,457	3,793	5,250	6,836	92		
		F	18,060	473	79	66	92	138	385	900	2,143	4,224	9,560	84		
B1	Tuberculosis of respiratory system	M	133	-	-	-	-	3	11	22	40	41	16	92		
		F	28	-	-	-	-	-	6	9	5	1	7	64		
B2	Tuberculosis, other forms	M	7	-	-	-	-	-	1	2	1	2	1	59		
		F	9	-	-	1	-	-	2	1	1	4	-	67		
B3	Syphilis and its sequelae	M	30	-	-	-	-	-	1	4	7	10	8	86		
		F	31	-	-	-	-	-	-	2	6	11	12	120		
B4	Typhoid fever	M	-	-	-	-	-	-	-	-	-	-	-	-		
		F	1	-	-	-	-	-	-	-	-	-	1	245		
B5	Cholera	M	-	-	-	-	-	-	-	-	-	-	-	-		
		F	-	-	-	-	-	-	-	-	-	-	-	-		
B6	Dysentery, all forms	M	-	-	-	-	-	-	-	-	-	-	-	-		
		F	3	-	-	-	-	1	-	-	-	-	2	286		
B7	Scarlet fever and streptococcal sore throat	M	-	-	-	-	-	-	-	-	-	-	-	-		
		F	-	-	-	-	-	-	-	-	-	-	-	-		
B8	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-		
		F	-	-	-	-	-	-	-	-	-	-	-	-		
B9	Whooping cough	M	1	1	-	-	-	-	-	-	-	-	-	102		
		F	2	2	-	-	-	-	-	-	-	-	-	147		
B10	Meningococcal infections	M	5	2	2	-	1	-	-	-	-	-	-	86		
		F	3	-	1	1	-	-	-	-	-	-	1	77		
B11	Plague	M	-	-	-	-	-	-	-	-	-	-	-	-		
		F	-	-	-	-	-	-	-	-	-	-	-	-		
B12	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-		
		F	-	-	-	-	-	-	-	-	-	-	-	-		
B13	Smallpox	M	-	-	-	-	-	-	-	-	-	-	-	-		
		F	-	-	-	-	-	-	-	-	-	-	-	-		
B14	Measles	M	-	-	-	-	-	-	-	-	-	-	-	-		
		F	2	-	-	2	-	-	-	-	-	-	-	47		
B15	Typhus and other rickettsial diseases	M	-	-	-	-	-	-	-	-	-	-	-	-		
		F	-	-	-	-	-	-	-	-	-	-	-	-		
B16	Malaria	M	-	-	-	-	-	-	-	-	-	-	-	-		
		F	-	-	-	-	-	-	-	-	-	-	-	-		
B17	All other diseases classified as infective and parasitic	M	16	3	2	-	1	1	3	3	1	-	2	51		
		F	31	1	2	1	-	2	5	3	6	8	3	98		
	Malignant neoplasm:	M	4,068	4	15	21	29	42	126	436	1,166	1,272	957	103		
	(140-205)	F	3,247	4	13	20	16	35	164	393	728	903	971	90		
	stomach (151)	M	516	-	-	-	-	1	19	40	160	155	141	93		
		F	368	-	-	-	-	3	10	21	59	125	150	80		
	trachea, bronchus and lung (162, 163)	M	1,672	-	-	-	1	3	35	215	585	577	256	113		
		F	299	-	-	-	-	-	18	31	81	94	75	108		
	breast (170)	M	4	-	-	-	-	-	-	1	1	-	2	80		
		F	699	-	-	-	-	8	52	142	176	168	153	98		
	uterus (171-174)	M	229	-	-	-	-	2	22	42	58	56	49	76		
	Leukaemia and aleukaemia (204)	M	102	-	9	12	9	2	12	6	17	21	14	97		
		F	85	1	4	4	5	2	5	7	21	18	18	87		
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M	1,774	4	6	9	19	36	60	174	403	519	544	99		
		F	1,567	3	9	16	11	20	57	150	333	442	526	90		
B19	Benign and unspecified neoplasms	M	49	1	-	1	3	2	-	9	14	12	7	106		
		F	63	-	-	2	1	2	4	13	14	18	9	114		
B20	Diabetes mellitus	M	96	-	-	1	1	3	5	9	16	24	37	98		
		F	191	-	-	1	-	-	1	4	22	67	96	102		
B21	Anaemias	M	30	1	-	-	1	1	-	1	3	6	17	75		
		F	75	-	-	-	-	-	1	2	10	19	43	82		
B22	Vascular lesions affecting central nervous system	M	1,801	2	1	2	5	10	21	72	248	498	942	78		
		F	2,840	-	-	-	5	8	19	89	250	681	1,788	76		
B23	Non-meningococcal meningitis	M	16	8	-	1	1	1	-	-	-	3	2	112		
		F	6	-	1	1	-	1	-	-	2	1	-	47		
B24	Rheumatic fever	M	1	-	-	1	-	-	-	-	-	-	-	28		
		F	1	-	-	-	-	-	-	-	-	-	1	30		
B25	Chronic rheumatic heart disease	M	148	1	-	-	2	6	17	26	39	32	25	87		
		F	305	-	-	-	1	1	26	53	83	79	62	89		

TABLE 19 - continued

Abbrevi- ated List No.	Causes of death		North East Metropolitan Hospital Region - continued												S.M.R. (England and Wales =100)
			Age												
			All ages	Under 1 year	Years										
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over		
B26	Arteriosclerotic heart disease including coronary disease (420) Degenerative heart disease (421, 422)	M	4,358	-	-	-	1	10	115	475	1,114	1,386	1,257	92	
		F	2,939	1	-	-	1	-	15	63	364	908	1,587	90	
		M	785	1	-	-	1	1	4	11	43	149	575	61	
		F	1,288	-	-	-	1	-	-	7	29	150	1,101	56	
B27	Other diseases of heart	M	445	3	1	1	2	1	12	21	53	111	240	94	
		F	554	2	1	-	3	4	9	38	125	372	84		
B28	Hypertension with heart disease	M	237	-	-	-	1	-	1	6	35	81	113	81	
		F	358	-	-	-	-	-	1	8	27	91	231	74	
B29	Hypertension without mention of heart	M	203	-	-	-	-	1	11	18	34	53	86	110	
		F	254	-	-	-	1	1	2	7	25	77	141	113	
B46 (Pt.)	Other circulatory diseases (450-468)	M	636	-	-	-	1	2	10	20	93	163	347	95	
		F	780	-	-	-	2	4	4	22	63	160	525	85	
B30	Influenza	M	63	2	1	1	-	-	3	3	12	9	32	61	
		F	80	4	2	-	1	-	-	8	9	56	58		
B31	Pneumonia	M	1,305	89	11	7	6	4	9	42	130	294	713	108	
		F	1,486	41	10	3	3	7	14	26	77	252	1,053	100	
B32	Bronchitis	M	1,810	21	4	-	3	1	7	63	348	620	743	102	
		F	823	17	5	-	-	9	19	79	179	515	101		
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	227	2	2	2	-	3	8	19	48	73	70	87	
		F	121	6	4	-	1	1	2	6	12	25	64	88	
B33	Ulcer of stomach and duodenum	M	158	-	-	-	-	1	2	9	36	48	62	79	
		F	84	-	-	-	-	-	4	4	6	14	56	70	
B34	Appendicitis	M	14	-	-	-	-	-	2	-	4	3	5	66	
		F	22	-	-	1	-	3	2	1	3	4	8	113	
B35	Intestinal obstruction and hernia	M	97	9	1	1	-	-	-	4	15	26	41	93	
		F	123	3	-	-	-	1	2	4	15	25	73	97	
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	73	12	1	1	1	2	3	2	11	21	19	101	
		F	113	6	1	-	1	-	2	2	16	28	57	95	
B37	Cirrhosis of liver	M	30	-	-	-	-	-	6	6	9	5	4	60	
		F	33	-	-	1	-	1	1	4	10	7	9	70	
B38	Nephritis and nephrosis	M	103	1	-	-	1	9	9	21	12	20	30	86	
		F	80	-	1	-	4	-	10	9	14	20	22	71	
B39	Hyperplasia of prostate	M	154	-	-	-	-	-	-	3	8	39	104	86	
B40	Complications of pregnancy, childbirth and puerperium	F	26	-	-	-	6	12	8	-	-	-	-	149	
B41	Congenital malformations	M	216	141	13	10	10	4	10	8	11	4	5	118	
		F	168	108	11	10	1	1	6	11	11	5	4	102	
B42	Birth injuries, postnatal asphyxia and atelectasis	M	152	152	-	-	-	-	-	-	-	-	-	86	
		F	103	103	-	-	-	-	-	-	-	-	-	90	
B43	Diarrhoea of newborn (764)	M	2	2	-	-	-	-	-	-	-	-	-	73	
		F	1	1	-	-	-	-	-	-	-	-	-	67	
B43	Other infections of newborn (763, 765-768)	M	23	23	-	-	-	-	-	-	-	-	-	79	
		F	15	15	-	-	-	-	-	-	-	-	-	74	
B44	Other diseases of early infancy and immaturity unqualified	M	165	165	-	-	-	-	-	-	-	-	-	105	
		F	137	137	-	-	-	-	-	-	-	-	-	122	
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	77	2	-	-	-	-	1	1	3	2	68	49	
		F	149	1	-	-	1	-	-	2	1	5	139	46	
B46 (Rem.)	All other diseases (Remainder 001-795)	M	596	20	17	20	19	35	28	49	92	138	178	101	
		F	864	13	12	11	21	16	38	62	126	229	336	92	
BE47	Motor vehicle accidents	M	243	-	2	13	64	22	17	22	43	30	30	78	
		F	117	-	2	3	11	8	9	14	21	25	24	90	
BE48	All other accidents	M	329	16	14	11	31	26	29	35	43	42	82	79	
		F	324	7	10	8	3	6	4	15	27	67	177	67	
BE49	Suicide and self-inflicted injury	M	231	-	-	1	18	33	34	34	60	33	18	99	
		F	172	-	-	-	10	23	20	35	44	26	14	96	
BE50	Homicide and operations of war	M	4	-	1	-	-	1	-	1	1	-	-	31	
		F	8	1	3	-	1	1	-	1	-	1	-	90	
EN47	Fractures, head injuries and internal injuries	M	404	1	9	14	76	40	24	45	67	49	79	79	
		F	294	1	5	5	10	9	9	19	29	61	146	72	
EN48	Burns	M	19	-	2	1	1	2	2	1	2	2	6	96	
		F	28	-	2	3	-	1	-	1	-	12	9	71	
EN49	Effects of poisons	M	240	1	2	1	16	28	35	33	53	37	34	102	
		F	227	-	3	-	10	25	21	35	49	37	47	91	
EN50	All other injuries	M	144	14	4	9	20	12	19	13	25	17	11	70	
		F	72	7	5	3	5	3	3	10	14	9	13	72	

TABLE 19 - continued

Abbrevi- ated List No.	Causes of death	South East Metropolitan Hospital Region												S.M.R. (England and Wales =100)
		Age												
		All ages	Under 1 year	Years										
1-	5-			15-	25-	35-	45-	55-	65-	75 and over				
	ALL CAUSES	M 22,391 F 23,400	663 488	98 75	105 67	243 87	219 154	488 415	1,489 1,049	4,067 2,412	6,224 5,132	8,795 13,521	98 99	
B1	Tuberculosis of respiratory system	M 196 F 50	- -	- -	- -	- -	3 2	18 5	24 10	55 11	55 12	41 10	123 99	
B2	Tuberculosis, other forms	M 15 F 16	- -	1 1	1 -	- 1	1 1	1 1	1 3	1 -	5 3	4 6	106 107	
B3	Syphilis and its sequelae	M 43 F 29	- -	- -	1 -	- -	- -	- 1	3 2	8 2	17 11	14 13	114 98	
B4	Typhoid fever	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B5	Cholera	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B6	Dysentery, all forms	M 3 F -	- -	- -	- -	- -	- -	- -	- -	3 -	- -	- -	198 -	
B7	Scarlet fever and streptococcal sore throat	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B8	Diphtheria	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B9	Whooping cough	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B10	Meningococcal infections	M 6 F 5	2 1	2 1	1 -	- 1	1 1	- -	- -	- -	- -	1 -	84 124	
B11	Plague	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B12	Acute poliomyelitis	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B13	Smallpox	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B14	Measles	M 3 F 5	- 1	2 -	- 3	1 1	- -	- -	- -	- -	- -	- -	72 114	
B15	Typhus and other rickettsial diseases	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B16	Malaria	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
B17	All other diseases classified as infective and parasitic	M 44 F 24	3 -	1 -	3 -	4 1	1 -	2 2	9 5	7 7	4 6	10 3	127 67	
B18	Malignant neoplasm: (140-205)	M 4,329 F 4,022	3 1	6 7	18 15	21 13	39 42	114 167	422 474	1,137 826	1,477 1,104	1,092 1,373	99 102	
	stomach (151)	M 540 F 421	- -	- -	- -	- -	2 3	13 6	42 25	152 57	173 101	158 229	89 84	
	trachea, bronchus and lung (162, 163)	M 1,697 F 390	- -	- -	1 1	- -	6 -	32 8	205 53	565 106	624 135	264 87	103 125	
	breast (170)	M 6 F 856	- -	- -	- -	- -	5 50	- 151	2 196	2 203	1 251	1 110	116 110	
	uterus (171-174)	M 291 F -	- -	- -	- -	1 -	2 24	- 42	- 66	- 80	- -	- 76	- 88	
	Leukaemia and aleukaemia (204)	M 139 F 134	- -	3 4	7 10	5 4	8 5	8 9	11 17	25 19	44 30	28 36	119 125	
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M 1,947 F 1,930	3 1	3 3	10 4	16 8	23 27	61 70	162 186	393 382	635 555	641 694	98 101	
	B19	Benign and unspecified neoplasms	M 49 F 66	- 1	- 1	1 1	3 1	3 4	8 6	8 12	9 13	14 16	11 11	99 110
	B20	Diabetes mellitus	M 108 F 172	- -	- -	- 1	1 -	2 1	2 3	8 8	23 21	28 61	44 77	103 84
	B21	Anaemias	M 52 F 109	1 1	- 1	- -	2 1	- 2	- 1	4 3	7 10	12 26	26 64	119 110
B22	Vascular lesions affecting central nervous system	M 2,315 F 3,878	- -	- -	2 2	2 2	4 7	27 24	74 88	301 323	588 829	1,317 2,603	92 96	
B23	Non-meningococcal meningitis	M 12 F 16	3 6	1 2	2 -	- -	- -	1 -	1 -	1 1	2 2	1 5	74 114	
B24	Rheumatic fever	M 2 F 5	- -	- -	- -	- -	- -	- 1	- 1	1 1	- -	1 -	55 144	
B25	Chronic rheumatic heart disease	M 166 F 305	- -	- -	- -	2 -	6 3	8 22	29 35	48 78	43 92	30 74	66 79	



TABLE 19 - continued

Abbreviated List No.	Causes of death		South East Metropolitan Hospital Region - continued												S.M.R. (England and Wales =100)
			Age												
			All ages	Under 1 year	Years										
1-	5-	15-			25-	35-	45-	55-	65-	75 and over					
826	Arteriosclerotic heart disease including coronary disease (420) Degenerative heart disease (421, 422)	M	5,048	-	-	-	1	8	114	443	1,185	1,690	1,607	98	
		F	3,493	-	-	-	-	3	17	73	353	1,042	2,005	98	
		M	1,283	1	-	-	2	6	19	63	217	973	93		
		F	2,478	-	1	1	1	4	3	12	40	244	2,172	101	
827	Other diseases of heart	M	641	1	1	1	4	5	6	18	69	179	357	124	
		F	786	-	-	-	1	4	23	41	162	551	110		
828	Hypertension with heart disease	M	318	-	-	-	-	-	4	13	49	113	139	101	
		F	536	-	-	-	-	1	4	31	139	361	103		
829	Hypertension without mention of heart	M	203	-	-	-	2	10	18	47	53	73	97		
		F	235	-	-	-	-	6	5	26	60	138	90		
846 (Pt.)	Other circulatory diseases (450-469)	M	766	1	-	-	1	5	9	29	102	215	404	105	
		F	1,012	-	-	-	6	1	7	24	74	210	690	100	
830	Influenza	M	168	-	1	1	1	4	6	24	43	87	154		
		F	209	-	-	-	1	3	4	14	48	139	142		
831	Pneumonia	M	1,391	67	18	2	4	1	11	32	128	303	825	104	
		F	1,769	49	14	3	1	6	11	31	92	286	1,276	109	
832	Bronchitis	M	1,850	29	10	4	2	2	11	74	373	604	741	92	
		F	863	19	2	6	2	2	5	28	76	197	526	96	
846 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	218	2	6	-	2	3	4	15	41	61	84	76	
		F	147	4	1	-	1	6	9	21	39	65	96		
833	Ulcer of stomach and duodenum	M	234	-	-	1	-	1	3	12	51	68	98	108	
		F	140	-	-	-	-	2	7	16	23	92	108		
834	Appendicitis	M	30	-	-	2	2	-	1	1	6	7	11	128	
		F	23	-	1	-	-	-	1	6	5	3	7	110	
835	Intestinal obstruction and hernia	M	137	5	2	-	-	2	-	8	12	44	64	118	
		F	146	3	-	-	1	-	1	5	23	38	75	104	
836	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	82	11	5	-	1	-	2	5	10	18	30	102	
		F	168	11	2	1	1	3	4	3	17	41	85	130	
837	Cirrhosis of liver	M	53	1	-	-	1	1	1	11	10	22	6	91	
		F	44	1	-	-	1	-	1	6	11	15	9	81	
838	Nephritis and nephrosis	M	129	1	-	2	6	6	3	16	27	31	37	99	
		F	129	1	-	2	4	4	6	6	23	27	56	107	
839	Hyperplasia of prostate	M	210	-	-	-	-	-	1	2	9	44	154	108	
840	Complications of pregnancy, childbirth and puerperium	F	12	-	-	-	1	6	5	-	-	-	-	56	
841	Congenital malformations	M	202	139	14	6	5	4	9	5	10	8	2	97	
		F	165	105	13	6	3	4	3	10	9	7	5	89	
842	Birth injuries, postnatal asphyxia and atelectasis	M	156	156	-	-	-	-	-	-	-	-	-	77	
		F	118	118	-	-	-	-	-	-	-	-	-	91	
843	Diarrhoea of newborn (764) Other infections of newborn (765, 765-768)	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	1	1	-	-	-	-	-	-	-	-	-	65	
		M	23	23	-	-	-	-	-	-	-	-	-	73	
		F	18	18	-	-	-	-	-	-	-	-	-	76	
844	Other diseases of early infancy and immaturity unqualified	M	166	165	-	1	-	-	-	-	-	-	-	96	
		F	113	113	-	-	-	-	-	-	-	-	-	87	
845	Senility without mention of psychosis, ill-defined and unknown causes	M	146	1	-	-	-	-	-	2	1	6	136	87	
		F	276	4	-	-	1	-	-	1	2	7	261	79	
846 (Rem.)	All other diseases (Remainder 001-795)	M	667	32	7	13	30	21	33	56	106	148	221	103	
		F	1,030	20	10	15	9	17	55	81	139	242	442	100	
847	Motor vehicle accidents	M	302	1	10	15	97	32	18	33	34	23	39	88	
		F	139	-	6	6	11	5	6	5	23	37	40	96	
848	All other accidents	M	377	12	11	28	31	33	31	39	51	50	91	79	
		F	425	10	11	5	11	1	11	21	31	63	261	80	
849	Suicide and self-inflicted injury	M	238	-	-	-	17	29	30	48	56	36	22	84	
		F	215	-	-	-	7	28	24	42	51	40	23	103	
850	Homicide and operations of war	M	10	3	-	-	-	1	1	3	1	-	-	68	
		F	8	-	1	-	3	1	-	2	1	-	-	76	
847	Fractures, head injuries and internal injuries	M	492	2	13	26	104	46	29	54	68	50	100	86	
		F	376	-	8	8	17	6	6	11	34	67	219	84	
848	Burns	M	20	-	1	2	1	2	-	1	1	4	8	92	
		F	33	-	2	1	1	1	1	2	2	2	21	74	
849	Effects of poisons	M	258	1	1	-	17	34	32	49	54	39	31	89	
		F	287	1	2	1	9	26	25	47	51	53	72	99	
850	All other injuries	M	157	13	6	15	23	13	19	17	21	17	13	68	
		F	91	9	6	1	5	2	9	10	19	18	12	81	

TABLE 19 - continued

Abbrevi- ated List No.	Causes of death	South West Metropolitan Hospital Region												S.M.R. (England and Wales =100)
		Age												
		All ages	Under 1 year	Years										
1-	5-			15-	25-	35-	45-	55-	65-	75 and over				
	ALL CAUSES	M F	19,676 21,511	624 414	102 77	90 51	242 85	219 148	506 380	1,454 1,021	3,789 2,165	5,262 4,486	7,388 12,684	87 93
B1	Tuberculosis of respiratory system	M F	128 58	- -	- -	- -	1 2	3 6	8 14	20 12	36 13	36 13	24 11	78 121
B2	Tuberculosis, other forms	M F	8 14	- -	- 1	- -	- 2	- 2	1 2	2 2	3 5	2 5	2 2	43 98
B3	Syphilis and its sequelae	M F	40 41	- -	- -	- -	- -	- -	- 1	5 4	12 4	14 16	9 20	109 142
B4	Typhoid fever	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
B5	Cholera	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
B6	Dysentery, all forms	M F	1 1	- -	- -	- -	- -	- -	- -	- 1	- -	- -	1 -	70 97
B7	Scarlet fever and streptococcal sore throat	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
B8	Diphtheria	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
B9	Whooping cough	M F	- 1	- 1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
B10	Meningococcal infections	M F	12 5	7 3	1 2	1 -	- -	- -	- -	1 -	1 -	1 -	- -	194 105
B11	Plague	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
B12	Acute poliomyelitis	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
B13	Smallpox	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
B14	Measles	M F	4 7	1 1	1 1	- 4	- -	1 -	- -	- -	- -	- 1	1 -	76 169
B15	Typhus and other rickettsial diseases	M F	- -	- -	- -	- -	- -	- -	- 1	- 1	- -	- -	- -	- 716
B16	Malaria	M F	2 -	- -	- -	- -	- -	- -	1 -	1 -	- -	- -	- -	- -
B17	All other diseases classified as infective and parasitic	M F	38 31	5 2	2 1	1 -	1 2	2 1	4 2	8 5	6 11	1 11	8 6	108 91
B18	Malignant neoplasm: (140-205)	M F	3,895 3,578	5 1	14 10	14 16	30 14	38 30	113 147	417 452	1,114 778	1,189 938	961 1,192	90 92
	stomach (151)	M F	432 368	- -	- -	- -	- -	- -	16 7	47 19	108 57	140 102	121 183	71 73
	trachea, bronchus and lung (162, 163)	M F	1,559 360	- -	- -	- -	1 -	8 1	23 7	176 61	585 97	530 124	236 70	95 116
	breast (170)	M F	7 736	- -	- -	- -	- 5	- 40	1 135	2 191	2 158	1 207	1 222	122 96
	uterus (171-174)	M F	234 -	- -	- -	- -	- 3	21 34	34 52	52 63	63 61	61 61	61 61	71 71
	Leukaemia and aleukaemia (204)	M F	117 98	1 1	7 5	6 8	6 1	10 2	6 9	21 8	21 18	20 26	19 20	102 90
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M F	1,780 1,782	4 -	7 5	8 8	23 13	20 19	67 63	171 195	398 363	498 465	584 651	91 94
	Benign and unspecified neoplasms	M F	31 50	1 1	- 1	- -	- -	2 3	2 3	4 12	9 8	8 10	5 12	60 83
	Diabetes mellitus	M F	87 131	- -	- -	1 -	1 -	3 2	2 4	8 2	12 16	24 40	36 67	84 63
	Anaemias	M F	39 67	1 -	- -	- 1	1 -	- 2	1 -	- 1	5 4	11 21	20 38	87 69
	B22	Vascular lesions affecting central nervous system	M F	1,845 3,392	- 1	1 1	1 -	5 1	6 5	21 23	76 96	270 253	524 711	941 2,301
B23	Non-meningococcal meningitis	M F	17 12	6 5	3 2	- -	- -	1 1	1 -	2 -	- 2	4 1	- 1	114 88
B24	Rheumatic fever	M F	3 2	- -	- -	- -	- -	- 2	- -	1 -	- 1	- -	- 1	58 61
B25	Chronic rheumatic heart disease	M F	164 331	- -	- -	- -	3 -	7 4	11 18	39 41	51 79	25 87	28 102	86 88

TABLE 19 - continued

Abbreviated List No.	Causes of death		South West Metropolitan Hospital Region - continued											S.M.R. (England and Wales =100)
			Age											
			All ages	Under 1 year	Years									
1-	5-	15-			25-	35-	45-	55-	65-	75 and over				
26	Arteriosclerotic heart disease including coronary disease (420) Degenerative heart disease (421, 422)	M	4,395	-	-	-	1	7	105	417	1,104	1,422	1,339	86
		F	3,059	-	1	-	-	2	13	62	300	869	1,812	87
		M	1,301	-	-	-	3	4	7	18	72	206	991	98
		F	2,542	-	-	-	-	-	3	12	25	259	2,243	107
27	Other diseases of heart	M	342	-	-	1	5	3	5	11	39	91	187	64
		F	591	1	-	-	-	-	6	9	37	108	430	82
28	Hypertension with heart disease	M	201	-	-	-	-	-	1	7	30	62	101	65
		F	406	-	-	-	-	-	-	1	20	102	283	79
29	Hypertension without mention of heart	M	209	-	-	-	-	4	6	19	45	51	84	102
		F	298	-	-	-	1	-	1	13	31	76	176	118
46 (Pt.)	Other circulatory diseases (450-468)	M	619	1	-	-	2	2	13	21	83	162	335	86
		F	963	-	-	-	5	3	12	27	65	191	660	97
30	Influenza	M	150	7	2	4	3	2	1	16	20	29	66	144
		F	195	1	-	2	-	-	4	3	12	39	134	135
31	Pneumonia	M	1,385	69	18	12	6	6	13	42	123	296	800	106
		F	1,858	45	12	2	2	7	11	39	105	284	1,351	117
32	Bronchitis	M	1,685	14	5	1	1	2	9	76	327	596	654	85
		F	780	11	1	4	-	-	9	20	65	186	484	87
46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	238	2	4	1	1	-	6	11	47	86	80	86
		F	130	4	3	2	1	1	3	5	15	17	79	85
33	Ulcer of stomach and duodenum	M	196	-	-	-	-	1	6	18	33	63	75	93
		F	117	1	-	-	-	3	1	4	9	31	68	91
34	Appendicitis	M	20	1	-	-	-	-	-	3	1	10	5	87
		F	24	-	-	1	1	-	-	-	3	8	11	116
35	Intestinal obstruction and hernia	M	109	8	1	-	-	2	3	7	15	30	43	93
		F	131	2	1	-	1	1	-	3	16	32	75	93
36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	84	13	6	-	-	-	2	8	11	20	24	108
		F	112	6	1	1	2	1	2	8	13	28	50	85
37	Cirrhosis of liver	M	41	-	-	-	1	-	3	10	17	5	5	67
		F	39	-	-	-	-	1	2	8	9	12	7	70
38	Nephritis and nephrosis	M	108	-	-	1	6	4	9	14	14	29	31	85
		F	95	1	-	1	2	5	4	14	17	17	34	79
39	Hyperplasia of prostate	M	189	-	-	-	-	-	-	1	10	36	142	100
40	Complications of pregnancy, childbirth and puerperium	F	18	-	-	-	6	7	4	1	-	-	-	88
41	Congenital malformations	M	187	111	11	13	6	4	7	10	10	10	5	90
		F	146	80	11	4	3	5	2	11	10	12	8	77
42	Birth injuries, postnatal asphyxia and atelectasis	M	179	179	-	-	-	-	-	-	-	-	-	92
		F	104	104	-	-	-	-	-	-	-	-	-	80
43	Diarrhoea of newborn (764)	M	3	3	-	-	-	-	-	-	-	-	-	75
		F	-	-	-	-	-	-	-	-	-	-	-	-
		M	22	22	-	-	-	-	-	-	-	-	-	-
43	Other infections of newborn (763, 765-768)	F	13	13	-	-	-	-	-	-	-	-	-	40
44	Other diseases of early infancy and immaturity unqualified	M	135	135	-	-	-	-	-	-	-	-	-	79
		F	102	102	-	-	-	-	-	-	-	-	-	78
45	Senility without mention of psychosis, ill-defined and unknown causes	M	109	1	-	-	1	1	1	-	3	2	100	67
		F	293	2	-	-	-	-	-	-	1	6	284	86
46 (Rem.)	All other diseases (Remainder 001-795)	M	548	16	7	11	15	24	25	48	124	114	164	86
		F	976	11	10	4	11	16	39	80	135	225	445	96
E47	Motor vehicle accidents	M	268	-	7	17	90	28	27	27	26	22	24	80
		F	140	-	6	7	13	7	5	7	19	33	43	99
E48	All other accidents	M	353	15	19	11	36	29	29	39	51	46	78	74
		F	402	12	10	2	3	14	14	22	39	57	229	77
E49	Suicide and self-inflicted injury	M	270	-	-	-	21	32	56	47	63	32	19	97
		F	246	-	-	-	13	24	38	48	58	40	25	120
E50	Homicide and operations of war	M	16	1	-	-	2	1	5	1	1	5	-	119
		F	10	3	2	-	2	1	2	-	-	-	-	92
N47	Fractures, head injuries and internal injuries	M	403	1	9	20	96	37	39	41	46	46	68	70
		F	316	3	8	7	14	13	10	10	26	48	177	72
N48	Burns	M	11	1	1	-	-	-	1	1	1	1	4	51
		F	21	1	1	-	-	-	2	2	3	1	11	44
N49	Effects of poisons	M	310	-	8	1	22	32	57	50	66	34	40	109
		F	356	1	7	-	12	28	41	51	65	68	83	127
N50	All other injuries	M	183	14	8	7	31	20	20	22	28	24	9	82
		F	105	10	2	2	5	5	6	14	22	13	26	97



TABLE 19 - continued

Abbreviated List No.	Causes of death	Wessex Hospital Region												S.M.R. (England and Wales =100)
		Age												
		All ages	Under 1 year	Years										
1-	5-			15-	25-	35-	45-	55-	65-	75 and over				
	ALL CAUSES	M F	11,831 11,925	357 281	56 47	54 35	140 47	101 89	246 208	777 530	2,071 1,241	3,272 2,540	4,757 6,907	103 108
B1	Tuberculosis of respiratory system	M F	62 19	- -	- -	- -	- -	1 -	6 5	13 1	20 1	14 7	8 5	83 86
B2	Tuberculosis, other forms	M F	5 10	- -	1 1	- -	- -	- 2	1 1	- 3	1 -	1 1	1 2	76 144
B3	Syphilis and its sequelae	M F	20 14	- -	- -	- -	- -	- -	- -	1 -	4 4	10 2	5 8	106 107
B4	Typhoid fever	M F	1 -	- -	- -	- -	- -	1 -	- -	- -	- -	- -	- -	876
B5	Cholera	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	-
B6	Dysentery, all forms	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	-
B7	Scarlet fever and streptococcal sore throat	M F	1 -	- -	- -	- -	- -	- -	1 -	- -	- -	- -	- -	349
B8	Diphtheria	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	-
B9	Whooping cough	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	-
B10	Meningococcal infections	M F	2 3	1 2	- -	1 -	- -	- 1	- -	- -	- -	- -	- -	57 133
B11	Plague	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	-
B12	Acute poliomyelitis	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	-
B13	Smallpox	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	-
B14	Measles	M F	2 5	1 -	- 4	- 1	- -	- -	- -	- -	- -	- 1	- -	8 19
B15	Typhus and other rickettsial diseases	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	-
B16	Malaria	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	-
B17	All other diseases classified as infective and parasitic	M F	23 13	2 1	2 -	1 2	1 -	- 1	1 -	3 4	8 1	3 2	2 2	13 8
B18	Malignant neoplasm: (140-205)	M F	2,174 1,995	1 2	4 3	17 5	12 8	14 19	63 90	200 246	542 417	769 535	552 670	10 11
	stomach (151)	M F	281 192	- -	- -	- -	- -	2 -	11 1	22 19	55 25	113 47	78 100	9 8
	trachea, bronchus and lung (162, 163)	M F	766 139	- -	- -	- -	- -	- -	18 3	93 20	271 43	278 42	106 31	9 10
	breast (170)	M F	2 414	- -	- -	- 1	- 2	- 30	- 71	- 93	- 100	1 117	1 11	7 11
	uterus (171-174)	F	166	-	-	-	1	1	13	31	44	36	40	11
	Leukaemia and aleukaemia (204)	M F	58 61	1 1	1 -	9 4	2 1	4 3	3 1	6 12	11 15	9 7	12 17	9 12
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M F	1,067 1,023	- 1	3 3	8 1	10 5	8 13	31 42	79 93	205 197	368 303	355 365	10 11
	Benign and unspecified neoplasms	M F	33 33	- 1	- 1	- -	1 2	1 -	2 4	7 5	10 7	10 7	2 5	13 11
	Diabetes mellitus	M F	61 88	- -	- -	- 1	- 2	- 1	1 1	6 3	11 9	19 30	24 41	11 9
	Anaemias	M F	19 46	- -	- -	- -	- -	- 1	- 2	1 1	5 5	5 11	8 26	8 9
B22	Vascular lesions affecting central nervous system	M F	1,278 2,067	1 -	- -	- 1	1 1	1 5	8 11	54 42	154 158	344 463	715 1,386	9 10
B23	Non-meningococcal meningitis	M F	6 6	2 3	1 1	- -	- -	- -	1 -	- -	2 -	- 2	1 -	7 8
B24	Rheumatic fever	M F	3 2	- -	- -	- -	1 -	- -	1 -	- -	1 1	- -	- -	14 11
B25	Chronic rheumatic heart disease	M F	70 161	- -	- -	- -	2 1	3 5	7 11	8 20	15 51	22 32	13 41	7 9

TABLE 19 - continued

Abbreviated List No.	Causes of death		Wessex Hospital Region - continued											S.M.R. (England and Wales =100)
			Age											
			All ages	Under 1 year	Years									
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over	
E26	Arteriosclerotic heart disease including coronary disease (420) Degenerative heart disease (421, 422)	M F M F	2,707 1,741 900 1,524	- - - -	- - - -	- - 1 -	- - - -	8 2 3 -	46 9 7 -	236 39 11 7	617 186 43 31	884 504 156 174	916 1,001 679 1,312	106 106 125 128
E27	Other diseases of heart	M F	243 312	- -	1 -	1 -	1 1	1 1	1 1	8 6	25 24	62 76	143 203	92 94
E28	Hypertension with heart disease	M F	204 301	- -	- -	- -	- -	- -	2 7	7 9	32 24	65 62	98 206	125 122
E29	Hypertension without mention of heart	M F	89 97	- -	- -	- -	- 1	- -	3 -	11 3	21 4	18 34	36 55	89 85
E46 (Pt.)	Other circulatory diseases (450-468)	M F	380 450	- -	- -	- 1	- -	- -	4 1	19 16	44 36	107 93	206 303	102 96
E30	Influenza	M F	63 107	1 1	- -	- -	- -	- 2	2 -	1 3	5 6	14 16	40 79	109 154
E31	Pneumonia	M F	697 805	19 20	8 8	2 3	2 3	3 3	4 7	22 18	63 56	149 122	425 565	102 106
E32	Bronchitis	M F	899 385	5 6	3 3	- -	- -	- -	10 1	40 10	190 33	306 90	345 242	92 93
E46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M F	153 76	2 3	1 -	- -	- -	- -	4 3	10 3	34 14	40 17	62 36	108 109
E33	Ulcer of stomach and duodenum	M F	118 69	- -	- -	- -	- -	- 1	4 -	10 4	30 6	32 18	42 40	107 113
E34	Appendicitis	M F	11 10	- -	- -	1 -	1 -	- -	1 -	1 1	1 4	3 2	93 3	100
E35	Intestinal obstruction and hernia	M F	57 60	2 6	1 1	- -	1 -	1 -	- 2	2 2	11 3	13 12	26 34	97 93
E36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M F	44 75	6 8	2 3	- -	- 1	1 -	- 1	3 3	5 5	8 16	19 38	110 122
E37	Cirrhosis of liver	M F	24 19	- -	- -	- -	- -	- -	4 5	3 1	7 5	8 4	2 4	90 80
E38	Nephritis and nephrosis	M F	63 61	- -	1 -	- 3	1 3	2 3	5 6	12 1	5 10	17 8	20 27	95 108
E39	Hyperplasia of prostate	M	118	-	-	-	-	-	-	-	3	31	84	116
E40	Complications of pregnancy, childbirth and puerperium	F	5	-	-	-	-	4	1	-	-	-	-	56
E41	Congenital malformations	M F	127 111	88 75	13 8	4 4	3 3	2 4	2 -	4 6	6 3	3 5	2 3	114 114
E42	Birth injuries, postnatal asphyxia and atelectasis	M F	99 59	99 59	- -	- -	- -	- -	- -	- -	- -	- -	- -	91 84
E43	Diarrhoea of newborn (764)	M F	2 -	2 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	118 -
	Other infections of newborn (763, 765-768)	M F	9 7	9 7	- -	- -	- -	- -	- -	- -	- -	- -	- -	50 56
E44	Other diseases of early infancy and immaturity unqualified	M F	90 56	90 56	- -	- -	- -	- -	- -	- -	- -	- -	- -	93 80
E45	Senility without mention of psychosis, ill-defined and unknown causes	M F	77 183	- -	- 1	- -	- -	1 -	- -	- 2	1 2	2 5	73 173	85 110
E46 (Rem.)	All other diseases (Remainder 001-795)	M F	347 543	9 16	7 11	6 6	9 9	9 12	14 18	29 32	64 80	84 136	116 223	106 114
EE47	Motor vehicle accidents	M F	202 61	- -	3 1	13 4	74 4	19 7	17 5	20 5	21 12	15 7	20 16	107 92
EE48	All other accidents	M F	218 243	17 15	8 1	6 1	14 4	14 5	13 7	20 12	39 24	34 29	53 145	92 98
EE49	Suicide and self-inflicted injury	M F	121 96	- -	- -	- 1	12 3	16 8	12 16	15 21	29 18	21 18	16 11	96 108
EE50	Homicide and operations of war	M F	9 7	- -	- -	2 2	3 1	- 1	- -	- 1	2 1	2 -	- 1	121 146
EN47	Fractures, head injuries and internal injuries	M F	302 207	4 -	4 2	15 4	80 4	22 8	23 7	28 8	44 20	28 26	54 128	100 96
EN48	Burns	M F	11 9	1 -	1 -	- 1	1 -	- -	- -	- -	2 3	2 1	4 4	96 44
EN49	Effects of poisons	M F	120 140	- -	2 -	2 3	8 4	13 9	10 16	12 27	30 24	25 22	18 35	94 112
EN50	All other injuries	M F	117 51	12 15	4 -	4 -	14 4	14 4	9 5	15 4	15 8	17 5	13 6	99 98

TABLE 19 - continued

Abbreviated List No.	Causes of death	Oxford Hospital Region												S.M.R. (England and Wales =100)
		Age												
		All ages	Under 1 year	Years										
1-	5-			15-	25-	35-	45-	55-	65-	75 and over				
	ALL CAUSES	M F	9,529 9,052	359 240	59 53	56 28	132 41	114 69	231 188	634 410	1,718 947	2,507 1,987	3,719 5,089	87 87
B1	Tuberculosis of respiratory system	M F	45 16	- -	- -	- -	- -	1 1	1 1	7 3	15 5	7 3	14 3	62 77
B2	Tuberculosis, other forms	M F	8 7	- -	- -	- -	- -	- -	- -	2 1	4 1	- 1	2 4	130 107
B3	Syphilis and its sequelae	M F	21 8	- -	- -	- -	- -	1 -	- -	1 -	2 1	11 4	6 3	118 65
B4	Typhoid fever	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
B5	Cholera	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
B6	Dysentery, all forms	M F	1 1	- -	- -	1 -	- -	1 -	- -	- -	- -	- -	- -	127 194
B7	Scarlet fever and streptococcal sore throat	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
B8	Diphtheria	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
B9	Whooping cough	M F	1 -	1 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	176 -
B10	Meningococcal infections	M F	2 3	1 1	- 1	- -	- -	- -	- 1	- -	- -	1 -	- -	60 139
B11	Plague	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
B12	Acute poliomyelitis	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
B13	Smallpox	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
B14	Measles	M F	- 3	- -	- 2	- -	- -	1 -	- -	- -	- -	- -	- -	- 123
B15	Typhus and other rickettsial diseases	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
B16	Malaria	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
B17	All other diseases classified as infective and parasitic	M F	15 18	2 -	- 1	1 -	1 2	1 1	1 2	3 4	3 2	1 -	2 6	91 117
B18	Malignant neoplasm: (140-205)	M F	1,785 1,458	3 1	8 7	8 4	16 7	22 18	46 72	180 183	475 320	576 396	451 450	88 85
	stomach (151)	M F	245 182	- -	- -	- -	- -	1 -	6 3	31 12	64 29	83 57	60 81	86 83
	trachea, bronchus and lung (162, 163)	M F	605 102	- -	- -	- -	- -	3 -	7 8	76 12	217 26	208 33	94 23	81 78
	breast (170)	M F	4 295	- -	- -	- -	- 1	- 1	1 20	2 65	2 82	1 68	- 58	156 87
	uterus (171-174)	M F	106 -	- -	- -	- -	- 2	- 8	- 17	- 36	- 25	- 18	- 75	- -
	Leukaemia and aleukaemia (204)	M F	62 47	1 -	3 5	4 -	4 3	1 2	3 4	4 4	12 7	16 11	14 11	111 99
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M F	869 726	2 1	5 2	4 4	12 3	17 13	29 29	69 73	180 140	268 202	283 259	94 87
	Benign and unspecified neoplasms	M F	13 27	- -	- -	1 -	1 -	- 1	- 2	3 8	4 5	1 5	3 6	54 102
	Diabetes mellitus	M F	40 69	- -	1 1	1 1	- -	- -	2 2	5 2	9 11	13 20	9 32	78 77
	Anaemias	M F	16 27	- -	- -	- -	- -	- -	1 -	1 1	3 2	3 6	8 18	75 61
B22	Vascular lesions affecting central nervous system	M F	1,007 1,616	- -	1 -	- -	2 1	2 6	12 14	50 46	149 141	281 342	510 1,066	82 89
B23	Non-meningococcal meningitis	M F	8 4	4 2	1 -	1 -	- -	1 -	1 1	1 -	- -	- 1	- -	101 59
B24	Rheumatic fever	M F	2 3	- -	- -	1 -	- -	- -	- -	- 2	1 -	- -	- 1	103 184
B25	Chronic rheumatic heart disease	M F	81 130	- -	- -	- -	- 1	3 2	10 16	15 17	15 30	28 31	10 33	95 80



TABLE 19 - continued

Abbreviated List No.	Causes of death		Oxford Hospital Region - continued												S.M.R. (England and Wales =100)
			Age												
			All ages	Under 1 year	Years										
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over		
B26	Arteriosclerotic heart disease including coronary disease (420) Degenerative heart disease (421, 422)	M F M F	2,047 1,268 673 1,071	- - - -	- - - -	- - - -	- - 2 1	5 - - 2	57 9 2 1	163 36 6 5	505 132 31 26	635 386 113 146	682 705 519 890	85 81 98 95	
B27	Other diseases of heart	M F	232 265	- -	1 -	1 -	1 -	1 1	2 5	6 2	30 21	61 53	129 183	93 84	
B28	Hypertension with heart disease	M F	153 197	- -	- -	- -	- -	- -	1 -	8 1	19 19	55 67	70 110	100 85	
B29	Hypertension without mention of heart	M F	82 78	- -	- -	- -	- -	2 4	5 3	8 10	13 19	23 42	31 72	86 72	
B46 (Pt.)	Other circulatory diseases (450-468)	M F	301 373	- -	- -	- -	1 1	1 2	2 4	11 11	45 28	85 82	156 245	85 84	
B30	Influenza	M F	57 101	- 1	- -	- -	- 1	1 1	1 1	2 1	6 10	16 16	31 70	105 151	
B31	Pneumonia	M F	672 676	30 29	12 11	3 -	6 4	2 3	9 5	19 8	58 33	124 120	409 463	104 93	
B32	Bronchitis	M F	682 263	3 4	3 2	1 1	1 -	1 1	3 4	30 7	144 22	227 67	269 155	74 67	
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M F	91 64	4 2	4 -	- 2	- 1	2 1	3 2	5 2	26 8	23 8	24 38	67 96	
B33	Ulcer of stomach and duodenum	M F	81 57	- -	- -	- -	- -	- 1	4 -	4 2	12 6	22 14	39 34	78 99	
B34	Appendicitis	M F	13 9	- -	- -	- -	2 -	1 1	1 -	- -	4 3	4 2	1 3	116 96	
B35	Intestinal obstruction and hernia	M F	43 50	2 4	1 1	- -	- -	- -	- 1	- 4	4 3	13 14	23 23	78 81	
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M F	26 49	2 1	1 -	- 1	- -	- 2	1 1	3 2	4 5	11 10	4 27	67 84	
B37	Cirrhosis of liver	M F	24 22	- -	- -	- -	- -	1 -	3 1	4 4	12 8	2 4	2 5	96 99	
B38	Nephritis and nephrosis	M F	50 40	1 1	- -	1 -	3 1	6 4	5 2	6 6	4 5	12 9	12 12	80 74	
B39	Hyperplasia of prostate	M	86	-	-	-	-	-	-	-	4	14	68	90	
B40	Complications of pregnancy, childbirth and puerperium	F	6	-	-	-	2	2	2	-	-	-	-	72	
B41	Congenital malformations	M F	109 84	68 56	10 6	8 5	5 1	- 3	3 1	4 1	5 4	3 5	3 2	103 91	
B42	Birth injuries, postnatal asphyxia and atelectasis	M F	113 68	113 68	- -	- -	- -	- -	- -	- -	- -	- -	- -	110 102	
B43	Diarrhoea of newborn (764) Other infections of newborn (763, 765-768)	M F M F	- - 16 9	- - 16 9	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- 94 76	
B44	Other diseases of early infancy and immaturity unqualified	M F	73 52	73 52	- -	- -	- -	- -	- -	- -	- -	- -	- -	80 79	
B45	Senility without mention of psychosis, ill-defined and unknown causes	M F	78 126	- -	- 1	- -	- -	- -	- -	- -	3 3	6 7	69 115	91 79	
B46 (Rem.)	All other diseases (Remainder 001-795)	M F	316 406	13 -	5 8	7 6	8 7	6 4	14 14	33 23	50 49	88 104	92 191	102 90	
BE47	Motor vehicle accidents	M F	189 56	1 1	5 1	13 6	58 10	28 7	16 5	21 6	22 5	11 8	14 7	106 88	
BE48	All other accidents	M F	190 210	22 8	6 11	9 1	19 1	12 1	15 5	14 10	18 10	21 26	54 137	84 89	
BE49	Suicide and self-inflicted injury	M F	85 59	- -	- -	- -	6 -	12 2	11 10	18 8	19 19	16 11	3 9	71 70	
BE50	Homicide and operations of war	M F	2 3	- -	- -	- -	- -	1 1	- -	1 1	- -	- -	- 1	28 66	
EN47	Fractures, head injuries and internal injuries	M F	269 193	2 1	6 6	15 6	61 9	26 8	26 7	33 9	32 6	20 24	48 117	94 97	
EN48	Burns	M F	9 11	- -	- 2	- -	- -	- -	- -	- 1	2 2	1 2	4 4	84 57	
EN49	Effects of poisons	M F	68 73	1 -	- -	- -	6 -	9 3	8 9	8 11	15 16	13 13	8 21	56 62	
EN50	All other injuries	M F	120 51	20 8	5 4	7 1	16 2	17 -	8 4	12 4	10 10	14 6	11 12	108 102	

TABLE 19 - continued

Abbreviated List No.	Causes of death	South Western Hospital Region												S.M.R. (England and Wales =100)	
		Age													
		All ages	Under 1 year	Years											
				1-	5-	15-	25-	35-	45-	55-	65-	75 and over			
	ALL CAUSES	M 19,682 F 19,853	529 392	85 60	81 56	227 85	183 137	454 314	1,259 896	3,526 2,039	5,685 4,580	7,653 11,294	95 99		
B1	Tuberculosis of respiratory system	M 107 F 40	- -	- -	- -	- -	- 3	6 9	19 9	35 4	28 7	19 8	78 104		
B2	Tuberculosis, other forms	M 8 F 10	- -	- -	- -	- -	- 1	2 -	1 4	1 2	3 3	1 -	73 83		
B3	Syphilis and its sequelae	M 24 F 11	- -	- -	- -	- -	- -	- -	3 1	8 1	11 6	2 3	70 46		
B4	Typhoid fever	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -		
B5	Cholera	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -		
B6	Dysentery, all forms	M 3 F -	- -	1 -	1 -	- -	- -	- -	- -	- -	- -	1 -	208 -		
B7	Scarlet fever and streptococcal sore throat	M 1 F 1	- -	- -	- -	- -	1 -	- -	- -	- -	1 -	- -	228 511		
B8	Diphtheria	M 1 F -	- -	- -	1 -	- -	- -	- -	- -	- -	- -	- -	575 -		
B9	Whooping cough	M 2 F -	2 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	225 -		
B10	Meningococcal infections	M 10 F 1	2 1	6 -	1 -	- -	- -	- -	- -	1 -	- -	- -	187 28		
B11	Plague	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -		
B12	Acute poliomyelitis	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -		
B13	Smallpox	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -		
B14	Measles	M 1 F 1	- -	1 1	- -	- -	- -	- -	- -	- -	- -	- -	26 25		
B15	Typhus and other rickettsial diseases	M 1 F -	- -	- -	- -	- -	- -	1 -	- -	- -	- -	- -	721 -		
B16	Malaria	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -		
B17	All other diseases classified as infective and parasitic	M 41 F 32	4 1	6 -	1 -	2 2	- -	2 1	9 2	6 6	5 8	6 12	141 114		
B18	Malignant neoplasm:	M 3,460 F 3,222	2 1	11 7	14 11	19 12	34 33	95 121	335 384	902 677	1,154 923	894 1,053	90 100		
	(140-205)	M 483 F 380	- -	- -	- -	- 1	- 2	4 3	14 21	39 53	123 115	161 185	89 90		
	stomach (151)	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -		
	trachea, bronchus and lung (162, 163)	M 1,122 F 228	- -	- -	1 -	- -	5 -	26 4	143 33	376 56	412 76	159 59	79 92		
	breast (170)	M 3 F 652	- -	- -	- -	- -	- 7	- 41	- 124	- 150	- 179	2 151	61 103		
	uterus (171-174)	M 254 F -	- -	- -	- -	- -	- -	18 47	- 64	- 67	- 67	- 58	96 -		
	Leukaemia and aleukaemia (204)	M 99 F 80	1 -	3 3	3 5	7 1	2 4	8 8	9 5	19 19	27 16	20 19	98 91		
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M 1,753 F 1,628	1 1	8 4	10 6	12 10	23 20	47 47	144 154	384 335	552 470	572 581	99 103		
	Benign and unspecified neoplasms	M 25 F 40	1 2	1 -	1 -	- 1	- 2	4 2	1 8	8 7	6 9	3 9	57 82		
	Diabetes mellitus	M 100 F 162	- -	1 -	2 -	- -	- 3	1 1	7 5	13 23	36 51	40 79	102 94		
	B21	Anaemias	M 37 F 87	- -	1 -	- 1	- 1	- -	2 3	1 2	2 14	14 18	17 48	90 102	
B22	Vascular lesions affecting central nervous system	M 2,390 F 3,706	1 -	1 -	1 1	4 3	2 7	22 19	72 101	267 306	759 873	1,261 2,596	100 105		
B23	Non-meningococcal meningitis	M 15 F 6	3 3	4 -	2 -	- -	- -	2 1	- -	2 1	1 1	1 -	113 52		
B24	Rheumatic fever	M 6 F 1	- -	- -	2 -	- -	- -	- -	2 -	1 -	1 -	- -	180 33		
B25	Chronic rheumatic heart disease	M 159 F 246	- -	1 -	- -	2 2	5 7	20 21	32 51	41 47	37 64	21 54	101 81		

TABLE 19 - continued

Abbreviated List No.	Causes of death		South Western Hospital Region - continued											S.M.R. (England and Wales =100)
			Age											
			All ages	Under 1 year	Years									
1-	5-	15-			25-	35-	45-	55-	65-	75 and over				
B26	Arteriosclerotic heart disease including coronary disease (420) Degenerative heart disease (421, 422)	M	4,436	-	-	-	-	14	93	376	1,042	1,520	1,391	96
		F	2,744	-	-	-	-	11	49	281	870	1,533	91	
		M	1,713	-	-	-	-	1	11	18	103	325	1,255	127
		F	2,697	-	-	-	-	-	1	14	79	358	2,245	122
B27	Other diseases of heart	M	448	-	-	1	3	-	6	12	62	124	240	92
		F	548	-	-	-	1	1	3	8	35	109	391	89
B28	Hypertension with heart disease	M	346	-	-	-	-	1	1	9	59	131	145	116
		F	510	-	-	-	-	-	2	9	46	163	290	113
B29	Hypertension without mention of heart	M	159	-	-	-	-	5	-	17	36	41	60	87
		F	195	-	-	-	-	3	6	7	18	45	116	93
B46 (Pt.)	Other circulatory diseases (450-468)	M	714	-	-	-	-	4	9	32	86	186	397	104
		F	856	-	-	1	1	2	8	21	45	157	621	99
B30	Influenza	M	110	1	-	-	-	1	2	3	21	21	61	105
		F	176	1	-	1	1	4	1	7	16	30	115	136
B31	Pneumonia	M	1,000	58	17	6	8	9	10	27	127	236	502	81
		F	1,330	40	11	6	2	5	9	31	83	234	909	95
B32	Bronchitis	M	1,276	8	2	-	4	2	4	46	269	480	461	72
		F	534	-	2	2	-	-	7	12	56	149	306	71
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	277	2	-	2	2	1	5	19	67	98	81	108
		F	125	1	1	1	1	2	3	5	13	39	59	99
B33	Ulcer of stomach and duodenum	M	179	-	-	-	-	2	4	14	37	54	68	90
		F	97	1	-	-	-	1	1	2	10	24	59	88
B34	Appendicitis	M	19	-	3	-	1	-	1	2	4	3	5	92
		F	21	-	-	1	-	1	1	1	3	8	6	119
B35	Intestinal obstruction and hernia	M	115	8	1	-	2	-	4	3	17	33	47	110
		F	115	11	-	-	1	1	-	5	11	27	59	97
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	59	3	-	1	-	-	3	7	5	18	22	84
		F	97	1	4	1	-	2	4	6	12	31	36	89
B37	Cirrhosis of liver	M	42	-	-	-	-	-	7	4	13	10	8	90
		F	42	-	-	-	-	-	1	6	13	11	11	100
B38	Nephritis and nephrosis	M	132	1	-	2	3	4	10	19	26	32	35	114
		F	96	-	2	1	4	2	3	11	15	26	32	95
B39	Hyperplasia of prostate	M	186	-	-	-	-	-	-	1	7	45	133	98
B40	Complications of pregnancy, childbirth and puerperium	F	11	-	-	-	6	4	1	-	-	-	-	78
B41	Congenital malformations	M	169	123	6	4	7	5	6	8	4	4	2	100
		F	153	105	11	4	3	4	5	10	6	1	4	103
B42	Birth injuries, postnatal asphyxia and atelectasis	M	135	135	-	-	-	-	-	-	-	-	-	84
		F	90	90	-	-	-	-	-	-	-	-	-	86
B43	Diarrhoea of newborn (764) Other infections of newborn (763, 765-768)	M	2	2	-	-	-	-	-	-	-	-	-	80
		F	1	1	-	-	-	-	-	-	-	-	-	73
		M	20	20	-	-	-	-	-	-	-	-	-	75
		F	14	14	-	-	-	-	-	-	-	-	-	76
B44	Other diseases of early infancy and immaturity unqualified	M	114	114	-	-	-	-	-	-	-	-	-	80
		F	86	85	1	-	-	-	-	-	-	-	-	84
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	187	1	-	-	-	-	-	-	2	10	174	110
		F	321	-	-	-	-	-	-	-	-	12	309	102
B46 (Rem.)	All other diseases (Remainder 001-795)	M	589	18	7	5	18	13	29	59	111	154	175	102
		F	778	19	8	12	8	17	28	61	131	206	288	91
BE47	Motor vehicle accidents	M	314	-	3	20	104	35	33	30	42	25	22	106
		F	101	1	2	7	22	6	8	10	15	19	11	87
BE48	All other accidents	M	342	18	11	14	33	27	36	37	46	40	80	85
		F	378	14	8	6	5	7	12	14	28	63	221	84
BE49	Suicide and self-inflicted injury	M	196	-	-	-	14	18	21	33	52	36	22	92
		F	160	-	-	-	7	17	20	39	33	34	10	104
BE50	Homicide and operations of war	M	12	2	1	-	1	-	2	1	1	3	1	100
		F	11	-	2	-	2	2	1	1	2	-	1	143
BN47	Fractures, head injuries and internal injuries	M	466	2	3	23	109	43	46	49	65	48	78	94
		F	323	2	2	9	21	7	8	11	21	48	194	85
BN48	Burns	M	7	-	1	-	-	-	-	-	-	-	5	36
		F	21	-	3	1	-	-	1	-	3	2	11	58
BN49	Effects of poisons	M	176	1	5	1	13	16	24	27	39	27	23	81
		F	226	-	3	1	9	21	27	36	42	54	33	104
BN50	All other injuries	M	215	17	6	9	30	21	22	25	37	29	19	113
		F	80	13	4	2	6	4	5	17	12	12	5	89



TABLE 19 - continued

Abbrevi- ated List No.	Causes of death	Welsh Hospital Region												S.M.R. (England and Wales =100)
		Age												
		All ages	Under 1 year	Years										
1-	5-			15-	25-	35-	45-	55-	65-	75 and over				
	ALL CAUSES	M F	18,554 16,209	664 492	80 76	95 53	184 72	208 105	518 335	1,524 860	3,776 1,949	5,393 3,982	6,112 8,285	105 105
B1	Tuberculosis of respiratory system	M F	183 42	- -	- -	- 1	2 1	1 1	16 9	29 10	41 5	65 12	29 3	151 130
B2	Tuberculosis, other forms	M F	10 11	- -	1 2	1 -	1 1	1 -	- 2	2 4	2 -	3 -	- 2	101 109
B3	Syphilis and its sequelae	M F	24 14	- -	- -	- 1	- -	- -	1 -	1 -	6 1	10 6	6 6	82 75
B4	Typhoid fever	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
B5	Cholera	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
B6	Dysentery, all forms	M F	1 1	- -	- -	- -	- -	- -	- -	- -	- 1	- -	1 -	80 130
B7	Scarlet fever and streptococcal sore throat	M F	2 -	1 -	1 -	- -	- -	- -	- -	- -	- -	- -	- -	503 -
B8	Diphtheria	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
B9	Whooping cough	M F	- 1	- 1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
B10	Meningococcal infections	M F	3 5	2 1	- 2	- -	- -	- 1	- -	1 1	- -	- -	- -	86 61 156
B11	Plague	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
B12	Acute poliomyelitis	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
B13	Smallpox	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
B14	Measles	M F	5 3	- -	5 2	- 1	- -	- -	- -	- -	- -	- -	- -	143 82
B15	Typhus and other rickettsial diseases	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
B16	Malaria	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
B17	All other diseases classified as infective and parasitic	M F	21 25	5 -	3 1	- 1	1 -	1 2	1 4	4 3	1 3	3 4	2 7	80 106
B18	Malignant neoplasm: (140-205)	M F	3,165 2,692	1 2	11 2	14 9	20 9	30 23	89 121	344 333	904 621	1,055 734	697 838	95 103
	stomach (151)	M F	592 475	- -	- -	- -	1 -	2 1	12 9	60 25	179 87	202 134	136 219	126 145
	trachea, bronchus and lung (162, 163)	M F	1,011 119	- -	- -	- -	- -	1 -	18 9	127 19	373 32	383 38	109 21	81 58
	breast (170)	M F	7 499	- -	- -	- -	- -	- 4	3 35	1 102	2 130	1 120	1 108	166 96
	uterus (171-174)	M F	- 263	- -	- -	- -	- -	2 21	- 57	- 80	- 67	- 36	- 120	- -
	Leukaemia and aleukaemia (204)	M F	79 70	- -	4 -	5 4	8 3	6 4	5 7	5 6	9 12	18 21	19 13	88 96
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M F	1,476 1,266	1 2	7 2	9 5	11 6	21 12	54 40	149 124	342 280	450 354	432 441	97 100
	Benign and unspecified neoplasms	M F	38 37	1 -	1 1	- -	3 -	1 1	4 7	5 2	12 12	5 8	6 6	98 90
	Diabetes mellitus	M F	77 152	- -	- -	1 1	- -	2 -	1 1	6 4	10 21	26 67	31 58	93 113
	B21	Anaemias	M F	55 83	1 -	- -	- -	- -	- -	- 2	4 10	21 23	27 48	162 127
B22	Vascular lesions affecting central nervous system	M F	2,168 3,065	1 -	- -	2 2	2 4	6 3	20 16	94 90	334 297	710 836	999 1,817	110 116
B23	Non-meningococcal meningitis	M F	15 14	5 3	2 1	- 1	- -	- 1	- 1	4 1	4 3	- 3	- -	124 138
B24	Rheumatic fever	M F	5 4	- -	- -	- -	2 -	- -	1 -	- -	2 2	- 2	- -	165 160
B25	Chronic rheumatic heart disease	M F	201 332	- -	- -	- -	5 3	13 15	24 34	50 60	55 79	34 76	20 65	143 132

TABLE 19 - continued

Abbrevi- ated List No.	Causes of death		Welsh Hospital Region - continued												S.M.R. (England and Wales =100)
			Age												
			All ages	Under 1 year	Years										
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over		
B26	Arteriosclerotic heart disease including coronary disease (420)	M	4,449	-	-	-	3	14	126	490	1,194	1,493	1,129	112	
	Degenerative heart disease (421, 422)	F	2,437	-	-	-	-	2	15	81	339	836	1,164	105	
		M	1,148	-	-	-	-	4	3	18	79	222	822	105	
		F	1,702	-	-	-	-	-	2	13	42	259	1,386	106	
B27	Other diseases of heart	M	363	2	1	1	2	3	10	15	52	111	166	90	
		F	441	-	-	-	3	1	4	14	28	101	290	95	
B28	Hypertension with heart disease	M	338	-	-	-	-	2	5	22	69	113	127	135	
		F	444	-	-	-	-	-	2	10	47	143	242	130	
B29	Hypertension without mention of heart	M	219	-	-	-	1	3	9	21	33	78	74	141	
		F	203	-	-	-	-	-	1	13	23	51	115	127	
B46 (Pt.)	Other circulatory diseases (450-468)	M	508	-	-	-	2	3	5	15	52	126	305	90	
		F	623	-	-	-	1	4	6	12	35	104	461	96	
B30	Influenza	M	40	-	1	1	1	-	2	1	6	12	16	46	
		F	64	1	-	-	2	-	1	4	5	10	41	66	
B31	Pneumonia	M	678	80	14	4	5	3	11	32	74	150	305	66	
		F	775	70	16	7	2	1	8	19	50	149	453	74	
B32	Bronchitis	M	1,586	13	1	-	1	2	9	78	334	568	580	105	
		F	515	7	4	2	-	3	5	21	56	127	290	89	
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M	502	5	2	1	-	3	8	56	143	167	117	228	
		F	87	2	1	-	1	2	5	8	9	16	43	87	
B33	Ulcer of stomach and duodenum	M	150	-	-	-	-	-	7	10	33	52	48	88	
		F	80	-	-	-	-	-	2	8	10	26	34	94	
B34	Appendicitis	M	17	-	-	1	-	-	1	6	4	4	1	95	
		F	14	-	-	-	1	1	-	2	2	4	4	98	
B35	Intestinal obstruction and hernia	M	87	11	-	-	-	-	1	5	23	25	22	98	
		F	113	7	1	1	-	2	4	3	23	32	40	123	
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M	70	10	2	-	1	4	1	8	12	10	22	115	
		F	104	9	7	-	1	1	2	4	12	19	49	120	
B37	Cirrhosis of liver	M	64	1	2	-	-	1	6	19	17	12	6	154	
		F	41	-	-	-	-	-	2	10	10	14	5	119	
B38	Nephritis and nephrosis	M	137	-	1	2	7	4	11	23	30	28	31	136	
		F	93	-	1	-	4	5	7	5	11	21	39	113	
B39	Hyperplasia of prostate	M	196	-	-	-	-	-	-	-	10	52	134	128	
B40	Complications of pregnancy, childbirth and puerperium	F	16	-	-	-	5	5	5	1	-	-	-	119	
B41	Congenital malformations	M	166	115	4	7	9	5	7	6	10	3	-	107	
		F	157	110	14	6	1	2	3	11	4	5	1	115	
B42	Birth injuries, postnatal asphyxia and atelectasis	M	161	161	-	-	-	-	-	-	-	-	-	108	
		F	112	112	-	-	-	-	-	-	-	-	-	116	
B43	Diarrhoea of newborn (764)	M	-	-	-	-	-	-	-	-	-	-	-	-	
		F	1	1	-	-	-	-	-	-	-	-	-	79	
	Other infections of newborn (763, 765-768)	M	36	36	-	-	-	-	-	-	-	-	-	146	
		F	21	21	-	-	-	-	-	-	-	-	-	122	
B44	Other diseases of early infancy and immaturity unqualified	M	175	175	-	-	-	-	-	-	-	-	-	132	
		F	117	117	-	-	-	-	-	-	-	-	-	123	
B45	Senility without mention of psychosis, ill-defined and unknown causes	M	174	2	-	1	-	-	1	3	-	16	151	130	
		F	267	1	-	-	-	-	-	-	1	7	258	120	
B46 (Rem.)	All other diseases (Remainder 001-795)	M	534	21	11	16	9	18	31	51	92	140	145	107	
		F	771	10	6	8	14	14	37	72	129	197	284	113	
EE47	Motor vehicle accidents	M	195	-	2	19	54	25	22	20	28	11	14	73	
		F	66	-	5	5	8	5	5	9	8	11	10	67	
EE48	All other accidents	M	400	15	15	23	41	41	52	48	57	38	70	114	
		F	367	17	9	7	5	6	6	13	32	53	219	107	
EE49	Suicide and self-inflicted injury	M	178	-	-	1	10	18	30	34	48	28	9	92	
		F	93	-	-	-	5	4	18	16	18	25	7	70	
BE50	Homicide and operations of war	M	10	-	-	-	2	1	3	1	1	2	-	93	
		F	4	-	1	-	1	-	-	1	-	1	-	57	
EN47	Fractures, head injuries and internal injuries	M	413	1	4	29	68	40	48	55	64	33	71	95	
		F	292	1	5	7	10	4	6	14	17	38	190	99	
EN48	Burns	M	14	1	2	-	-	1	2	-	1	2	5	83	
		F	41	-	7	1	-	-	1	1	2	11	18	142	
EN49	Effects of poisons	M	133	-	3	2	7	21	18	25	31	17	9	68	
		F	106	-	1	2	2	10	17	17	25	22	10	58	
EN50	All other injuries	M	223	13	8	12	32	23	39	23	38	27	8	129	
		F	91	16	2	2	7	1	5	7	14	19	18	119	

TABLE 19 - continued

Abbreviated List No.	Causes of death	Birmingham Hospital Region												S.M.R. (England and Wales =100)
		Age												
		All ages	Under 1 year	Years								75 and over		
1-	5-			15-	25-	35-	45-	55-	65-					
	ALL CAUSES	M F	27,946 24,998	1,095 848	169 155	179 84	378 153	399 232	845 611	2,493 1,406	6,065 3,017	7,541 5,990	8,782 12,502	102 100
B1	Tuberculosis of respiratory system	M F	233 74	- -	- -	- -	- -	6 10	14 9	30 13	75 17	78 15	30 10	119 131
B2	Tuberculosis, other forms	M F	26 14	- 1	1 1	- 1	1 -	1 1	7 -	4 3	7 2	4 3	1 2	152 80
B3	Syphilis and its sequelae	M F	40 22	- -	- -	- -	- -	- -	3 6	- 1	9 4	18 8	4 9	88 74
B4	Typhoid fever	M F	1 -	- -	- -	- -	- -	- -	- -	- -	1 -	- -	- -	314 -
B5	Cholera	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
B6	Dysentery, all forms	M F	1 1	- -	- -	- -	- -	- -	- -	1 -	- -	- -	- 1	- 76
B7	Scarlet fever and streptococcal sore throat	M F	- 1	- 1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- 327
B8	Diphtheria	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
B9	Whooping cough	M F	4 6	3 6	1 5	- -	- -	- -	- -	- -	- -	- -	- -	248 266
B10	Meningococcal infections	M F	9 5	5 4	4 1	- -	- -	- -	- -	- -	- -	- -	- -	96 82
B11	Plague	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
B12	Acute poliomyelitis	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
B13	Smallpox	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
B14	Measles	M F	15 11	2 1	8 8	3 1	1 1	- -	- -	- -	- -	- -	1 -	227 158
B15	Typhus and other rickettsial diseases	M F	- 1	- -	- 1	- -	- -	- -	- -	- -	- -	- -	- -	- 925
B16	Malaria	M F	- 1	- -	- -	- -	- -	- -	- -	1 -	- -	- -	- -	- 467
B17	All other diseases classified as infective and parasitic	M F	40 39	1 2	2 4	5 1	3 1	4 1	4 3	6 6	3 5	6 8	6 8	88 95
B18	Malignant neoplasm: (140-205)	M F	5,250 4,250	1 1	18 13	28 17	40 28	68 59	153 233	667 562	1,647 995	1,591 1,149	1,037 1,193	100 98
	stomach (151)	M F	747 576	- -	- -	- -	1 -	4 1	26 13	90 32	222 114	253 177	151 239	103 109
	trachea, bronchus and lung (162, 163)	M F	1,985 259	- -	- -	- -	1 1	10 -	50 13	299 46	800 86	625 75	200 38	100 76
	breast (170)	M F	5 878	- -	- -	- -	- 1	- 13	- 77	1 165	1 236	1 195	2 191	75 100
	uterus (171-174)	M F	365 -	- -	- -	- -	- -	7 -	36 -	71 -	93 -	93 -	65 -	99 -
	Leukaemia and aleukaemia (204)	M F	147 108	- -	6 7	13 8	11 6	11 3	9 5	19 13	35 22	25 16	18 28	98 86
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M F	2,366 2,064	1 1	12 6	15 9	27 20	43 35	68 89	258 235	589 444	687 593	666 632	100 99
	Benign and unspecified neoplasms	M F	69 77	1 3	- 3	2 2	6 2	4 3	7 14	14 11	13 16	10 10	12 13	107 109
	Diabetes mellitus	M F	137 231	- -	- -	2 -	- -	3 3	5 5	17 4	24 41	45 88	41 90	107 107
	B21	Anaemias	M F	40 114	1 -	1 2	1 2	- 1	- 2	3 4	3 7	9 34	22 61	78 109
B22	Vascular lesions affecting central nervous system	M F	3,147 4,292	4 2	- -	1 2	5 3	16 3	51 44	148 164	514 383	951 1,107	1,457 2,584	107 103
B23	Non-meningococcal meningitis	M F	15 20	4 11	2 1	- -	1 -	1 -	- 2	2 -	3 1	2 4	- 1	68 108
B24	Rheumatic fever	M F	9 2	- -	- -	2 1	2 -	- -	- 1	1 -	2 -	2 -	- -	167 47
B25	Chronic rheumatic heart disease	M F	233 457	- -	- -	- -	7 1	12 16	33 57	53 82	58 113	44 112	26 76	99 108



TABLE 19 - continued

Abbreviated List No.	Causes of death		Birmingham Hospital Region - continued												S.M.R. (England and Wales =100)
			Age												
			All ages	Under 1 year	Years										
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over		
E26	Arteriosclerotic heart disease including coronary disease (420) Degenerative heart disease (421, 422)	M F M F	5,844 3,514 1,658 2,616	- - - -	- - 2 -	- - - -	1 - 2 -	24 2 3 3	192 19 13 4	705 113 35 12	1,607 465 144 56	1,838 1,211 341 378	1,477 1,704 1,118 2,163	95 96 105 105	
E27	Other diseases of heart	M F	597 757	3 1	1 1	1 -	2 1	5 7	11 8	35 22	81 57	174 184	284 476	99 104	
E28	Hypertension with heart disease	M F	445 587	- -	- -	- -	- -	1 -	2 4	35 21	108 51	138 170	161 341	119 109	
E29	Hypertension without mention of heart	M F	221 191	- -	- -	- -	- 1	5 6	17 5	30 12	42 18	56 50	71 99	92 75	
E46 (Pt.)	Other circulatory diseases (450-468)	M F	752 898	1 -	- -	- -	4 6	8 5	12 15	45 34	121 76	198 166	363 596	90 88	
E50	Influenza	M F	96 112	1 3	- 1	- -	- 1	2 1	6 7	9 11	22 11	26 32	30 55	72 72	
E51	Pneumonia	M F	1,651 1,619	145 96	25 25	10 6	5 7	12 5	26 22	86 37	212 117	374 312	756 992	106 96	
E52	Bronchitis	M F	2,633 1,009	12 16	6 6	1 1	1 -	4 -	27 12	164 43	682 129	909 270	827 531	115 109	
E46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M F	384 163	12 2	6 2	1 1	5 3	6 3	15 8	42 5	86 15	122 31	89 93	112 100	
E53	Ulcer of stomach and duodenum	M F	326 161	- -	- -	- -	1 -	3 3	12 4	30 9	91 26	101 36	88 83	125 118	
E54	Appendicitis	M F	34 32	- -	1 1	1 2	4 2	1 3	2 -	3 4	8 2	6 9	8 9	118 135	
E55	Intestinal obstruction and hernia	M F	140 149	12 9	2 3	2 -	- -	- -	4 -	12 7	17 24	40 33	51 72	102 100	
E56	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M F	101 144	28 19	5 8	- -	2 2	1 3	6 4	6 8	20 19	12 37	21 44	101 101	
E57	Cirrhosis of liver	M F	66 66	- 1	- -	2 -	- -	2 1	1 1	11 9	25 20	16 18	9 16	96 115	
E58	Nephritis and nephrosis	M F	170 141	1 1	- 1	2 1	9 10	13 9	22 9	24 14	39 25	37 35	23 36	103 103	
E59	Hyperplasia of prostate	M	239	-	-	-	-	-	-	-	15	51	173	109	
E40	Complications of pregnancy, childbirth and puerperium	F	29	-	-	-	8	10	9	2	-	-	-	110	
E41	Congenital malformations	M F	276 275	182 192	21 20	21 10	15 7	5 4	8 8	10 14	6 8	3 7	5 5	93 106	
E42	Birth injuries, postnatal asphyxia and atelectasis	M F	294 204	294 204	- -	- -	- -	- -	- -	- -	- -	- -	- -	101 108	
E43	Diarrhoea of newborn (764) Other infections of newborn (763, 765-768)	M F M F	8 5 69 41	8 5 69 41	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -	177 202 144 122	
E44	Other diseases of early infancy and immaturity unqualified	M F	225 159	224 158	1 -	- 1	- -	- -	- -	- -	- -	- -	- -	87 86	
E45	Senility without mention of psychosis, ill-defined and unknown causes	M F	197 365	- 1	- -	- -	- -	1 -	1 1	2 1	1 1	11 7	181 354	103 105	
E46 (Rem.)	All other diseases (Remainder 001-795)	M F	746 1,075	34 29	19 20	14 17	32 19	31 28	56 51	75 109	151 177	164 274	170 351	93 96	
EE47	Motor vehicle accidents	M F	546 178	2 1	17 9	49 11	161 21	77 9	38 10	54 11	58 33	43 38	47 35	114 105	
EE48	All other accidents	M F	603 663	42 33	24 22	30 7	48 13	44 12	55 14	52 18	72 43	71 123	165 378	101 118	
EE49	Suicide and self-inflicted injury	M F	330 211	- -	- -	- 11	18 20	33 29	37 29	72 41	97 59	47 30	26 21	98 90	
EE50	Homicide and operations of war	M F	26 16	3 4	2 2	1 -	2 3	3 1	5 3	4 1	1 1	3 1	2 -	134 120	
EN47	Fractures, head injuries and internal injuries	M F	835 569	3 10	22 16	55 12	166 25	100 12	72 9	80 19	92 49	91 111	154 306	110 119	
EN48	Burns	M F	28 54	3 1	4 12	1 -	3 2	2 3	3 1	2 2	- 3	2 11	8 19	100 113	
EN49	Effects of poisons	M F	329 284	2 -	4 2	- -	19 13	29 20	36 30	66 38	83 61	44 53	46 67	97 90	
EN50	All other injuries	M F	313 161	39 27	13 3	24 6	41 8	26 7	24 16	34 12	53 23	27 17	32 42	101 119	

TABLE 19 - continued

Abbreviated List No.	Causes of death	Manchester Hospital Region												S.M.R. (England and Wales =100)
		Age												
		All ages	Under 1 year	Years										
1-	5-			15-	25-	35-	45-	55-	65-	75 and over				
	ALL CAUSES	M F	30,811 29,997	1,169 819	174 122	156 102	302 114	303 207	891 634	2,546 1,553	6,821 3,753	8,835 7,734	9,614 14,959	110 111
B1	Tuberculosis of respiratory system	M F	211 49	1 -	- -	- -	- 1	2 5	17 11	35 12	71 13	60 4	25 3	107 85
B2	Tuberculosis, other forms	M F	17 24	- -	3 1	- -	2 3	- 4	3 1	3 3	4 4	2 3	- 5	105 136
B3	Syphilis and its sequelae	M F	39 30	- -	- -	- -	1 -	- 1	2 -	4 1	7 5	20 12	5 11	83 89
B4	Typhoid fever	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
B5	Cholera	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
B6	Dysentery, all forms	M F	1 -	- -	1 -	- -	- -	- -	- -	- -	- -	- -	- -	50 -
B7	Scarlet fever and streptococcal sore throat	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
B8	Diphtheria	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
B9	Whooping cough	M F	2 3	2 3	- -	- -	- -	- -	- -	- -	- -	- -	- -	138 148
B10	Meningococcal infections	M F	7 10	1 3	3 4	- -	- 1	- -	- -	2 -	- 1	1 -	- 1	83 180
B11	Plague	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
B12	Acute poliomyelitis	M F	1 1	- -	- -	1 -	- -	- 1	- -	- -	- -	- -	- -	523 74
B13	Smallpox	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
B14	Measles	M F	9 9	4 3	4 2	1 1	- 3	- -	- -	- -	- -	- -	- -	152 144
B15	Typhus and other rickettsial diseases	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
B16	Malaria	M F	1 -	- -	- -	- -	- -	- -	- -	- -	- -	1 -	- -	256 -
B17	All other diseases classified as infective and parasitic	M F	45 38	10 3	3 2	2 1	1 -	1 2	4 4	6 7	5 7	7 7	6 5	105 91
B18	Malignant neoplasm: (140-205)	M F	5,553 4,841	6 1	20 12	18 17	26 19	42 48	170 241	626 607	1,648 1,142	1,851 1,330	1,146 1,424	103 104
	stomach (151)	M F	895 678	- -	- -	- -	- -	4 2	21 11	86 40	243 105	336 214	205 306	118 117
	trachea, bronchus and lung (162, 163)	M F	2,085 381	- -	1 -	- -	1 -	6 6	59 25	284 66	811 111	722 107	201 66	102 104
	breast (170)	M F	8 942	- -	- -	- -	- -	- 13	- 63	1 180	1 256	- 224	6 206	119 100
	uterus (171-174)	M F	- 456	- -	- -	- -	1 5	- 48	- 88	- 127	- 109	- 78	- 116	- 116
	Leukaemia and aleukaemia (204)	M F	134 124	2 -	11 7	4 11	9 4	9 3	8 6	20 13	24 30	36 25	11 25	93 95
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M F	2,431 2,260	4 1	8 5	14 6	16 14	23 19	82 88	235 220	569 513	757 651	723 743	100 100
B19	Benign and unspecified neoplasms	M F	69 60	2 1	3 -	3 -	2 1	3 2	7 6	5 5	16 18	18 14	10 13	108 82
B20	Diabetes mellitus	M F	120 274	1 -	- -	1 1	1 -	2 2	6 4	10 13	24 44	41 108	34 102	91 115
B21	Anaemias	M F	70 143	1 -	1 -	1 2	1 -	1 3	1 3	- 5	10 9	25 43	29 78	134 125
B22	Vascular lesions affecting central nervous system	M F	3,781 5,383	2 2	1 -	2 1	6 2	13 13	51 44	156 161	641 518	1,207 1,463	1,702 3,179	123 118
B23	Non-meningococcal meningitis	M F	19 22	5 10	4 4	1 -	- -	- -	1 1	2 -	4 3	2 2	- 2	88 123
B24	Rheumatic fever	M F	7 10	- -	- -	- -	1 -	- 1	- -	1 1	4 1	1 3	- 4	141 229
B25	Chronic rheumatic heart disease	M F	261 532	- -	- -	1 -	5 8	13 17	27 47	60 108	72 126	52 137	31 89	114 111

TABLE 19 - continued

Abbreviated List No.	Causes of death		Manchester Hospital Region - continued											S.M.R. (England and Wales =100)
			Age											
			All ages	Under 1 year	Years									
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over	
B26	Arteriosclerotic heart disease including coronary disease (420) Degenerative heart disease (421, 422)	M F M F	6,998 4,373 1,954 3,302	- - - -	- - - -	- - 1 -	1 1 2 2	17 3 12 1	248 34 45 3	804 153 139 25	2,089 688 1,570 107	2,295 1,570 433 565	1,544 1,924 1,316 2,599	110 107 119 123
B27	Other diseases of heart	M F	703 929	2 1	- -	- -	2 -	2 6	8 6	35 24	137 87	217 269	300 536	112 117
B28	Hypertension with heart disease	M F	375 534	- -	- -	- -	- -	2 -	8 1	21 17	87 40	125 206	132 270	96 90
B29	Hypertension without mention of heart	M F	250 257	- -	- -	- -	1 -	2 2	13 4	35 19	64 31	67 80	68 121	101 91
B46 (Pt.)	Other circulatory diseases (450-468)	M F	905 1,234	- -	- -	- 2	1 2	5 1	10 14	31 25	114 68	229 255	515 867	103 111
B30	Influenza	M F	158 182	2 3	- 1	- 2	2 -	1 1	4 3	11 8	26 22	55 44	57 98	115 108
B31	Pneumonia	M F	1,417 1,627	169 115	31 20	7 7	8 2	3 9	11 18	74 31	184 118	313 340	617 967	89 90
B32	Bronchitis	M F	2,932 1,431	35 14	5 8	2 2	- -	6 4	23 17	190 62	809 197	1,034 439	828 688	123 142
B46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M F	336 170	8 3	5 7	3 3	4 2	10 3	29 9	85 14	103 40	85 66	95 97	
B33	Ulcer of stomach and duodenum	M F	258 169	- -	- -	- -	- -	1 1	9 2	29 13	57 28	75 58	87 67	96 114
B34	Appendicitis	M F	29 22	- -	1 -	3 1	- -	2 -	4 -	2 2	5 3	7 8	5 8	102 88
B35	Intestinal obstruction and hernia	M F	132 178	5 11	- -	- -	1 -	2 2	2 2	11 7	27 20	41 50	43 86	94 110
B36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M F	108 155	26 23	10 1	- 3	- 2	3 1	4 5	11 12	27 14	24 35	110 59	103
B37	Cirrhosis of liver	M F	75 58	1 -	1 1	1 -	1 -	2 1	5 1	10 11	33 14	19 20	2 10	108 94
B38	Nephritis and nephrosis	M F	153 189	- -	2 1	6 3	6 10	8 5	16 9	24 17	25 30	32 48	34 66	95 129
B39	Hyperplasia of prostate	M	204	-	-	-	-	-	-	2	15	54	133	88
B40	Complications of pregnancy, childbirth and puerperium	F	21	-	-	-	3	9	9	-	-	-	-	93
B41	Congenital malformations	M F	271 234	192 165	17 9	17 8	5 5	5 3	10 7	10 11	6 8	6 12	3 6	100 96
B42	Birth injuries, postnatal asphyxia and atelectasis	M F	319 197	319 197	- -	- -	- -	- -	- -	- -	- -	- -	- -	122 117
B43	Diarrhoea of newborn (764) Other infections of newborn (763, 765-768)	M F M F	5 3 63 40	5 3 63 40	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -	- - 146 133	124 135
B44	Other diseases of early infancy and immaturity unqualified	M F	231 168	231 168	- -	- -	- -	- -	- -	- -	- -	- -	- -	99 100
B45	Senility without mention of psychosis, ill-defined and unknown causes	M F	430 794	1 -	1 -	1 -	- -	- 1	- -	2 -	3 4	26 26	396 763	219 215
B46 (Rem.)	All other diseases (Remainder 001-795)	M F	816 1,215	31 20	13 19	17 12	21 20	18 24	43 60	92 89	173 221	208 335	200 415	102 101
BE47	Motor vehicle accidents	M F	491 214	2 1	21 11	24 18	124 16	56 5	51 12	58 20	62 37	48 46	45 48	115 124
BE48	All other accidents	M F	637 624	41 27	22 18	41 17	45 6	52 6	50 28	62 20	84 45	78 110	162 347	112 106
BE49	Suicide and self-inflicted injury	M F	325 235	- -	- -	1 -	30 4	26 17	60 27	54 49	79 54	47 52	28 32	101 98
BE50	Homicide and operations of war	M F	23 13	1 2	2 1	1 1	2 1	3 1	3 1	2 1	1 3	8 -	2 -	130 107
EN47	Fractures, head injuries and internal injuries	M F	785 534	6 7	23 14	34 20	136 18	76 5	71 12	96 21	96 47	90 91	157 299	112 106
EN48	Burns	M F	42 89	1 -	2 7	2 6	2 3	3 -	4 5	6 7	5 5	5 21	12 35	153 179
EN49	Effects of poisons	M F	345 323	1 -	7 2	3 2	27 3	29 20	55 35	50 51	76 69	57 69	40 72	108 99
EN50	All other injuries	M F	304 140	36 23	13 7	28 8	36 3	29 6	33 16	23 11	49 18	29 27	28 21	106 103



TABLE 19 - continued

Abbreviated List No.	Causes of death	Liverpool Hospital Region												S.M.R. (England and Wales =100)
		Age												
		All ages	Under 1 year	Years										
				1-	5-	15-	25-	35-	45-	55-	65-	75 and over		
	ALL CAUSES	M F	13,503 12,669	648 481	99 51	67 47	144 62	171 111	382 304	1,203 723	2,977 1,531	3,804 3,121	4,008 6,238	114 106
B1	Tuberculosis of respiratory system	M F	115 38	- -	1 -	- -	- -	1 3	10 10	16 4	26 5	40 8	21 8	139 148
B2	Tuberculosis, other forms	M F	8 7	1 -	- -	- 1	2 -	- -	- 1	- -	1 2	2 2	2 1	110 86
B3	Syphilis and its sequelae	M F	20 15	- -	- -	- -	- -	- 1	- 1	- -	3 3	10 5	6 6	102 105
B4	Typhoid fever	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
B5	Cholera	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
B6	Dysentery, all forms	M F	1 -	1 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	111 -
B7	Scarlet fever and streptococcal sore throat	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
B8	Diphtheria	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
B9	Whooping cough	M F	2 4	- 2	2 1	- 1	- -	- -	- -	- -	- -	- -	- -	245 351
B10	Meningococcal infections	M F	6 2	2 1	3 1	1 -	1 -	- -	- -	- -	- -	- -	- -	131 66
B11	Plague	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
B12	Acute poliomyelitis	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
B13	Smallpox	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
B14	Measles	M F	8 4	2 2	4 -	2 2	- -	- -	- -	- -	- -	- -	- -	244 114
B15	Typhus and other rickettsial diseases	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
B16	Malaria	M F	1 -	- -	- -	- -	- -	- -	- -	- 1	- -	- -	- -	594 -
B17	All other diseases classified as infective and parasitic	M F	20 25	3 2	2 1	- 1	- 3	- 3	2 3	7 4	- 4	5 1	1 6	100 130
B18	Malignant neoplasm: (140-205)	M F	2,611 2,109	3 1	12 6	16 13	18 9	28 35	68 102	318 289	795 463	845 594	508 597	117 104
	stomach (151)	M F	340 281	- -	- -	- -	- 1	3 3	5 2	57 27	98 47	108 87	69 114	109 112
	trachea, bronchus and lung (162, 163)	M F	1,097 189	- -	- -	- -	- -	6 1	28 5	134 23	425 59	365 59	139 42	129 118
	breast (170)	M F	3 405	- -	- -	- -	- -	- 8	1 37	1 90	1 98	- 96	- 76	107 99
	uterus (171-174)	M F	170 -	- -	- -	- -	- -	1 13	13 31	31 48	48 44	44 33	33 99	99 -
	Leukaemia and aleukaemia (204)	M F	79 61	1 1	5 4	9 7	4 3	2 2	7 5	11 6	11 8	22 15	7 10	121 103
	Other malignant and lymphatic neoplasms (Rem. of 140-205)	M F	1,092 1,003	2 -	7 2	7 6	14 5	17 20	27 40	115 112	260 203	350 293	293 322	108 102
B19	Benign and unspecified neoplasms	M F	41 38	- 1	1 -	2 1	1 2	2 2	4 3	6 7	12 6	6 7	7 9	149 116
B20	Diabetes mellitus	M F	51 114	- -	- -	- -	- -	- -	2 -	4 4	12 20	14 44	19 46	93 110
B21	Anaemias	M F	26 54	- -	- -	- -	1 -	2 -	- 2	- 2	5 4	6 19	12 27	118 108
B22	Vascular lesions affecting central nervous system	M F	1,368 2,001	- 1	- -	- 1	3 2	5 4	25 27	68 83	251 176	429 525	587 1,182	109 100
B23	Non-meningococcal meningitis	M F	16 14	7 3	2 -	1 1	1 -	- -	1 -	1 2	2 3	1 -	- 5	156 155
B24	Rheumatic fever	M F	1 2	- -	- -	1 -	- -	- -	- 2	- -	- -	- -	- -	42 100
B25	Chronic rheumatic heart disease	M F	114 228	- -	- -	- -	1 5	10 11	22 25	26 53	25 61	26 43	4 30	115 115

TABLE 19 - continued

Abbreviated List No.	Causes of death		Liverpool Hospital Region - continued												S.M.R. (England and Wales =100)	
			Age													
			All ages	Under 1 year	Years											
					1-	5-	15-	25-	35-	45-	55-	65-	75 and over			
E26	Arteriosclerotic heart disease including coronary disease (420) Degenerative heart disease (421, 422)	M F M F	3,147 2,033 552 987	- - - -	- - - -	- - - -	- 1 1 -	7 1 - 2	86 17 7 2	388 79 11 9	906 296 41 33	986 725 121 141	774 914 371 800	119 115 82 83		
E27	Other diseases of heart	M F	334 428	1 1	- -	- -	- -	1 1	5 1	19 9	53 35	93 100	162 281	130 123		
E28	Hypertension with heart disease	M F	166 333	- -	- -	- -	- -	1 -	1 1	6 4	34 33	59 99	65 196	104 129		
E29	Hypertension without mention of heart	M F	80 98	- -	- -	- -	- -	3 1	10 2	12 8	12 19	21 25	22 43	78 80		
E46 (Pt.)	Other circulatory diseases (450-468)	M F	354 431	1 -	- -	1 -	- 2	3 3	2 5	22 11	47 28	99 88	179 294	99 88		
E30	Influenza	M F	47 55	1 -	- -	- -	- 1	1 -	1 2	4 2	14 7	12 9	14 34	82 74		
E31	Pneumonia	M F	960 1,122	96 65	13 16	6 4	1 1	- 4	8 10	44 18	112 75	243 208	437 721	141 139		
E32	Bronchitis	M F	1,260 532	32 30	6 2	2 1	- -	- 2	12 7	75 21	346 74	446 147	341 248	127 120		
E46 (Pt.)	Other diseases of respiratory system (470-475, 510-527)	M F	143 63	3 -	2 -	1 -	4 2	4 2	13 4	34 13	47 10	31 16	96 81			
E33	Ulcer of stomach and duodenum	M F	112 50	- 1	- -	- -	1 -	1 -	4 -	9 -	32 2	29 15	36 31	101 77		
E34	Appendicitis	M F	13 9	- -	- -	1 -	2 1	- 1	- 1	3 1	1 2	4 1	2 3	104 80		
E35	Intestinal obstruction and hernia	M F	52 72	8 3	1 -	- -	- -	1 1	1 -	6 5	10 11	11 16	14 36	87 101		
E36	Gastritis, enteritis and diarrhoea except diarrhoea of newborn	M F	41 65	11 12	2 1	- 1	- -	1 -	- 2	3 2	11 8	8 8	5 31	91 95		
E37	Cirrhosis of liver	M F	38 35	- 1	- -	- 1	- -	2 -	4 2	7 4	12 7	11 15	2 5	131 129		
E38	Nephritis and nephrosis	M F	71 56	- -	- -	2 2	5 1	8 3	9 10	9 8	9 10	14 10	15 22	101 87		
E39	Hyperplasia of prostate	M	98	-	-	-	-	-	-	1	8	22	67	105		
E40	Complications of pregnancy, childbirth and puerperium	F	15	-	-	-	2	5	8	-	-	-	-	128		
E41	Congenital malformations	M F	142 132	108 103	14 7	5 3	7 3	1 3	2 2	1 3	3 1	1 5	- 2	98 102		
E42	Birth injuries, postnatal asphyxia and atelectasis	M F	186 115	186 115	- -	- -	- -	- -	- -	- -	- -	- -	- -	127 121		
E43	Diarrhoea of newborn (764) Other infections of newborn (763, 765-768)	M F M F	2 2 27 8	2 2 27 8	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -	88 160 111 47		
		E44	Other diseases of early infancy and immaturity unqualified	M F	129 96	128 96	- -	1 -	- -	- -	- -	- -	- -	- -	99 102	
		E45	Senility without mention of psychosis, ill-defined and unknown causes	M F	73 135	1 3	- -	- -	2 1	- -	1 1	2 -	1 1	3 8	63 121	91 82
		E46 (Rem.)	All other diseases (Remainder 001-795)	M F	416 609	15 14	7 7	7 4	10 11	16 12	21 26	35 36	57 72	111 152	137 275	120 114
EE47	Motor vehicle accidents	M F	194 75	- -	9 5	11 9	49 6	28 1	22 5	15 8	24 14	23 15	13 12	94 93		
EE48	All other accidents	M F	308 361	9 13	18 4	7 3	27 4	22 5	25 11	36 10	45 26	40 57	79 228	119 135		
EE49	Suicide and self-inflicted injury	M F	144 90	- -	- -	1 -	5 -	22 6	22 16	35 22	32 22	15 12	12 8	102 84		
EE50	Homicide and operations of war	M F	5 7	- 1	- -	- 1	2 2	1 2	- -	1 -	- -	1 1	- -	59 111		
EN47	Fractures, head injuries and internal injuries	M F	351 311	- 2	12 5	13 9	65 9	32 4	29 5	31 12	52 23	50 51	67 192	108 137		
EN48	Burns	M F	19 19	- 1	2 -	- 1	1 1	1 -	1 1	2 -	3 2	2 1	7 12	155 83		
EN49	Effects of poisons	M F	162 153	- -	6 3	- -	8 4	18 6	28 21	31 24	35 33	15 25	21 37	114 105		
EN50	All other injuries	M F	119 50	9 11	7 1	6 3	9 2	22 4	11 5	23 4	11 5	12 8	9 7	88 78		

## TABLE 20. Suspended

Note. Publication of Table 20 has been suspended. Instead, Table 21 has been enlarged to include a cause analysis according to the Registrar General's Abridged List as well as the Registrar General's Supplementary Abridged List, but with no age details. A further cause analysis by detail of age is given for England and Wales, standard regions, hospital regions, conurbations and national aggregates by type of area in Table 19.

All details which prior to this change appeared in Table 20 and also figures (based on the Registrar General's Abridged List, without age detail prior to 1963) for administrative areas not separately shown in Table 21 are available at the General Register Office.



**TABLE 21. Causes of death by sex, 1963, classified in accordance with the Abridged List and Supplementary Abridged List**

England and Wales, standard regions, Wales, conurbations, hospital regions, London A.C. City of London, metropolitan and county boroughs, administrative counties

See explanatory notes.

THE ABRIDGED LIST OF CAUSES OF DEATH adopted by the Registrar General in consultation with the Ministry of Health and its relation to the Detailed International Statistical Classification			THE SUPPLEMENTARY LIST OF SUBDIVISIONS OF THE REGISTRAR GENERAL'S ABRIDGED LIST OF CAUSES OF DEATH and its relation to the Detailed International Statistical Classification		
No.	Registrar General's Abridged List	ICD No.	No.	Registrar General's Supplementary Abridged List	ICD No.
1	Tuberculosis, respiratory.. ..	001-008	9	(1) Infectious hepatitis.. ..	092
2	Tuberculosis, other .. ..	010-019	14	(1) Malignant neoplasm, mouth and pharynx.. ..	140-148
3	Syphilitic disease .. ..	020-029	14	(2) Malignant neoplasm, oesophagus .. ..	150
4	Diphtheria. .. ..	055	14	(3) Malignant neoplasm, intestine and rectum.. ..	152-154
5	Whooping cough. .. ..	056	14	(4) Malignant neoplasm, larynx .. ..	161
6	Meningococcal infections .. ..	057	13	(1) Malignant neoplasm, cervix uteri.. ..	171
7	Acute poliomyelitis .. ..	080	14	(5) Malignant neoplasm, prostate.. ..	177
8	Measles .. ..	085	14	(6) Malignant neoplasm, bladder .. ..	181.0, 181.8
9	Other infective and parasitic diseases. ..	030-054, 058-074, 081-084, 086-138	14	(7) Malignant neoplasm, bone (including jaw-bone) ..	196
10	Malignant neoplasm, stomach .. ..	151	14	(8) Lymphosarcoma, reticulosarcoma .. ..	200
11	Malignant neoplasm, lung, bronchus.. ..	162, 163	14	(9) Hodgkin's disease. .. ..	201
12	Malignant neoplasm, breast. .. ..	170	32	(1) Thyrotoxicosis .. ..	252
13	Malignant neoplasm, uterus. .. ..	171-174	32	(2) Multiple sclerosis .. ..	345
14	Other malignant and lymphatic neoplasms ..	140-150, 152-161, 164, 165, 175-203, 205	32	(3) Rheumatic fever .. ..	400-402
15	Leukaemia, aleukaemia.. ..	204	20	(1) Chronic rheumatic heart disease .. ..	410-416
16	Diabetes .. ..	260	21	(1) Hypertension without mention of heart. ..	444-447
17	Vascular lesions of nervous system. ..	330-334	25	(1) Pneumoconiosis and chronic interstitial pneumonia .. ..	523-525
18	Coronary disease, angina .. ..	420	26	(1) Ulcer of stomach.. ..	540
19	Hypertension with heart disease .. ..	440-443	32	(4) Appendicitis.. ..	550-553
20	Other heart disease .. ..	410-416, 421-434	32	(5) Intestinal obstruction and hernia. .. ..	560, 561, 570
21	Other circulatory disease.. ..	444-468	32	(6) Cirrhosis of liver .. ..	581
22	Influenza.. ..	480-483	32	(7) Cholelithiasis, cholecystitis. .. ..	584, 585
23	Pneumonia.. ..	490-493, 763	30	(1) Maternal sepsis (not abortion) .. ..	640, 641, 681, 682, 684
24	Bronchitis. .. ..	500-502	30	(2) Toxaemias of pregnancy and puerperium. ..	642, 685, 686
25	Other diseases of respiratory system .. ..	470-475, 510-527	30	(3) Abortion.. ..	650-652
26	Ulcer of stomach and duodenum.. ..	540, 541	32	(8) Rheumatoid arthritis and allied conditions ..	722
27	Gastritis, enteritis and diarrhoea. .. ..	543, 571, 572, 764	32	(9) Birth injury.. ..	760, 761
28	Nephritis and nephrosis .. ..	590-594	32	(10) Postnatal asphyxia and atelectasis .. ..	762
29	Hyperplasia of prostate .. ..	610	23	(1) Pneumonia of newborn.. ..	763
30	Pregnancy, childbirth, abortion .. ..	640-689	32	(11) Ophthalmia, pemphigus, sepsis of newborn.. ..	765-768
31	Congenital malformations .. ..	750-759	32	(12) Haemolytic disease of newborn. .. ..	770
32	Other defined and ill-defined diseases. ..	210-254, 270-326, 340-402, 530-539, 542, 544-570, 573-587, 600-609, 611-637, 690-749, 760-762, 765-795	32	(13) Immaturity (without other disease peculiar to early infancy) .. ..	774, 776
33	Motor vehicle accidents. .. ..	E810-835	32	(14) Senility without psychosis .. ..	794
34	All other accidents .. ..	E800-802, 840-962	32	(15) Ill-defined and unknown cause. .. ..	780-789, 790-793, 795
35	Suicide .. ..	E963, 970-979			
36	Homicide and operations of war. .. ..	E964, 985, 980-999			

TABLE 21 - continued England and Wales, standard regions and conurbations

Registrar General's Abridged List			England and Wales	Northern			East and West Ridings			North Western				North Midland
				Total	Tyneside Conurbation	Remainder of Northern	Total	West Yorkshire Conurbation	Remainder of East and West Ridings	Total	South East Lancashire Conurbation	Merseyside Conurbation	Remainder of North Western	
1	Tuberculosis, respiratory	M	2,022	141	39	102	204	88	116	321	112	79	130	
		F	587	36	8	28	48	25	23	86	25	17	44	
2	Tuberculosis, other	M	169	15	4	11	15	4	11	25	11	3	11	
		F	182	14	6	8	16	10	6	31	17	4	10	
3	Syphilitic disease	M	485	43	18	25	47	22	25	58	20	16	22	
		F	335	19	6	13	37	18	19	44	18	11	15	
4	Diphtheria	M	1	-	-	-	-	-	-	-	-	-	-	
		F	1	-	-	-	1	1	-	-	-	-	-	
5	Whooping cough	M	15	-	-	-	2	-	2	4	2	2	-	
		F	21	-	-	-	3	1	2	7	3	3	1	
6	Meningococcal infections	M	88	11	2	9	7	4	3	12	3	5	4	
		F	58	3	1	2	6	3	3	12	7	2	3	
7	Acute poliomyelitis	M	2	-	-	-	1	1	-	1	-	-	1	
		F	1	-	-	-	-	-	-	1	-	-	1	
8	Measles	M	62	-	-	-	7	1	6	17	7	3	7	
		F	65	-	-	-	7	2	5	13	4	1	8	
9	Other infective, etc., diseases	M	484	32	8	24	46	23	23	69	27	16	26	
		F	448	31	9	22	36	16	20	63	21	11	31	
10	Malignant neoplasm: stomach	M	7,744	611	180	431	760	328	432	1,229	479	219	531	
		F	5,937	451	116	335	565	274	291	950	347	168	435	
11	lung, bronchus	M	20,757	1,512	525	987	1,853	800	1,053	3,166	1,207	751	1,208	
		F	3,677	214	60	154	329	147	182	561	211	138	212	
12	breast	M	70	2	2	-	8	3	5	11	3	3	5	
		F	9,442	526	150	376	766	338	428	1,334	483	236	615	
13	uterus	F	3,969	318	85	233	367	171	196	617	233	101	283	
14	Other malignant and lymphatic neoplasms	M	25,110	1,706	478	1,228	2,261	913	1,348	3,489	1,266	675	1,548	
		F	22,880	1,458	381	1,077	2,005	856	1,149	3,239	1,251	649	1,339	
15	Leukaemia, aleukaemia	M	1,511	95	23	72	107	40	67	213	77	46	90	
		F	1,319	74	19	55	120	47	73	185	78	36	71	
16	Diabetes	M	1,371	103	21	82	120	48	72	169	56	28	85	
		F	2,433	168	41	127	229	98	131	384	151	69	164	
17	Vascular lesions of nervous system	M	32,264	2,601	686	1,915	3,145	1,382	1,763	5,110	1,834	833	2,443	
		F	48,076	3,462	870	2,592	4,386	2,023	2,363	7,296	2,608	1,240	3,448	
18	Coronary disease, angina	M	65,840	4,925	1,235	3,690	6,356	2,949	3,407	10,055	3,376	2,047	4,632	
		F	42,016	3,108	768	2,340	4,262	2,174	2,088	6,322	2,104	1,281	2,937	
19	Hypertension with heart disease	M	4,082	261	86	175	341	117	224	537	189	95	253	
		F	6,201	437	133	304	524	225	299	860	260	205	395	
20	Other heart disease	M	26,703	1,847	416	1,431	2,208	845	1,363	3,888	1,417	594	1,877	
		F	42,181	2,555	672	1,883	3,466	1,511	1,955	6,364	2,522	1,010	2,832	
21	Other circulatory disease	M	11,836	795	200	595	1,145	366	779	1,572	629	241	702	
		F	14,663	867	260	607	1,442	585	857	2,003	839	291	873	
22	Influenza	M	1,442	145	41	104	78	35	43	203	83	21	99	
		F	1,772	136	46	90	83	41	42	232	90	26	116	
23	Pneumonia	M	17,346	1,132	288	844	1,516	689	827	2,448	816	640	992	
		F	19,396	1,044	272	772	1,576	819	757	2,776	945	780	1,051	
24	Bronchitis	M	24,832	1,625	509	1,116	2,549	1,071	1,478	4,165	1,761	800	1,604	
		F	10,500	631	218	413	1,049	481	568	1,955	867	385	703	
25	Other diseases of respiratory system	M	3,651	219	44	175	289	128	161	473	160	77	236	
		F	1,805	122	30	92	158	81	77	230	106	39	85	
26	Ulcer of stomach and duodenum	M	2,799	208	46	162	236	101	135	368	139	72	157	
		F	1,542	100	24	76	130	67	63	213	96	36	81	
27	Gastritis, enteritis and diarrhoea	M	1,073	60	14	46	105	40	65	154	56	25	73	
		F	1,589	88	17	71	141	68	73	223	98	50	75	
28	Nephritis and nephrosis	M	1,695	126	31	95	173	72	101	224	69	39	116	
		F	1,484	106	31	75	165	77	88	240	79	37	124	
29	Hyperplasia of prostate	M	2,479	144	42	102	217	78	139	299	84	54	161	
30	Pregnancy, childbirth, abortion	F	243	12	-	12	25	13	12	36	15	5	16	
31	Congenital malformations	M	2,783	190	41	149	250	97	153	410	138	89	183	
		F	2,466	193	48	145	231	81	150	364	119	93	152	
32	Other defined and ill-defined diseases	M	19,620	1,389	339	1,050	1,728	740	988	3,178	1,127	630	1,421	
		F	24,620	1,628	420	1,208	2,148	963	1,185	4,029	1,460	730	1,839	
33	Motor vehicle accidents	M	4,589	314	72	242	438	166	272	676	258	112	306	
		F	1,762	127	31	96	163	68	95	287	124	56	107	
34	All other accidents	M	5,990	539	139	399	599	242	357	938	344	192	402	
		F	6,253	452	119	333	715	304	411	976	324	221	431	
35	Suicide	M	3,308	218	58	160	324	138	186	466	187	82	197	
		F	2,407	165	57	108	213	83	130	321	108	48	165	
36	Homicide, operations of war	M	187	12	6	6	16	8	8	28	14	2	12	
		F	127	7	2	5	7	2	5	20	10	7	3	



TABLE 21 - continued England and Wales, standard regions and conurbations

Registrar General's Supplementary Abridged List		England and Wales	Northern			East and West Ridings			North Western				North Midland
			Total	Tyneside Conurbation	Remainder of Northern	Total	West Yorkshire Conurbation	Remainder of East and West Ridings	Total	South East Lancashire Conurbation	Merseyside Conurbation	Remainder of North Western	
9(1) Infectious hepatitis	M	106	8	1	7	6	3	3	14	6	4	4	6
	F	124	13	5	8	9	4	5	14	3	5	6	7
4(1) Malignant neoplasm, mouth and pharynx	M	978	71	18	53	91	46	45	151	56	28	67	68
	F	602	45	7	38	55	16	39	101	40	23	38	50
4(2) Malignant neoplasm, oesophagus	M	1,375	99	35	64	89	45	44	203	75	40	88	90
	F	1,064	73	25	48	67	30	37	173	62	38	73	73
4(3) Malignant neoplasm, intestine and rectum	M	6,593	503	148	355	614	242	372	985	335	207	443	540
	F	8,036	492	138	354	748	320	428	1,203	489	220	494	561
4(4) Malignant neoplasm, larynx	M	632	46	10	36	62	23	39	101	44	21	36	50
	F	140	10	2	8	6	2	4	25	9	7	9	8
3(1) Malignant neoplasm, cervix uteri	F	2,465	222	53	169	254	123	131	395	146	73	176	185
4(5) Malignant neoplasm, prostate	M	3,795	197	51	146	320	113	207	474	162	74	238	269
4(6) Malignant neoplasm, bladder	M	2,250	156	41	115	227	92	135	307	121	56	130	158
	F	890	61	20	41	84	39	45	120	42	32	46	58
4(7) Malignant neoplasm, bone (including jaw bone)	M	280	24	3	21	33	14	19	43	14	9	20	16
	F	240	23	1	22	30	16	14	35	14	9	12	13
4(8) Lymphosarcoma, reticulosarcoma	M	652	44	9	35	57	19	38	64	26	16	22	43
	F	495	27	7	20	31	9	22	74	30	23	21	39
4(9) Hodgkin's disease	M	521	25	8	17	43	16	27	76	23	20	33	43
	F	305	22	3	19	21	4	17	47	15	8	24	20
32(1) Thyrotoxicosis	M	31	3	1	2	2	-	2	1	-	-	1	3
	F	264	15	1	14	25	8	17	29	13	3	13	15
32(2) Multiple sclerosis	M	337	12	4	8	52	23	29	56	23	7	26	22
	F	494	28	10	18	40	18	22	71	27	6	38	31
32(3) Rheumatic fever	M	52	5	-	5	2	-	2	8	2	1	5	2
	F	45	3	-	3	4	3	1	12	4	2	6	6
20(1) Chronic rheumatic heart disease	M	2,382	182	44	138	213	79	134	374	134	77	163	164
	F	4,542	284	97	187	456	220	236	757	308	160	289	296
21(1) Hypertension without mention of heart	M	2,574	158	51	107	220	74	146	328	117	42	169	209
	F	2,901	157	55	102	204	84	120	352	130	57	165	251
25(1) Pneumoconiosis and chronic inter- stitial pneumonia	M	954	65	7	58	75	29	46	115	30	7	78	37
	F	163	10	2	8	21	14	7	17	9	2	6	13
26(1) Ulcer of stomach	M	1,339	90	19	71	103	44	59	164	50	36	78	111
	F	988	54	9	45	77	37	40	134	55	25	54	58
32(4) Appendicitis	M	299	22	1	21	32	11	21	42	15	8	19	25
	F	257	14	1	13	20	11	9	31	8	6	17	21
32(5) Intestinal obstruction and hernia	M	1,472	86	21	65	146	64	82	181	74	29	78	114
	F	1,661	92	29	63	155	63	92	249	96	47	106	119
32(6) Cirrhosis of liver	M	701	54	18	36	73	34	39	112	46	29	37	47
	F	621	49	11	38	62	28	34	92	33	26	33	47
32(7) Cholelithiasis, cholecystitis	M	381	29	9	20	35	17	18	61	21	10	30	28
	F	749	60	14	46	81	37	44	114	50	17	47	53
30(1) Maternal sepsis (not abortion)	F	28	-	-	-	2	2	-	6	2	1	3	3
30(2) Toxaemias of pregnancy and puerperium	F	46	5	-	5	7	2	5	8	4	1	3	4
30(3) Abortion	F	49	2	-	2	4	1	3	6	3	1	2	4
32(8) Rheumatoid arthritis and allied conditions	M	222	11	1	10	22	13	9	30	11	5	14	26
	F	750	38	12	26	69	39	30	137	52	25	60	46
32(9) Birth injury	M	1,173	80	17	63	115	56	59	209	90	49	70	75
	F	770	64	14	50	84	41	43	111	40	34	37	47
32(10) Postnatal asphyxia and atelectasis	M	1,532	95	22	73	161	57	104	296	118	57	121	109
	F	983	57	8	49	108	52	56	200	74	48	78	66
23(1) Pneumonia of newborn	M	401	26	3	23	47	28	19	81	32	16	33	25
	F	278	27	5	22	30	13	17	43	20	7	16	20
32(11) Ophthalmia, pemphigus, sepsis of newborn	M	46	3	1	2	4	2	2	9	3	1	5	2
	F	34	2	-	2	4	1	3	5	2	-	3	2
32(12) Haemolytic disease of newborn	M	197	14	3	11	22	11	11	32	7	9	16	11
	F	149	11	2	9	13	4	9	18	5	5	8	17
32(13) Immaturity (without other disease peculiar to early infancy)	M	1,623	167	45	122	162	79	83	247	100	60	87	138
	F	1,226	122	32	90	108	54	54	193	73	41	79	112
32(14) Senility without psychosis	M	1,964	171	36	135	110	34	76	469	130	34	305	168
	F	3,926	274	74	200	249	97	152	904	319	73	512	348
32(15) Ill-defined and unknown cause	M	209	22	6	16	9	5	4	31	12	7	12	27
	F	166	15	3	12	6	3	3	21	7	2	12	19



TABLE 21 - continued Standard regions and conurbations

Registrar General's Abridged List		Midland			Eastern	London and South Eastern			Southern	South Western	Wales		
		Total	West Midlands Conurbation	Remainder of Midland		Total	Greater London	Remainder of South Eastern			Total	Wales I (South East)	Wales II (remainder)
1	Tuberculosis, respiratory	M 233	122	111	99	527	381	146	96	119	183	132	
		F 74	35	39	39	156	114	42	33	42	42	34	
2	Tuberculosis, other	M 26	19	7	7	36	24	12	9	11	10	9	
		F 14	4	10	7	48	36	12	14	11	11	9	
3	Syphilitic disease	M 40	26	14	33	135	101	34	43	28	24	18	
		F 22	9	13	32	113	90	23	21	12	14	10	
4	Diphtheria	M -	-	-	-	-	-	-	-	1	-	-	
		F -	-	-	-	-	-	-	-	-	-	-	
5	Whooping cough	M 4	3	1	1	-	-	-	-	3	-	-	
		F 6	5	1	1	3	3	-	-	-	1	1	
6	Meningococcal infections	M 9	4	5	5	23	16	7	6	10	3	1	
		F 5	4	1	2	15	12	3	5	1	5	4	
7	Acute poliomyelitis	M -	-	-	-	-	-	-	-	-	-	-	
		F -	-	-	-	-	-	-	-	-	-	-	
8	Measles	M 15	9	6	1	9	5	4	-	3	5	5	
		F 11	8	3	3	14	3	11	5	3	3	2	
9	Other infective, etc., diseases	M 42	22	20	32	124	85	39	34	50	24	13	
		F 43	15	28	40	110	90	20	28	37	26	13	
10	Malignant neoplasm: stomach	M 747	349	398	567	1,665	1,242	423	428	568	592	385	2
		F 576	299	277	380	1,370	1,011	359	296	444	475	318	1
11	lung, bronchus	M 1,985	1,120	865	1,508	5,804	4,406	1,398	1,186	1,318	1,011	750	2
		F 259	143	116	276	1,237	904	333	216	253	119	86	
12	breast	M 5	3	2	4	19	12	7	3	3	7	6	
		F 878	471	407	760	2,631	1,860	771	578	770	499	322	1
13	uterus	F 365	166	199	300	879	630	249	239	292	263	184	
14	Other malignant and lymphatic neoplasms	M 2,366	1,126	1,240	1,954	6,278	4,497	1,781	1,583	2,050	1,476	1,007	4
		F 2,064	1,002	1,062	1,813	6,037	4,186	1,851	1,490	1,884	1,266	829	4
15	Leukaemia, aleukaemia	M 147	65	82	130	416	296	120	90	119	79	58	
		F 108	51	57	99	377	272	105	93	100	70	50	
16	Diabetes	M 137	61	76	126	324	217	107	75	122	77	51	
		F 231	101	130	192	569	425	144	125	189	152	117	
17	Vascular lesions of nervous system	M 3,147	1,495	1,652	2,580	6,304	3,973	2,331	1,831	2,777	2,168	1,429	7
		F 4,292	2,084	2,208	3,803	10,938	6,945	3,993	2,979	4,310	3,065	1,969	1,0
18	Coronary disease, angina	M 5,844	2,748	3,096	4,962	15,672	11,178	4,494	3,944	5,151	4,449	3,255	1,1
		F 3,514	1,696	1,818	3,342	10,731	7,579	3,152	2,490	3,158	2,437	1,822	6
19	Hypertension with heart disease	M 445	231	214	281	842	559	283	276	404	338	254	
		F 587	316	271	399	1,464	992	472	400	587	444	309	1
20	Other heart disease	M 2,488	1,084	1,404	2,016	5,770	3,587	2,183	1,679	2,747	1,712	1,173	5
		F 3,830	1,732	2,098	2,925	10,427	6,660	3,767	2,730	4,066	2,475	1,645	8
21	Other circulatory disease	M 973	412	561	943	3,033	2,166	867	695	1,006	727	485	2
		F 1,089	508	581	1,110	4,190	3,067	1,123	854	1,194	826	558	2
22	Influenza	M 96	53	43	152	392	184	208	112	132	40	24	
		F 112	63	49	150	521	266	255	174	212	64	42	
23	Pneumonia	M 1,715	916	799	1,531	4,699	3,346	1,353	1,110	1,247	709	492	2
		F 1,656	895	761	1,644	5,934	4,237	1,697	1,217	1,605	795	570	2
24	Bronchitis	M 2,633	1,389	1,244	1,560	6,097	4,646	1,451	1,298	1,514	1,586	1,248	3
		F 1,009	542	467	653	2,798	2,147	651	563	623	515	393	1
25	Other diseases of respiratory system	M 384	138	246	225	783	546	237	213	317	502	413	
		F 163	88	75	152	456	319	137	122	140	87	57	
26	Ulcer of stomach and duodenum	M 326	184	142	218	687	470	217	159	223	150	107	
		F 161	85	76	117	412	271	141	110	117	80	53	
27	Gastritis, enteritis and diarrhoea	M 109	70	39	72	286	219	67	66	75	70	44	
		F 149	81	68	116	443	304	139	104	118	105	58	
28	Nephritis and nephrosis	M 170	91	79	107	371	261	110	90	151	137	91	
		F 141	64	77	96	343	229	114	83	110	93	56	
29	Hyperplasia of prostate	M 239	126	113	232	584	386	198	172	229	196	112	
30	Pregnancy, childbirth, abortion	F 29	19	10	22	63	56	7	9	11	16	15	
31	Congenital malformations	M 276	129	147	214	672	518	154	202	202	166	132	
		F 275	136	139	192	536	381	155	174	184	157	122	
32	Other defined and ill-defined diseases	M 1,840	868	972	1,552	4,381	3,083	1,298	1,165	1,549	1,330	943	3
		F 2,267	1,017	1,250	1,896	5,862	3,999	1,863	1,484	1,892	1,574	1,114	4
33	Motor vehicle accidents	M 546	249	297	384	887	593	294	334	382	195	135	
		F 178	87	91	126	450	324	126	104	124	66	46	
34	All other accidents	M 603	294	309	443	1,234	881	353	354	384	400	287	1
		F 663	347	316	511	1,299	847	452	365	453	367	255	1
35	Suicide	M 330	178	152	248	911	718	193	186	217	178	127	
		F 211	119	92	183	769	569	200	119	194	93	71	
36	Homicide, operations of war	M 26	9	17	14	44	34	10	13	13	10	6	
		F 16	9	7	8	29	27	2	9	13	4	2	

TABLE 21 - continued Standard regions and conurbations

Registrar General's Supplementary Abridged List		Midland			Eastern	London and South Eastern			Southern	South Western	Wales		
		Total	West Midlands Conurbation	Remainder of Midland		Total	Greater London	Remainder of South Eastern			Total	Wales I (South East)	Wales II (remainder)
9(1) Infectious hepatitis	M	6	4	2	9	26	16	10	12	12	7	4	3
	F	9	3	6	8	32	28	4	9	12	11	7	4
4(1) Malignant neoplasm, mouth and pharynx	M	109	52	57	73	238	156	82	49	82	46	35	11
	F	56	32	24	41	133	74	59	37	39	45	24	21
4(2) Malignant neoplasm, oesophagus	M	163	60	103	89	337	251	86	85	129	91	59	32
	F	98	49	49	92	247	176	71	60	95	86	50	36
4(3) Malignant neoplasm, intestine and rectum	M	685	329	356	483	1,485	1,068	417	399	524	375	263	112
	F	708	346	362	640	2,063	1,419	644	502	630	489	331	158
4(4) Malignant neoplasm, larynx	M	52	32	20	43	157	104	53	42	42	37	26	11
	F	15	9	6	12	31	23	8	8	13	12	5	7
3(1) Malignant neoplasm, cervix uteri	F	218	98	120	183	526	389	137	142	177	163	116	47
4(5) Malignant neoplasm, prostate	M	330	137	193	329	1,032	693	339	284	343	217	141	76
4(6) Malignant neoplasm, bladder	M	185	92	93	173	589	433	156	165	171	119	84	35
	F	65	33	32	64	265	188	77	56	77	40	28	12
4(7) Malignant neoplasm, bone (including jaw bone)	M	30	14	16	19	56	43	13	16	22	21	14	7
	F	24	9	15	7	61	37	24	15	15	17	9	8
4(8) Lymphosarcoma, reticulosarcoma	M	56	32	24	53	200	143	57	44	50	41	31	10
	F	43	20	23	43	131	92	39	36	49	22	14	8
4(9) Hodgkin's disease	M	51	21	30	45	142	110	32	33	31	32	19	13
	F	27	16	11	26	77	53	24	20	26	19	14	5
2(1) Thyrotoxicosis	M	3	1	2	5	9	5	4	-	4	1	1	-
	F	31	10	21	18	52	30	22	17	36	26	21	5
2(2) Multiple sclerosis	M	41	23	18	24	73	54	19	10	32	15	9	6
	F	40	16	24	50	141	100	41	31	32	30	23	7
2(3) Rheumatic fever	M	9	4	5	4	5	3	2	6	6	5	4	1
	F	2	-	2	-	8	4	4	3	3	4	2	2
0(1) Chronic rheumatic heart disease	M	233	120	113	138	574	450	124	119	184	201	160	41
	F	457	233	224	249	1,190	951	239	241	280	332	261	71
1(1) Hypertension without mention of heart	M	221	112	109	172	730	547	183	139	178	219	154	65
	F	191	106	85	178	1,004	782	222	141	220	203	132	71
5(1) Pneumoconiosis and chronic inter- stitial pneumonia	M	130	19	111	31	113	89	24	26	68	294	259	35
	F	10	6	4	17	49	38	11	11	10	5	4	1
6(1) Ulcer of stomach	M	156	93	63	111	352	245	107	85	105	62	42	20
	F	109	59	50	72	289	188	101	71	73	51	30	21
2(4) Appendicitis	M	34	14	20	15	72	43	29	17	23	17	9	8
	F	32	15	17	20	66	39	27	15	24	14	10	4
2(5) Intestinal obstruction and hernia	M	140	69	71	140	369	258	111	73	136	87	55	32
	F	149	72	77	128	439	319	120	92	125	113	74	39
2(6) Cirrhosis of liver	M	66	26	40	36	160	115	45	37	52	64	40	24
	F	66	34	32	41	140	104	36	38	45	41	27	14
2(7) Cholelithiasis, cholecystitis	M	30	14	16	30	101	71	30	17	25	25	17	8
	F	89	39	50	63	154	101	53	29	61	45	33	12
0(1) Maternal sepsis (not abortion)	F	5	4	1	3	4	3	1	4	1	-	-	-
0(2) Toxaemias of pregnancy and puerperium	F	1	-	1	2	13	11	2	1	3	2	2	-
0(3) Abortion	F	8	6	2	3	18	16	2	-	-	4	4	-
2(8) Rheumatoid arthritis and allied conditions	M	9	3	6	21	45	35	10	17	21	20	12	8
	F	66	31	35	63	164	103	61	43	55	69	46	23
2(9) Birth injury	M	158	93	65	84	234	175	59	68	84	66	50	16
	F	113	56	57	44	165	127	38	45	45	52	40	12
2(10) Postnatal asphyxia and atelectasis	M	136	61	75	92	359	280	79	102	87	95	78	17
	F	91	46	45	46	221	162	59	69	65	60	45	15
23(1) Pneumonia of newborn	M	64	33	31	17	69	49	20	14	27	31	25	6
	F	37	18	19	19	56	44	12	9	17	20	15	5
2(11) Ophthalmia, pemphigus, sepsis of newborn	M	5	3	2	5	9	5	4	3	1	5	5	-
	F	4	2	2	2	9	6	3	5	-	1	-	1
2(12) Haemolytic disease of newborn	M	22	11	11	10	46	33	13	13	15	12	11	1
	F	13	5	8	12	35	32	3	10	14	6	5	1
2(13) Immaturity (without other disease peculiar to early infancy)	M	146	73	73	120	344	263	81	97	86	116	96	20
	F	119	47	72	85	260	198	62	76	63	88	71	17
2(14) Senility without psychosis	M	187	55	132	131	260	121	139	74	237	157	107	50
	F	350	133	217	274	656	343	313	198	411	262	187	75
2(15) Ill-defined and unknown cause	M	10	8	2	16	48	30	18	13	16	17	9	8
	F	15	7	8	10	57	38	19	11	7	5	3	2



TABLE 21 - continued

Conurbations, Urban and rural aggregates and hospital region

Registrar General's Abridged List			Conurbations	Areas outside conurbations				Hospital Regions						
				Urban areas with populations of 100,000 and over	Urban areas with poplns. of 50,000 and under 100,000	Urban areas with populations under 50,000	Rural districts	Newcastle	Leeds	Sheffield	East Anglia	North West Metropolitan	North East Metropolitan	South East Metropolitan
1	Tuberculosis, respiratory	M	821	298	177	420	306	134	128	168	39	140	133	19
		F	224	113	51	90	109	33	40	35	15	50	28	5
2	Tuberculosis, other	M	65	19	21	36	28	14	8	20	4	11	7	1
		F	77	24	14	34	33	13	13	17	4	13	9	1
3	Syphilitic disease	M	203	49	44	96	93	41	34	46	16	47	30	4
		F	152	42	25	61	55	18	31	24	14	33	31	2
4	Diphtheria	M	-	1	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	1	-	-	-	-	-
5	Whooping cough	M	7	2	1	2	3	-	-	3	-	-	1	-
		F	15	4	1	1	-	-	2	1	-	1	2	-
6	Meningococcal infections	M	34	14	10	13	17	10	5	4	2	5	5	-
		F	29	6	6	10	7	3	4	5	-	4	3	-
7	Acute poliomyelitis	M	1	-	-	1	-	-	1	-	-	-	-	-
		F	-	-	-	1	-	-	-	-	-	-	-	-
8	Measles	M	25	6	4	12	15	-	1	11	1	2	-	-
		F	18	7	7	16	17	-	2	10	2	1	2	-
9	Other infective, etc., diseases	M	181	54	40	96	113	31	31	41	16	39	16	4
		F	162	54	37	103	92	28	29	40	16	47	35	2
10	Malignant neoplasm: stomach	M	2,797	1,168	622	1,648	1,509	576	547	734	265	551	516	54
		F	2,215	860	480	1,277	1,105	418	433	524	178	463	368	42
11	lung, bronchus	M	8,809	3,040	1,858	3,820	3,230	1,429	1,410	1,721	592	2,006	1,672	1,69
		F	1,603	482	356	687	549	190	258	268	102	393	299	39
12	breast	M	26	14	8	9	13	2	5	7	2	5	4	-
		F	3,538	1,270	850	1,981	1,803	478	586	809	316	877	699	85
13	uterus	F	1,336	580	392	895	716	285	305	383	128	334	229	29
14	Other malignant and lymphatic neoplasms	M	8,955	3,347	2,297	5,418	5,093	1,546	1,687	2,351	865	2,106	1,774	1,94
		F	8,325	3,223	2,207	4,874	4,251	1,333	1,560	1,924	808	2,006	1,567	1,93
15	Leukaemia, aleukaemia	M	547	179	142	311	332	89	86	123	54	143	102	13
		F	503	165	115	273	263	66	88	122	38	137	85	13
16	Diabetes	M	431	183	118	323	316	90	96	137	61	110	96	10
		F	885	329	182	548	489	157	175	225	92	200	191	17
17	Vascular lesions of nervous system	M	10,203	4,385	3,013	7,850	6,813	2,396	2,413	3,149	1,170	2,036	1,801	2,31
		F	15,770	6,426	4,532	11,543	9,805	3,119	3,588	4,081	1,662	3,386	2,840	3,87
18	Coronary disease, angina	M	23,533	9,105	6,111	14,471	12,620	4,511	5,047	5,458	2,102	5,293	4,358	5,04
		F	15,602	5,899	3,981	9,110	7,424	2,811	3,530	3,146	1,427	3,501	2,939	3,49
19	Hypertension with heart disease	M	1,277	655	360	937	853	245	228	431	111	284	237	31
		F	2,131	933	573	1,341	1,223	397	408	584	148	458	358	53
20	Other heart disease	M	7,943	3,439	2,541	6,546	6,234	1,646	1,712	2,661	1,037	1,735	1,378	2,09
		F	14,107	5,550	3,995	9,841	8,688	2,233	2,774	3,792	1,513	3,024	2,147	3,56
21	Other circulatory disease	M	4,014	1,693	1,047	2,583	2,499	728	782	1,229	456	991	839	96
		F	5,550	2,109	1,313	3,044	2,647	808	984	1,444	514	1,387	1,034	1,24
22	Influenza	M	417	128	102	385	410	140	66	85	111	88	63	16
		F	532	185	145	426	484	123	76	80	87	125	80	20
23	Pneumonia	M	6,695	2,442	1,644	3,249	3,316	1,060	1,213	1,393	741	1,510	1,324	1,41
		F	7,948	2,539	1,781	3,635	3,493	976	1,335	1,274	756	1,822	1,501	1,78
24	Bronchitis	M	10,176	3,757	2,157	4,927	3,815	1,526	1,774	2,410	621	1,888	1,810	1,85
		F	4,640	1,571	862	1,956	1,471	581	790	931	236	827	823	86
25	Other diseases of respiratory system	M	1,093	500	342	939	777	206	202	319	98	257	227	21
		F	663	246	169	352	375	114	119	199	59	163	121	14
26	Ulcer of stomach and duodenum	M	1,012	357	256	642	532	196	186	253	111	241	158	23
		F	579	214	149	337	263	89	113	109	69	138	84	14
27	Gastritis, enteritis and diarrhoea	M	424	133	102	219	195	55	69	107	32	98	75	8
		F	618	210	137	321	303	80	110	125	53	125	114	16
28	Nephritis and nephrosis	M	563	246	151	394	341	116	148	160	48	107	103	12
		F	517	186	130	337	314	94	139	128	32	111	80	12
29	Hyperplasia of prostate	M	770	327	245	577	560	123	177	209	111	179	154	21
30	Pregnancy, childbirth, abortion	F	108	36	13	43	43	12	18	25	7	22	26	1
31	Congenital malformations	M	1,012	405	255	556	555	177	182	240	81	238	216	20
		F	858	329	237	520	522	183	172	215	69	202	168	16
32	Other defined and ill-defined diseases	M	6,787	2,570	1,777	4,346	4,140	1,301	1,302	1,770	656	1,531	1,231	1,47
		F	8,589	3,157	2,258	5,665	4,951	1,525	1,657	2,156	839	1,821	1,576	1,94
33	Motor vehicle accidents	M	1,450	542	419	901	1,277	283	345	486	182	349	243	30
		F	690	249	145	351	327	114	121	182	50	148	117	13
34	All other accidents	M	2,092	755	598	1,263	1,282	499	439	618	212	465	329	37
		F	2,162	885	617	1,407	1,182	413	531	595	241	476	324	42
35	Suicide	M	1,361	474	295	636	542	203	242	297	114	334	231	23
		F	984	340	258	492	333	155	166	173	69	267	172	21
36	Homicide, operations of war	M	73	25	21	33	35	11	13	15	9	22	4	1
		F	57	13	9	22	26	7	5	15	3	10	8	-



TABLE 21 - continued

## Conurbations, Urban and rural aggregates and hospital regions

Registrar General's Supplementary Abridged List		Conurbations	Areas outside conurbations				Hospital Regions						
			Urban areas with populations of 100,000 and over	Urban areas with poplns. of 50,000 and under 100,000	Urban areas with populations under 50,000	Rural districts	Newcastle	Leeds	Sheffield	East Anglia	North West Metropolitan	North East Metropolitan	South East Metropolitan
9(1) Infectious hepatitis	M	34	13	11	23	25	8	3	9	5	7	5	13
	F	48	16	10	29	21	10	11	8	2	15	9	6
14(1) Malignant neoplasm, mouth and pharynx	M	356	131	93	202	196	65	77	74	35	83	51	80
	F	192	93	63	126	128	44	40	61	20	39	30	51
14(2) Malignant neoplasm, oesophagus	M	506	163	134	292	280	92	75	95	43	103	89	106
	F	380	149	102	227	206	67	61	70	33	81	78	74
14(3) Malignant neoplasm, intestine and rectum	M	2,329	880	608	1,464	1,312	456	458	650	218	544	428	448
	F	2,932	1,133	766	1,783	1,422	441	579	688	307	648	553	688
14(4) Malignant neoplasm, larynx	M	234	97	57	131	113	38	44	69	12	46	46	57
	F	52	19	20	32	17	10	3	10	6	14	5	10
13(1) Malignant neoplasm, cervix uteri	F	882	375	250	539	419	202	212	221	82	205	137	171
14(5) Malignant neoplasm, prostate	M	1,230	501	338	861	865	173	241	321	140	341	273	348
14(6) Malignant neoplasm, bladder	M	835	325	206	486	398	144	164	202	83	192	153	178
	F	354	128	84	175	149	59	60	77	29	89	62	83
14(7) Malignant neoplasm, bone (including jaw bone)	M	97	39	23	66	55	21	24	26	7	19	24	12
	F	86	41	17	51	45	21	25	18	1	12	14	20
14(8) Lymphosarcoma, reticulosarcoma	M	245	88	54	130	135	38	48	46	14	63	55	65
	F	181	65	46	104	99	23	25	41	10	52	40	35
14(9) Hodgkin's disease	M	198	66	49	102	106	22	28	52	16	42	51	36
	F	99	44	30	63	69	20	16	23	16	23	25	22
32(1) Thyrotoxicosis	M	7	7	3	8	6	3	1	2	4	5	-	3
	F	65	37	29	71	62	12	18	22	9	13	12	20
32(2) Multiple sclerosis	M	134	47	21	77	58	12	30	41	12	23	19	23
	F	177	50	50	116	101	25	33	37	21	46	34	43
32(3) Rheumatic fever	M	10	5	7	16	14	5	-	4	3	1	1	2
	F	13	8	5	10	9	3	3	7	-	-	1	5
20(1) Chronic rheumatic heart disease	M	904	333	175	514	456	173	144	214	53	201	148	166
	F	1,969	617	367	856	733	265	324	392	105	429	305	305
21(1) Hypertension without mention of heart	M	943	362	212	557	500	151	152	254	56	246	203	203
	F	1,214	355	240	634	458	150	135	296	55	359	254	235
25(1) Pneumoconiosis and chronic inter- stitial pneumonia	M	181	168	66	318	221	62	48	62	13	56	30	24
	F	71	25	14	17	36	9	18	16	7	22	13	16
26(1) Ulcer of stomach	M	487	163	121	314	254	84	85	116	59	124	74	124
	F	373	138	95	211	171	50	70	60	41	91	58	103
32(4) Appendicitis	M	92	42	31	66	68	20	27	27	7	18	14	30
	F	80	37	20	66	54	14	16	23	9	9	22	23
32(5) Intestinal obstruction and hernia	M	515	192	127	317	321	78	108	141	58	118	97	137
	F	626	227	131	364	313	89	109	144	52	130	123	146
32(6) Cirrhosis of liver	M	268	97	58	153	125	49	56	62	15	62	30	53
	F	236	94	42	123	126	41	56	54	21	50	33	44
32(7) Cholelithiasis, cholecystitis	M	142	46	33	86	74	27	29	30	13	28	33	34
	F	258	87	59	189	156	55	62	68	27	44	55	56
30(1) Maternal sepsis (not abortion)	F	12	5	3	4	4	-	2	3	1	2	3	1
30(2) Toxaemias of pregnancy and puerperium	F	18	7	3	9	9	5	4	7	-	3	4	3
30(3) Abortion	F	27	6	2	7	7	2	1	6	1	5	7	2
32(8) Rheumatoid arthritis and allied conditions	M	68	37	23	55	39	11	17	27	9	18	16	10
	F	262	100	67	180	141	37	56	55	35	47	49	49
32(9) Birth injury	M	480	146	113	216	218	79	92	90	34	91	62	65
	F	312	90	63	169	136	61	66	61	20	54	51	55
32(10) Postnatal asphyxia and atelectasis	M	595	195	149	297	296	85	115	139	40	146	90	91
	F	390	134	79	200	180	55	75	87	22	82	52	63
23(1) Pneumonia of newborn	M	161	70	41	63	66	23	42	30	8	25	19	22
	F	107	44	29	53	45	27	21	27	7	30	15	16
32(11) Ophthalmia, pemphigus, sepsis of newborn	M	15	8	5	12	6	3	3	1	3	2	4	1
	F	11	5	3	8	7	1	2	5	2	4	-	2
32(12) Haemolytic disease of newborn	M	74	31	16	41	35	11	19	16	3	15	10	13
	F	53	17	9	31	39	11	8	19	3	10	20	7
32(13) Immaturity (without other disease peculiar to early infancy)	M	620	256	150	297	300	157	129	165	48	130	126	108
	F	445	165	122	282	212	117	86	126	33	98	88	73
32(14) Senility without psychosis	M	410	171	179	644	560	163	82	190	56	63	64	125
	F	1,039	403	373	1,172	939	260	205	374	131	166	136	248
32(15) Ill-defined and unknown cause	M	68	30	20	44	47	22	7	18	6	18	13	21
	F	60	19	19	28	40	15	5	12	5	10	13	28

TABLE 21 - *contd.* Hospital regions, London A.C., City of London, metropolitan boroughs

Registrar General's Abridged List		Hospital Regions - continued								London Administrative County	City of London	Battersea	Bermondsey
		South West Metropolitan	Wessex	Oxford	South Western	Welsh	Birmingham	Manchester	Liverpool				
1	Tuberculosis, respiratory	M 128	62	45	107	183	233	211	115	174	-	3	5
		F 58	19	16	40	42	74	49	38	59	-	4	-
2	Tuberculosis, other	M 8	5	8	8	10	26	17	8	13	-	-	-
		F 14	10	7	10	11	14	24	7	19	-	1	-
3	Syphilitic disease	M 40	20	21	24	24	40	39	20	54	-	2	-
		F 41	14	8	11	14	22	30	15	44	-	2	-
4	Diphtheria	M -	-	-	1	-	-	-	-	-	-	-	-
		F -	-	-	-	-	-	-	-	-	-	-	-
5	Whooping cough	M -	-	1	2	-	4	2	2	-	-	-	-
		F 1	-	-	-	1	6	3	4	2	-	-	-
6	Meningococcal infections	M 12	2	2	10	3	9	7	6	9	-	1	-
		F 5	3	3	1	5	5	10	2	7	-	3	-
7	Acute poliomyelitis	M -	-	-	-	-	-	1	-	-	-	-	-
		F -	-	-	-	-	-	1	-	-	-	-	-
8	Measles	M 4	2	-	1	5	15	9	8	2	-	-	-
		F 7	5	3	1	3	11	9	4	-	-	-	-
9	Other infective, etc., diseases	M 41	25	16	46	24	42	47	22	37	-	1	2
		F 32	13	19	33	26	43	38	25	33	-	1	-
10	Malignant neoplasm: stomach	M 432	281	245	483	592	747	895	340	506	2	11	16
		F 368	192	182	380	475	576	678	281	429	1	12	11
11	lung, bronchus	M 1,559	766	605	1,122	1,011	1,985	2,085	1,097	1,817	6	57	19
		F 360	139	102	228	119	259	381	189	393	1	11	5
12	breast	M 7	2	4	3	7	5	8	3	4	-	-	-
		F 736	414	295	652	499	878	942	405	697	-	23	9
13	uterus	F 234	166	106	254	263	365	456	170	279	-	13	4
14	Other malignant and lymphatic neoplasms	M 1,780	1,067	869	1,753	1,476	2,366	2,431	1,092	1,727	4	53	35
		F 1,782	1,023	726	1,628	1,266	2,064	2,260	1,003	1,689	3	54	33
15	Leukaemia, aleukaemia	M 117	58	62	99	79	147	134	79	110	-	3	1
		F 98	61	47	80	70	108	124	61	105	1	2	1
16	Diabetes	M 87	61	40	100	77	137	120	51	88	-	4	-
		F 131	88	69	162	152	231	274	114	182	1	7	3
17	Vascular lesions of nervous system	M 1,845	1,278	1,007	2,390	2,168	3,147	3,781	1,368	1,483	-	52	21
		F 3,392	2,067	1,616	3,706	3,065	4,292	5,383	2,001	2,566	2	112	39
18	Coronary disease, angina	M 4,395	2,707	2,047	4,436	4,449	5,844	6,998	3,147	4,404	7	114	73
		F 3,059	1,741	1,268	2,744	2,437	3,514	4,373	2,033	3,108	5	79	59
19	Hypertension with heart disease	M 201	204	153	346	338	445	375	166	215	-	7	4
		F 406	301	197	510	444	587	534	333	377	-	13	2
20	Other heart disease	M 1,807	1,213	986	2,320	1,712	2,488	2,918	1,000	1,455	4	55	28
		F 3,464	1,997	1,466	3,491	2,475	3,830	4,763	1,643	2,514	1	106	32
21	Other circulatory disease	M 828	469	383	873	727	973	1,155	434	843	-	26	12
		F 1,261	547	451	1,051	826	1,089	1,491	529	1,358	-	39	30
22	Influenza	M 150	63	57	110	40	96	158	47	63	-	5	-
		F 195	107	101	176	64	112	182	55	98	-	3	1
23	Pneumonia	M 1,400	706	685	1,019	709	1,715	1,474	984	1,405	4	44	34
		F 1,867	810	683	1,344	795	1,656	1,662	1,130	1,682	3	51	33
24	Bronchitis	M 1,685	899	682	1,276	1,586	2,633	2,932	1,260	2,141	2	66	29
		F 780	385	263	534	515	1,009	1,431	532	1,046	-	33	8
25	Other diseases of respiratory system	M 238	153	91	277	502	384	336	143	214	1	17	6
		F 130	76	64	125	87	163	170	63	138	-	7	3
26	Ulcer of stomach and duodenum	M 196	118	81	179	150	326	258	112	203	-	8	5
		F 117	69	57	97	80	161	169	50	105	-	1	5
27	Gastritis, enteritis and diarrhoea	M 87	46	26	61	70	109	113	43	78	1	1	-
		F 112	75	49	98	105	149	158	67	121	-	5	2
28	Nephritis and nephrosis	M 108	63	50	132	137	170	153	71	114	-	4	3
		F 95	61	40	96	93	141	189	56	95	-	5	4
29	Hyperplasia of prostate	M 189	118	86	186	196	239	204	98	156	-	6	3
30	Pregnancy, childbirth, abortion	F 18	5	6	11	16	29	21	15	28	-	1	-
31	Congenital malformations	M 187	127	109	169	166	276	271	142	226	1	6	5
		F 146	111	84	153	157	275	234	132	171	-	-	-
32	Other defined and ill-defined diseases	M 1,238	766	702	1,285	1,330	1,840	2,203	994	1,283	2	36	17
		F 1,804	1,019	796	1,587	1,574	2,267	2,872	1,179	1,598	1	61	18
33	Motor vehicle accidents	M 268	202	189	314	195	546	491	194	234	-	9	4
		F 140	61	56	101	66	178	214	75	132	-	4	3
34	All other accidents	M 353	218	190	342	400	603	637	308	422	2	12	8
		F 402	243	210	378	367	663	624	361	377	-	9	4
35	Suicide	M 270	121	85	196	178	330	325	144	368	-	7	9
		F 246	96	59	160	93	211	235	90	259	-	9	2
36	Homicide, operations of war	M 16	9	2	12	10	26	23	5	17	-	-	-
		F 10	7	3	11	4	16	13	7	14	-	-	-



TABLE 21 - *contd.* Hospital regions, London A.C., City of London, metropolitan boroughs

Registrar General's Supplementary Abridged List		Hospital Regions - continued								London Administrative County	City of London	Battersea	Bermondsey
		South West Metropolitan	Wessex	Oxford	South Western	Welsh	Birmingham	Manchester	Liverpool				
9(1) Infectious hepatitis	M	6	5	6	12	7	6	9	5	11	-	1	-
	F	9	5	4	11	11	9	7	7	10	-	-	-
4(1) Malignant neoplasm, mouth and pharynx	M	72	39	25	70	46	109	104	48	65	-	2	2
	F	38	32	12	33	45	56	71	30	33	-	4	2
4(2) Malignant neoplasm, oesophagus	M	96	73	30	113	91	163	142	64	114	-	3	4
	F	78	51	31	82	86	98	117	57	75	-	1	2
4(3) Malignant neoplasm, intestine and rectum	M	404	256	228	450	375	685	653	340	397	1	11	6
	F	596	345	242	542	489	708	855	355	559	1	15	9
4(4) Malignant neoplasm, larynx	M	44	27	19	38	37	52	75	28	50	-	2	-
	F	8	7	3	12	12	15	12	13	13	-	-	-
3(1) Malignant neoplasm, cervix uteri	F	136	103	60	154	163	218	284	117	177	-	9	1
4(5) Malignant neoplasm, prostate	M	291	197	151	291	217	330	354	127	242	-	8	8
4(6) Malignant neoplasm, bladder	M	176	99	99	147	119	185	227	82	172	-	4	4
	F	72	36	30	66	40	65	79	43	77	-	3	1
4(7) Malignant neoplasm, bone (including jaw bone)	M	17	8	7	21	21	30	31	12	10	-	-	-
	F	22	8	11	12	17	24	25	10	15	-	-	-
4(8) Lymphosarcoma, reticulosarcoma	M	61	39	21	40	41	56	44	21	55	-	2	-
	F	46	18	21	45	22	43	44	30	36	-	-	-
4(9) Hodgkin's disease	M	46	21	22	25	32	51	44	33	37	-	1	2
	F	23	14	8	22	19	27	30	17	17	-	1	-
2(1) Thyrotoxicosis	M	2	1	3	2	1	3	1	-	1	-	-	-
	F	17	13	11	30	26	31	23	7	5	-	-	-
2(2) Multiple sclerosis	M	22	10	6	27	15	41	43	13	17	-	-	-
	F	52	23	11	27	30	40	54	18	33	-	2	-
2(3) Rheumatic fever	M	3	3	2	6	5	9	7	1	2	-	-	-
	F	2	2	3	1	4	2	10	2	1	-	-	-
0(1) Chronic rheumatic heart disease	M	164	70	81	159	201	233	261	114	225	-	11	7
	F	331	161	130	246	332	457	532	228	415	-	16	9
1(1) Hypertension without mention of heart	M	209	89	82	159	219	221	250	80	214	-	6	4
	F	298	97	78	195	203	191	257	98	359	-	8	7
5(1) Pneumoconiosis and chronic inter- stitial pneumonia	M	27	17	12	62	294	130	86	31	39	1	3	3
	F	9	6	4	10	5	10	14	4	19	-	-	1
6(1) Ulcer of stomach	M	102	60	46	82	62	156	110	55	112	-	2	3
	F	81	49	31	60	51	109	100	34	77	-	-	5
2(4) Appendicitis	M	20	11	13	19	17	34	29	13	18	-	1	-
	F	24	10	9	21	14	32	22	9	19	-	1	1
2(5) Intestinal obstruction and hernia	M	109	57	43	115	87	140	132	52	108	-	2	2
	F	131	60	50	115	113	149	178	72	131	-	10	4
2(6) Cirrhosis of liver	M	41	24	24	42	64	66	75	38	58	-	3	-
	F	39	19	22	42	41	66	58	35	54	-	1	1
2(7) Cholelithiasis, cholecystitis	M	25	12	10	24	25	30	45	16	30	-	1	1
	F	39	20	21	52	45	89	87	29	43	-	1	-
0(1) Maternal sepsis (not abortion)	F	-	3	1	1	-	5	3	3	-	-	-	-
0(2) Toxaemias of pregnancy and puerperium	F	5	-	1	3	2	1	4	4	5	-	-	-
0(3) Abortion	F	6	-	1	-	4	8	5	1	10	-	1	-
2(8) Rheumatoid arthritis and allied conditions	M	16	17	5	17	20	9	23	7	9	-	-	-
	F	48	38	13	51	69	66	101	36	33	-	2	-
2(9) Birth injury	M	76	45	40	66	66	158	134	75	87	-	3	1
	F	44	23	26	33	52	113	65	46	68	-	1	1
2(10) Postnatal asphyxia and atelectasis	M	103	54	73	69	95	136	185	111	126	-	1	1
	F	60	36	42	57	60	91	132	69	75	-	1	-
3(1) Pneumonia of newborn	M	15	9	13	19	31	64	57	24	16	-	1	-
	F	9	5	7	14	20	37	35	8	21	-	-	-
2(11) Ophthalmia, pemphigus, sepsis of newborn	M	6	-	3	1	5	5	6	3	2	-	1	-
	F	4	2	2	-	1	4	5	-	4	-	1	-
2(12) Haemolytic disease of newborn	M	17	10	3	13	12	22	18	15	16	-	1	-
	F	8	6	10	10	6	13	11	7	14	-	-	-
2(13) Immaturity (without other disease peculiar to early infancy)	M	77	56	50	67	116	146	163	85	113	-	4	2
	F	68	40	38	58	88	119	122	72	74	-	3	1
2(14) Senility without psychosis	M	99	69	63	174	157	187	411	61	52	-	-	-
	F	281	176	115	314	262	350	782	126	147	-	3	1
2(15) Ill-defined and unknown cause	M	10	8	15	13	17	10	19	12	11	-	-	-
	F	12	7	11	7	5	15	12	9	23	-	1	-



TABLE 21 - continued

## Metropolitan boroughs

Registrar General's Abridged List			Bethnal Green	Camberwell	Chelsea	Deptford	Finsbury	Fulham	Greenwich	Hackney	Hammersmith	Hampstead	Holborn	Islington
1	Tuberculosis, respiratory	M	3	6	2	7	1	8	6	7	3	3	2	6
		F	-	3	-	-	1	4	3	1	3	2	-	2
2	Tuberculosis, other	M	1	-	-	-	-	-	-	1	1	-	-	-
		F	1	1	1	-	-	-	1	1	1	-	-	4
3	Syphilitic disease	M	-	2	-	3	1	5	1	2	-	3	1	3
		F	-	2	-	2	2	1	1	3	2	2	1	5
4	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
5	Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
6	Meningococcal infections	M	-	1	-	-	-	-	-	1	-	-	-	-
		F	-	1	-	-	-	-	1	-	-	-	-	-
7	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	1	-	-
8	Measles	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
9	Other infective, etc., diseases	M	-	1	-	1	-	1	2	-	3	-	1	3
		F	-	2	1	-	1	2	2	4	-	2	1	-
10	Malignant neoplasm: stomach	M	11	32	8	8	9	25	19	29	21	9	2	36
		F	5	14	9	11	5	13	17	33	18	17	1	20
11	lung, bronchus	M	36	106	23	46	27	60	48	97	67	31	13	147
		F	3	26	8	5	2	18	8	10	22	8	2	20
12	breast	M	-	-	-	-	-	-	-	-	-	-	-	1
		F	12	37	14	9	7	21	16	56	23	26	10	43
13	uterus	F	2	13	7	8	3	6	5	11	11	8	4	23
14	Other malignant and lymphatic neoplasms	M	25	97	32	29	12	65	32	86	66	38	13	122
		F	18	68	33	38	23	55	42	100	53	46	13	121
15	Leukaemia, aleukaemia	M	-	8	2	2	1	3	2	4	5	2	-	9
		F	1	6	1	1	1	2	2	7	3	5	-	6
16	Diabetes	M	2	3	1	2	1	2	2	6	3	2	2	11
		F	4	6	5	2	3	4	6	14	4	5	1	13
17	Vascular lesions of nervous system	M	17	93	39	20	16	61	26	60	45	35	4	83
		F	30	152	65	38	13	81	54	128	89	68	11	159
18	Coronary disease, angina	M	60	270	71	95	49	166	102	252	143	142	19	248
		F	56	184	66	55	28	94	85	155	85	109	25	214
19	Hypertension with heart disease	M	1	15	3	3	-	4	5	10	5	4	1	15
		F	1	35	12	8	3	9	17	17	12	4	-	23
20	Other heart disease	M	19	58	25	42	9	47	44	55	38	27	9	65
		F	21	127	83	38	17	87	53	85	74	61	11	153
21	Other circulatory disease	M	12	49	14	15	11	35	26	63	24	18	5	63
		F	21	61	31	14	10	66	26	111	43	35	8	136
22	Influenza	M	-	5	3	-	-	2	2	1	1	3	-	-
		F	-	3	6	1	-	4	2	2	2	1	-	6
23	Pneumonia	M	19	75	29	31	21	56	28	54	41	37	8	93
		F	29	96	40	36	18	54	36	51	57	40	14	136
24	Bronchitis	M	46	136	27	55	19	79	53	131	71	25	11	143
		F	24	58	20	26	10	32	19	80	35	14	5	87
25	Other diseases of respiratory system	M	-	14	3	4	6	6	5	4	9	4	1	26
		F	-	9	2	2	-	4	1	11	1	4	2	7
26	Ulcer of stomach and duodenum	M	4	15	3	3	3	8	5	13	3	1	1	23
		F	-	2	-	2	2	1	4	2	4	3	-	9
27	Gastritis, enteritis and diarrhoea	M	-	4	-	2	-	5	-	3	3	3	-	2
		F	2	9	1	2	-	2	3	4	6	3	-	9
28	Nephritis and nephrosis	M	2	6	3	3	1	3	7	2	4	3	2	7
		F	3	6	-	1	-	2	1	4	2	3	-	7
29	Hyperplasia of prostate	M	-	6	4	3	-	2	9	6	5	1	1	7
30	Pregnancy, childbirth, abortion	F	-	-	1	-	-	-	-	3	-	2	-	1
31	Congenital malformations	M	3	18	6	5	1	7	-	13	12	2	5	8
		F	4	8	5	3	2	2	3	16	9	4	6	9
32	Other defined and ill-defined diseases	M	19	79	25	32	10	46	32	70	47	35	13	80
		F	23	87	25	28	17	68	39	73	55	38	12	113
33	Motor vehicle accidents	M	4	10	2	3	1	3	9	9	11	6	-	19
		F	1	10	5	3	1	2	6	6	5	2	-	13
34	All other accidents	M	9	19	8	9	5	13	9	14	14	8	4	42
		F	5	15	5	4	7	10	3	19	12	10	4	30
35	Suicide	M	3	12	8	4	7	7	6	14	20	16	3	22
		F	1	13	4	2	1	7	7	7	9	12	-	13
36	Homicide, operations of war	M	-	1	-	-	-	1	1	1	-	1	-	4
		F	1	2	-	1	1	1	-	-	-	-	-	1

TABLE 21 - continued Metropolitan boroughs

Registrar General's Supplementary Abridged List		Bethnal Green	Camberwell	Chelsea	Deptford	Finsbury	Fulham	Greenwich	Hackney	Hammersmith	Hampstead	Holborn	Islington
9(1) Infectious hepatitis	M	-	-	-	-	-	-	-	-	1	-	-	-
	F	-	1	-	-	-	-	-	1	-	-	-	-
4(1) Malignant neoplasm, mouth and pharynx	M	-	6	1	-	1	2	1	2	2	2	1	9
	F	1	-	-	-	-	-	2	1	-	-	1	5
4(2) Malignant neoplasm, oesophagus	M	1	4	3	2	1	1	2	7	6	2	1	3
	F	-	3	4	1	2	2	2	8	3	3	1	3
4(3) Malignant neoplasm, intestine and rectum	M	5	17	10	7	5	15	10	25	13	12	1	28
	F	11	28	12	16	6	20	15	35	19	10	2	40
4(4) Malignant neoplasm, larynx	M	-	-	2	2	-	-	1	3	4	1	-	2
	F	-	-	1	-	1	-	-	-	1	-	-	-
3(1) Malignant neoplasm, cervix uteri	F	2	8	3	8	1	4	4	8	6	5	2	11
4(5) Malignant neoplasm, prostate	M	3	16	4	3	-	11	2	13	11	8	2	13
4(6) Malignant neoplasm, bladder	M	1	7	2	2	2	11	5	3	7	1	-	14
	F	-	3	2	1	1	1	1	6	5	2	-	12
4(7) Malignant neoplasm, bone (including jaw bone)	M	-	-	-	-	-	-	-	2	1	-	-	-
	F	-	2	-	-	-	-	-	1	-	-	-	1
4(8) Lymphosarcoma, reticulosarcoma	M	-	6	1	1	-	-	2	-	4	-	-	6
	F	1	-	1	-	-	6	1	2	-	3	-	2
4(9) Hodgkin's disease	M	2	1	1	-	-	3	1	1	-	1	1	4
	F	-	-	-	1	-	2	-	1	-	-	-	-
2(1) Thyrotoxicosis	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	1	-	-	-	1	-	-	1	-	-	-
2(2) Multiple sclerosis	M	-	3	-	-	-	-	-	-	-	-	-	-
	F	1	3	-	-	-	1	1	1	-	1	-	2
2(3) Rheumatic fever	M	-	-	-	-	-	1	-	-	1	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
0(1) Chronic rheumatic heart disease	M	4	10	6	4	1	5	4	13	12	2	2	22
	F	4	22	7	5	3	11	8	17	21	17	4	52
1(1) Hypertension without mention of heart	M	4	18	6	5	4	11	6	2	7	4	1	27
	F	7	15	11	1	3	26	5	7	15	8	-	70
5(1) Pneumoconiosis and chronic inter- stitial pneumonia	M	-	2	-	1	1	-	2	2	2	-	-	7
	F	-	2	1	-	-	-	-	2	-	1	-	2
6(1) Ulcer of stomach	M	1	10	-	2	1	4	4	8	3	1	-	12
	F	-	1	-	1	1	1	4	1	3	2	-	9
2(4) Appendicitis	M	-	4	-	-	1	-	-	-	-	1	-	-
	F	1	1	2	1	1	1	-	-	2	-	-	1
2(5) Intestinal obstruction and hernia	M	1	11	1	1	-	6	-	6	7	3	2	6
	F	3	8	2	-	-	7	6	4	5	4	2	8
2(6) Cirrhosis of liver	M	-	2	3	3	-	-	3	2	3	1	1	2
	F	-	-	-	2	-	1	3	3	1	2	-	3
2(7) Cholelithiasis, cholecystitis	M	3	2	-	-	-	1	-	1	1	2	-	1
	F	3	6	-	-	2	-	-	3	-	1	-	5
0(1) Maternal sepsis (not abortion)	F	-	-	-	-	-	-	-	-	-	-	-	-
0(2) Toxaemias of pregnancy and puerperium	F	-	-	-	-	-	-	-	-	-	-	-	-
0(3) Abortion	F	-	-	1	-	-	-	-	2	-	-	-	1
2(8) Rheumatoid arthritis and allied conditions	M	-	-	-	-	-	1	1	-	-	-	-	1
	F	-	3	-	-	-	2	1	3	1	1	1	2
2(9) Birth injury	M	-	7	-	2	1	6	3	4	2	2	1	6
	F	-	3	2	4	-	3	3	6	2	2	1	5
2(10) Postnatal asphyxia and atelectasis	M	1	2	1	5	-	3	1	10	7	4	1	16
	F	1	7	-	1	-	6	-	4	4	2	1	14
23(1) Pneumonia of newborn	M	-	-	1	1	-	-	-	2	-	-	-	1
	F	1	-	-	-	-	1	-	-	1	-	1	3
2(11) Ophthalmia, pemphigus, sepsis of newborn	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
2(12) Haemolytic disease of newborn	M	2	-	1	2	1	1	1	1	2	-	-	-
	F	1	1	-	-	-	1	-	2	1	-	-	2
2(13) Immaturity (without other disease peculiar to early infancy)	M	1	8	1	2	1	3	1	11	1	2	1	9
	F	1	1	-	2	1	4	-	4	2	3	-	7
2(14) Senility without psychosis	M	-	5	-	1	-	5	4	3	4	-	-	1
	F	1	4	2	1	1	10	-	6	10	2	2	7
2(15) Ill-defined and unknown cause	M	-	-	1	-	-	-	2	-	-	1	-	-
	F	-	2	-	1	-	-	2	1	-	-	-	-

TABLE 21 - continued Metropolitan boroughs

Registrar General's Abridged List		Kensington	Lambeth	Lewisham	Paddington	Poplar	St. Marylebone	St. Pancras	Shoreditch	Southwark	Stepney	Stoke Newington	Wandsworth
1	Tuberculosis, respiratory	M 6 F 5	12 6	12 3	7 4	7 1	4 1	9 1	4 -	13 -	8 3	3 -	13 9
2	Tuberculosis, other	M - F 1	- -	- -	- -	- -	- 1	- -	1 1	1 -	- -	- -	1 2
3	Syphilitic disease	M 2 F -	2 6	6 1	2 -	- 1	1 -	6 -	1 -	1 1	1 3	1 -	5 7
4	Diphtheria	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
5	Whooping cough	M - F -	- 1	- -	- -	- -	- -	- -	- 1	- -	- -	- -	- -
6	Meningococcal infections	M 1 F -	1 1	- -	1 -	- -	1 -	- -	- -	- -	1 -	- -	2 -
7	Acute poliomyelitis	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
8	Measles	M - F -	- -	- -	- -	- -	- -	- -	- -	1 -	- -	- -	- -
9	Other infective, etc., diseases	M 3 F 1	3 4	5 -	3 -	- 1	- 1	1 4	1 -	1 1	- -	- -	3 4
10	Malignant neoplasm: stomach	M 17 F 16	26 28	38 26	11 16	17 10	10 10	22 20	2 7	19 7	17 12	7 6	46 55
11	lung, bronchus	M 65 F 19	138 36	117 22	62 25	31 12	44 9	82 22	25 3	53 11	66 5	22 7	215 49
12	breast	M - F 37	- 46	- 53	- 24	- 13	- 13	- 21	- 7	- 15	- 21	- 11	- 86
13	uterus	F 13 F -	19 -	17 -	13 -	3 -	7 -	22 -	3 -	3 -	10 -	8 -	24 -
14	Other malignant and lymphatic neoplasms	M 82 F 102	121 120	103 98	56 61	42 30	52 55	79 59	15 24	42 31	55 50	30 20	203 206
15	Leukaemia, aleukaemia	M 5 F 8	6 6	8 8	6 6	4 1	2 4	59 2	3 1	4 2	1 3	1 1	10 14
16	Diabetes	M 2 F 6	2 8	6 10	1 7	1 7	4 7	8 9	2 1	2 6	8 12	1 1	7 14
17	Vascular lesions of nervous system	M 54 F 121	98 163	138 208	43 83	29 57	49 94	57 87	12 35	47 69	48 64	17 36	207 338
18	Coronary disease, angina	M 173 F 148	277 208	330 227	171 95	78 49	136 96	159 128	60 45	124 82	128 75	70 63	526 353
19	Hypertension with heart disease	M 3 F 18	10 23	18 31	4 11	3 4	18 22	8 6	1 9	9 10	14 12	7 6	23 48
20	Other heart disease	M 46 F 87	106 152	100 160	27 55	22 29	60 41	41 65	10 22	74 103	56 56	14 28	284 580
21	Other circulatory disease	M 38 F 77	64 64	46 67	23 40	18 24	21 23	23 34	11 17	14 43	30 29	12 23	98 186
22	Influenza	M 2 F 7	5 10	3 4	3 2	1 4	3 6	1 -	- -	- 3	4 6	2 2	14 19
23	Pneumonia	M 46 F 59	111 133	92 90	33 45	32 25	30 30	69 83	22 49	50 53	52 46	22 19	167 247
24	Bronchitis	M 87 F 39	177 69	139 51	56 37	54 23	43 21	65 25	39 22	86 35	99 37	37 26	231 146
25	Other diseases of respiratory system	M 5 F 8	13 12	9 13	6 10	3 4	4 2	6 5	3 1	7 8	18 4	1 -	25 12
26	Ulcer of stomach and duodenum	M 5 F 3	10 10	8 7	9 6	4 4	6 1	4 9	3 2	4 5	6 -	2 3	26 12
27	Gastritis, enteritis and diarrhoea	M 5 F 2	7 9	7 12	3 2	3 2	3 2	2 7	2 1	1 6	1 3	5 2	11 12
28	Nephritis and nephrosis	M 1 F 6	6 3	10 7	4 3	2 -	2 5	1 3	2 -	4 2	6 2	2 2	18 15
29	Hyperplasia of prostate	M 2 F 3	10 3	14 2	7 2	4 1	4 1	4 3	- -	10 -	6 1	4 -	27 3
30	Pregnancy, childbirth, abortion	M 12 F 7	18 17	19 16	7 3	9 3	1 1	12 4	2 6	5 6	7 7	3 3	20 10
31	Congenital malformations	M 65 F 104	96 118	91 91	51 54	15 26	39 26	67 54	9 15	33 43	38 30	11 15	139 253
32	Other defined and ill-defined diseases	M 12 F 6	22 10	11 8	10 -	4 3	4 3	6 3	1 2	8 4	7 5	4 1	29 17
33	Motor vehicle accidents	M 26 F 32	27 23	15 20	15 29	12 8	8 9	23 22	9 3	11 4	18 7	1 3	36 55
34	All other accidents	M 31 F 23	28 21	20 20	28 14	6 4	10 11	14 13	4 5	9 5	10 10	7 3	34 23
35	Suicide	M 1 F 2	1 1	2 -	- -	- -	- -	1 -	- -	1 -	- -	- 1	1 1
36	Homicide, operations of war	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- 1	- 1



TABLE 21 - continued Metropolitan boroughs

Registrar General's Supplementary Abridged List		Kensington	Lambeth	Lewisham	Paddington	Poplar	St. Marylebone	St. Pancras	Shoreditch	Southwark	Stepney	Stoke Newington	Wandsworth
(1) Infectious hepatitis	M	2	2	1	1	-	-	-	1	-	-	-	1
	F	-	1	-	-	-	1	-	-	-	-	-	2
(1) Malignant neoplasm, mouth and pharynx	M	2	6	3	3	-	1	6	-	2	-	-	4
	F	3	5	2	-	-	1	-	-	2	2	1	3
(2) Malignant neoplasm, oesophagus	M	6	8	9	3	2	1	5	1	2	5	4	16
	F	5	4	1	-	1	5	4	1	3	4	-	8
(3) Malignant neoplasm, intestine and rectum	M	19	33	16	12	14	15	19	5	7	5	7	46
	F	27	38	30	17	12	18	16	11	12	16	6	65
(4) Malignant neoplasm, larynx	M	2	2	4	1	3	-	4	1	5	3	3	4
	F	-	2	1	1	-	1	1	-	1	-	-	1
(1) Malignant neoplasm, cervix uteri	F	6	13	11	8	2	5	16	3	2	6	4	18
(5) Malignant neoplasm, prostate	M	15	17	18	8	3	8	10	3	7	7	3	27
(6) Malignant neoplasm, bladder	M	6	12	15	10	3	4	7	2	6	7	3	21
	F	6	7	3	2	5	1	3	1	1	2	-	4
(7) Malignant neoplasm, bone (including jaw bone)	M	1	-	-	1	-	-	3	-	1	-	-	-
	F	1	1	3	1	-	-	-	-	-	1	1	1
(8) Lymphosarcoma, reticulosarcoma	M	1	1	4	1	1	5	3	-	-	1	-	8
	F	4	2	1	-	-	1	2	-	1	1	-	4
(9) Hodgkin's disease	M	1	1	2	1	1	1	1	-	1	2	3	4
	F	1	4	-	1	-	-	-	-	-	1	-	5
(1) Thyrotoxicosis	M	-	-	-	1	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-
(2) Multiple sclerosis	M	-	4	1	-	-	-	-	-	-	-	-	-
	F	1	2	2	-	-	1	2	-	-	1	-	4
													13
(3) Rheumatic fever	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	1	-	-	-	-	-	-	-	-	-
(1) Chronic rheumatic heart disease	M	9	11	15	7	3	10	8	3	9	9	2	21
	F	8	38	24	13	8	13	22	6	6	4	11	35
(1) Hypertension without mention of heart	M	11	22	13	5	4	3	4	2	2	9	2	17
	F	19	21	12	5	8	6	7	6	16	10	5	43
(1) Pneumoconiosis and chronic inter- stitial pneumonia	M	-	1	1	1	-	-	5	1	3	-	1	2
	F	1	3	-	2	-	-	-	-	2	-	-	1
(1) Ulcer of stomach	M	1	6	6	5	2	3	3	1	2	4	1	14
	F	2	7	4	2	4	-	8	2	3	-	2	9
(4) Appendicitis	M	2	2	1	-	1	1	1	-	-	-	-	1
	F	1	-	-	-	-	-	-	-	-	1	1	2
(5) Intestinal obstruction and hernia	M	3	12	9	1	3	1	5	1	4	1	-	15
	F	7	6	7	3	4	1	3	2	4	3	1	14
(6) Cirrhosis of liver	M	7	3	-	4	1	3	3	-	2	1	-	8
	F	4	5	3	1	-	1	5	-	1	-	-	9
(7) Cholelithiasis, cholecystitis	M	1	2	1	-	-	-	3	-	1	1	-	5
	F	4	3	3	2	-	-	2	1	1	1	-	1
(1) Maternal sepsis (not abortion)	F	-	-	-	-	-	-	-	-	-	-	-	-
(2) Toxaemias of pregnancy and puerperium	F	1	-	1	1	-	-	1	-	-	-	-	1
(3) Abortion	F	-	1	-	-	1	-	1	-	-	-	-	2
(8) Rheumatoid arthritis and allied conditions	M	-	-	1	-	-	-	2	-	-	-	1	1
	F	-	4	4	1	-	-	-	1	-	2	-	4
(9) Birth injury	M	5	10	6	3	1	2	5	-	1	2	1	8
	F	5	8	4	3	2	-	2	1	4	1	1	1
(10) Postnatal asphyxia and atelectasis	M	6	6	8	8	-	2	9	1	4	7	-	18
	F	3	2	2	1	1	-	7	1	3	1	-	9
(1) Pneumonia of newborn	M	2	1	-	-	-	-	2	-	-	-	-	3
	F	1	4	1	2	-	-	1	-	1	1	-	2
(11) Ophthalmia, pemphigus, sepsis of newborn	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	1	1	-	-	1	-	-	-	-	-	-
(12) Haemolytic disease of newborn	M	1	3	1	-	-	-	-	-	-	-	-	1
	F	-	2	-	-	-	-	-	1	-	-	-	1
(13) Immaturity (without other disease peculiar to early infancy)	M	7	6	12	4	1	3	6	-	1	5	3	11
	F	2	10	4	3	1	-	3	-	-	3	1	10
(14) Senility without psychosis	M	6	1	7	-	-	-	-	-	-	1	-	11
	F	10	4	1	1	-	1	3	-	-	-	1	72
(15) Ill-defined and unknown cause	M	-	1	1	-	1	-	3	-	-	-	-	-
	F	1	6	3	-	1	1	1	-	1	-	-	-

TABLE 21 - continued

## Metropolitan boroughs and county boroughs

Registrar General's Abridged List		Westminster	Woolwich	Barnsley	Barrow-in-Furness	Bath	Birkenhead	Birmingham	Blackburn	Blackpool	Bolton	Bootle	Bournemouth
1	Tuberculosis, respiratory	M	4	10	4	5	2	11	58	3	18	7	4
		F	-	3	1	1	-	-	20	2	2	1	-
2	Tuberculosis, other	M	1	-	-	-	-	1	12	-	-	2	-
		F	-	3	-	-	-	1	2	-	-	3	-
3	Syphilitic disease	M	2	3	1	-	-	1	14	1	3	1	-
		F	1	2	1	-	-	1	6	-	1	1	-
4	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
5	Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	4	-	-	-	-	-
6	Meningococcal infections	M	-	-	-	1	-	2	-	1	-	-	-
		F	-	-	1	-	-	2	1	-	-	-	-
7	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-
8	Measles	M	-	-	-	-	-	3	-	-	-	-	-
		F	-	-	-	-	-	4	-	-	-	-	-
9	Other infective, etc., diseases	M	-	2	-	1	-	7	-	3	2	1	1
		F	-	1	2	-	1	7	2	1	3	1	1
10	Malignant neoplasm: stomach	M	12	34	16	14	7	15	170	25	40	45	10
		F	10	26	5	9	8	19	156	23	21	27	3
11	lung, bronchus	M	50	64	33	37	37	89	587	58	61	79	45
		F	12	12	3	9	10	15	76	14	22	11	6
12	breast	M	-	-	1	-	1	2	-	-	-	-	-
		F	15	29	10	14	21	29	234	25	43	30	14
13	uterus	F	8	11	11	6	10	8	82	13	22	6	3
14	Other malignant and lymphatic neoplasms	M	67	71	33	31	40	68	516	60	111	91	49
		F	56	80	26	24	59	77	516	59	116	76	26
15	Leukaemia, aleukaemia	M	6	8	2	1	2	2	26	1	3	7	5
		F	5	5	2	2	4	6	28	-	4	9	-
16	Diabetes	M	1	5	1	1	4	6	29	2	5	7	-
		F	6	10	2	3	6	8	48	6	13	11	3
17	Vascular lesions of nervous system	M	49	63	62	60	77	85	712	108	143	127	41
		F	64	106	59	66	96	140	1,058	154	240	178	48
18	Coronary disease, angina	M	132	229	96	135	123	224	1,348	214	305	238	85
		F	82	158	63	85	94	147	819	165	212	169	55
19	Hypertension with heart disease	M	5	15	7	1	12	11	117	7	16	26	3
		F	7	14	6	2	11	16	146	20	13	26	7
20	Other heart disease	M	26	64	40	69	42	70	517	66	187	64	22
		F	34	102	62	79	91	107	866	107	245	166	36
21	Other circulatory disease	M	29	43	14	11	27	24	199	19	26	41	20
		F	41	59	16	16	37	34	250	34	38	65	15
22	Influenza	M	1	2	1	6	1	3	14	1	3	8	2
		F	-	3	-	3	4	2	17	5	6	6	2
23	Pneumonia	M	39	66	30	47	40	90	425	57	49	70	28
		F	29	77	29	34	54	73	495	65	47	76	37
24	Bronchitis	M	35	100	54	30	30	61	615	94	104	105	43
		F	13	51	22	12	16	23	252	53	32	47	22
25	Other diseases of respiratory system	M	3	5	4	4	13	6	66	9	12	11	10
		F	2	4	4	2	5	3	44	4	4	6	1
26	Ulcer of stomach and duodenum	M	7	14	4	6	4	10	89	6	9	10	5
		F	1	7	1	3	2	1	48	5	5	5	-
27	Gastritis, enteritis and diarrhoea	M	2	2	3	-	3	1	36	3	3	4	3
		F	5	7	3	-	1	3	40	5	3	7	4
28	Nephritis and nephrosis	M	5	5	-	5	1	4	43	2	6	6	1
		F	3	6	1	2	3	4	35	5	5	9	1
29	Hyperplasia of prostate	M	1	10	-	1	5	7	64	7	19	4	2
30	Pregnancy, childbirth, abortion	F	-	1	-	-	-	-	8	-	-	1	-
31	Congenital malformations	M	6	13	3	3	4	11	53	11	8	12	10
		F	6	4	6	3	3	14	62	7	11	8	4
32	Other defined and ill-defined diseases	M	30	56	28	25	37	54	452	45	90	85	36
		F	52	59	27	27	39	82	518	71	135	112	22
33	Motor vehicle accidents	M	2	24	4	7	4	11	120	12	14	15	3
		F	6	3	-	-	4	9	48	5	2	10	4
34	All other accidents	M	34	11	12	8	10	25	135	14	24	24	14
		F	13	12	12	8	18	19	199	26	25	52	11
35	Suicide	M	17	12	8	4	8	11	77	2	11	10	3
		F	17	3	1	2	9	6	64	8	17	3	2
36	Homicide, operations of war	M	-	-	1	1	-	-	6	-	2	1	1
		F	1	1	1	-	1	-	3	-	-	-	-

TABLE 21 - continued Metropolitan boroughs and county boroughs

Registrar General's Supplementary Abridged List		Westminster	Woolwich	Barnsley	Barrow-in-Furness	Bath	Birkenhead	Birmingham	Blackburn	Blackpool	Bolton	Bootle	Bournemouth
9(1) Infectious hepatitis	M	-	1	-	-	1	-	1	-	1	1	-	-
	F	-	1	-	-	1	-	1	-	-	-	-	1
4(1) Malignant neoplasm, mouth and pharynx	M	4	2	1	2	2	5	24	3	11	5	4	4
	F	-	2	-	1	1	3	15	1	4	3	1	3
4(2) Malignant neoplasm, oesophagus	M	5	7	-	1	1	6	24	5	7	6	2	9
	F	-	4	1	2	4	-	22	2	1	3	3	1
4(3) Malignant neoplasm, intestine and rectum	M	13	20	10	6	12	19	145	17	30	16	13	38
	F	16	36	12	8	20	25	182	22	48	28	9	45
4(4) Malignant neoplasm, larynx	M	-	1	2	1	-	3	15	3	2	2	-	3
	F	-	2	-	-	-	1	4	-	-	1	-	3
3(1) Malignant neoplasm, cervix uteri	F	5	6	9	1	4	7	53	8	16	2	2	12
4(5) Malignant neoplasm, prostate	M	4	10	2	2	4	10	64	12	13	17	9	22
4(6) Malignant neoplasm, bladder	M	4	9	2	3	4	4	45	6	11	8	5	11
	F	2	2	2	2	2	1	12	2	2	1	-	3
4(7) Malignant neoplasm, bone (including jaw bone)	M	-	1	-	1	-	-	5	1	1	2	1	2
	F	2	-	-	1	1	-	5	3	-	1	-	3
4(8) Lymphosarcoma, reticulosarcoma	M	6	2	1	-	3	3	16	-	2	4	-	4
	F	2	2	1	-	-	4	13	-	-	-	-	-
4(9) Hodgkin's disease	M	1	1	2	1	-	2	11	1	3	2	2	2
	F	-	-	-	-	-	1	5	1	2	-	1	1
2(1) Thyrotoxicosis	M	-	-	-	-	-	-	-	-	1	-	-	-
	F	-	-	-	-	1	-	6	1	-	3	-	2
2(2) Multiple sclerosis	M	1	-	1	-	-	-	12	1	-	2	-	2
	F	1	1	1	1	1	1	11	2	-	2	-	1
2(3) Rheumatic fever	M	-	-	-	1	-	-	1	-	-	1	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
20(1) Chronic rheumatic heart disease	M	5	10	5	1	4	7	56	8	18	15	9	6
	F	6	25	7	6	9	17	127	14	18	40	8	22
1(1) Hypertension without mention of heart	M	9	6	4	1	2	2	55	6	7	10	3	11
	F	8	10	5	3	4	6	51	5	5	10	1	12
25(1) Pneumoconiosis and chronic inter- stitial pneumonia	M	-	-	1	-	2	1	5	-	1	1	-	1
	F	-	1	-	-	-	1	4	1	-	1	-	-
26(1) Ulcer of stomach	M	4	9	3	3	3	3	44	2	5	3	3	9
	F	-	6	1	3	2	1	29	5	3	4	-	9
2(4) Appendicitis	M	1	1	1	1	1	1	5	1	-	-	-	1
	F	1	1	-	-	-	-	6	-	1	-	-	-
2(5) Intestinal obstruction and hernia	M	2	3	3	-	3	3	37	3	9	2	-	12
	F	8	5	4	1	1	3	34	6	10	9	4	13
2(6) Cirrhosis of liver	M	2	1	1	-	2	4	17	5	2	1	4	4
	F	5	3	-	-	-	1	19	2	-	3	-	3
2(7) Cholelithiasis, cholecystitis	M	1	2	-	-	5	-	5	1	-	2	-	1
	F	1	3	-	1	1	3	25	1	3	5	1	4
30(1) Maternal sepsis (not abortion)	F	-	-	-	-	-	-	2	-	-	-	-	-
30(2) Toxaemias of pregnancy and puerperium	F	-	-	-	-	-	-	-	-	-	-	-	-
30(3) Abortion	F	-	-	-	-	-	-	3	-	-	1	-	-
2(8) Rheumatoid arthritis and allied conditions	M	-	1	-	-	-	1	1	1	2	-	-	1
	F	-	1	1	1	2	3	12	6	2	-	-	7
2(9) Birth injury	M	3	2	1	-	2	6	51	2	2	6	5	1
	F	1	3	-	1	1	3	26	-	1	3	1	2
2(10) Postnatal asphyxia and atelectasis	M	2	2	7	7	-	4	34	4	2	13	2	7
	F	2	2	2	3	2	4	23	2	4	8	2	-
23(1) Pneumonia of newborn	M	-	2	1	-	-	2	24	1	7	1	1	2
	F	1	-	-	-	-	2	8	1	2	2	1	-
2(11) Ophthalmia, pemphigus, sepsis of newborn	M	1	-	-	-	-	-	1	-	-	-	-	-
	F	-	-	-	1	-	-	1	-	-	-	-	-
2(12) Haemolytic disease of newborn	M	-	-	-	1	-	1	7	-	1	1	2	-
	F	-	1	-	-	-	2	2	-	-	2	-	-
2(13) Immaturity (without other disease peculiar to early infancy)	M	1	6	-	2	-	4	41	-	4	1	5	6
	F	1	7	2	1	1	7	22	1	1	1	1	5
2(14) Senility without psychosis	M	-	3	1	-	3	4	21	4	28	13	-	1
	F	1	3	5	2	1	19	66	12	55	27	-	7
2(15) Ill-defined and unknown cause	M	-	1	-	-	1	-	3	2	-	1	-	3
	F	-	2	-	-	-	-	1	1	1	-	-	1



TABLE 21 - continued County boroughs

Registrar General's Abridged List		Bradford	Brighton	Bristol	Burnley	Burton-upon-Trent	Bury	Canterbury	Carlisle	Chester	Coventry	Croydon	Darlington
1	Tuberculosis, respiratory	M 19 F 4	10 2	10 7	2 -	2 1	3 -	1 -	3 -	3 -	13 6	16 5	5 1
2	Tuberculosis, other	M 2 F 3	2 2	1 1	- -	- 1	- -	- -	- -	1 -	2 3	- 4	1 -
3	Syphilitic disease	M 3 F 4	2 2	5 -	1 -	2 -	- -	- -	- -	1 -	1 1	4 5	- -
4	Diphtheria	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
5	Whooping cough	M - F -	- -	- -	- -	- -	- -	- -	- -	- 1	- 1	- -	- -
6	Meningococcal infections	M - F -	1 -	2 -	1 -	- -	- -	- -	- -	- -	- -	2 -	1 -
7	Acute poliomyelitis	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
8	Measles	M 1 F -	- -	- 1	- -	- 1	1 -	- -	- -	- -	- -	- -	- -
9	Other infective, etc., diseases	M 3 F 1	3 1	5 5	1 1	- 1	1 -	- -	- -	2 1	1 4	2 4	- 3
10	Malignant neoplasm: stomach	M 72 F 57	32 28	79 65	17 16	9 10	10 5	5 1	14 11	12 8	48 32	41 28	14 7
11	lung, bronchus	M 151 F 24	91 31	199 26	48 8	19 -	26 3	13 5	31 5	31 5	112 18	154 29	34 7
12	breast	M - F 59	- 45	- 95	- 15	- 7	- 21	- 6	- 15	- 9	- 53	- 58	- 9
13	uterus	F 34	22	30	12	5	4	1	13	8	18	16	11
14	Other malignant and lymphatic neoplasms	M 162 F 151	107 133	257 225	48 33	32 17	26 42	11 16	35 41	38 32	155 128	130 130	48 45
15	Leukaemia, aleukaemia	M 5 F 8	8 9	14 9	3 1	1 1	1 2	3 1	1 1	1 4	11 6	6 7	4 3
16	Diabetes	M 10 F 10	4 9	14 25	3 1	1 3	3 3	1 2	1 2	- 1	8 13	7 8	5 2
17	Vascular lesions of nervous system	M 238 F 367	157 218	343 580	82 105	40 49	47 75	12 45	53 114	61 58	156 183	135 344	80 107
18	Coronary disease, angina	M 536 F 411	304 197	677 398	167 94	77 40	104 61	37 46	138 85	69 61	425 230	326 224	128 77
19	Hypertension with heart disease	M 25 F 40	20 23	80 105	7 7	2 7	5 11	3 6	7 8	6 16	29 37	18 33	4 16
20	Other heart disease	M 162 F 267	113 241	247 373	65 92	32 43	40 86	9 33	59 77	30 44	132 149	115 245	57 61
21	Other circulatory disease	M 45 F 121	53 54	161 269	23 39	9 10	24 45	11 31	32 27	15 21	40 55	54 110	24 22
22	Influenza	M 7 F 14	8 9	8 16	- 1	1 2	- 3	- 4	1 -	1 -	3 1	7 10	2 2
23	Pneumonia	M 126 F 156	70 98	137 151	23 35	13 17	17 24	16 24	15 18	13 19	94 74	95 177	34 25
24	Bronchitis	M 169 F 68	103 53	259 94	60 29	37 14	44 21	14 7	25 14	24 13	146 51	143 84	47 20
25	Other diseases of respiratory system	M 26 F 15	8 9	37 21	10 1	6 1	2 1	- 1	5 2	7 2	24 4	14 9	3 2
26	Ulcer of stomach and duodenum	M 12 F 13	6 6	24 15	1 2	6 1	5 4	2 -	8 14	4 -	10 8	18 13	6 3
27	Gastritis, enteritis and diarrhoea	M 5 F 15	4 11	9 11	3 3	1 -	1 4	- 2	2 4	2 1	5 12	11 7	1 2
28	Nephritis and nephrosis	M 13 F 12	5 4	18 8	7 6	1 2	4 4	1 4	5 2	3 3	9 11	7 9	3 2
29	Hyperplasia of prostate	M 8	17	23	1	-	3	2	4	1	7	17	4
30	Pregnancy, childbirth, abortion	F -	1	-	-	-	-	-	-	1	-	1	-
31	Congenital malformations	M 18 F 13	14 7	29 18	11 7	5 -	1 1	2 2	2 8	6 3	22 13	18 10	3 4
32	Other defined and ill-defined diseases	M 152 F 193	75 120	174 208	51 78	29 46	25 33	12 12	23 34	22 24	107 115	100 130	24 52
33	Motor vehicle accidents	M 29 F 13	8 6	41 19	10 3	9 1	5 7	3 3	9 5	6 1	37 12	19 12	8 1
34	All other accidents	M 45 F 45	26 41	46 45	18 19	7 4	12 18	1 6	14 6	4 5	37 31	26 32	11 13
35	Suicide	M 11 F 5	12 21	22 20	5 8	1 3	10 9	4 1	3 7	10 4	15 17	26 24	6 6
36	Homicide, operations of war	M 6 F 1	- 1	2 2	1 -	- -	- -	- -	- 1	- -	3 1	1 4	- -

TABLE 21 - continued

## County boroughs

Registrar General's Supplementary Abridged List		Bradford	Brighton	Bristol	Burnley	Burton-upon-Trent	Bury	Canterbury	Carlisle	Chester	Coventry	Croydon	Darlington
9(1) Infectious hepatitis	M	1	2	2	1	-	-	-	-	-	-	-	-
	F	-	-	1	-	-	-	-	-	-	1	1	1
14(1) Malignant neoplasm, mouth and pharynx	M	8	5	6	1	2	-	1	1	4	7	3	2
	F	1	4	8	1	1	1	2	1	1	4	1	2
14(2) Malignant neoplasm, oesophagus	M	10	5	17	3	5	-	-	5	4	8	9	-
	F	4	2	11	-	-	2	1	4	2	8	11	2
14(3) Malignant neoplasm, intestine and rectum	M	46	29	66	12	10	8	1	11	11	43	39	8
	F	55	42	68	10	3	18	2	17	15	40	50	14
14(4) Malignant neoplasm, larynx	M	4	5	4	-	1	2	1	-	1	3	1	2
	F	1	-	3	-	-	-	-	1	3	1	-	1
13(1) Malignant neoplasm, cervix uteri	F	26	12	20	6	4	4	1	12	5	12	7	8
14(5) Malignant neoplasm, prostate	M	16	17	39	11	6	4	2	5	2	31	30	8
14(6) Malignant neoplasm, bladder	M	14	6	30	3	1	1	1	7	7	15	10	2
	F	9	10	17	1	-	2	-	1	-	1	4	-
14(7) Malignant neoplasm, bone (including jaw bone)	M	2	-	3	-	-	1	-	1	-	-	1	-
	F	3	3	-	2	-	-	-	-	-	1	1	-
14(8) Lymphosarcoma, reticulosarcoma	M	3	6	5	2	-	-	3	-	1	4	2	1
	F	-	2	10	1	1	1	1	-	-	3	5	-
14(9) Hodgkin's disease	M	4	1	5	1	-	-	-	1	-	5	4	-
	F	1	2	2	-	-	-	-	-	2	2	-	-
32(1) Thyrotoxicosis	M	-	1	-	-	-	-	-	-	-	1	-	-
	F	1	1	7	-	-	-	1	2	-	1	2	1
32(2) Multiple sclerosis	M	6	4	2	1	-	-	1	-	-	3	2	-
	F	5	3	4	1	-	2	-	4	1	-	7	1
32(3) Rheumatic fever	M	-	-	-	1	-	-	-	-	-	-	-	-
	F	-	2	-	-	-	-	-	-	-	-	-	1
20(1) Chronic rheumatic heart disease	M	21	7	28	9	2	-	-	3	2	14	17	3
	F	32	10	48	12	3	6	3	5	4	33	35	4
21(1) Hypertension without mention of heart	M	10	19	17	1	2	2	-	6	1	10	6	3
	F	12	5	35	5	3	1	3	10	4	6	17	3
25(1) Pneumoconiosis and chronic inter- stitial pneumonia	M	2	1	13	5	-	1	-	-	-	13	2	1
	F	1	1	5	-	-	-	-	-	-	-	1	-
26(1) Ulcer of stomach	M	6	5	12	1	3	3	1	3	4	4	11	2
	F	9	6	8	1	1	3	-	3	-	5	11	1
32(4) Appendicitis	M	2	2	3	-	-	-	-	1	-	-	2	-
	F	1	1	4	-	-	-	-	-	-	4	2	2
32(5) Intestinal obstruction and hernia	M	7	6	18	5	1	-	1	1	3	7	10	1
	F	13	6	19	1	2	2	1	-	3	11	14	4
32(6) Cirrhosis of liver	M	5	5	4	-	1	1	2	1	-	6	1	1
	F	4	3	6	2	-	1	2	-	-	6	3	3
32(7) Cholelithiasis, cholecystitis	M	2	-	4	1	-	-	1	2	1	-	2	1
	F	4	1	6	3	3	1	-	2	2	4	2	2
30(1) Maternal sepsis (not abortion)	F	-	-	-	-	-	-	-	2	-	-	-	-
30(2) Toxaemias of pregnancy and puerperium	F	-	-	-	-	-	-	-	-	-	-	-	-
30(3) Abortion	F	-	1	-	-	-	-	-	-	-	-	-	-
32(8) Rheumatoid arthritis and allied conditions	M	4	-	3	-	-	-	-	-	-	-	-	1
	F	6	2	7	1	2	4	1	-	2	3	2	2
32(9) Birth injury	M	10	-	15	1	2	1	-	2	4	18	2	4
	F	8	-	10	3	1	1	-	1	3	7	3	3
32(10) Postnatal asphyxia and atelectasis	M	18	5	7	4	1	7	1	2	2	4	8	2
	F	14	3	11	5	-	2	-	1	-	3	3	2
23(1) Pneumonia of newborn	M	5	-	4	3	1	-	-	-	-	9	1	4
	F	2	-	2	3	1	-	1	2	-	4	-	-
32(11) Ophthalmia, pemphigus, sepsis of newborn	M	-	-	-	-	-	-	-	-	-	-	1	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
32(12) Haemolytic disease of newborn	M	1	2	2	-	-	-	-	1	-	3	1	-
	F	-	-	2	-	-	-	-	1	-	1	1	1
32(13) Immaturity (without other disease peculiar to early infancy)	M	13	7	8	-	1	2	1	2	-	15	6	1
	F	10	3	10	1	2	-	-	3	1	15	12	1
32(14) Senility without psychosis	M	14	3	6	18	10	1	1	1	-	2	10	2
	F	28	22	17	41	23	1	-	3	-	9	13	7
32(15) Ill-defined and unknown cause	M	1	3	-	-	-	-	-	-	-	1	1	2
	F	1	1	1	-	-	-	-	-	-	1	-	-

TABLE 21 - continued County boroughs

Registrar General's Abridged List		Derby	Dewsbury	Doncaster	Dudley	Eastbourne	East Ham	Exeter	Gateshead	Gloucester	Great Yarmouth	Grimsby	Halifax
1	Tuberculosis, respiratory	M 4 F -	2 -	6 -	7 1	5 1	6 1	5 3	9 4	4 -	3 -	5 -	5 1
2	Tuberculosis, other	M - F -	- -	- -	- -	- -	1 -	1 -	1 1	- -	- -	1 2	1 1
3	Syphilitic disease	M - F 2	- -	3 -	- -	- -	1 1	1 1	2 2	2 1	- -	- -	1 1
4	Diphtheria	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
5	Whooping cough	M - F -	- -	- -	- -	- -	- -	- -	- 1	- -	- -	- -	- -
6	Meningococcal infections	M 1 F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
7	Acute poliomyelitis	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
8	Measles	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
9	Other infective, etc., diseases	M 2 F 2	2 1	- -	- 1	- -	- -	1 -	- 2	1 1	- -	- -	- 3
10	Malignant neoplasm: stomach	M 24 F 19	10 13	14 9	17 4	3 12	19 18	13 8	31 17	12 8	19 10	12 11	19 19
11	lung, bronchus	M 68 F 4	20 2	27 4	31 6	33 12	63 13	30 9	72 4	30 2	37 4	39 8	53 8
12	breast	M - F 28	- 6	- 11	- 12	- 18	- 27	- 22	- 18	1 8	- 11	- 9	- 19
13	uterus	F 17	6	7	4	8	7	8	12	6	7	7	11
14	Other malignant and lymphatic neoplasms	M 74 F 65	29 29	54 28	32 23	57 48	75 47	38 50	67 38	37 29	46 36	53 40	66 59
15	Leukaemia, aleukaemia	M 1 F 2	1 4	3 3	3 -	2 6	5 4	5 5	3 1	- 1	2 2	6 4	2 2
16	Diabetes	M 3 F 5	- 3	2 8	1 3	2 4	- 3	- 2	1 3	1 2	1 1	4 5	2 8
17	Vascular lesions of nervous system	M 86 F 131	58 74	78 77	42 46	71 148	52 97	53 82	77 109	48 56	34 74	51 79	80 161
18	Coronary disease, angina	M 186 F 136	96 66	90 57	86 47	143 106	159 115	130 84	134 71	85 51	80 64	149 93	204 186
19	Hypertension with heart disease	M 12 F 19	4 18	11 7	11 8	5 13	7 7	5 10	8 10	1 10	8 7	11 24	4 11
20	Other heart disease	M 88 F 142	30 49	47 58	39 46	57 129	33 74	53 101	58 98	49 72	57 63	53 57	34 87
21	Other circulatory disease	M 30 F 51	19 19	25 23	10 26	14 32	30 28	19 29	20 25	17 17	27 46	39 21	44 45
22	Influenza	M 2 F 3	2 2	- 2	1 2	9 6	2 -	- 7	6 7	- 2	1 2	4 4	4 2
23	Pneumonia	M 85 F 78	21 19	37 17	28 12	27 28	30 51	29 47	41 38	44 46	28 31	22 12	67 62
24	Bronchitis	M 103 F 31	36 24	61 22	42 11	42 14	66 26	36 36	67 28	46 19	14 6	45 21	57 29
25	Other diseases of respiratory system	M 8 F 11	1 5	5 2	4 -	10 6	12 5	8 3	4 7	3 3	3 1	7 7	9 2
26	Ulcer of stomach and duodenum	M 10 F 5	1 1	2 2	6 1	6 6	4 4	7 1	2 1	2 7	3 2	5 2	8 5
27	Gastritis, enteritis and diarrhoea	M 4 F 2	2 2	3 -	1 4	2 5	1 3	- 5	2 5	2 1	- 2	2 2	2 5
28	Nephritis and nephrosis	M 6 F 5	2 4	3 1	4 1	3 6	4 2	3 5	3 2	5 4	5 1	2 4	2 5
29	Hyperplasia of prostate	M 2	2	2	2	6	2	5	6	3	3	6	7
30	Pregnancy, childbirth, abortion	F -	-	-	1	-	1	-	-	-	-	-	-
31	Congenital malformations	M 5 F 5	3 -	4 6	5 6	3 1	5 4	5 5	5 7	3 6	3 1	4 7	5 4
32	Other defined and ill-defined diseases	M 55 F 65	24 28	35 44	15 29	34 47	35 55	31 59	39 51	33 40	19 25	43 45	42 58
33	Motor vehicle accidents	M 15 F 4	1 3	7 1	8 5	3 1	7 6	7 3	7 2	9 5	6 1	11 5	11 4
34	All other accidents	M 17 F 18	5 14	12 16	6 4	8 7	9 5	11 10	10 14	12 10	9 7	18 6	13 32
35	Suicide	M 7 F 9	7 -	5 5	5 3	3 5	6 8	9 8	10 7	4 5	- 2	6 4	13 8
36	Homicide, operations of war	M - F -	- -	- -	1 -	- -	1 -	1 1	1 -	- 2	- -	- -	- -



TABLE 21 - continued

County boroughs

Registrar General's Supplementary Abridged List		Derby	Dewsbury	Doncaster	Dudley	Eastbourne	East Ham	Exeter	Gateshead	Gloucester	Great Yarmouth	Grimsby	Halifax
9(1) Infectious hepatitis	M	-	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
4(1) Malignant neoplasm, mouth and pharynx	M	2	1	3	-	2	2	3	6	4	-	1	3
	F	1	2	2	-	1	2	-	-	-	-	1	2
4(2) Malignant neoplasm, oesophagus	M	6	1	-	3	4	3	2	2	-	3	3	8
	F	5	-	-	3	6	1	4	4	1	3	2	-
4(3) Malignant neoplasm, intestine and rectum	M	15	11	18	10	16	17	8	18	11	17	15	20
	F	21	14	13	10	21	14	17	15	13	14	7	25
4(4) Malignant neoplasm, larynx	M	5	1	4	1	3	-	2	3	5	-	3	1
	F	1	-	-	1	1	-	-	-	1	2	-	-
3(1) Malignant neoplasm, cervix uteri	F	8	5	7	2	6	5	5	10	2	3	6	8
4(5) Malignant neoplasm, prostate	M	5	1	6	7	9	7	8	5	4	7	5	9
4(6) Malignant neoplasm, bladder	M	10	6	7	3	6	9	1	4	-	6	3	5
	F	5	-	1	-	2	3	1	2	2	1	1	4
4(7) Malignant neoplasm, bone (including jaw bone)	M	1	-	-	-	-	1	2	1	1	-	-	3
	F	-	1	-	-	-	-	-	-	1	-	1	1
4(8) Lymphosarcoma, reticulosarcoma	M	1	1	-	-	1	3	-	2	1	-	1	1
	F	-	-	-	1	-	-	2	-	-	1	2	-
4(9) Hodgkin's disease	M	2	-	-	-	3	2	2	1	1	1	1	1
	F	1	-	-	-	-	1	1	1	1	1	2	-
32(1) Thyrotoxicosis	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	3	-	-	-	3	-	1	-	-	1
32(2) Multiple sclerosis	M	-	1	-	-	-	-	4	-	-	1	1	3
	F	1	-	-	-	2	1	2	2	-	2	-	1
32(3) Rheumatic fever	M	-	-	-	-	1	-	-	-	-	-	1	-
	F	1	-	-	-	1	-	-	-	-	-	-	-
20(1) Chronic rheumatic heart disease	M	7	1	5	5	-	3	-	7	-	4	5	4
	F	8	6	6	2	5	15	7	13	11	6	7	10
21(1) Hypertension without mention of heart	M	4	3	5	3	4	7	4	5	4	2	10	4
	F	9	2	4	7	1	10	5	6	3	1	7	3
25(1) Pneumoconiosis and chronic inter- stitial pneumonia	M	1	-	1	2	-	1	2	1	1	-	-	2
	F	1	-	-	-	2	1	1	-	-	-	-	-
26(1) Ulcer of stomach	M	6	1	-	3	2	3	4	1	1	2	3	2
	F	2	1	2	1	4	2	1	-	3	2	1	3
32(4) Appendicitis	M	-	-	-	-	-	-	1	-	1	-	-	1
	F	2	-	1	-	1	1	-	-	1	-	-	2
32(5) Intestinal obstruction and hernia	M	3	1	3	2	4	1	2	2	5	1	3	4
	F	9	3	6	2	2	6	2	2	6	3	3	4
32(6) Cirrhosis of liver	M	1	2	1	-	1	1	2	-	-	2	1	4
	F	2	1	1	1	-	-	-	1	2	-	1	-
32(7) Cholelithiasis, cholecystitis	M	-	-	-	-	-	1	-	-	-	2	1	-
	F	2	-	1	-	-	4	2	3	2	3	2	1
30(1) Maternal sepsis (not abortion)	F	-	-	-	-	-	-	-	-	-	-	-	-
30(2) Toxaemias of pregnancy and puerperium	F	-	-	-	-	-	1	-	-	-	-	-	-
30(3) Abortion	F	-	-	-	1	-	-	-	-	-	-	-	-
32(8) Rheumatoid arthritis and allied conditions	M	3	1	-	-	2	-	-	-	2	-	-	1
	F	2	1	1	-	2	3	4	1	1	-	1	2
32(9) Birth injury	M	5	3	1	1	2	-	-	3	-	-	3	2
	F	1	4	-	4	-	2	1	2	-	2	-	1
32(10) Postnatal asphyxia and atelectasis	M	1	3	2	-	-	3	2	1	2	-	3	1
	F	2	-	2	-	2	7	2	-	3	2	-	-
23(1) Pneumonia of newborn	M	-	1	-	2	-	1	-	1	1	-	-	3
	F	1	-	-	-	-	1	-	-	-	-	-	2
32(11) Ophthalmia, pemphigus, sepsis of newborn	M	-	-	-	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
32(12) Haemolytic disease of newborn	M	-	-	-	-	-	1	-	-	1	-	-	-
	F	1	-	-	1	-	2	-	-	-	-	-	-
32(13) Immaturity (without other disease peculiar to early infancy)	M	1	3	5	1	3	5	-	5	1	4	8	3
	F	1	2	3	2	-	6	2	5	3	1	4	5
32(14) Senility without psychosis	M	6	1	6	1	2	1	4	8	-	1	5	1
	F	5	5	2	3	11	1	11	12	4	-	12	3
32(15) Ill-defined and unknown cause	M	1	-	-	1	-	-	-	-	-	-	-	-
	F	1	-	-	2	1	-	-	-	1	-	-	1

TABLE 21 - continued County boroughs

Registrar General's Abridged List		Hastings	Huddersfield	Ipswich	Kingston-upon-Hull	Leeds	Leicester	Lincoln	Liverpool	Manchester	Middlesbrough	Newcastle-upon-Tyne	Northampton
1	Tuberculosis, respiratory	M 7 F 3	10 3	3 1	12 5	23 10	8 4	1 1	45 15	42 8	7 5	8 1	- 3
2	Tuberculosis, other	M - F 1	- 2	- -	1 -	2 -	- 1	2 1	2 3	3 6	- 1	2 7	1 1
3	Syphilitic disease	M - F 1	- -	- 1	2 3	6 7	1 3	1 -	5 3	8 4	1 1	1 1	- 1
4	Diphtheria	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
5	Whooping cough	M - F -	- 1	- -	- 1	- -	- -	- -	2 3	1 2	- -	- -	- -
6	Meningococcal infections	M 1 F 1	1 -	- -	- 1	1 -	- -	- -	3 -	2 4	- 1	1 -	- -
7	Acute poliomyelitis	M - F -	- -	- -	- -	1 -	- -	- -	- -	- -	- -	- -	- -
8	Measles	M - F -	- -	- -	- -	- 2	- -	- -	2 -	1 1	- -	- -	1 -
9	Other infective, etc., diseases	M - F -	4 -	4 1	2 3	4 5	1 2	1 1	8 5	8 8	2 -	5 3	2 -
10	Malignant neoplasm: stomach	M 13 F 15	21 19	21 9	57 31	93 58	44 42	14 6	128 98	132 124	25 18	50 36	22 21
11	lung, bronchus	M 45 F 15	49 19	61 12	157 31	265 62	121 20	39 8	413 76	390 70	80 5	183 27	51 11
12	breast	M - F 30	- 34	- 18	- 59	- 107	1 58	- 13	1 100	1 137	- 29	- 48	2 24
13	uterus	F 9	11	13	22	40	35	2	52	65	13	27	7
14	Other malignant and lymphatic neoplasms	M 48 F 53	73 72	63 72	148 153	259 250	125 133	45 34	353 349	358 308	73 55	170 138	73 60
15	Leukaemia, aleukaemia	M - F 1	4 4	3 4	8 2	16 13	7 8	1 -	23 15	18 16	4 -	6 3	5 3
16	Diabetes	M - F 2	7 11	1 7	6 11	15 24	12 16	1 4	15 40	12 44	4 8	10 14	3 6
17	Vascular lesions of nervous system	M 77 F 163	117 180	73 94	162 249	313 449	297 402	39 70	439 621	412 646	119 135	210 262	87 114
18	Coronary disease, angina	M 127 F 127	221 168	182 116	365 221	827 583	336 189	103 65	1,108 689	850 537	193 131	437 267	157 115
19	Hypertension with heart disease	M 10 F 12	8 15	7 5	17 35	29 49	34 48	8 8	57 118	50 68	2 2	25 45	12 14
20	Other heart disease	M 73 F 157	69 120	54 66	146 201	178 332	210 316	35 71	326 540	379 607	91 125	115 172	70 137
21	Other circulatory disease	M 18 F 37	20 36	32 38	79 83	92 158	57 81	17 16	119 121	131 208	30 22	79 109	22 23
22	Influenza	M 3 F 3	3 1	3 9	7 4	4 7	3 4	2 7	11 12	22 32	3 3	4 7	1 3
23	Pneumonia	M 68 F 64	38 35	69 66	130 115	207 269	80 101	49 44	357 446	213 249	58 55	85 76	58 46
24	Bronchitis	M 41 F 29	69 30	44 16	172 84	378 149	156 66	51 15	513 239	583 277	56 26	172 83	56 8
25	Other diseases of respiratory system	M 5 F 2	11 4	8 5	15 12	38 27	16 14	3 1	40 24	33 32	6 3	9 10	7 5
26	Ulcer of stomach and duodenum	M 6 F 5	8 10	10 1	20 14	40 19	14 8	5 1	35 22	37 29	9 3	15 5	4 3
27	Gastritis, enteritis and diarrhoea	M 2 F 8	2 3	1 6	3 9	12 24	4 9	- 3	15 29	13 29	1 1	8 8	2 3
28	Nephritis and nephrosis	M 2 F 2	10 10	6 4	22 7	15 17	20 7	4 1	18 15	18 24	7 3	10 16	3 2
29	Hyperplasia of prostate	M 3	9	6	20	14	7	7	31	21	5	9	2
30	Pregnancy, childbirth, abortion	F -	1	1	1	2	1	1	3	3	1	-	1
31	Congenital malformations	M 4 F 2	6 3	11 5	21 26	28 35	14 8	2 2	49 51	45 28	5 12	11 14	7 1
32	Other defined and ill-defined diseases	M 25 F 59	50 87	52 55	100 124	237 253	114 124	35 42	333 413	340 464	76 65	111 130	44 57
33	Motor vehicle accidents	M 3 F 6	16 5	16 8	35 9	43 17	24 11	7 2	57 32	70 32	10 5	28 16	10 -
34	All other accidents	M 15 F 15	19 30	19 17	24 35	68 83	40 66	8 5	113 129	91 76	25 12	40 42	12 11
35	Suicide	M 2 F 3	10 14	11 7	23 21	50 22	23 11	5 4	47 29	53 18	14 8	17 20	6 8
36	Homicide, operations of war	M 1 F -	- -	1 -	1 1	2 -	1 -	1 -	1 4	7 4	1 -	3 1	- -

TABLE 21 - continued County boroughs

Registrar General's Supplementary Abridged List		Hastings	Huddersfield	Ipswich	Kingston-upon-Hull	Leeds	Leicester	Lincoln	Liverpool	Manchester	Middlesbrough	Newcastle-upon-Tyne	Northampton
9(1) Infectious hepatitis	M	-	1	-	-	-	-	1	2	2	-	1	-
	F	-	-	-	-	-	-	1	2	-	-	2	-
14(1) Malignant neoplasm, mouth and pharynx	M	5	4	1	6	10	5	3	12	18	7	3	5
	F	3	1	4	5	4	4	3	12	14	1	4	-
14(2) Malignant neoplasm, oesophagus	M	1	4	3	6	7	3	1	23	25	2	14	2
	F	3	3	1	6	11	5	1	26	19	2	13	7
14(3) Malignant neoplasm, intestine and rectum	M	14	17	14	38	62	32	16	107	76	25	52	17
	F	9	26	26	59	91	43	8	121	109	19	47	21
14(4) Malignant neoplasm, larynx	M	-	2	1	4	6	4	1	12	14	2	4	-
	F	-	-	1	1	-	1	-	3	2	1	1	-
13(1) Malignant neoplasm, cervix uteri	F	6	7	9	18	32	23	1	39	44	9	21	5
14(5) Malignant neoplasm, prostate	M	12	8	11	19	27	20	6	33	42	8	21	14
14(6) Malignant neoplasm, bladder	M	2	13	8	20	26	9	4	27	40	3	19	12
	F	5	3	4	6	14	7	-	16	13	2	9	1
14(7) Malignant neoplasm, bone (including jaw bone)	M	1	1	-	3	6	2	-	4	3	3	1	-
	F	1	1	-	2	2	3	-	4	2	2	-	-
14(8) Lymphosarcoma, reticulosarcoma	M	2	-	1	5	9	3	1	10	8	1	3	6
	F	-	1	1	2	4	4	-	10	9	-	1	2
14(9) Hodgkin's disease	M	-	1	3	1	4	3	1	8	6	-	5	3
	F	-	-	-	1	1	1	1	3	5	1	-	1
32(1) Thyrotoxicosis	M	1	-	-	-	-	-	-	-	-	1	1	1
	F	1	2	1	1	-	2	-	2	3	1	-	1
32(2) Multiple sclerosis	M	1	1	-	1	5	2	-	6	8	2	3	-
	F	1	2	4	1	4	2	-	2	8	1	3	-
32(3) Rheumatic fever	M	-	-	1	-	-	-	-	1	-	-	-	-
	F	-	1	-	-	-	-	-	1	2	-	-	-
20(1) Chronic rheumatic heart disease	M	2	4	5	19	24	15	3	44	40	11	16	4
	F	8	14	10	20	78	26	4	100	86	6	30	8
21(1) Hypertension without mention of heart	M	3	4	4	10	21	13	5	20	25	6	17	6
	F	7	5	6	7	28	23	2	34	42	5	19	3
25(1) Pneumoconiosis and chronic inter- stitial pneumonia	M	-	3	1	3	14	1	1	4	3	1	3	-
	F	-	1	-	1	6	1	-	1	2	-	2	-
26(1) Ulcer of stomach	M	2	3	5	8	16	4	5	18	12	4	7	2
	F	3	5	-	13	9	3	-	15	19	2	1	2
32(4) Appendicitis	M	4	1	1	1	1	3	1	3	6	-	-	1
	F	-	3	1	2	2	2	-	5	2	2	-	1
32(5) Intestinal obstruction and hernia	M	2	5	6	8	22	6	-	17	21	3	6	3
	F	4	6	2	8	18	12	1	31	28	2	8	5
32(6) Cirrhosis of liver	M	-	3	-	5	12	6	1	14	13	3	8	2
	F	-	2	2	3	9	5	1	19	8	1	3	3
32(7) Cholelithiasis, cholecystitis	M	-	1	3	2	9	1	-	6	5	1	5	2
	F	1	5	-	3	10	2	1	9	11	2	7	1
30(1) Maternal sepsis (not abortion)	F	-	-	-	-	-	-	-	-	-	-	-	-
30(2) Toxaemias of pregnancy and puerperium	F	-	-	-	-	-	-	-	1	2	1	-	-
30(3) Abortion	F	-	-	-	-	1	-	-	1	1	-	-	1
32(8) Rheumatoid arthritis and allied conditions	M	-	1	2	1	4	1	-	2	6	-	-	2
	F	1	5	5	4	6	1	2	15	14	-	1	1
32(9) Birth injury	M	1	1	3	9	26	7	2	22	32	7	4	-
	F	2	2	2	5	17	2	2	20	18	3	4	1
32(10) Postnatal asphyxia and atelectasis	M	-	2	3	15	23	5	2	35	32	4	4	6
	F	-	1	-	6	17	5	1	29	19	3	4	2
23(1) Pneumonia of newborn	M	2	2	1	4	6	1	-	10	9	2	1	-
	F	-	1	-	1	4	3	1	4	7	5	2	1
32(11) Ophthalmia, pemphigus, sepsis of newborn	M	-	-	-	-	1	-	-	1	1	1	1	-
	F	-	-	-	-	1	1	-	-	-	-	-	-
32(12) Haemolytic disease of newborn	M	-	2	-	3	4	2	-	6	3	-	-	-
	F	-	1	-	1	3	1	-	3	1	-	1	1
32(13) Immaturity (without other disease peculiar to early infancy)	M	-	12	6	13	16	18	1	23	35	16	19	5
	F	2	12	3	5	7	15	2	21	35	9	11	4
32(14) Senility without psychosis	M	3	1	3	-	3	5	6	12	35	9	15	-
	F	7	10	5	8	11	13	8	29	114	10	18	4
32(15) Ill-defined and unknown cause	M	-	-	-	-	2	3	-	2	2	-	1	-
	F	-	-	-	-	-	2	1	2	4	1	1	1



TABLE 21 - continued County boroughs

Registrar General's Abridged List		Norwich	Nottingham	Oldham	Oxford	Plymouth	Portsmouth	Preston	Reading	Rochdale	Rotherham	St. Helens	Salford
1	Tuberculosis, respiratory	M 6 F 1	9 5	9 -	5 2	5 2	10 7	5 5	6 3	6 2	3 -	4 2	8 2
2	Tuberculosis, other	M 1 F -	- 2	- -	- 2	1 1	1 1	2 1	1 1	- 2	- 1	- 1	1 1
3	Syphilitic disease	M 3 F 2	5 3	5 1	3 1	1 2	- 3	- -	1 1	2 2	1 -	- 1	- 1
4	Diphtheria	M - F -	- -	- -	- -	- 1	- -	- -	- -	- 2	- -	- 1	- -
5	Whooping cough	M - F -	1 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
6	Meningococcal infections	M - F -	- 1	- -	- -	4 -	- -	- -	- -	- 2	- -	- -	1 -
7	Acute poliomyelitis	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
8	Measles	M - F -	- -	- 1	- -	- -	1 -	- -	- -	1 -	- -	1 -	- -
9	Other infective, etc., diseases	M 1 F 1	1 1	- -	1 1	5 2	1 2	- -	1 2	1 -	2 1	- 1	3 3
10	Malignant neoplasm: stomach	M 21 F 13	54 26	34 18	17 18	42 21	24 28	25 17	17 13	14 16	9 9	23 25	37 19
11	lung, bronchus	M 60 F 11	162 19	55 7	37 8	107 17	109 22	49 5	54 8	35 10	44 2	63 5	99 17
12	breast	M - F 23	- 63	- 19	- 22	- 47	- 47	- 18	- 25	- 12	- 17	- 16	- 28
13	uterus	F 14	31	11	8	16	23	10	7	10	4	12	13
14	Other malignant and lymphatic neoplasms	M 60 F 69	157 175	66 67	52 42	111 108	109 120	53 48	70 57	40 39	46 42	60 41	78 76
15	Leukaemia, aleukaemia	M 5 F 2	11 10	3 6	4 -	5 4	6 8	1 1	7 -	5 4	1 3	5 3	4 5
16	Diabetes	M 5 F 9	8 16	6 8	5 6	8 8	9 14	3 5	3 4	2 3	5 4	2 8	2 10
17	Vascular lesions of nervous system	M 80 F 117	217 285	101 152	42 82	146 228	159 240	79 121	83 132	79 84	65 85	76 93	95 131
18	Coronary disease, angina	M 172 F 126	325 210	156 71	139 107	327 212	331 223	162 111	166 96	139 87	109 69	160 96	181 115
19	Hypertension with heart disease	M 7 F 9	28 40	11 16	6 10	26 29	39 53	12 20	9 16	3 6	7 11	14 17	7 15
20	Other heart disease	M 94 F 116	169 358	77 134	27 71	148 222	147 285	57 94	63 106	93 139	47 51	42 66	64 134
21	Other circulatory disease	M 32 F 22	85 107	38 55	30 34	59 72	61 72	25 30	33 34	31 24	28 24	25 23	51 44
22	Influenza	M 6 F 7	2 3	5 5	- 4	4 10	6 10	3 10	3 8	9 3	- 1	9 7	6 9
23	Pneumonia	M 57 F 55	85 122	42 48	57 45	101 128	92 137	59 39	79 87	52 54	24 21	57 58	69 107
24	Bronchitis	M 61 F 35	203 98	109 61	42 16	89 53	170 77	74 44	65 23	45 37	44 15	85 26	150 66
25	Other diseases of respiratory system	M 4 F 4	15 13	8 5	6 4	5 6	19 14	5 4	8 4	5 3	9 3	18 4	14 8
26	Ulcer of stomach and duodenum	M 6 F 8	26 16	8 2	2 3	15 9	18 7	4 8	5 4	5 2	8 1	4 2	9 7
27	Gastritis, enteritis and diarrhoea	M 4 F 1	7 15	5 7	1 5	5 7	11 13	3 4	1 7	3 5	5 4	1 5	7 5
28	Nephritis and nephrosis	M 1 F 1	7 9	2 8	2 4	14 8	10 10	6 7	2 2	2 1	4 2	4 3	2 5
29	Hyperplasia of prostate	M 17	16	9	2	11	15	6	5	2	2	6	5
30	Pregnancy, childbirth, abortion	F -	1	-	-	-	2	-	-	-	-	5	3
31	Congenital malformations	M 5 F 3	18 14	9 5	4 5	18 10	16 17	5 3	3 9	2 5	5 5	5 6	8 12
32	Other defined and ill-defined diseases	M 60 F 64	137 200	60 65	42 47	93 101	94 135	44 63	43 46	30 53	27 48	37 60	89 113
33	Motor vehicle accidents	M 14 F 9	23 17	14 8	10 1	13 6	15 8	14 7	11 9	4 4	13 4	6 4	18 8
34	All other accidents	M 18 F 27	48 45	20 19	13 26	13 12	42 35	13 23	12 15	16 9	12 14	10 15	22 25
35	Suicide	M 12 F 10	28 15	6 9	6 4	20 14	20 10	17 7	11 6	9 8	12 2	6 4	13 3
36	Homicide, operations of war	M - F -	- 2	- 1	- 1	- -	1 2	- -	- 1	- -	- -	- -	- -

TABLE 21 - continued County boroughs

Registrar General's Supplementary Abridged List		Norwich	Nottingham	Oldham	Oxford	Plymouth	Portsmouth	Preston	Reading	Rochdale	Rotherham	St. Helens	Salford
9(1) Infectious hepatitis	M	1	1	-	-	2	-	-	1	1	-	-	-
	F	-	1	-	-	1	-	-	1	-	-	-	1
4(1) Malignant neoplasm, mouth and pharynx	M	1	4	4	1	3	3	1	1	1	1	4	5
	F	1	8	1	1	2	4	-	1	2	2	2	2
4(2) Malignant neoplasm, oesophagus	M	3	5	5	1	7	8	3	3	2	1	3	5
	F	3	8	5	-	4	11	4	1	3	-	2	6
4(3) Malignant neoplasm, intestine and rectum	M	19	42	20	13	24	17	14	19	16	11	15	19
	F	23	61	22	15	33	43	19	19	15	17	16	32
4(4) Malignant neoplasm, larynx	M	1	5	4	-	1	4	2	4	-	2	1	3
	F	-	1	2	-	1	-	1	-	-	-	-	-
3(1) Malignant neoplasm, cervix uteri	F	11	20	3	5	8	16	6	5	8	3	9	8
4(5) Malignant neoplasm, prostate	M	7	24	8	11	16	27	9	13	5	7	10	10
4(6) Malignant neoplasm, bladder	M	5	14	7	11	12	13	5	12	4	3	2	10
	F	2	6	4	-	5	5	1	1	1	2	-	2
4(7) Malignant neoplasm, bone (including jaw bone)	M	-	1	-	-	1	1	1	1	-	1	-	-
	F	-	-	2	1	-	-	1	2	-	-	-	2
4(8) Lymphosarcoma, reticulosarcoma	M	-	4	-	1	4	2	2	2	-	1	1	-
	F	1	4	3	2	1	2	1	1	1	-	2	-
4(9) Hodgkin's disease	M	1	4	2	-	1	2	-	-	-	2	1	-
	F	3	-	1	-	2	-	-	1	1	-	1	2
32(1) Thyrotoxicosis	M	1	-	-	-	-	-	-	-	-	-	-	-
	F	-	1	-	1	2	-	1	1	-	1	1	1
32(2) Multiple sclerosis	M	2	3	-	-	-	3	1	1	-	2	-	2
	F	-	3	1	1	1	4	-	-	1	1	1	1
32(3) Rheumatic fever	M	-	-	-	-	-	2	-	-	-	-	-	-
	F	-	-	-	-	1	-	3	-	-	-	-	-
20(1) Chronic rheumatic heart disease	M	3	15	5	3	9	9	9	5	5	7	6	8
	F	4	30	15	9	16	26	15	6	11	9	15	18
21(1) Hypertension without mention of heart	M	2	22	5	6	11	12	4	10	5	4	8	12
	F	1	30	7	1	13	12	5	3	1	4	4	7
25(1) Pneumoconiosis and chronic inter- stitial pneumonia	M	-	1	3	1	-	-	-	3	1	3	16	1
	F	1	-	2	-	1	-	1	1	-	1	-	1
26(1) Ulcer of stomach	M	4	11	3	1	8	8	3	2	1	2	1	3
	F	5	8	1	2	5	5	4	3	1	-	2	3
32(4) Appendicitis	M	-	2	-	2	1	2	2	1	-	-	-	-
	F	-	1	1	1	1	2	1	2	1	1	-	-
32(5) Intestinal obstruction and hernia	M	7	10	4	1	12	5	1	3	2	6	1	5
	F	5	11	6	2	4	9	2	1	4	6	-	5
32(6) Cirrhosis of liver	M	1	9	-	-	1	4	-	2	1	1	1	5
	F	1	5	1	1	4	4	1	5	2	-	2	4
32(7) Cholelithiasis, cholecystitis	M	1	3	1	1	2	2	3	-	-	1	1	1
	F	-	5	3	1	6	3	2	-	2	2	2	-
30(1) Maternal sepsis (not abortion)	F	-	1	-	-	-	1	-	-	-	-	1	2
30(2) Toxaemias of pregnancy and puerperium	F	-	-	-	-	-	-	-	-	-	-	1	-
30(3) Abortion	F	-	-	-	-	-	-	-	-	-	-	-	1
32(8) Rheumatoid arthritis and allied conditions	M	-	5	-	-	1	2	-	-	-	1	1	-
	F	-	6	3	-	6	8	2	1	2	5	1	4
32(9) Birth injury	M	4	2	8	-	1	6	5	1	3	5	1	8
	F	1	4	1	1	4	4	4	-	-	4	2	5
32(10) Postnatal asphyxia and atelectasis	M	1	7	2	1	3	6	5	4	2	1	9	6
	F	-	9	3	4	1	13	5	-	3	3	6	1
23(1) Pneumonia of newborn	M	-	1	3	-	2	-	3	1	-	1	2	5
	F	-	1	1	-	4	2	1	1	-	1	-	3
32(11) Ophthalmia, pemphigus, sepsis of newborn	M	1	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-
32(12) Haemolytic disease of newborn	M	-	1	1	-	1	1	-	1	-	-	1	2
	F	-	-	-	-	1	1	1	-	-	-	1	-
32(13) Immaturity (without other disease peculiar to early infancy)	M	3	22	3	4	10	7	3	4	3	-	3	16
	F	1	16	-	-	6	3	3	5	1	-	3	5
32(14) Senility without psychosis	M	5	19	6	-	14	3	-	3	5	1	5	18
	F	23	48	10	1	15	15	8	5	9	2	11	37
32(15) Ill-defined and unknown cause	M	-	3	2	3	2	-	-	-	-	-	1	1
	F	-	2	-	-	-	1	-	-	-	-	-	-

TABLE 21 - continued County boroughs

Registrar General's Abridged List		Sheffield	Smethwick	Southampton	Southend-on-Sea	Southport	South Shields	Stockport	Stoke-on-Trent	Sunderland	Tynemouth	Wakefield	Wallasey
1	Tuberculosis, respiratory	M 32 F 4	3 1	14 3	9 2	6 4	2 1	3 2	22 8	13 4	1 -	2 1	9 -
2	Tuberculosis, other	M 2 F 4	- -	- -	- -	1 -	1 -	- -	- -	- -	2 1	- -	- -
3	Syphilitic disease	M 3 F 2	- -	1 -	2 3	1 2	2 2	- 2	2 2	2 1	1 1	1 2	4 1
4	Diphtheria	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
5	Whooping cough	M 1 F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
6	Meningococcal infections	M - F 1	- -	- -	1 -	- -	- -	- -	1 -	2 -	1 -	- 1	- -
7	Acute poliomyelitis	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
8	Measles	M 4 F 2	3 1	- 1	- -	- -	- -	1 -	- -	- -	- -	- -	- -
9	Other infective, etc., diseases	M 6 F 3	- 1	3 1	1 5	1 -	- 2	- -	2 2	1 2	- -	1 1	1 1
10	Malignant neoplasm: stomach	M 112 F 73	13 8	37 19	27 18	15 9	26 18	26 18	61 48	52 32	17 7	11 12	13 14
11	lung, bronchus	M 258 F 45	42 4	127 15	96 26	54 10	57 12	75 14	128 14	83 11	50 3	29 3	64 11
12	breast	M 2 F 105	- 16	- 45	- 49	- 26	- 20	- 30	1 42	- 31	- 14	- 17	- 22
13	uterus	M 27 F 27	3 3	21 21	11 11	9 9	12 12	19 19	29 29	13 13	6 6	7 7	13 13
14	Other malignant and lymphatic neoplasms	M 272 F 280	44 35	115 108	108 116	56 56	57 55	75 76	131 110	81 75	39 21	34 24	57 72
15	Leukaemia, aleukaemia	M 8 F 24	1 1	6 5	5 5	4 3	3 4	6 4	9 12	4 4	2 3	- 2	2 2
16	Diabetes	M 12 F 22	3 2	8 12	7 8	5 9	1 5	4 10	10 16	9 15	2 6	- 3	5 9
17	Vascular lesions of nervous system	M 362 F 434	44 74	110 156	176 296	70 133	114 137	118 179	146 223	111 117	42 67	51 58	94 123
18	Coronary disease, angina	M 712 F 414	85 50	273 213	333 234	177 147	138 90	192 149	321 250	249 185	97 82	94 81	190 107
19	Hypertension with heart disease	M 48 F 73	4 8	27 37	8 32	4 12	10 14	14 11	20 26	10 36	11 16	7 13	2 9
20	Other heart disease	M 261 F 427	35 70	119 158	110 171	66 140	62 88	73 163	127 203	51 84	42 59	43 70	57 99
21	Other circulatory disease	M 235 F 309	13 12	39 53	61 96	22 53	23 34	20 39	97 81	27 36	14 14	23 20	99 38
22	Influenza	M 11 F 5	- 4	6 7	4 2	1 1	10 9	4 3	3 5	9 8	3 2	1 1	1 40
23	Pneumonia	M 140 F 117	32 25	70 75	52 76	47 41	38 39	58 57	91 81	128 83	29 27	26 43	40 51
24	Bronchitis	M 379 F 130	46 25	127 59	115 56	66 17	67 25	103 35	159 62	124 48	32 21	42 20	57 26
25	Other diseases of respiratory system	M 18 F 20	5 -	16 8	11 10	6 2	10 4	17 6	83 13	12 8	3 1	9 2	5 5
26	Ulcer of stomach and duodenum	M 27 F 11	9 1	12 13	3 4	5 7	6 3	11 1	18 7	11 4	4 2	4 2	10 6
27	Gastritis, enteritis and diarrhoea	M 12 F 15	4 -	5 8	4 7	4 6	1 -	1 6	6 8	6 6	- 1	1 -	1 4
28	Nephritis and nephrosis	M 15 F 17	4 1	4 4	7 6	5 3	5 2	1 12	9 12	8 5	4 3	2 3	4 2
29	Hyperplasia of prostate	M 32 F 5	5 1	2 1	14 -	9 -	10 -	7 1	12 2	5 2	4 -	4 1	4 1
30	Pregnancy, childbirth, abortion	M 34 F 20	4 4	22 19	13 7	2 1	7 9	14 4	15 21	16 10	7 1	4 3	4 8
31	Congenital malformations	M 189 F 196	23 30	89 90	72 80	43 67	43 46	65 77	83 105	75 89	28 47	19 44	61 60
32	Other defined and ill-defined diseases	M 40 F 27	3 2	12 7	12 10	2 2	9 3	17 8	21 11	14 11	7 -	8 1	8 2
33	Motor vehicle accidents	M 60 F 94	10 7	15 8	19 38	19 29	25 8	32 18	32 42	28 34	12 14	9 10	6 12
34	All other accidents	M 39 F 23	7 3	25 9	11 15	10 11	7 4	12 6	18 5	17 2	5 3	5 1	13 3
35	Suicide	M 1 F -	- -	- -	- -	- -	- -	- 1	- 1	- 1	- -	- 1	- 1
36	Homicide, operations of war	M 1 F -	- -	- -	- -	- -	- -	- 1	- 1	- -	- -	- 1	- 1



TABLE 21 - continued County boroughs

Registrar General's Supplementary Abridged List		Sheffield	Smethwick	Southampton	Southend-on-Sea	Southport	South Shields	Stockport	Stoke-on-Trent	Sunderland	Tynemouth	Wakefield	Wallasey
9(1) Infectious hepatitis	M	1	-	-	1	-	-	-	-	-	-	-	-
	F	-	1	1	2	-	2	-	-	-	-	-	-
4(1) Malignant neoplasm, mouth and pharynx	M	7	3	5	3	1	1	3	6	3	1	1	3
	F	9	5	5	3	1	1	3	2	3	-	-	1
4(2) Malignant neoplasm, oesophagus	M	10	5	6	8	2	7	4	7	7	1	6	4
	F	8	-	5	12	5	-	4	5	2	2	-	5
4(3) Malignant neoplasm, intestine and rectum	M	78	7	26	23	19	20	24	38	21	8	8	20
	F	102	15	40	40	18	15	30	47	33	7	8	28
4(4) Malignant neoplasm, larynx	M	11	2	4	3	-	-	1	2	2	1	-	4
	F	-	-	-	-	1	-	-	1	-	1	-	-
3(1) Malignant neoplasm, cervix uteri	F	14	-	16	6	3	5	12	18	13	4	6	9
4(5) Malignant neoplasm, prostate	M	40	4	9	19	10	3	11	17	8	6	5	7
4(6) Malignant neoplasm, bladder	M	29	7	10	10	2	4	9	10	8	6	6	2
	F	10	-	3	7	1	2	2	5	7	-	-	5
4(7) Malignant neoplasm, bone (including jaw bone)	M	2	-	3	-	-	-	-	2	5	-	-	1
	F	6	-	-	-	-	-	3	4	3	1	-	-
4(8) Lymphosarcoma, reticulosarcoma	M	7	-	6	3	-	-	-	3	1	3	-	2
	F	4	-	4	2	1	1	3	1	-	-	-	5
4(9) Hodgkin's disease	M	7	-	4	3	3	1	3	2	1	-	-	-
	F	3	1	1	2	1	-	1	2	1	-	-	-
2(1) Thyrotoxicosis	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	3	1	2	-	-	1	1	-	1	-
2(2) Multiple sclerosis	M	9	1	1	2	-	-	2	1	-	-	1	-
	F	4	-	3	3	2	2	2	3	-	1	1	-
2(3) Rheumatic fever	M	1	-	-	-	-	-	1	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	1	-
0(1) Chronic rheumatic heart disease	M	30	3	9	8	2	6	11	12	7	4	2	5
	F	71	6	15	10	9	10	19	30	26	10	10	12
1(1) Hypertension without mention of heart	M	37	2	9	17	5	5	4	20	5	3	4	4
	F	43	3	13	25	6	8	3	13	5	4	1	6
5(1) Pneumoconiosis and chronic inter- stitial pneumonia	M	4	-	2	1	-	2	4	53	3	1	1	-
	F	2	-	-	2	-	-	-	2	1	-	1	-
6(1) Ulcer of stomach	M	9	2	7	1	1	2	5	9	5	2	2	4
	F	5	1	11	2	6	-	-	5	3	1	2	3
2(4) Appendicitis	M	4	-	3	-	1	1	1	1	2	-	1	2
	F	2	1	2	3	2	-	-	1	1	-	1	1
2(5) Intestinal obstruction and hernia	M	20	3	6	4	3	3	5	6	2	2	3	5
	F	19	2	4	7	2	6	6	6	11	2	5	1
2(6) Cirrhosis of liver	M	9	1	1	2	2	2	4	1	3	1	-	1
	F	7	1	3	6	3	2	-	2	2	2	1	1
2(7) Cholelithiasis, cholecystitis	M	6	1	2	4	-	1	2	1	-	-	-	1
	F	11	1	-	2	-	3	5	2	1	1	2	1
0(1) Maternal sepsis (not abortion)	F	-	-	-	-	-	-	-	-	-	-	-	-
0(2) Toxaemias of pregnancy and puerperium	F	3	-	-	-	-	-	-	-	-	-	1	-
0(3) Abortion	F	2	-	-	-	-	-	-	-	1	-	-	-
2(8) Rheumatoid arthritis and allied conditions	M	2	-	-	1	-	-	-	3	-	-	-	1
	F	3	1	4	2	2	-	5	6	-	5	4	1
2(9) Birth injury	M	5	1	5	3	3	1	-	2	5	-	-	9
	F	6	-	3	-	-	3	-	-	2	3	2	2
2(10) Postnatal asphyxia and atelectasis	M	19	-	9	4	6	5	6	11	13	6	-	6
	F	14	-	3	2	-	1	3	3	11	3	1	3
3(1) Pneumonia of newborn	M	2	-	-	2	1	-	2	6	3	1	1	1
	F	3	-	2	1	-	-	-	1	1	1	1	-
2(11) Ophthalmia, pemphigus, sepsis of newborn	M	-	-	-	-	-	-	1	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-
2(12) Haemolytic disease of newborn	M	3	-	3	-	-	2	-	4	2	-	1	-
	F	2	-	-	-	-	-	1	1	-	-	-	-
2(13) Immaturity (without other disease peculiar to early infancy)	M	17	5	5	5	5	5	12	5	14	5	4	8
	F	7	4	2	3	5	1	4	2	7	1	-	4
2(14) Senility without psychosis	M	3	3	2	1	4	3	6	8	1	1	-	7
	F	8	1	9	3	15	4	16	7	1	12	1	11
2(15) Ill-defined and unknown cause	M	-	-	1	2	1	-	1	-	-	1	-	2
	F	-	-	-	-	1	1	-	3	1	-	-	-

TABLE 21 - continued County boroughs

Registrar General's Abridged List		Walsall	Warrington	West Bromwich	West Ham	West Hartlepool	Wigan	Wolverhampton	Worcester	York	Cardiff	Merthyr Tydfil	Newport (Mon)
1	Tuberculosis, respiratory	M 9 F 2	5 6	6 1	5 1	2 1	1 1	7 3	5 1	4 1	13 5	7 1	8 4
2	Tuberculosis, other	M 3 F 1	- 1	- 1	- 5	- 1	- 1	- 2	- 1	- 1	2 2	1 1	2 1
3	Syphilitic disease	M 1 F 1	- -	- -	20 -	1 -	1 -	- -	1 -	1 -	4 -	1 -	- -
4	Diphtheria	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
5	Whooping cough	M - F -	- -	- -	- 1	- 1	- -	- 1	- 1	- -	1 -	- 1	- -
6	Meningococcal infections	M - F -	- -	1 -	- -	- -	- -	- -	- -	- -	- -	- -	- -
7	Acute poliomyelitis	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
8	Measles	M 2 F -	1 -	1 -	- -	- -	- -	1 -	- -	- -	- -	- -	1 -
9	Other infective, etc., diseases	M 1 F -	- 1	2 -	1 1	- 1	2 -	4 -	- -	- -	- 1	2 1	1 8
10	Malignant neoplasm: stomach	M 14 F 12	7 19	16 12	42 23	12 11	15 12	18 31	9 5	18 7	56 46	8 10	18 18
11	lung, bronchus	M 53 F 4	40 4	40 7	96 18	42 4	33 13	69 11	33 5	58 4	142 13	24 2	57 7
12	breast	M - F 31	- 16	- 18	- 31	- 7	- 17	- 26	- 8	1 14	2 43	- 14	- 14
13	uterus	M 7 F -	6 -	8 -	16 -	7 -	12 -	13 -	4 -	11 -	26 -	5 -	8 -
14	Other malignant and lymphatic neoplasms	M 52 F 50	41 31	59 34	102 65	30 34	44 35	88 62	48 36	71 75	128 124	32 37	54 60
15	Leukaemia, aleukaemia	M 2 F 4	6 4	4 2	5 4	2 1	5 -	9 -	2 -	1 2	7 9	- 1	4 1
16	Diabetes	M 2 F 3	1 6	- 3	3 8	- 2	1 5	6 14	- -	4 12	4 6	2 1	1 7
17	Vascular lesions of nervous system	M 77 F 119	50 69	52 78	68 100	47 63	62 57	108 162	66 88	65 116	129 226	56 73	78 93
18	Coronary disease, angina	M 135 F 88	112 96	85 44	182 134	124 77	141 65	186 130	104 40	154 93	405 293	104 43	156 88
19	Hypertension with heart disease	M 16 F 17	8 6	3 11	13 24	7 10	4 12	9 27	6 9	8 19	37 38	10 12	11 12
20	Other heart disease	M 53 F 87	44 53	29 59	54 110	39 42	45 97	99 134	34 65	55 90	81 159	44 51	108 108
21	Other circulatory disease	M 23 F 32	20 31	13 20	49 57	13 16	31 29	29 25	12 15	31 29	59 63	18 21	28 31
22	Influenza	M 5 F 6	3 1	1 3	1 4	- -	1 2	20 10	1 2	- 2	8 6	2 3	- 1
23	Pneumonia	M 72 F 47	46 39	39 35	84 72	29 31	19 26	84 84	15 17	62 84	100 123	15 13	21 34
24	Bronchitis	M 80 F 27	62 12	64 26	90 45	36 15	55 25	98 44	32 15	56 22	142 51	49 7	53 26
25	Other diseases of respiratory system	M 9 F 2	3 3	8 7	12 1	6 4	11 3	11 6	1 1	5 5	20 4	19 -	6 -
26	Ulcer of stomach and duodenum	M 9 F 1	3 -	3 4	9 2	6 2	5 2	14 4	4 2	1 2	17 6	4 -	7 6
27	Gastritis, enteritis and diarrhoea	M 5 F 7	2 1	3 4	5 3	4 2	2 2	1 5	1 2	3 2	6 5	- 4	- 2
28	Nephritis and nephrosis	M 10 F 6	1 1	1 3	4 5	2 2	7 -	8 3	1 3	4 6	13 4	3 3	3 3
29	Hyperplasia of prostate	M 11 F 1	4 -	5 1	11 1	3 1	6 1	4 -	4 -	5 1	11 3	4 -	3 -
30	Pregnancy, childbirth, abortion	M 5 F 12	6 5	7 7	9 8	2 6	7 5	9 7	4 1	7 5	15 19	2 3	6 5
31	Congenital malformations	M 52 F 34	37 47	34 43	66 81	34 26	50 40	56 69	28 42	44 62	112 129	50 42	59 63
32	Other defined and ill-defined diseases	M 9 F 3	5 4	5 4	14 8	3 2	8 -	25 3	4 4	12 2	20 10	5 1	14 1
33	Motor vehicle accidents	M 13 F 12	17 11	12 9	25 12	13 9	11 6	26 22	8 17	14 17	32 25	13 10	13 10
34	All other accidents	M 7 F 3	9 5	8 7	13 4	3 4	4 2	13 6	5 5	13 8	19 14	6 4	13 1
35	Suicide	M 1 F -	1 -	- 1	- 1	- -	1 -	- 2	- -	- -	- -	- -	- -
36	Homicide, operations of war	M - F -	- -	- 1	- -	- -	- 1	- 2	- -	- -	- -	- -	- -

TABLE 21 - continued County boroughs

Registrar General's Supplementary Abridged List		Walsall	Warrington	West Bromwich	West Ham	West Hartlepool	Wigan	Wolverhampton	Worcester	York	Cardiff	Merthyr Tydfil	Newport (Mon)
9(1) Infectious hepatitis	M	-	-	-	-	-	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
14(1) Malignant neoplasm, mouth and pharynx	M	4	4	2	2	3	2	2	3	5	5	-	1
	F	1	-	2	3	1	-	2	1	3	1	3	1
14(2) Malignant neoplasm, oesophagus	M	2	1	5	8	2	1	7	8	1	3	4	3
	F	2	-	1	3	1	1	3	1	3	7	4	2
14(3) Malignant neoplasm, intestine and rectum	M	17	15	14	18	7	15	30	7	25	35	10	20
	F	18	15	14	22	11	11	25	14	27	43	17	22
14(4) Malignant neoplasm, larynx	M	-	1	2	1	1	1	2	1	1	3	-	4
	F	-	-	-	-	1	1	2	1	-	2	1	-
13(1) Malignant neoplasm, cervix uteri	F	5	4	4	9	6	9	8	3	7	16	5	4
14(5) Malignant neoplasm, prostate	M	5	7	7	12	4	3	10	8	12	14	4	7
14(6) Malignant neoplasm, bladder	M	3	4	3	11	6	6	6	1	8	7	2	1
	F	2	2	1	2	-	3	1	1	3	3	-	-
14(7) Malignant neoplasm, bone (including jaw bone)	M	2	-	-	1	-	-	1	-	-	-	1	1
	F	-	-	-	2	-	-	1	-	1	1	-	-
14(8) Lymphosarcoma, reticulosarcoma	M	3	1	5	4	-	2	2	1	4	2	1	-
	F	-	2	-	2	1	-	-	2	1	2	-	3
14(9) Hodgkin's disease	M	1	1	-	3	1	1	2	-	1	2	-	-
	F	1	-	1	1	1	1	2	-	2	2	-	2
32(1) Thyrotoxicosis	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	1	-	-	-	1	1	2	-	-
32(2) Multiple sclerosis	M	2	-	1	-	-	1	-	-	1	1	-	2
	F	-	2	-	2	-	1	1	-	-	3	2	1
32(3) Rheumatic fever	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	1	-	-
20(1) Chronic rheumatic heart disease	M	8	6	4	4	3	5	6	1	2	15	5	9
	F	16	7	7	17	4	11	17	5	11	29	9	10
21(1) Hypertension without mention of heart	M	3	3	2	16	3	8	13	1	8	17	6	13
	F	8	3	6	13	4	4	8	1	4	15	3	7
25(1) Pneumoconiosis and chronic inter- stitial pneumonia	M	2	1	2	1	-	4	1	-	-	3	11	1
	F	-	-	-	-	-	-	1	-	-	1	-	-
26(1) Ulcer of stomach	M	7	1	3	3	3	2	7	-	1	9	2	2
	F	1	-	2	-	2	1	2	1	1	5	-	2
32(4) Appendicitis	M	2	1	-	-	-	-	1	-	4	-	-	2
	F	1	-	-	-	-	-	-	2	-	-	-	-
32(5) Intestinal obstruction and hernia	M	7	3	2	8	3	-	3	-	3	6	5	6
	F	5	3	2	8	1	6	7	2	4	6	1	4
32(6) Cirrhosis of liver	M	1	-	2	2	2	-	-	4	1	10	1	1
	F	2	1	1	-	2	-	1	1	1	4	1	2
32(7) Cholelithiasis, cholecystitis	M	-	2	1	1	-	2	1	1	-	-	-	1
	F	-	-	1	3	-	-	1	1	3	1	-	1
30(1) Maternal sepsis (not abortion)	F	-	-	1	-	-	1	-	-	-	-	-	-
30(2) Toxaemias of pregnancy and puerperium	F	-	-	-	-	1	-	-	-	1	1	-	-
30(3) Abortion	F	-	-	-	-	-	-	-	-	-	-	-	-
32(8) Rheumatoid arthritis and allied conditions	M	-	-	-	-	-	1	-	1	-	1	-	1
	F	2	1	4	2	1	1	1	-	-	4	4	2
32(9) Birth injury	M	3	5	6	4	3	3	9	1	4	9	1	1
	F	1	-	3	6	1	5	4	4	2	7	2	3
32(10) Postnatal asphyxia and atelectasis	M	5	3	4	5	4	-	4	2	4	21	6	4
	F	-	3	1	4	2	-	5	1	1	11	1	2
23(1) Pneumonia of newborn	M	1	1	-	-	-	-	1	-	1	8	-	1
	F	1	-	-	-	1	-	2	1	1	2	-	1
32(11) Ophthalmia, pemphigus, sepsis of newborn	M	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-
32(12) Haemolytic disease of newborn	M	1	1	-	-	-	1	1	2	-	-	-	-
	F	-	-	-	-	1	-	-	-	-	-	-	-
32(13) Immaturity (without other disease peculiar to early infancy)	M	7	3	2	9	3	7	8	2	4	6	5	7
	F	5	3	4	9	2	3	1	-	4	5	2	6
32(14) Senility without psychosis	M	2	2	6	2	1	22	-	3	2	6	7	7
	F	2	5	9	6	2	15	8	9	2	15	5	12
32(15) Ill-defined and unknown cause	M	-	-	-	-	-	-	-	-	-	-	3	-
	F	-	1	1	-	1	-	-	-	1	-	-	-



TABLE 21 - continued County boroughs and administrative counties

Registrar General's Abridged List		Swansea	Bedfordshire	Berkshire	Buckinghamshire	Cambridgeshire	Cheshire	Cornwall	Cumberland	Derbyshire	Devon	Dorset	Durham
1	Tuberculosis, respiratory	M 8 F 4	12 5	8 3	12 4	3 2	27 6	18 7	3 2	23 4	27 9	4 2	55 11
2	Tuberculosis, other	M - F -	1 -	2 1	2 1	- 1	2 7	1 2	1 1	2 3	- 3	1 1	6 2
3	Syphilitic disease	M 1 F -	3 3	8 3	11 2	3 -	7 8	2 1	1 1	9 2	6 5	2 -	14 6
4	Diphtheria	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
5	Whooping cough	M - F -	- 1	- -	- -	- -	- -	- -	- -	- -	1 -	- -	- -
6	Meningococcal infections	M - F 1	1 -	2 -	1 1	- -	2 1	- -	- -	- 1	1 -	- -	4 1
7	Acute poliomyelitis	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
8	Measles	M 1 F -	- -	- -	- -	- -	3 2	- -	- -	1 5	- -	1 -	- -
9	Other infective, etc., diseases	M 1 F 1	2 2	5 7	3 5	- 3	10 8	9 1	3 -	4 4	9 8	6 2	14 8
10	Malignant neoplasm: stomach	M 45 F 33	59 39	59 34	65 53	21 24	177 114	66 55	34 38	111 90	94 79	57 43	179 141
11	lung, bronchus	M 84 F 11	159 16	138 25	192 35	67 14	382 59	104 31	83 15	266 30	241 51	133 22	404 56
12	breast	M 2 F 34	- 82	- 59	1 83	- 38	2 212	1 85	- 36	- 149	- 137	- 83	1 135
13	uterus	F 24	34	32	26	10	95	39	16	58	45	28	93
14	Other malignant and lymphatic neoplasms	M 100 F 88	171 169	191 175	252 223	106 95	509 454	228 205	121 91	363 297	411 341	215 204	480 424
15	Leukaemia, aleukaemia	M 6 F 2	18 9	15 14	10 22	7 2	28 32	15 8	5 4	25 22	25 17	12 11	33 24
16	Diabetes	M 4 F 13	11 21	8 9	6 23	5 8	27 52	14 30	9 21	20 46	19 32	14 18	26 50
17	Vascular lesions of nervous system	M 134 F 218	258 365	239 403	220 402	136 191	752 1,079	357 454	204 293	516 666	515 844	226 393	761 931
18	Coronary disease, angina	M 316 F 166	496 265	417 251	625 346	260 159	1,339 861	565 308	385 193	967 537	952 617	509 305	1,413 870
19	Hypertension with heart disease	M 34 F 50	25 30	19 29	43 61	11 22	78 121	39 68	27 38	58 93	77 103	34 44	94 135
20	Other heart disease	M 70 F 128	150 265	207 345	248 334	80 125	502 742	460 612	156 196	482 674	523 731	242 383	469 616
21	Other circulatory disease	M 41 F 51	73 88	88 113	85 138	61 58	206 292	103 105	64 68	210 243	154 185	95 108	232 246
22	Influenza	M 1 F 1	6 22	28 28	19 23	8 3	27 25	14 26	11 11	7 5	34 57	8 10	54 46
23	Pneumonia	M 48 F 52	117 119	124 138	178 200	59 50	312 389	105 136	44 41	230 219	187 282	164 180	330 341
24	Bronchitis	M 135 F 51	160 55	145 61	186 81	91 35	456 208	113 44	64 24	379 154	241 79	144 53	540 163
25	Other diseases of respiratory system	M 9 F 2	28 15	14 15	42 17	11 12	65 28	30 8	22 9	70 38	71 29	29 7	84 45
26	Ulcer of stomach and duodenum	M 11 F 6	30 9	21 14	28 25	8 7	44 20	28 7	15 7	44 26	37 19	27 13	67 31
27	Gastritis, enteritis and diarrhoea	M 2 F 5	9 11	6 7	12 12	2 6	20 28	11 11	7 7	13 16	13 16	6 12	14 20
28	Nephritis and nephrosis	M 5 F 4	16 10	9 8	19 14	5 2	36 34	25 10	10 7	40 28	24 26	11 12	40 29
29	Hyperplasia of prostate	M 10	24	36	25	10	46	27	13	30	47	28	32
30	Pregnancy, childbirth, abortion	F 1	1	1	3	2	5	1	-	4	2	-	4
31	Congenital malformations	M 9 F 8	22 25	27 26	34 20	11 8	43 52	17 21	17 15	30 37	28 26	24 21	56 57
32	Other defined and ill-defined diseases	M 88 F 122	166 193	140 206	187 210	87 112	460 585	155 207	112 128	264 322	272 358	143 185	408 507
33	Motor vehicle accidents	M 11 F 4	41 15	37 15	69 19	10 3	128 38	40 10	28 12	80 32	51 12	38 13	79 27
34	All other accidents	M 16 F 18	37 35	52 39	50 64	14 44	102 92	52 54	39 37	123 99	79 114	42 51	165 117
35	Suicide	M 10 F 7	25 11	22 12	25 12	10 6	59 43	26 17	15 9	47 23	43 32	17 28	51 41
36	Homicide, operations of war	M - F -	1 2	2 -	2 -	1 -	- 1	1 1	1 -	2 1	2 1	1 1	1 2

TABLE 21 - continued

## County boroughs and administrative counties

Registrar General's Supplementary Abridged List		Swansea	Bedfordshire	Berkshire	Buckinghamshire	Cambridgeshire	Cheshire	Cornwall	Cumberland	Derbyshire	Devon	Dorset	Durham
9(1) Infectious hepatitis	M	1	-	3	2	-	1	3	-	-	1	-	5
	F	1	-	1	1	1	2	-	-	1	-	1	3
14(1) Malignant neoplasm, mouth and pharynx	M	4	4	5	8	4	20	10	6	8	18	9	20
	F	1	7	4	2	1	14	2	3	10	6	6	15
14(2) Malignant neoplasm, oesophagus	M	5	3	6	7	2	23	13	8	18	30	17	18
	F	9	7	10	3	4	25	12	3	13	21	14	20
14(3) Malignant neoplasm, intestine and rectum	M	22	58	43	78	29	140	64	44	103	98	61	137
	F	31	55	56	85	43	181	82	28	108	119	70	138
14(4) Malignant neoplasm, larynx	M	3	8	7	4	2	12	7	3	6	3	2	11
	F	-	-	-	1	-	1	1	-	-	2	-	2
13(1) Malignant neoplasm, cervix uteri	F	19	19	18	13	8	59	25	13	27	29	17	59
14(5) Malignant neoplasm, prostate	M	15	32	38	38	16	71	42	13	43	83	41	52
14(6) Malignant neoplasm, bladder	M	10	8	23	22	7	35	11	8	30	31	14	40
	F	7	4	9	8	2	20	9	4	15	14	5	16
14(7) Malignant neoplasm, bone (including jaw bone)	M	1	2	2	3	1	9	4	-	4	3	-	8
	F	3	1	3	3	1	5	2	2	3	2	2	9
14(8) Lymphosarcoma, reticulosarcoma	M	3	3	2	5	3	10	7	3	9	2	6	19
	F	1	2	5	7	1	8	3	4	3	10	3	10
14(9) Hodgkin's disease	M	3	1	3	7	1	10	3	1	6	3	6	7
	F	1	2	1	4	3	11	2	1	3	4	2	11
32(1) Thyrotoxicosis	M	1	-	-	-	1	-	1	-	1	-	1	-
	F	-	3	3	-	3	4	8	1	1	4	5	2
32(2) Multiple sclerosis	M	1	1	2	-	-	7	6	-	4	7	2	4
	F	1	5	2	4	3	7	10	1	5	5	5	4
32(3) Rheumatic fever	M	1	-	1	2	-	1	-	2	-	2	-	3
	F	-	-	-	1	-	1	-	-	5	-	1	2
20(1) Chronic rheumatic heart disease	M	8	14	15	23	3	35	19	12	38	30	13	72
	F	18	25	23	41	8	72	22	16	83	43	25	81
21(1) Hypertension without mention of heart	M	17	14	20	13	11	34	26	10	50	24	18	50
	F	16	20	20	21	7	45	23	14	53	40	19	35
25(1) Pneumoconiosis and chronic inter- stitial pneumonia	M	4	3	-	7	1	7	12	3	13	5	5	43
	F	-	2	-	1	2	1	1	-	5	-	-	3
26(1) Ulcer of stomach	M	4	14	12	18	4	19	14	5	20	13	12	29
	F	3	5	9	12	2	11	4	3	16	10	9	15
32(4) Appendicitis	M	1	2	1	1	-	5	3	1	4	1	1	9
	F	-	-	1	2	4	9	-	1	5	5	1	7
32(5) Intestinal obstruction and hernia	M	1	18	9	9	9	22	8	5	31	25	17	24
	F	8	22	10	18	1	29	15	6	28	24	12	30
32(6) Cirrhosis of liver	M	5	3	5	7	3	19	9	4	7	15	6	12
	F	6	1	6	6	-	10	5	2	15	9	2	12
32(7) Cholelithiasis, cholecystitis	M	1	2	-	3	1	11	-	2	5	7	-	10
	F	6	3	4	4	2	11	7	4	13	8	5	22
30(1) Maternal sepsis (not abortion)	F	-	1	-	1	1	1	1	-	1	-	-	-
30(2) Toxaemias of pregnancy and puerperium	F	-	-	-	1	-	1	-	-	-	-	-	2
30(3) Abortion	F	-	-	-	-	1	1	-	-	1	-	-	1
32(8) Rheumatoid arthritis and allied conditions	M	3	1	2	-	1	2	2	-	7	3	8	7
	F	6	4	3	3	4	22	3	6	9	7	3	14
32(9) Birth injury	M	5	10	10	11	5	24	7	3	12	6	8	21
	F	4	4	12	15	1	11	4	8	6	5	9	15
32(10) Postnatal asphyxia and atelectasis	M	3	7	16	18	7	26	8	8	18	14	2	23
	F	2	5	12	9	3	12	6	4	8	9	1	17
23(1) Pneumonia of newborn	M	3	2	1	2	-	6	3	2	11	2	2	8
	F	1	3	2	2	2	3	-	1	5	2	-	8
32(11) Ophthalmia, pemphigus, sepsis of newborn	M	-	1	2	-	-	-	-	-	1	-	-	-
	F	-	-	2	1	-	1	-	-	-	-	-	1
32(12) Haemolytic disease of newborn	M	1	1	-	-	1	2	-	1	1	5	1	5
	F	1	-	1	4	1	1	1	2	4	3	1	2
32(13) Immaturity (without other disease peculiar to early infancy)	M	16	15	13	20	4	42	5	6	24	13	8	48
	F	3	9	12	16	4	22	7	14	17	11	5	40
32(14) Senility without psychosis	M	11	24	16	8	1	100	28	40	22	42	14	60
	F	16	35	39	15	7	186	53	27	53	99	37	104
32(15) Ill-defined and unknown cause	M	1	1	2	2	1	6	2	1	-	2	1	10
	F	-	3	-	3	3	-	-	-	-	3	1	7

TABLE 21 - continued

## Administrative counties

Registrar General's Abridged List			Ely, Isle of	Essex	Gloucestershire	Hampshire	Herefordshire	Hertfordshire	Huntingdonshire	Kent	Lancashire	Leicestershire	Lincolnshire (parts of Holland)	Lincolnshire (parts of Kesteven)
1	Tuberculosis, respiratory	M	1	69	11	22	6	16	1	96	91	10	2	6
		F	-	15	5	8	1	10	-	22	26	1	-	1
2	Tuberculosis, other	M	-	3	3	2	-	2	-	9	9	2	1	1
		F	1	2	2	6	-	4	1	5	10	2	1	2
3	Syphilitic disease	M	-	12	6	13	3	9	-	20	18	4	1	2
		F	3	13	-	10	2	7	-	13	16	2	1	1
4	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
5	Whooping cough	M	-	1	1	-	1	-	-	-	1	-	-	-
		F	-	-	-	-	-	-	-	-	1	-	-	-
6	Meningococcal infections	M	-	2	2	3	-	-	1	2	2	-	-	-
		F	-	2	1	3	-	1	-	2	3	-	-	-
7	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	1	-	-	-
		F	-	-	-	-	-	-	-	-	1	-	-	-
8	Measles	M	-	-	-	-	1	1	-	3	6	-	-	-
		F	-	2	-	3	-	-	-	5	8	-	-	-
9	Other infective, etc., diseases	M	1	11	5	7	1	8	-	21	24	4	2	2
		F	1	17	8	5	-	8	-	13	26	6	-	3
10	Malignant neoplasm: stomach	M	18	264	78	113	24	111	16	242	384	67	20	27
		F	15	186	54	65	19	80	6	179	300	61	17	11
11	lung, bronchus	M	34	891	159	287	31	314	28	779	915	145	31	48
		F	7	151	39	60	8	60	3	177	167	20	5	13
12	breast	M	-	4	-	1	-	-	-	6	3	-	-	1
		F	19	383	107	144	23	169	14	416	466	78	21	24
13	uterus	F	4	128	50	55	19	58	2	144	201	28	13	10
14	Other malignant and lymphatic neoplasms	M	44	989	276	412	87	365	36	967	1,143	222	61	74
		F	48	875	244	407	75	347	35	936	1,066	171	42	54
15	Leukaemia, aleukaemia	M	4	57	18	30	5	29	3	68	77	12	6	4
		F	4	46	14	20	3	29	4	73	58	9	4	5
16	Diabetes	M	4	50	18	18	6	25	2	64	54	17	3	9
		F	8	107	28	30	5	31	3	79	119	22	8	8
17	Vascular lesions of nervous system	M	59	1,106	343	564	99	447	49	1,167	1,852	307	71	102
		F	81	1,658	531	805	124	681	69	1,827	2,624	428	113	139
18	Coronary disease, angina	M	98	2,424	642	1,097	144	899	89	2,386	3,480	443	115	181
		F	82	1,621	383	646	104	625	52	1,593	2,071	269	66	100
19	Hypertension with heart disease	M	13	142	40	78	10	61	8	162	187	49	6	5
		F	15	197	70	125	13	114	8	276	306	55	11	19
20	Other heart disease	M	68	801	331	496	103	394	42	1,077	1,400	259	64	93
		F	106	1,241	546	758	138	525	79	1,744	2,296	348	83	151
21	Other circulatory disease	M	14	445	135	171	35	180	18	499	609	92	29	39
		F	19	492	115	203	33	229	20	581	671	101	30	51
22	Influenza	M	3	31	19	32	1	23	2	107	76	13	1	3
		F	2	46	28	57	3	25	1	126	91	3	-	7
23	Pneumonia	M	45	772	190	252	50	287	27	614	676	109	42	51
		F	54	854	217	310	32	363	23	802	743	81	35	50
24	Bronchitis	M	43	862	198	326	70	318	32	799	1,197	151	38	57
		F	14	389	85	132	31	138	10	395	605	61	12	28
25	Other diseases of respiratory system	M	10	121	39	57	14	36	5	106	171	32	7	8
		F	8	69	13	35	1	30	3	64	74	17	4	7
26	Ulcer of stomach and duodenum	M	10	82	22	39	10	43	5	129	127	22	10	7
		F	2	47	21	19	7	19	4	70	75	4	3	2
27	Gastritis, enteritis and diarrhoea	M	2	35	9	18	4	16	3	44	57	5	4	5
		F	3	64	19	27	5	19	3	80	59	13	5	2
28	Nephritis and nephrosis	M	1	53	17	26	4	28	3	66	76	17	2	4
		F	3	45	12	24	3	26	1	68	86	15	4	2
29	Hyperplasia of prostate	M	6	90	31	41	8	40	5	95	94	14	4	18
30	Pregnancy, childbirth, abortion	F	1	12	3	2	1	6	-	4	12	1	1	-
31	Congenital malformations	M	5	114	28	56	6	44	4	84	137	19	4	5
		F	5	90	30	41	9	39	3	88	120	14	5	6
32	Other defined and ill-defined diseases	M	39	717	190	319	65	321	36	727	1,062	179	48	65
		F	41	938	243	432	71	391	49	979	1,308	212	71	83
33	Motor vehicle accidents	M	14	150	69	115	12	80	13	166	235	49	12	23
		F	5	64	21	28	4	28	2	59	93	20	3	7
34	All other accidents	M	10	169	56	87	19	90	21	173	324	49	13	15
		F	9	177	43	88	21	111	10	184	326	47	7	16
35	Suicide	M	9	127	29	40	9	47	5	83	135	22	6	9
		F	1	95	25	24	1	42	5	83	109	12	3	5
36	Homicide, operations of war	M	-	4	1	4	4	2	-	3	8	2	-	2
		F	1	4	3	3	1	2	-	1	7	5	3	1



TABLE 21 - continued Administrative counties

Registrar General's Supplementary Abridged List		Ely, Isle of	Essex	Gloucestershire	Hampshire	Herefordshire	Hertfordshire	Huntingdonshire	Kent	Lancashire	Leicestershire	Lincolnshire (parts of Holland)	Lincolnshire (parts of Kesteven)
9(1) Infectious hepatitis	M	1	3	-	5	-	-	-	5	4	1	1	-
	F	-	5	6	1	-	-	-	1	9	-	-	1
14(1) Malignant neoplasm, mouth and pharynx	M	1	32	10	15	2	11	3	38	37	6	1	3
	F	-	14	4	9	1	9	1	22	30	3	2	3
14(2) Malignant neoplasm, oesophagus	M	2	43	14	26	8	23	-	51	63	12	2	2
	F	3	39	7	15	5	13	1	31	50	8	-	5
14(3) Malignant neoplasm, intestine and rectum	M	9	242	76	90	25	93	10	209	348	61	15	28
	F	23	305	83	121	18	115	10	347	392	63	11	15
14(4) Malignant neoplasm, larynx	M	-	24	7	12	1	6	1	30	30	8	-	1
	F	-	3	-	3	-	4	1	5	9	1	-	-
13(1) Malignant neoplasm, cervix uteri	F	3	77	30	32	8	35	2	82	128	15	6	5
14(5) Malignant neoplasm, prostate	M	7	164	35	68	18	58	6	175	159	36	10	10
14(6) Malignant neoplasm, bladder	M	4	83	29	43	5	34	3	86	104	11	2	7
	F	-	30	7	19	1	13	2	40	36	4	2	1
14(7) Malignant neoplasm, bone (including jaw bone)	M	-	18	-	4	-	1	-	7	17	2	-	-
	F	-	8	6	2	2	2	-	7	9	3	-	-
14(8) Lymphosarcoma, reticulosarcoma	M	1	35	6	16	1	11	1	31	16	2	2	2
	F	-	26	10	7	1	14	-	20	20	5	2	-
14(9) Hodgkin's disease	M	-	27	4	10	3	8	-	19	29	4	2	1
	F	1	17	5	7	-	3	1	12	13	1	2	-
32(1) Thyrotoxicosis	M	-	-	-	-	-	1	-	1	-	-	-	-
	F	1	7	3	2	1	2	-	14	11	1	1	1
32(2) Multiple sclerosis	M	-	15	1	1	-	3	-	8	25	-	-	-
	F	-	21	3	9	-	9	1	24	32	5	3	2
32(3) Rheumatic fever	M	-	-	2	1	-	1	-	-	2	-	-	-
	F	-	1	-	1	2	-	-	-	4	-	-	-
20(1) Chronic rheumatic heart disease	M	2	80	33	26	7	26	2	75	117	22	1	2
	F	6	182	48	63	7	43	8	123	232	32	3	8
21(1) Hypertension without mention of heart	M	5	115	17	36	8	42	3	84	154	22	4	7
	F	5	117	19	33	5	48	3	111	136	21	4	6
25(1) Pneumoconiosis and chronic inter- stitial pneumonia	M	2	15	6	6	4	6	-	9	61	4	-	-
	F	-	9	-	6	-	2	-	5	5	5	-	-
26(1) Ulcer of stomach	M	4	34	14	18	4	22	5	63	60	13	6	3
	F	-	37	15	11	4	11	2	50	45	2	2	2
32(4) Appendicitis	M	-	8	3	4	1	4	1	9	17	2	-	1
	F	-	8	5	2	-	5	-	13	7	1	1	-
32(5) Intestinal obstruction and hernia	M	6	60	13	14	6	31	3	75	65	8	8	6
	F	3	68	18	21	4	16	2	71	84	9	5	6
32(6) Cirrhosis of liver	M	3	17	5	5	1	5	1	16	33	5	-	-
	F	1	15	8	6	5	9	2	16	30	4	-	2
32(7) Cholelithiasis, cholecystitis	M	1	14	5	6	1	5	-	21	21	2	1	-
	F	2	30	6	8	5	10	1	31	46	6	2	-
30(1) Maternal sepsis (not abortion)	F	-	2	-	2	-	-	-	-	1	-	-	-
30(2) Toxaemias of pregnancy and puerperium	F	-	1	-	-	-	1	-	1	3	-	1	-
30(3) Abortion	F	-	3	-	-	-	1	-	1	1	-	-	-
32(8) Rheumatoid arthritis and allied conditions	M	-	9	2	7	-	6	-	4	13	4	-	-
	F	3	28	12	14	1	9	1	27	44	6	-	-
32(9) Birth injury	M	3	37	16	25	2	15	2	30	58	7	1	5
	F	-	19	3	10	3	7	1	24	32	9	1	-
32(10) Postnatal asphyxia and atelectasis	M	3	50	20	25	6	21	3	52	113	12	1	4
	F	2	26	15	21	2	9	2	34	83	7	3	2
23(1) Pneumonia of newborn	M	-	9	2	5	3	3	-	16	23	2	1	-
	F	1	3	2	1	2	7	-	11	12	3	1	-
32(11) Ophthalmia, pemphigus, sepsis of newborn	M	-	3	-	-	1	1	-	-	5	-	-	-
	F	-	-	-	1	-	-	-	1	3	-	-	-
32(12) Haemolytic disease of newborn	M	-	4	-	7	-	5	-	5	10	-	1	-
	F	-	9	3	3	-	4	1	4	5	5	-	2
32(13) Immaturity (without other disease peculiar to early infancy)	M	3	71	13	28	6	14	4	51	62	11	3	4
	F	-	53	12	25	6	11	1	37	66	16	2	3
32(14) Senility without psychosis	M	2	36	10	27	12	38	10	71	177	34	11	15
	F	9	100	31	75	15	60	12	143	276	40	26	19
32(15) Ill-defined and unknown cause	M	-	8	3	1	-	3	1	10	10	2	-	-
	F	1	7	1	3	-	-	-	10	11	2	-	-

TABLE 21 - continued Administrative counties

Registrar General's Abridged List		Lincolnshire (parts of Lindsey)	Middlesex	Norfolk	Northamptonshire	Northumberland	Nottinghamshire	Oxfordshire	Peterborough, Soke of	Rutland	Shropshire	Somerset	Staffordshire
1	Tuberculosis, respiratory	M 9 F 5	81 23	3 4	8 2	22 2	18 5	3 1	- -	- -	15 3	23 2	3 1
2	Tuberculosis, other	M 2 F 1	4 7	1 1	1 1	1 4	2 2	1 -	1 -	- -	1 -	1 2	1 10
3	Syphilitic disease	M - F -	14 16	5 3	2 1	7 3	9 5	3 -	- 1	- -	1 1	2 1	1 -
4	Diphtheria	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
5	Whooping cough	M - F -	- 1	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
6	Meningococcal infections	M - F -	1 3	- -	- 1	- -	- 1	- 1	- -	1 -	- -	- -	- -
7	Acute poliomyelitis	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
8	Measles	M 1 F -	- 1	- -	- -	- -	3 1	- -	- -	- -	- -	- -	- -
9	Other infective, etc., diseases	M 3 F 2	18 32	6 6	4 3	5 6	5 9	3 2	- -	- 1	2 5	7 5	1 1
10	Malignant neoplasm: stomach	M 41 F 34	305 270	66 54	45 30	81 57	96 69	28 17	10 9	1 -	53 32	79 75	16 10
11	lung, bronchus	M 111 F 19	1,176 235	127 18	100 15	227 25	221 36	82 9	31 2	6 3	97 14	185 34	37 4
12	breast	M 1 F 53	2 493	- 91	2 55	1 85	1 118	- 35	- 19	- 3	- 44	- 115	- 17
13	uterus	F 32	164	31	18	48	70	14	4	4	22	39	7
14	Other malignant and lymphatic neoplasms	M 194 F 154	1,237 1,106	218 195	169 133	235 218	324 250	102 105	31 39	16 13	174 127	293 313	40 38
15	Leukaemia, aleukaemia	M 12 F 11	80 70	14 9	11 5	13 10	13 12	5 7	2 2	1 -	11 6	12 14	3 1
16	Diabetes	M 14 F 17	59 109	19 23	8 18	12 22	15 28	5 9	3 2	1 -	5 16	18 22	2 5
17	Vascular lesions of nervous system	M 240 F 312	1,074 1,831	343 475	175 301	433 574	419 540	144 202	57 63	14 22	234 328	416 724	64 79
18	Coronary disease, angina	M 496 F 265	3,116 2,012	528 342	361 242	767 503	655 360	251 163	111 59	24 17	410 211	774 500	1,14 66
19	Hypertension with heart disease	M 44 F 60	156 264	26 39	36 38	32 56	56 65	19 16	2 10	- -	39 35	63 96	7 12
20	Other heart disease	M 216 F 249	952 1,784	300 491	231 305	319 463	375 476	108 151	35 43	18 31	223 324	371 605	50 81
21	Other circulatory disease	M 95 F 109	601 786	113 130	74 83	121 134	149 175	61 57	22 29	5 6	73 67	163 195	21 19
22	Influenza	M 19 F 23	40 55	51 26	13 16	33 22	17 8	5 12	6 3	- -	6 11	25 19	1 2
23	Pneumonia	M 128 F 99	878 1,069	183 211	98 78	149 132	156 164	92 95	40 32	13 7	86 67	164 220	31 25
24	Bronchitis	M 127 F 57	1,125 448	150 59	139 50	224 84	299 114	64 32	39 11	7 3	136 39	216 90	55 21
25	Other diseases of respiratory system	M 16 F 21	156 94	18 13	10 12	34 27	49 27	10 8	2 3	- -	20 4	54 32	7 3
26	Ulcer of stomach and duodenum	M 13 F 11	128 81	35 16	18 9	35 21	44 15	5 4	6 2	1 -	30 13	38 17	5 3
27	Gastritis, enteritis and diarrhoea	M 13 F 9	61 82	11 18	4 7	5 18	13 12	4 9	2 4	- 1	3 3	8 20	1 2
28	Nephritis and nephrosis	M 13 F 14	54 57	11 13	13 11	13 15	15 15	7 3	3 1	1 1	13 14	17 14	2 2
29	Hyperplasia of prostate	M 20 F 2	89 12	28 2	7 1	18 2	31 7	15 -	4 -	3 -	14 2	27 2	4 -
30	Pregnancy, childbirth, abortion	M 20 F 13	138 106	17 20	22 9	31 24	40 37	21 18	9 2	3 1	20 16	31 28	7 6
31	Congenital malformations	M 152 F 206	766 968	149 220	144 140	242 243	219 252	100 103	35 37	8 14	114 205	252 279	37 46
32	Other defined and ill-defined diseases	M 44 F 10	160 77	47 9	33 4	51 21	87 22	31 5	12 4	10 -	39 9	75 18	11 3
33	Motor vehicle accidents	M 41 F 28	218 218	59 52	45 47	79 85	65 47	23 17	13 8	- 7	36 34	54 60	12 10
34	All other accidents	M 25 F 15	158 142	28 16	11 7	36 33	35 24	8 8	5 3	2 1	22 10	31 22	7 3
35	Suicide	M 1 F 1	8 4	3 1	- -	1 1	2 -	1 -	- 1	- -	- 1	2 3	2 3
36	Homicide, operations of war	M 1 F 1	8 4	3 1	- -	1 1	2 -	1 -	- 1	- -	- 1	2 3	2 3

TABLE 21 - continued Administrative counties

Registrar General's Supplementary Abridged List		Lincolnshire (parts of Lindsey)	Middlesex	Norfolk	Northamptonshire	Northumberland	Nottinghamshire	Oxfordshire	Peterborough, Soke of	Rutland	Shropshire	Somerset	Staffordshire
9(1) Infectious hepatitis	M	1	4	1	-	2	1	1	-	-	-	3	1
	F	1	13	-	-	1	2	2	-	-	1	1	2
4(1) Malignant neoplasm, mouth and pharynx	M	10	45	6	5	9	13	3	2	1	9	7	20
	F	6	20	6	2	7	8	2	2	-	6	9	6
4(2) Malignant neoplasm, oesophagus	M	9	58	12	7	14	19	3	4	2	15	21	33
	F	4	45	8	7	6	11	4	-	-	13	18	19
4(3) Malignant neoplasm, intestine and rectum	M	52	312	47	46	70	88	30	11	4	53	78	127
	F	62	370	78	45	73	84	29	15	8	34	94	134
4(4) Malignant neoplasm, larynx	M	8	22	2	5	5	6	1	-	-	-	9	12
	F	1	7	2	1	1	2	-	-	-	2	3	2
3(1) Malignant neoplasm, cervix uteri	F	21	100	22	12	30	36	6	2	1	13	24	40
4(5) Malignant neoplasm, prostate	M	31	213	35	26	28	44	19	2	2	28	47	43
4(6) Malignant neoplasm, bladder	M	14	119	22	12	28	29	7	2	1	10	26	32
	F	7	50	9	3	14	8	5	1	-	2	8	19
4(7) Malignant neoplasm, bone (including jaw bone)	M	-	12	3	2	1	5	-	-	-	3	6	7
	F	-	6	-	2	3	1	-	-	-	-	-	3
4(8) Lymphosarcoma, reticulosarcoma	M	3	35	3	4	4	5	3	-	-	1	8	12
	F	3	24	3	6	4	7	4	-	1	2	9	10
4(9) Hodgkin's disease	M	5	29	3	4	2	7	3	1	-	5	5	9
	F	-	15	2	1	3	4	1	2	1	1	6	3
2(1) Thyrotoxicosis	M	-	3	1	1	1	-	-	-	-	-	-	-
	F	2	9	2	1	4	4	3	-	-	4	-	3
2(2) Multiple sclerosis	M	4	15	6	2	1	4	-	1	1	3	7	7
	F	1	29	3	3	5	7	3	-	-	6	1	6
2(3) Rheumatic fever	M	-	-	1	-	-	1	-	-	-	1	1	5
	F	1	-	-	-	-	-	1	-	-	-	-	-
0(1) Chronic rheumatic heart disease	M	15	108	14	18	17	21	11	3	2	10	32	57
	F	16	230	28	33	49	40	17	8	-	20	37	86
1(1) Hypertension without mention of heart	M	19	150	13	20	31	27	12	2	2	15	40	42
	F	30	215	6	18	32	43	10	6	5	11	43	29
5(1) Pneumoconiosis and chronic inter- stitial pneumonia	M	2	34	1	2	3	12	2	1	-	4	20	29
	F	1	11	1	-	2	1	3	-	-	-	2	1
6(1) Ulcer of stomach	M	7	67	18	10	16	21	4	3	1	10	13	26
	F	6	52	11	5	17	11	3	1	-	10	12	23
2(4) Appendicitis	M	2	11	2	4	4	6	1	-	-	2	4	12
	F	4	7	2	1	1	4	1	-	-	3	5	7
2(5) Intestinal obstruction and hernia	M	11	54	10	10	20	14	6	3	-	11	19	17
	F	8	77	21	14	10	8	3	2	1	12	22	26
2(6) Cirrhosis of liver	M	7	36	2	4	11	6	4	-	-	2	5	12
	F	5	30	5	2	5	2	2	1	-	3	6	7
2(7) Cholelithiasis, cholecystitis	M	2	20	4	4	4	7	1	-	-	1	-	8
	F	7	22	9	6	3	8	3	-	-	-	13	15
0(1) Maternal sepsis (not abortion)	F	1	2	-	-	-	-	-	-	-	-	-	2
0(2) Toxaemias of pregnancy and puerperium	F	1	2	-	-	1	2	-	-	-	1	2	-
0(3) Abortion	F	-	3	-	-	-	2	-	-	-	-	-	2
2(8) Rheumatoid arthritis and allied conditions	M	-	11	1	2	3	2	-	-	-	-	4	2
	F	8	35	14	4	5	7	2	-	-	9	7	11
2(9) Birth injury	M	1	45	8	8	16	22	6	1	-	8	9	30
	F	6	28	7	5	9	9	1	1	-	12	4	23
2(10) Postnatal asphyxia and atelectasis	M	17	67	12	19	8	14	13	1	-	4	13	35
	F	4	41	2	9	5	13	6	1	-	8	6	25
23(1) Pneumonia of newborn	M	2	21	3	1	-	3	2	2	1	1	4	7
	F	1	18	2	-	2	3	1	1	-	-	3	9
2(11) Ophthalmia, pemphigus, sepsis of newborn	M	-	1	-	-	-	-	1	2	-	-	1	1
	F	-	2	-	-	-	-	-	-	-	-	-	1
2(12) Haemolytic disease of newborn	M	3	9	1	-	-	3	1	-	-	1	2	2
	F	1	8	-	1	1	1	1	-	1	-	-	1
2(13) Immaturity (without other disease peculiar to early infancy)	M	17	72	5	4	21	16	6	6	2	5	13	26
	F	8	54	7	6	13	20	3	1	1	6	7	31
2(14) Senility without psychosis	M	19	13	19	3	17	16	8	6	3	28	61	56
	F	62	54	42	9	43	35	20	15	4	48	75	88
2(15) Ill-defined and unknown cause	M	4	9	2	10	7	3	-	1	-	-	3	2
	F	1	6	1	7	3	2	1	-	-	1	-	4



TABLE 21 - continued Administrative counties

Registrar General's Abridged List		Suffolk, East	Suffolk, West	Surrey	Sussex, East	Sussex, West	Warwickshire	Westmorland	Wight, Isle of	Wiltshire	Worcestershire	Yorkshire, East Riding	Yorkshire, North Riding
1	Tuberculosis, respiratory	M 12 F 1	4 5	56 22	18 5	9 5	23 7	5 1	8 1	13 3	22 7	2 1	
2	Tuberculosis, other	M 1 F -	- -	4 7	2 2	- 2	6 2	- -	- -	3 1	- 1	- 2	
3	Syphilitic disease	M 3 F 2	2 1	17 16	4 4	4 3	4 2	2 1	- 1	3 1	2 3	1 5	
4	Diphtheria	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
5	Whooping cough	M - F -	- -	- -	- -	- -	1 -	- -	- -	- -	- -	- -	
6	Meningococcal infections	M - F -	1 -	3 1	- -	2 -	1 1	1 -	- -	- -	- -	- -	
7	Acute poliomyelitis	M - F -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
8	Measles	M 1 F 2	- -	2 4	- -	1 3	3 -	- -	- -	2 2	- -	- -	
9	Other infective, etc., diseases	M 2 F 1	2 2	24 11	7 3	5 5	8 8	- -	5 2	3 3	4 3	3 6	
10	Malignant neoplasm: stomach	M 38 F 20	24 13	192 148	76 56	51 56	77 49	11 9	19 13	58 37	50 53	33 26	68 4
11	lung, bronchus	M 71 F 18	38 10	660 143	211 45	191 52	215 27	19 12	38 8	141 26	157 23	98 29	147 2
12	breast	M 1 F 48	1 21	4 336	- 145	1 123	- 110	- 14	- 37	- 78	- 79	- 29	61 3
13	uterus	F 21	14	94	32	40	36	10	15	34	40	21	3
14	Other malignant and lymphatic neoplasms	M 131 F 131	84 60	823 780	263 274	264 325	303 274	45 31	85 61	221 183	238 192	145 130	223 192
15	Leukaemia, aleukaemia	M 6 F 3	6 5	62 47	20 13	18 15	18 15	- 2	1 5	14 9	8 8	8 8	11 1
16	Diabetes	M 8 F 15	8 10	46 55	16 32	14 19	24 28	3 6	6 9	11 20	16 26	9 17	17 1
17	Vascular lesions of nervous system	M 180 F 273	104 150	819 1,507	372 721	352 650	350 502	57 119	83 140	316 434	374 465	187 246	293 43
18	Coronary disease, angina	M 348 F 236	165 124	2,016 1,395	668 465	692 505	739 458	107 107	166 100	527 302	554 341	347 249	611 378
19	Hypertension with heart disease	M 18 F 19	9 9	82 181	47 77	42 64	58 73	5 7	11 17	38 54	47 49	20 31	17 4
20	Other heart disease	M 178 F 248	87 112	725 1,454	328 611	380 648	279 376	37 66	10 128	351 456	278 457	178 234	293 403
21	Other circulatory disease	M 73 F 96	36 34	386 519	126 171	127 168	125 152	19 21	35 28	101 107	83 120	89 62	103 9
22	Influenza	M 19 F 23	10 9	68 99	26 40	43 40	7 5	2 7	7 13	19 35	17 17	4 1	
23	Pneumonia	M 145 F 133	54 67	625 812	196 294	227 303	225 251	14 16	42 31	129 179	150 165	68 82	131 12
24	Bronchitis	M 85 F 22	42 15	681 280	186 92	209 82	253 105	31 13	48 31	176 66	299 93	89 39	141 6
25	Other diseases of respiratory system	M 20 F 6	12 3	105 61	34 23	45 16	36 31	6 4	15 4	39 15	19 16	9 6	11 1
26	Ulcer of stomach and duodenum	M 13 F 15	9 8	81 48	25 19	31 28	31 17	4 6	9 4	26 11	32 15	14 6	21 1
27	Gastritis, enteritis and diarrhoea	M 4 F 7	2 2	40 50	9 19	8 19	12 19	2 3	3 7	10 17	11 14	4 6	17 1
28	Nephritis and nephrosis	M 10 F 1	2 3	46 42	12 15	15 14	17 9	- 5	2 4	18 11	22 13	13 15	11 1
29	Hyperplasia of prostate	M 17	9	89	33	27	33	4	11	30	27	25	2
30	Pregnancy, childbirth, abortion	F 1	-	9	2	-	3	-	-	3	2	-	
31	Congenital malformations	M 10 F 15	5 4	79 65	17 17	23 22	30 37	4 2	3 3	24 25	20 20	15 19	21 2
32	Other defined and ill-defined diseases	M 111 F 132	47 67	586 803	200 292	148 247	223 274	25 32	42 71	208 224	182 219	105 112	141 17
33	Motor vehicle accidents	M 27 F 3	14 6	128 63	40 21	42 19	84 17	10 3	7 3	46 19	52 22	34 7	51 1
34	All other accidents	M 31 F 32	16 25	142 182	46 88	54 59	85 91	9 9	14 19	30 53	57 63	24 48	61 5
35	Suicide	M 15 F 11	10 7	105 101	36 31	33 42	38 24	4 4	7 10	19 25	27 21	15 9	31 1
36	Homicide, operations of war	M 2 F -	1 -	7 1	1 1	5 -	1 1	- -	- 2	- -	- 1	1 1	

TABLE 21 - continued Administrative counties

Registrar General's Supplementary Abridged List		Suffolk, East	Suffolk, West	Surrey	Sussex, East	Sussex, West	Warwickshire	Westmorland	Wight, Isle of	Wiltshire	Worcestershire	Yorkshire, East Riding	Yorkshire, North Riding
9(1) Infectious hepatitis	M	1	1	2	2	-	3	-	-	-	1	-	-
	F	-	1	3	1	2	3	-	-	1	-	2	4
14(1) Malignant neoplasm, mouth and pharynx	M	12	4	36	10	15	12	1	2	12	13	8	8
	F	4	-	11	8	14	8	-	3	4	2	3	7
14(2) Malignant neoplasm, oesophagus	M	4	8	41	8	10	14	3	7	16	19	6	16
	F	8	1	36	13	9	11	2	4	5	5	8	12
14(3) Malignant neoplasm, intestine and rectum	M	32	12	176	74	61	91	10	23	48	68	42	72
	F	42	23	245	98	127	85	10	23	57	69	53	65
14(4) Malignant neoplasm, larynx	M	3	2	20	6	8	6	2	2	3	4	3	10
	F	-	-	3	-	1	1	-	1	2	-	-	1
13(1) Malignant neoplasm, cervix uteri	F	12	6	52	16	23	24	6	9	23	24	12	26
14(5) Malignant neoplasm, prostate	M	23	17	131	58	51	48	9	27	36	34	27	27
14(6) Malignant neoplasm, bladder	M	11	10	85	23	21	23	2	9	17	21	11	19
	F	5	3	28	8	18	14	2	2	8	6	2	2
14(7) Malignant neoplasm, bone (including jaw bone)	M	2	-	11	2	2	5	-	-	2	5	2	4
	F	-	-	13	3	5	6	-	1	1	2	1	3
14(8) Lymphosarcoma, reticulosarcoma	M	2	2	34	3	9	6	1	1	10	2	4	6
	F	3	-	18	5	7	5	1	1	2	4	3	5
14(9) Hodgkin's disease	M	4	3	28	5	2	8	2	-	4	5	2	3
	F	2	1	8	5	4	6	-	3	2	3	-	3
32(1) Thyrotoxicosis	M	-	1	2	-	-	-	-	-	1	2	-	-
	F	1	1	10	1	3	5	1	1	3	6	-	2
32(2) Multiple sclerosis	M	2	-	10	3	4	9	-	-	3	2	1	2
	F	5	3	15	5	10	4	2	2	2	9	4	2
32(3) Rheumatic fever	M	1	-	1	1	-	2	-	-	1	-	-	-
	F	-	-	2	1	-	-	-	-	1	-	-	-
20(1) Chronic rheumatic heart disease	M	10	4	63	17	16	28	1	7	21	20	9	20
	F	17	5	147	38	41	59	4	9	24	39	7	26
21(1) Hypertension without mention of heart	M	10	1	113	24	23	27	2	6	19	18	19	12
	F	8	6	124	33	31	23	5	7	25	17	4	7
25(1) Pneumoconiosis and chronic inter- stitial pneumonia	M	5	2	7	3	10	12	2	1	5	3	-	2
	F	-	2	3	2	-	2	2	-	-	-	2	-
26(1) Ulcer of stomach	M	4	4	48	12	13	16	1	4	13	18	7	10
	F	11	4	30	14	20	13	-	3	7	11	4	6
32(4) Appendicitis	M	2	1	9	7	4	5	-	1	4	5	5	4
	F	2	-	8	3	5	2	-	2	2	5	1	-
32(5) Intestinal obstruction and hernia	M	8	3	49	14	11	21	3	4	18	17	8	11
	F	7	3	46	23	18	16	1	7	6	18	8	9
32(6) Cirrhosis of liver	M	3	-	14	14	4	10	1	3	5	8	1	5
	F	6	2	15	6	2	8	2	2	3	9	7	12
32(7) Cholelithiasis, cholecystitis	M	1	-	10	4	3	2	-	1	2	8	2	3
	F	3	7	25	8	5	16	4	1	6	8	4	6
30(1) Maternal sepsis (not abortion)	F	-	-	-	1	-	-	-	-	-	-	-	-
30(2) Toxaemias of pregnancy and puerperium	F	-	-	3	1	-	-	-	-	1	-	-	-
30(3) Abortion	F	-	-	1	-	-	1	-	-	-	1	-	-
32(8) Rheumatoid arthritis and allied conditions	M	3	2	12	1	1	2	-	-	1	-	-	-
	F	8	-	28	5	8	7	1	1	3	7	1	2
32(9) Birth injury	M	8	-	26	4	19	18	-	1	22	6	5	11
	F	3	2	17	5	5	15	1	-	5	9	4	9
32(10) Postnatal asphyxia and atelectasis	M	3	6	48	5	11	19	-	2	17	7	11	15
	F	2	6	25	7	5	14	1	1	9	6	4	3
23(1) Pneumonia of newborn	M	2	-	6	-	1	3	1	-	8	6	3	4
	F	1	-	1	1	1	5	-	-	4	3	1	3
32(11) Ophthalmia, pemphigus, sepsis of newborn	M	-	-	3	1	-	-	-	-	-	1	1	1
	F	-	1	1	-	1	1	-	-	-	1	-	1
32(12) Haemolytic disease of newborn	M	-	1	6	-	3	1	1	-	3	-	1	2
	F	-	-	3	-	-	2	-	-	3	5	-	2
32(13) Immaturity (without other disease peculiar to early infancy)	M	8	4	35	10	6	10	1	2	17	12	6	21
	F	10	4	25	11	5	7	1	2	2	12	4	14
32(14) Senility without psychosis	M	5	1	51	21	15	18	7	4	57	17	17	6
	F	12	5	127	47	39	37	8	6	74	25	26	23
32(15) Ill-defined and unknown cause	M	-	-	7	4	-	1	-	1	2	2	1	-
	F	-	-	7	4	-	1	-	1	1	1	-	-

TABLE 21 - continued Administrative counties

Registrar General's Abridged List			Yorkshire, West Riding	Anglesey	Breconshire	Caernarvonshire	Cardiganshire	Cardmarthenshire	Denbighshire	Flintshire	Glamorganshire	Merionethshire	Monmouthshire	Montgomeryshire
1	Tuberculosis, respiratory	M	80	5	4	12	2	5	2	13	75	8	12	3
		F	16	-	-	1	3	3	-	2	16	-	1	-
2	Tuberculosis, other	M	8	-	-	-	-	-	-	1	3	-	1	-
		F	5	-	-	-	-	2	-	-	3	-	3	1
3	Syphilitic disease	M	21	2	-	1	-	1	1	2	10	-	3	1
		F	11	-	-	1	1	1	1	2	2	-	2	-
4	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-
5	Whooping cough	M	1	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-
6	Meningococcal infections	M	5	-	-	1	-	-	-	1	-	-	-	-
		F	2	-	-	-	-	-	-	1	2	-	1	-
7	Acute poliomyelitis	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
8	Measles	M	2	-	-	-	-	-	-	-	1	-	3	-
		F	3	-	-	-	-	-	-	-	1	-	-	-
9	Other infective, etc., diseases	M	19	-	-	1	-	1	4	2	7	3	1	1
		F	10	2	-	-	2	2	5	3	6	-	2	-
10	Malignant neoplasm: stomach	M	275	13	8	34	17	37	63	28	133	9	80	10
		F	227	13	10	30	19	34	35	25	123	9	44	7
11	lung, bronchus	M	611	21	20	50	22	63	55	56	244	19	116	18
		F	93	4	2	7	2	9	7	4	26	1	16	3
12	breast	M	2	-	1	-	-	1	1	-	-	-	-	-
		F	279	14	11	35	12	32	51	28	126	5	48	10
13	uterus	F	155	6	10	16	4	13	18	12	78	4	20	1
14	Other malignant and lymphatic neoplasms	M	869	31	32	104	31	95	111	92	382	22	184	23
		F	686	32	26	98	27	72	104	83	281	16	141	24
15	Leukaemia, aleukaemia	M	48	2	1	3	3	5	1	8	25	2	10	1
		F	46	1	2	3	-	4	8	4	16	-	12	-
16	Diabetes	M	47	4	1	5	3	5	5	3	20	2	14	-
		F	97	5	-	8	2	7	11	3	51	-	32	3
17	Vascular lesions of nervous system	M	1,307	46	69	116	48	166	164	157	573	41	224	42
		F	1,831	62	73	198	74	199	257	206	746	73	341	69
18	Coronary disease, angina	M	2,505	77	77	195	84	342	287	237	1,314	68	541	51
		F	1,601	28	47	104	49	172	164	138	747	18	266	23
19	Hypertension with heart disease	M	146	7	12	15	7	19	18	21	94	3	37	3
		F	196	4	10	26	7	35	32	29	94	3	58	11
20	Other heart disease	M	918	36	48	104	53	119	108	83	458	27	262	41
		F	1,418	71	95	166	91	192	173	116	608	45	304	57
21	Other circulatory disease	M	401	33	27	43	14	46	44	36	194	9	72	15
		F	497	23	26	69	16	63	50	46	210	14	93	12
22	Influenza	M	34	1	2	1	-	-	3	3	5	2	6	2
		F	41	-	2	7	-	3	3	8	20	-	6	2
23	Pneumonia	M	540	15	10	27	10	34	60	46	193	6	71	15
		F	527	12	12	27	24	29	68	51	230	5	77	12
24	Bronchitis	M	943	14	38	59	20	86	74	84	507	13	232	13
		F	395	8	5	23	8	28	30	25	165	9	60	3
25	Other diseases of respiratory system	M	130	3	14	21	4	62	26	13	218	8	65	5
		F	51	1	2	6	1	10	1	6	26	5	10	1
26	Ulcer of stomach and duodenum	M	87	2	5	10	-	10	15	5	34	4	19	1
		F	43	1	2	9	1	4	7	4	15	2	14	-
27	Gastritis, enteritis and diarrhoea	M	48	4	3	7	1	7	3	4	18	1	7	2
		F	53	5	3	10	5	6	12	9	20	1	13	1
28	Nephritis and nephrosis	M	70	5	5	7	2	8	13	8	32	5	23	1
		F	65	5	3	7	4	8	6	6	21	1	8	3
29	Hyperplasia of prostate	M	87	6	4	14	7	9	19	14	54	7	17	4
30	Pregnancy, childbirth, abortion	F	14	-	-	-	-	2	-	-	8	-	-	1
31	Congenital malformations	M	97	3	3	6	2	10	5	8	60	-	27	3
		F	86	1	3	4	4	14	9	9	45	4	23	1
32	Other defined and ill-defined diseases	M	676	32	18	56	24	102	75	94	353	26	161	27
		F	872	26	36	94	36	107	87	93	445	29	172	22
33	Motor vehicle accidents	M	185	4	6	10	1	13	17	13	49	3	19	6
		F	70	2	3	3	1	3	2	3	19	3	5	3
34	All other accidents	M	282	6	8	24	10	24	21	21	133	6	56	5
		F	269	13	6	20	11	46	16	22	106	7	35	6
35	Suicide	M	113	1	3	6	7	12	11	10	50	3	22	7
		F	94	2	-	6	-	7	4	7	22	1	16	2
36	Homicide, operations of war	M	4	-	1	-	-	1	2	1	-	-	2	-
		F	2	1	-	-	-	-	1	-	2	-	-	-



TABLE 21 - continued Administrative counties

Registrar General's Supplementary Abridged List		Yorkshire, West Riding	Anglesey	Breconshire	Caernarvonshire	Cardiganshire	Cardiganshire	Carmarthenshire	Denbighshire	Flintshire	Glamorganshire	Merionethshire	Monmouthshire	Montgomeryshire
9(1) Infectious hepatitis	M	2	-	-	-	-	-	2	-	-	2	1	1	-
	F	2	-	-	-	-	-	1	-	-	3	-	1	-
14(1) Malignant neoplasm, mouth and pharynx	M	33	-	-	2	-	4	5	1	1	14	1	7	-
	F	21	-	-	10	1	5	2	4	4	9	-	4	1
14(2) Malignant neoplasm, oesophagus	M	29	3	2	3	2	10	8	6	6	22	1	10	4
	F	23	3	3	7	4	4	4	11	6	17	-	4	4
14(3) Malignant neoplasm, intestine and rectum	M	228	5	10	25	6	30	24	20	94	6	42	9	9
	F	246	14	12	38	5	33	37	25	118	8	55	11	11
14(4) Malignant neoplasm, larynx	M	21	1	2	2	-	2	2	3	8	1	4	-	-
	F	4	1	-	-	-	-	4	1	2	-	-	-	-
13(1) Malignant neoplasm, cervix uteri	F	100	3	6	8	1	6	13	8	46	2	14	1	1
14(5) Malignant neoplasm, prostate	M	141	8	3	18	9	10	17	13	61	4	27	4	4
14(6) Malignant neoplasm, bladder	M	77	2	3	10	2	7	11	8	34	1	20	1	1
	F	28	1	1	4	-	1	1	4	8	-	8	-	-
14(7) Malignant neoplasm, bone (including jaw bone)	M	13	1	-	2	-	2	2	2	5	-	4	-	-
	F	12	-	-	2	1	-	1	3	3	1	2	-	-
14(8) Lymphosarcoma, reticulosarcoma	M	21	-	-	3	-	2	4	1	14	-	9	-	-
	F	15	1	-	1	-	-	2	1	6	-	2	-	-
14(9) Hodgkin's disease	M	18	-	2	2	-	1	4	5	10	-	1	1	1
	F	13	-	1	1	-	-	1	1	8	-	-	-	-
32(1) Thyrotoxicosis	M	2	-	-	-	-	-	-	-	-	-	-	-	-
	F	12	-	-	1	-	1	2	1	16	1	2	-	-
32(2) Multiple sclerosis	M	20	1	-	1	-	-	2	2	4	-	-	-	-
	F	16	-	-	1	-	5	2	3	6	1	5	-	-
32(3) Rheumatic fever	M	1	-	-	1	-	-	-	-	2	-	1	-	-
	F	2	-	-	1	-	-	-	-	1	-	-	-	-
20(1) Chronic rheumatic heart disease	M	80	1	2	2	1	20	14	11	69	1	32	4	4
	F	175	4	12	10	5	28	18	18	110	6	45	2	2
21(1) Hypertension without mention of heart	M	87	15	3	11	8	17	10	8	56	-	25	3	3
	F	82	7	2	19	6	12	11	8	56	5	21	1	1
25(1) Pneumoconiosis and chronic inter- stitial pneumonia	M	41	-	9	12	-	44	7	3	151	5	36	2	2
	F	6	1	-	-	-	1	-	-	1	-	1	-	-
26(1) Ulcer of stomach	M	43	1	2	4	-	5	5	4	11	2	7	-	-
	F	22	-	2	7	-	3	6	4	8	2	7	-	-
32(4) Appendicitis	M	11	-	1	1	-	1	-	3	1	-	3	1	1
	F	4	1	-	1	1	3	-	-	6	-	1	-	-
32(5) Intestinal obstruction and hernia	M	53	-	1	8	-	7	8	6	21	2	8	3	3
	F	51	2	4	13	2	7	4	7	27	2	17	3	3
32(6) Cirrhosis of liver	M	28	1	1	2	3	5	7	8	10	2	7	1	1
	F	26	-	-	1	2	3	2	4	8	2	3	-	-
32(7) Cholelithiasis, cholecystitis	M	12	1	-	3	-	2	2	1	9	1	4	-	-
	F	35	-	1	4	-	7	2	4	10	-	7	-	-
30(1) Maternal sepsis (not abortion)	F	2	-	-	-	-	-	-	-	-	-	-	-	-
30(2) Toxaemias of pregnancy and puerperium	F	2	-	-	-	-	-	-	-	1	-	-	-	-
30(3) Abortion	F	1	-	-	-	-	-	-	-	4	-	-	-	-
32(8) Rheumatoid arthritis and allied conditions	M	7	1	-	2	-	4	-	-	1	3	2	5	1
	F	30	1	3	3	4	10	2	3	12	2	5	-	-
32(9) Birth injury	M	43	1	1	1	1	3	2	6	23	1	7	1	1
	F	29	-	-	1	-	-	1	7	19	-	5	-	-
32(10) Postnatal asphyxia and atelectasis	M	55	2	-	2	-	7	-	9	23	1	14	2	2
	F	43	-	2	2	2	3	2	3	15	1	9	2	2
23(1) Pneumonia of newborn	M	17	-	-	-	-	1	-	3	8	-	4	1	1
	F	13	-	-	1	-	2	1	2	6	-	3	-	-
32(11) Ophthalmia, pemphigus, sepsis of newborn	M	1	-	-	-	-	-	-	-	3	-	1	-	-
	F	2	-	-	-	1	-	-	-	-	-	-	-	-
32(12) Haemolytic disease of newborn	M	7	-	-	-	-	2	1	-	4	-	4	-	-
	F	6	-	-	-	-	1	-	-	2	1	1	-	-
32(13) Immaturity (without other disease peculiar to early infancy)	M	66	2	-	1	1	6	5	6	40	1	16	1	1
	F	47	-	2	4	2	7	6	3	31	-	15	-	-
32(14) Senility without psychosis	M	60	2	2	7	3	17	7	10	42	3	15	7	7
	F	138	5	9	11	5	26	15	14	78	7	26	10	10
32(15) Ill-defined and unknown cause	M	4	2	-	-	-	-	3	2	2	-	2	-	-
	F	3	-	-	-	1	-	1	-	1	-	2	-	-

TABLE 21 - continued Administrative counties

Registrar General's Abridged List			Pembrokeshire	Radnorshire	Registrar General's Supplementary Abridged List			Pembrokeshire	Radnorshire
1	Tuberculosis, respiratory	M	6	-	9(1)	Infectious hepatitis	M	-	-
		F	2	-			F	-	-
2	Tuberculosis, other	M	-	-	14(1)	Malignant neoplasm, mouth and pharynx	M	2	-
		F	-	-			F	1	2
3	Syphilitic disease	M	-	-	14(2)	Malignant neoplasm, oesophagus	M	4	1
		F	-	-			F	1	-
4	Diphtheria	M	-	-	14(3)	Malignant neoplasm, intestine and rectum	M	14	3
		F	-	-			F	18	2
5	Whooping cough	M	-	-	14(4)	Malignant neoplasm, larynx	M	1	1
		F	-	-			F	1	-
6	Meningococcal infections	M	-	-	13(1)	Malignant neoplasm, cervix uteri	F	9	2
		F	-	-					
7	Acute poliomyelitis	M	-	-	14(5)	Malignant neoplasm, prostate	M	3	-
		F	-	-					
8	Measles	M	-	-	14(6)	Malignant neoplasm, bladder	M	-	-
		F	1	-			F	1	-
9	Other infective, etc., diseases	M	-	-	14(7)	Malignant neoplasm, bone (including jaw bone)	M	-	-
		F	1	-			F	-	-
10	Malignant neoplasm: stomach	M	32	1	14(8)	Lymphosarcoma, reticulosarcoma	M	2	-
		F	17	2			F	3	-
11	lung, bronchus	M	15	5	14(9)	Hodgkin's disease	M	-	1
		F	5	-			F	2	-
12	breast	M	-	-	32(1)	Thyrototoxicosis	M	-	-
		F	20	2			F	-	-
13	uterus	F	14	4	32(2)	Multiple sclerosis	M	-	-
							F	-	-
14	Other malignant and lymphatic neoplasms	M	48	7	32(3)	Rheumatic fever	M	-	-
		F	47	6			F	-	-
15	Leukaemia, aleukaemia	M	1	-	20(1)	Chronic rheumatic heart disease	M	7	-
		F	4	-			F	5	3
16	Diabetes	M	4	-	21(1)	Hypertension without mention of heart	M	7	3
		F	3	-			F	11	3
17	Vascular lesions of nervous system	M	104	21	25(1)	Pneumoconiosis and chronic inter- stitial pneumonia	M	6	-
		F	130	27			F	-	-
18	Coronary disease, angina	M	159	36	26(1)	Ulcer of stomach	M	3	1
		F	73	18			F	1	1
19	Hypertension with heart disease	M	7	3	32(4)	Appendicitis	M	3	-
		F	22	1			F	1	-
20	Other heart disease	M	71	16	32(5)	Intestinal obstruction and hernia	M	5	-
		F	94	17			F	6	-
21	Other circulatory disease	M	35	13	32(6)	Cirrhosis of liver	M	-	-
		F	29	9			F	1	2
22	Influenza	M	4	-	32(7)	Cholelithiasis, cholecystitis	M	-	-
		F	1	1			F	2	-
23	Pneumonia	M	30	8	30(1)	Maternal sepsis (not abortion)	F	-	-
		F	24	2					
24	Bronchitis	M	54	7	30(2)	Toxaemias of pregnancy and puerperium	F	-	-
		F	11	5					
25	Other diseases of respiratory system	M	8	1	30(3)	Abortion	F	-	-
		F	9	-					
26	Ulcer of stomach and duodenum	M	5	1	32(8)	Rheumatoid arthritis and allied conditions	M	2	-
		F	2	1			F	7	-
27	Gastritis, enteritis and diarrhoea	M	3	1	32(9)	Birth injury	M	3	-
		F	2	2			F	3	-
28	Nephritis and nephrosis	M	5	-	32(10)	Postnatal asphyxia and atelectasis	M	1	-
		F	5	-			F	3	-
29	Hyperplasia of prostate	M	11	2	23(1)	Pneumonia of newborn	M	2	-
		F	-	-			F	1	-
30	Pregnancy, childbirth, abortion						M	-	-
31	Congenital malformations	M	7	-	32(11)	Ophthalmia, pemphigus, sepsis of newborn	M	-	-
		F	2	1			F	-	-
32	Other defined and ill-defined diseases	M	48	5	32(12)	Haemolytic disease of newborn	M	-	-
		F	65	8			F	-	-
33	Motor vehicle accidents	M	5	1	32(13)	Immaturity (without other disease peculiar to early infancy)	M	3	-
		F	3	-			F	2	-
34	All other accidents	M	15	5	32(14)	Senility without psychosis	M	11	-
		F	14	8			F	8	-
35	Suicide	M	3	3	32(15)	Ill-defined and unknown cause	M	1	-
		F	-	-			F	-	-
36	Homicide, operations of war	M	1	-					
		F	-	-					

**TABLE 22. Causes of death by month of occurrence, January to December, 1963**

England and Wales

Note. 1 Totals for any period made up from this table will differ from the corresponding figures shown in other tables (except Table 16) which are tabulated according to date of registration.

2 Deaths occurring in the year but which were registered after 31st March of the following year are excluded.

3 See explanatory notes

ICD No.	Causes of death		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
	ALL CAUSES	M	35,284	31,741	32,437	23,864	21,637	19,614	19,958	19,002	19,260	20,501	21,324	27,429
		F	34,319	31,145	32,308	23,343	20,859	18,424	19,036	17,848	17,784	19,591	19,803	25,817
001-138	I Infective and parasitic diseases	M	342	424	374	257	252	243	265	192	211	226	223	318
		F	179	194	161	149	119	123	113	115	126	146	127	147
001-008	Tuberculosis of respiratory system	M	222	247	237	160	159	148	161	100	131	124	134	209
		F	63	75	55	51	43	41	35	32	50	48	51	46
010	Tuberculosis of meninges and central nervous system	M	1	4	3	3	4	5	4	3	4	-	3	3
		F	5	3	2	4	1	3	3	1	3	5	3	1
011	Tuberculosis of intestines, peritoneum, and mesenteric glands	M	3	3	-	-	2	-	1	-	1	1	1	2
		F	1	2	3	1	4	4	1	4	-	-	5	-
012, 013	Tuberculosis of bones and joints	M	3	3	4	-	1	3	1	1	2	4	5	-
		F	3	4	2	3	4	4	5	-	5	3	1	9
014-019	Tuberculosis, all other forms	M	4	17	6	7	11	9	5	2	4	12	8	4
		F	5	5	5	5	8	4	7	8	8	13	5	8
020-029	Syphilis and its sequelae	M	47	59	49	35	38	31	42	37	27	38	32	46
		F	30	32	34	29	18	35	17	27	23	33	25	28
030-039	Gonococcal infection and other venereal diseases	M	1	5	-	2	1	1	1	-	-	-	2	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
040	Typhoid fever	M	-	1	1	-	-	-	-	1	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	1
041	Paratyphoid fever	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	1	-	-	-	-
042	Other Salmonella infections	M	-	1	2	-	-	-	4	3	-	2	-	-
		F	1	-	-	-	-	1	1	4	-	-	1	-
044	Brucellosis (undulant fever)	M	-	-	-	-	-	-	-	-	2	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
045	Bacillary dysentery	M	2	4	-	2	-	4	1	-	1	1	1	-
		F	1	1	1	1	-	1	2	2	-	-	-	-
048	Unspecified forms of dysentery	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	2	-	-	-	-	-	1	-	-
049	Food poisoning (infection and intoxication)	M	-	-	-	-	-	-	1	2	1	-	1	-
		F	-	-	-	-	-	-	-	-	1	-	-	-
050	Scarlet fever	M	-	-	-	-	-	-	-	1	-	-	-	-
		F	-	-	-	-	-	-	1	-	-	-	-	-
051	Streptococcal sore throat	M	2	1	-	-	1	-	1	-	-	-	1	-
		F	-	1	-	-	-	-	-	-	-	-	1	-
052	Erysipelas	M	-	-	-	-	1	1	-	-	-	1	-	1
		F	-	-	-	1	-	-	-	-	-	-	-	-
053, 054	Septicaemia, pyaemia, and bacterial toxæmia	M	6	9	6	4	2	5	6	3	4	6	3	5
		F	3	6	9	3	1	2	2	5	5	1	1	4
055	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	1
		F	-	-	-	-	-	-	-	-	-	-	-	1
056	Whooping cough	M	-	1	-	1	-	-	2	-	4	1	2	5
		F	3	1	1	-	-	-	-	-	4	3	6	3
057	Meningococcal infections	M	9	14	20	6	3	3	7	3	5	5	3	10
		F	4	10	10	3	7	4	5	2	2	5	1	5
061	Tetanus	M	-	1	1	-	3	2	-	2	1	-	-	-
		F	-	-	-	-	-	-	-	1	1	1	1	-
070	Vincent's infection	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
072	Leptospirosis icterohaemorrhagica (Weill's disease)	M	-	-	-	-	-	-	-	-	-	1	1	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	M	1	-	-	-	-	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	1	-	-	-	-
081	Late effects of acute poliomyelitis	M	4	5	-	3	2	2	1	3	1	-	1	2
		F	5	-	-	2	-	-	-	-	-	-	1	3
082	Acute infectious encephalitis	M	6	3	3	2	2	4	4	6	4	4	5	8
		F	7	3	4	4	3	-	-	4	3	3	2	1
083	Late effects of acute infectious encephalitis	M	6	5	6	6	4	1	3	5	3	3	2	7
		F	6	8	3	9	1	3	-	2	2	2	-	3
084	Smallpox	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	M	8	12	8	12	3	6	5	1	1	1	4	1
		F	12	12	13	8	5	3	5	2	2	2	1	1
086	Rubella (German measles)	M	-	-	-	-	-	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-



TABLE 22 - continued

ICD No.	Causes of death		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
087	Chickenpox	M F	- 1	3 -	4 -	1 -	3 -	- 1	- 3	1 1	- 1	- 1	1 -	- -
088	Herpes zoster	M F	1 4	2 2	3 3	3 4	1 4	2 2	- 4	1 2	- 2	1 5	2 3	1 4
089	Mumps	M F	- 1	- -	- -	1 2	1 2	- -	- -	- -	- -	- -	- -	- 1
092	Infectious hepatitis	M F	11 9	15 15	9 8	6 10	3 10	12 7	7 14	13 10	4 7	12 12	6 11	5 8
093	Glandular fever (infectious mononucleosis)	M F	- -	- -	- -	- -	- -	- -	2 1	- -	2 -	- -	- -	- -
096	Other diseases attributable to viruses	M F	1 3	3 3	1 -	1 1	2 2	- 1	1 -	2 -	1 1	4 2	1 1	1 3
100-108	Typhus and other rickettsial diseases	M F	- -	1 -	- -	- -	- -	- 1	- -	- -	- -	- -	- -	- -
110-117	Malaria	M F	- -	- -	- -	- -	- -	- -	1 1	- 1	- -	- -	- -	3 -
Remainder of 001-138	All other diseases classified as infective and parasitic	M F	4 12	5 11	11 8	2 6	6 5	4 6	2 6	2 6	8 6	5 6	4 7	4 17
140-239	II Neoplasms	M F	4,925 4,308	4,347 3,808	4,756 4,115	4,395 3,881	4,564 4,041	4,516 3,734	4,632 4,009	4,507 4,006	4,566 3,786	4,855 4,038	4,684 3,978	5,065 4,229
140-148	Malignant neoplasm of buccal cavity and pharynx	M F	78 53	70 55	97 48	81 50	92 54	87 47	90 46	73 49	69 49	90 61	68 42	80 47
150	Malignant neoplasm of oesophagus	M F	117 89	108 90	120 107	92 67	119 79	107 92	121 91	115 83	107 80	125 91	123 100	118 95
151	Malignant neoplasm of stomach	M F	658 541	603 494	680 512	633 471	663 477	654 464	618 480	647 509	629 460	670 495	647 533	639 502
152-154	Malignant neoplasm of intestine, including rectum	M F	571 713	516 646	552 694	530 659	522 684	530 636	562 719	563 673	552 622	553 666	555 625	588 700
155, 156	Malignant neoplasm of biliary passages and of liver	M F	74 114	60 102	74 114	81 102	83 95	82 85	79 104	94 96	76 104	63 83	85 90	87 91
157-159	Malignant neoplasm of pancreas, peritoneum, and unspecified digestive organs	M F	197 202	189 158	204 213	184 165	215 185	210 172	197 191	188 200	199 189	211 185	200 175	224 185
160	Malignant neoplasm of nose, nasal cavities, middle ear, and accessory sinuses	M F	11 3	10 9	8 3	4 6	15 8	9 6	13 5	9 11	10 11	6 13	7 8	13 10
161	Malignant neoplasm of larynx	M F	54 17	55 8	44 17	68 10	55 8	50 9	31 13	49 14	58 12	41 8	50 13	72 12
162-165	Malignant neoplasm of lung and bronchus, trachea, mediastinum, and of thoracic organs (secondary)	M F	1,890 343	1,616 278	1,743 322	1,628 289	1,715 279	1,635 280	1,670 311	1,639 319	1,688 297	1,862 327	1,781 319	1,937 346
170	Malignant neoplasm of breast	M F	7 890	3 773	9 785	4 782	12 812	6 753	3 786	5 728	6 717	6 820	4 762	5 831
171-174	Malignant neoplasm of uterus	F	350	286	327	332	332	339	308	356	331	327	312	358
175, 176	Malignant neoplasm of other and unspecified female genital organs	F	308	288	295	270	331	275	278	309	271	309	301	320
177	Malignant neoplasm of prostate	M	353	313	347	298	273	310	328	284	301	324	295	364
178, 179	Malignant neoplasm of other and unspecified male genital organs	M	19	30	28	32	23	29	38	27	28	28	31	41
180	Malignant neoplasm of kidney	M F	78 33	49 30	53 49	54 51	63 44	57 34	101 57	58 45	83 48	62 39	84 41	80 50
181	Malignant neoplasm of bladder and other urinary organs	M F	210 77	180 65	188 72	184 79	182 97	199 68	207 75	186 82	171 68	186 70	187 76	193 77
190, 191	Malignant neoplasm of skin	M F	37 46	26 27	36 35	39 41	35 34	32 37	39 51	27 43	38 28	40 38	28 35	32 29
193	Malignant neoplasm of brain and other parts of nervous system	M F	115 81	73 72	97 79	78 59	83 71	89 57	101 69	89 55	99 70	88 70	112 80	97 81
196	Malignant neoplasm of bone (including jaw bone)	M F	21 17	22 17	27 22	21 22	23 27	20 18	21 27	15 16	28 14	21 21	27 16	31 24
201	Hodgkin's disease	M F	26 25	46 34	46 26	43 28	43 30	55 20	36 24	42 29	50 19	52 20	31 27	51 23
204	Leukaemia and aleukaemia	M F	153 105	119 118	135 100	127 114	106 120	115 90	131 114	115 112	111 110	136 122	121 109	138 101
Remainder of 140-205	Malignant neoplasm of all other and unspecified sites, including other neoplasms of lymphatic and haematopoietic tissues	M F	194 212	204 197	206 238	174 226	182 209	191 205	194 196	216 223	214 234	236 228	195 253	221 260

TABLE 22 - continued

ICD No.	Causes of death		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
210	Benign neoplasm of buccal cavity and pharynx	M F	1 -	- -	- -	- -	- -	- -	- -	- 1	- -	- -	1 -	- -
211	Benign neoplasm of other parts of digestive system	M F	2 4	4 2	4 2	2 3	5 1	2 3	2 3	1 1	- 6	1 1	2 2	3 3
212	Benign neoplasm of respiratory system	M F	2 -	1 -	1 1	3 -	3 1	1 -	2 1	- -	- -	- -	1 1	1 2
213	Benign neoplasm of breast	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
214-217	Benign neoplasm of female genital organs	F	18	13	13	9	9	15	16	11	6	11	15	10
218	Benign neoplasm of male genital organs	M	-	-	-	-	-	-	-	-	-	-	-	-
219	Benign neoplasm of kidney and other urinary organs	M F	3 3	4 3	8 2	3 2	4 4	8 1	3 2	6 -	2 2	4 3	3 1	4 1
220-222	Benign neoplasm of skin	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
223	Benign neoplasm of brain and other parts of nervous system	M F	13 18	13 15	13 14	7 10	9 19	7 6	8 15	15 12	9 11	15 9	11 15	10 14
224-229	Benign neoplasm of all other and unspecified organs and tissues	M F	9 11	5 6	9 10	5 7	7 6	5 6	7 2	7 7	9 7	6 4	5 4	5 11
230-239	Neoplasm of unspecified nature	M F	32 35	28 22	27 15	20 27	32 25	26 16	30 25	37 22	29 20	29 17	30 23	31 46
240-289	III Allergic, endocrine system, metabolic, and nutritional diseases	M F	314 650	267 514	289 471	207 387	172 355	160 308	168 371	201 295	184 309	178 328	187 323	252 402
241	Asthma	M F	65 88	50 76	65 89	64 75	33 87	41 67	47 92	88 72	63 83	52 87	60 74	65 76
Remainder of 240-245	Other allergic disorders	M F	1 1	1 2	2 5	- 1	4 1	2 2	- 1	1 3	2 1	2 -	2 -	5 3
250	Simple goitre	M F	2 1	- -	- 1	1 3	- 1	- 2	- 1	- 2	- 1	- 2	1 1	1 1
251	Non-toxic nodular goitre	M F	- 2	1 1	- 2	- -	- 2	- 2	- 1	- 1	- -	- -	- -	- -
252	Thyrotoxicosis with or without goitre	M F	1 37	3 27	4 31	5 29	2 16	4 21	2 19	1 18	4 16	2 10	2 14	1 28
253, 254	Other diseases of thyroid gland	M F	19 149	17 80	9 44	3 36	5 29	- 23	2 19	6 19	3 15	1 19	3 20	3 46
260	Diabetes mellitus	M F	177 298	162 277	173 246	110 207	97 171	69 160	92 200	81 151	82 160	86 172	97 179	142 209
270-277	Diseases of other endocrine glands	M F	22 28	15 20	21 17	7 5	9 17	14 10	12 9	8 9	9 11	10 13	7 14	9 7
280-286	Avitaminoses, and other deficiency states	M F	10 10	5 4	4 4	6 3	5 9	5 4	5 7	1 5	3 4	4 6	2 4	5 11
287	Obesity, not specified as of endocrine origin	M F	9 30	4 20	4 28	3 13	6 15	5 8	1 10	1 8	5 9	5 9	4 9	5 15
288	Gout	M F	2 -	1 1	1 -	1 -	1 -	2 -	- 2	- -	1 1	3 -	- -	1 -
289	Other metabolic diseases	M F	6 6	8 6	6 4	7 15	10 7	18 8	7 10	14 7	12 8	13 10	9 8	15 6
290-299	IV Diseases of the blood and blood-forming organs	M F	67 127	80 125	76 161	52 127	61 115	68 126	65 97	57 118	60 101	48 85	52 93	51 107
290	Pernicious and other hyperchromic anaemias	M F	20 36	23 41	19 46	14 42	21 46	20 44	17 43	18 35	17 48	16 40	16 27	13 40
291	Iron deficiency anaemias (hyperchromic anaemias)	M F	14 33	8 26	14 38	6 24	9 26	7 22	12 15	4 29	3 21	2 10	6 17	4 14
292, 293	Other anaemias	M F	18 36	33 35	27 52	17 44	15 31	18 42	17 32	19 38	28 21	19 26	21 29	20 38
294-299	Other diseases of blood and blood-forming organs	M F	15 22	16 23	16 25	15 17	16 12	23 18	19 7	16 16	12 11	11 9	9 20	14 15
300-326	V Mental, psychoneurotic, and personality disorders	M F	56 92	53 71	43 87	32 75	32 59	29 37	27 49	31 41	31 58	26 46	27 46	42 58
300-309	Psychoses	M F	44 78	41 62	36 73	22 63	29 49	22 29	17 40	19 27	20 46	17 39	20 38	29 48
310-326	Psychoneuroses, and disorders of personality, including mental deficiency	M F	12 14	12 9	7 14	10 12	3 10	7 8	10 9	12 14	11 12	9 7	7 8	13 10
330-398	VI Diseases of the nervous system and sense organs	M F	4,424 6,539	3,898 5,462	3,771 5,550	2,985 4,282	2,638 3,886	2,314 3,339	2,431 3,584	2,184 3,246	2,290 3,326	2,422 3,710	2,494 3,501	3,153 4,698

TABLE 22 - continued

ICD No.	Causes of death		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
330-334	Vascular lesions affecting central nervous system	M F	4,135 6,204	3,616 5,155	3,470 5,210	2,760 4,032	2,415 3,660	2,107 3,118	2,213 3,334	1,994 3,044	2,076 3,109	2,228 3,466	2,313 3,271	2,909 4,431
340	Meningitis, except meningococcal and tuberculous													
340.0	H. influenzae	M F	3 1	4 2	1 2	4 -	1 1	3 1	- 1	2 -	2 -	3 1	2 1	1 3
340.1	Pneumococcus	M F	12 12	8 8	9 6	12 11	6 2	9 3	1 4	2 2	3 3	4 3	1 3	6 8
340.2	Due to other specified organism	M F	5 3	2 3	4 4	3 3	1 3	4 4	3 4	1 2	3 3	4 1	3 4	2 2
340.3	Unspecified cause	M F	5 6	9 7	6 7	9 6	7 2	4 3	9 4	4 5	7 7	4 3	5 6	8 14
341-344	Other inflammatory diseases of central nervous system	M F	15 17	18 9	13 27	16 15	17 10	11 6	12 12	14 15	12 11	12 10	15 14	15 13
345	Multiple sclerosis	M F	33 55	28 47	50 45	27 39	36 44	19 29	24 45	20 30	25 39	29 44	20 37	26 37
350	Paralysis agitans	M F	86 111	79 90	76 112	53 75	50 69	58 78	55 67	45 55	55 58	48 69	40 58	53 77
351, 352	Cerebral spastic infantile paralysis, and other cerebral paralysis	M F	32 35	38 47	44 41	30 24	34 24	22 23	23 29	19 34	24 32	17 37	28 40	44 40
353	Epilepsy	M F	37 37	27 32	33 28	29 26	31 29	29 32	38 29	34 22	33 23	32 25	27 24	32 21
354-357	Other diseases of central nervous system	M F	47 42	49 43	52 43	29 27	29 30	35 34	41 38	38 30	39 34	36 40	31 29	41 41
365	Erythroedema polyneuritica	M F	- -	1 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
360-364, 366-369	Other diseases of nerves and peripheral ganglia	M F	- 6	4 6	6 8	5 6	4 3	2 1	5 2	3 3	3 3	- 4	2 5	5 4
370-379	Inflammatory diseases of eye	M F	- -	1 1	- -	- -	- -	- -	- -	- -	- 1	1 -	- -	- -
380-389	Other diseases and conditions of eye	M F	- 4	2 3	1 4	2 1	- 1	3 -	- 4	1 1	1 2	- 4	1 2	2 4
390-398	Diseases of ear and mastoid process	M F	14 6	12 9	6 13	6 11	7 8	8 7	7 11	7 3	7 1	4 3	6 7	9 3
400-468	VII Diseases of the circulatory system	M F	13,592 13,404	11,402 11,982	11,371 11,921	9,050 8,870	8,210 7,772	7,288 6,820	7,354 6,837	6,974 6,502	7,204 6,482	7,556 7,169	7,987 7,318	10,245 9,909
400-402	Rheumatic fever	M F	7 8	4 7	3 4	4 5	9 3	3 2	6 3	3 7	- 2	6 -	1 3	5 -
410-416	Chronic rheumatic heart disease	M F	292 576	248 492	250 533	184 389	197 339	149 300	160 275	165 273	181 279	157 356	177 307	211 417
420	Arteriosclerotic heart disease, including coronary disease	M F	7,797 4,998	6,357 4,378	6,265 4,260	5,378 3,417	5,019 3,088	4,668 2,811	4,677 2,830	4,467 2,747	4,651 2,866	4,854 3,043	5,112 3,199	6,415 4,342
421	Chronic endocarditis not specified as rheumatic	M F	191 230	154 177	174 162	117 110	133 127	104 103	105 117	99 97	110 105	126 105	117 114	148 166
422	Other myocardial degeneration	M F	2,346 3,808	2,043 3,507	2,039 3,534	1,404 2,393	1,143 2,028	951 1,718	997 1,676	877 1,581	928 1,505	940 1,721	1,030 1,742	1,402 2,365
430	Acute and sub-acute endocarditis	M F	20 12	16 14	15 14	16 11	19 11	8 7	20 10	22 5	13 8	22 12	17 9	16 9
431	Acute myocarditis not specified as rheumatic	M F	14 9	7 11	9 1	5 10	5 8	3 6	6 9	9 6	5 9	9 5	6 6	11 6
432	Acute pericarditis specified as non-rheumatic	M F	2 2	2 2	- 1	2 3	1 1	2 -	3 3	- -	1 -	1 1	1 -	- 1
433	Functional disease of heart	M F	238 373	227 379	201 398	165 268	120 220	118 193	109 203	107 173	102 171	100 192	133 221	187 267
434	Other and unspecified diseases of heart	M F	613 655	579 678	604 643	398 457	349 369	289 304	259 337	218 295	245 288	258 323	281 318	394 445
440-447	Hypertensive disease	M F	943 1,342	747 1,047	757 1,009	586 783	510 647	435 601	406 591	402 536	391 535	425 606	448 581	587 817
450	General arteriosclerosis	M F	729 925	594 832	650 895	447 649	363 570	282 466	300 484	287 457	269 409	319 444	328 427	448 603
451-456	Other diseases of arteries	M F	249 200	229 163	212 183	188 141	181 134	166 115	174 103	186 118	169 126	193 128	186 145	243 196
460-466	Diseases of veins	M F	148 262	191 289	184 278	150 231	157 221	108 192	126 194	130 201	136 178	145 227	147 239	171 270
467	Other diseases of circulatory system	M F	3 4	4 6	7 6	5 3	3 6	2 2	4 2	2 6	2 1	1 6	3 6	7 2



TABLE 22 - continued

ICD No.	Causes of death		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
468	Certain diseases of lymph nodes and lymph channels	M F	- -	- -	1 -	1 -	1 -	- -	2 -	- -	1 -	- -	- 1	- 3
470-527	VIII Diseases of the respiratory system	M F	7,600 5,262	7,685 5,639	7,969 6,301	3,773 2,750	2,536 1,815	2,044 1,419	1,949 1,334	1,861 1,132	1,906 1,193	2,213 1,486	2,598 1,750	4,740 3,155
470-475	Acute upper respiratory infections	M F	14 12	5 6	7 8	5 4	6 8	5 3	3 2	3 2	3 3	5 1	6 5	3 9
480-483	Influenza	M F	135 153	341 412	678 894	127 168	23 19	10 12	3 4	5 7	12 8	20 11	23 30	66 59
490	Lobar pneumonia	M F	322 271	321 271	328 278	151 148	127 94	90 78	96 66	72 50	88 53	110 81	109 91	201 178
491	Bronchopneumonia	M F	2,068 2,439	2,187 2,612	2,439 2,948	1,211 1,333	827 991	649 788	626 760	618 627	617 708	700 845	772 897	1,309 1,621
492	Primary atypical pneumonia	M F	31 20	22 28	34 28	23 18	8 6	6 5	12 9	6 6	13 7	11 9	15 19	22 15
493	Pneumonia, other and unspecified	M F	100 117	104 123	83 106	58 72	45 46	46 43	31 33	34 29	37 41	37 43	47 43	81 62
500	Acute bronchitis	M F	366 375	311 353	290 338	107 125	69 69	49 44	45 34	40 36	41 30	49 59	67 71	180 185
501	Bronchitis unqualified	M F	186 220	169 217	160 210	74 99	59 56	29 39	30 29	29 28	36 21	50 35	46 51	95 113
502	Chronic bronchitis	M F	3,881 1,428	3,718 1,381	3,450 1,255	1,725 628	1,146 420	957 313	909 284	857 244	864 233	1,027 309	1,287 428	2,425 734
510	Hypertrophy of tonsils and adenoids	M F	- 1	- 1	- -	- -	1 -	- -	- 1	1 1	1 -	- 1	2 1	2 1
511-517	Other diseases of upper respiratory tract	M F	6 5	5 3	7 3	5 5	5 4	4 5	6 4	8 6	3 6	7 1	5 3	4 4
518-522	Empyema, pleurisy, and pneumothorax	M F	58 56	50 68	68 86	36 54	28 41	23 34	27 55	30 39	34 33	20 29	33 34	43 46
523, 524	Silicosis and occupational pulmonary fibrosis	M F	84 -	100 1	82 -	54 -	43 1	39 -	34 -	45 1	35 -	46 2	46 2	81 3
525	Other chronic interstitial pneumonia	M F	33 22	44 20	39 16	25 12	14 9	17 13	14 7	11 7	12 5	21 13	17 10	28 19
526	Bronchiectasis	M F	158 92	139 99	142 90	87 55	56 36	57 25	57 28	39 26	54 26	53 28	65 41	98 60
527	Other diseases of lung and pleural cavity	M F	178 51	169 44	162 41	85 29	79 15	63 17	56 18	63 23	56 19	57 19	58 24	102 44
530-587	IX Diseases of the digestive system	M F	913 828	852 736	806 760	587 630	586 590	552 593	577 596	496 585	514 502	531 579	581 570	708 674
530-539	Diseases of buccal cavity and oesophagus	M F	7 21	12 20	12 7	8 15	8 12	10 16	10 17	8 18	14 8	6 18	10 10	9 24
540	Ulcer of stomach	M F	199 124	181 119	159 108	96 73	86 72	70 72	74 64	85 76	74 65	96 66	102 56	118 89
541	Ulcer of duodenum	M F	229 92	182 70	166 73	113 44	111 40	85 35	106 29	75 34	86 28	79 31	92 33	130 47
542	Gastrojejunal ulcer	M F	5 2	4 2	5 1	2 3	1 2	1 -	1 -	3 -	6 -	3 -	2 1	6 -
543	Gastritis and duodenitis	M F	3 3	8 7	4 8	1 4	1 5	4 1	1 4	1 7	3 5	2 1	2 4	2 5
544	Disorders of function of stomach	M F	1 2	- 1	2 -	- 1	1 1	- -	- -	1 -	- -	- 1	2 -	2 2
545	Other diseases of stomach and duodenum	M F	5 3	8 5	7 2	8 3	7 1	6 5	10 4	6 3	3 1	11 8	7 5	8 5
550-553	Appendicitis	M F	34 23	30 19	36 24	25 20	21 27	22 19	19 25	18 20	18 18	21 23	31 14	24 24
560, 561	Hernia of abdominal cavity	M F	83 102	75 70	59 87	59 62	48 55	52 49	64 63	56 49	60 52	40 53	46 61	57 70
570	Intestinal obstruction, without mention of hernia	M F	90 93	80 80	62 78	61 76	61 66	67 75	59 74	54 60	48 66	60 69	56 74	76 73
571	Gastro-enteritis and colitis, except ulcerative, age 4 weeks and over	M F	38 51	62 47	59 68	35 44	21 25	36 43	36 26	26 26	26 29	26 26	29 31	41 39
572-578	Other diseases of intestines and peritoneum	M F	78 124	66 115	70 116	60 109	69 106	68 110	76 129	58 126	68 96	65 111	71 98	83 124
580-583	Diseases of liver	M F	73 74	78 65	79 78	70 62	76 65	61 64	66 59	54 56	50 56	65 65	61 71	72 71
584-586	Diseases of gallbladder and biliary ducts	M F	36 70	35 69	55 61	29 78	38 74	38 78	32 72	28 81	34 52	37 74	36 69	51 60

TABLE 22 - continued

ICD No.	Causes of death		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
587	Diseases of pancreas	M F	32 44	31 47	31 49	20 36	37 39	32 26	23 29	23 29	24 26	20 33	34 43	29 41
590-637	X Diseases of the genito-urinary system	M F	614 421	592 351	584 402	476 343	515 337	428 321	439 305	435 258	420 293	453 326	437 304	547 365
590	Acute nephritis	M F	3 5	5 7	7 7	9 2	1 4	7 1	4 2	9 2	1 5	6 4	3 3	5 3
591-594	Chronic, other and unspecified nephritis	M F	169 171	173 131	152 160	130 131	143 116	109 112	141 98	115 83	119 103	121 103	124 100	142 131
600-609	Other diseases of urinary system	M F	166 230	153 198	160 221	135 193	152 196	131 194	120 194	141 158	129 169	132 206	124 179	160 217
610	Hyperplasia of prostate	M	268	253	259	197	211	180	170	166	166	190	180	234
611-617	Other diseases of male genital organs	M	8	8	6	5	8	1	4	4	5	4	6	6
620, 621	Diseases of breast	M F	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- 1	- 2
622-626	Diseases of ovary, Fallopian tube, and parametrium	F	2	2	1	3	7	1	2	3	4	5	7	-
630-637	Diseases of uterus and other female genital organs	F	13	13	13	14	14	13	9	12	12	8	14	12
640-689	XI Deliveries and complications of pregnancy, childbirth and the puerperium	F	20	13	22	14	20	24	23	20	25	15	23	29
640	Pyelitis and pyelonephritis of pregnancy	F	2	-	-	1	-	-	-	-	-	-	-	-
641	Other infections of genito-urinary tract during pregnancy	F	-	-	-	-	-	-	-	-	-	-	-	-
642	Toxaemias of pregnancy	F	5	-	2	3	5	7	4	5	3	3	1	5
643-649	Other complications of pregnancy	F	3	1	4	6	2	3	6	-	7	2	6	7
650-652	Abortion	F	2	5	5	2	6	3	1	7	6	4	7	6
660-678	Delivery	F	7	3	7	2	3	9	8	5	5	4	5	7
680	Puerperal urinary infection without other sepsis	F	-	-	-	-	-	-	-	-	-	-	-	-
681, 683	Sepsis of childbirth and the puerperium, and pyrexia of unknown origin during the puerperium	F	-	-	1	-	-	-	-	-	1	1	1	1
682	Puerperal phlebitis and thrombosis	F	1	3	-	-	3	1	2	2	1	-	-	2
684	Puerperal pulmonary embolism	F	-	1	-	-	-	-	1	1	-	1	1	-
685, 686	Puerperal toxæmia	F	-	-	1	-	-	1	1	-	-	-	-	-
687	Cerebral hæmorrhage in the puerperium	F	-	-	1	-	1	-	-	-	-	-	1	1
688, 689	Other complications of puerperium	F	-	-	1	-	-	-	-	-	2	-	1	-
690-716	XII Diseases of the skin and cellular tissue	M F	16 25	18 21	15 31	15 22	6 21	6 21	5 23	14 18	6 10	8 20	11 16	16 21
690-698	Infections of skin and subcutaneous tissue	M F	8 7	8 8	7 10	6 5	1 5	1 9	2 7	6 4	1 5	2 8	3 5	6 8
700-716	Other diseases of skin and subcutaneous tissue	M F	8 18	10 13	8 21	9 17	5 16	5 12	3 16	8 14	5 5	6 12	8 11	10 13
720-749	XIII Diseases of the bones and organs of movement	M F	72 126	60 159	71 163	55 109	40 112	41 111	52 102	64 110	41 88	33 104	54 97	58 119
720, 721	Acute arthritis	M F	2 3	1 1	- 1	2 3	- 3	2 -	1 -	3 3	1 -	- 1	2 1	3 -
722	Rheumatoid arthritis and allied conditions	M F	28 71	18 78	16 82	24 67	20 51	11 60	20 65	25 60	14 47	11 59	18 56	16 53
723	Osteo-arthritis (arthrosis) and allied conditions	M F	13 27	7 32	19 31	8 18	3 25	8 15	9 14	12 21	6 12	2 17	13 14	8 23
724, 725	Other and unspecified forms of arthritis	M F	2 4	2 2	- -	- -	- -	1 1	2 3	1 2	- -	- -	- -	1 2
726, 727	Muscular rheumatism, and rheumatism unspecified	M F	1 -	1 1	- -	- -	1 2	- -	3 1	- -	- -	- -	- 1	- -
730	Osteomyelitis and periostitis	M F	1 2	2 4	1 3	- 2	3 2	3 1	2 3	3 1	3 4	- 1	1 3	5 1
731-749	Other diseases of musculoskeletal system	M F	25 19	29 41	35 46	21 19	13 29	16 36	15 16	20 23	17 25	20 26	20 22	25 40

TABLE 22 - continued

ICD No.	Causes of death		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
750-759	XIV Congenital malformations	M F	255 239	225 211	265 250	228 215	233 206	211 190	234 202	216 163	206 179	214 195	250 190	244 209
750	Monstrosity	M F	3 13	4 10	7 9	7 4	12 16	8 8	5 10	6 11	7 5	9 3	8 9	7 7
751	Spina bifida and meningocele	M F	31 40	21 45	32 50	30 46	29 40	16 45	26 43	22 35	20 32	21 40	24 25	34 39
752	Congenital hydrocephalus	M F	18 7	7 12	9 12	8 10	7 9	11 7	10 10	6 7	10 6	12 7	6 5	12 9
753	Other congenital malformation of nervous system and sense organs	M F	9 6	3 8	7 7	4 5	4 10	6 7	6 4	5 10	4 4	4 6	7 7	4 9
754	Congenital malformations of circulatory system	M F	122 111	122 92	137 122	126 91	110 82	106 83	113 93	100 62	113 86	101 89	135 90	108 94
755	Cleft palate and harelip	M F	1 2	1 -	1 2	- -	- -	- 1	- -	1 -	1 -	1 -	- -	- -
756	Congenital malformations of digestive system	M F	24 13	19 14	26 12	18 18	22 12	20 17	22 13	21 14	20 16	23 13	26 14	29 8
757	Congenital malformations of genito-urinary system	M F	27 24	25 13	26 14	18 25	30 18	32 11	25 14	23 13	18 15	24 21	19 19	25 24
758	Congenital malformations of bone and joint	M F	4 4	5 3	2 4	- 2	2 2	1 1	6 1	3 -	2 2	2 1	2 3	1 2
759	Other and unspecified congenital malformations, not elsewhere classified	M F	16 19	18 14	18 18	17 14	17 17	11 10	21 14	29 11	11 13	17 15	23 18	24 17
760-776	XV Certain diseases of early infancy	M F	535 375	446 315	521 349	463 293	465 343	488 321	479 309	448 283	392 297	452 309	443 296	442 326
760	Intracranial and spinal injury at birth	M F	88 52	61 44	87 55	71 46	64 53	84 43	72 35	66 46	50 42	77 49	65 42	56 39
761	Other birth injury	M F	37 21	24 12	29 16	22 18	24 22	26 23	27 20	32 15	24 20	30 15	22 18	25 20
762	Postnatal asphyxia and atelectasis	M F	134 101	127 83	140 78	134 76	129 79	135 91	119 74	136 83	112 70	124 86	114 83	121 87
763	Pneumonia of newborn	M F	49 37	39 37	29 28	30 13	37 17	41 18	33 22	24 17	21 23	25 22	27 15	43 29
764	Diarrhoea of newborn	M F	6 2	2 2	4 1	4 3	2 1	4 1	2 5	3 3	4 2	6 -	2 2	3 2
765-769	Other infections of newborn	M F	16 7	14 12	17 11	15 10	11 9	10 7	12 11	15 7	9 12	17 10	9 6	15 12
770	Haemolytic disease of newborn	M F	18 18	20 9	22 14	15 13	11 13	15 11	21 13	10 4	20 14	16 11	11 13	16 17
771	Haemorrhagic disease of newborn	M F	18 9	14 6	11 14	12 6	11 7	9 5	15 6	3 6	9 7	7 8	9 6	6 9
772, 773	Nutritional maladjustment and ill-defined diseases peculiar to early infancy	M F	33 21	30 15	41 22	27 14	20 20	31 9	28 14	25 6	30 16	25 16	36 18	22 12
774-776	Immaturity unqualified	M F	136 107	115 95	141 110	133 94	156 122	133 113	150 109	134 96	113 91	125 92	148 93	135 99
780-795	XVI Symptoms, senility and ill-defined conditions	M F	296 517	298 508	306 526	198 364	156 267	120 269	113 290	101 242	120 265	133 240	140 258	186 340
780-789	Symptoms referable to systems or organs	M F	17 13	18 7	8 7	9 4	10 11	7 5	7 10	5 8	6 15	6 6	9 7	11 8
792	Uraemia unqualified	M F	6 3	1 5	3 2	7 3	5 -	3 4	1 2	1 1	1 1	3 1	3 2	4 2
794	Senility without mention of psychosis	M F	269 500	275 495	288 512	179 356	135 253	104 257	103 276	87 226	111 244	121 231	125 243	163 329
790, 791, 793, 795.	Ill-defined and unknown causes of mortality	M F	4 1	4 1	7 5	3 1	6 3	6 3	2 2	8 7	2 5	3 2	3 6	8 1
E 800-E 999	XVII Accidents, poisonings and violence (external cause)	M F	1,263 1,207	1,094 1,036	1,220 1,038	1,091 832	1,171 801	1,106 668	1,168 792	1,221 714	1,109 744	1,153 795	1,156 913	1,362 1,029
E 800-E 802	Railway accidents	M F	22 3	16 1	14 -	15 3	12 4	14 1	20 1	16 1	22 2	11 2	17 2	18 3
E 810-E 825	Motor vehicle traffic accidents	M F	256 109	251 90	323 115	344 139	357 125	403 145	389 151	425 150	420 163	446 177	472 194	472 195
E 830-E 835	Motor vehicle non-traffic accidents	M F	6 1	2 2	4 1	3 1	12 -	4 1	10 -	8 1	5 -	4 -	7 -	2 1
E 840-E 845	Other road vehicle accidents	M F	2 1	8 2	6 2	5 2	8 2	8 1	5 5	10 2	4 6	5 5	8 5	12 3



TABLE 22 - continued

ICD No.	Causes of death		Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
E850-E858	Water transport accidents	M	11	7	11	11	12	14	10	27	19	17	12	8
		F	-	-	-	-	-	2	1	-	2	-	-	-
E860-E866	Aircraft accidents	M	3	4	11	1	2	1	7	2	-	9	1	3
		F	-	-	-	-	-	-	-	-	-	-	-	-
E870-E895	Accidental poisoning	M	175	112	85	55	64	57	49	38	53	60	66	103
		F	207	150	119	86	61	47	63	45	67	81	93	124
E900-E904	Accidental falls	M	244	201	230	154	180	142	143	164	141	132	147	196
		F	460	424	387	282	294	203	261	242	236	241	264	332
E910-E936	Other accidents	M	247	220	202	184	208	192	232	212	166	186	144	224
		F	245	183	165	97	82	69	85	74	70	63	104	150
E940-E959	Complications due to medical and surgical procedures	M	-	-	2	1	-	-	1	-	1	-	1	2
		F	-	-	2	1	1	2	3	1	-	6	1	2
E960-E965	Late effects of injury and poisoning	M	18	13	15	13	13	12	9	9	11	8	8	12
		F	3	5	4	-	2	1	2	1	-	1	3	-
E970-E973	Suicide by poisoning	M	201	170	204	190	193	169	184	206	185	181	181	213
		F	149	150	201	168	187	156	178	161	158	184	191	198
E974	Suicide and self-inflicted injury by hanging and strangulation	M	41	34	47	57	48	32	37	40	27	28	28	30
		F	4	10	6	12	7	8	9	7	7	10	18	9
E975	Suicide and self-inflicted injury by submersion (drowning)	M	7	11	20	22	21	22	18	22	12	14	17	10
		F	5	5	15	22	14	16	12	15	11	10	14	10
E976-E979	Suicide by other and unspecified means	M	23	38	34	27	28	29	44	32	30	43	36	33
		F	8	8	8	9	9	5	8	6	11	8	7	6
*E980-E985	Homicide and injury purposely inflicted by other persons (not in war)	M	7	7	12	9	13	7	10	10	13	9	11	16
		F	12	6	13	10	13	11	13	8	11	7	17	8
E990-E999	Injury resulting from operations of war	M	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-

\*The number of deaths assigned to this cause which occurred in 1962 and were registered after 31st March 1963 were: May 1M, July 1F, September 1F, November 2M, December 1M, 1F. These numbers should therefore be added to those shown in this table in the Review for 1962.

**TABLE 23. Stillbirths by sex and legitimacy (with rates per 1,000 total births), 1963**

England and Wales, standard regions, Wales, conurbations, hospital regions, London A.C., City of London, metropolitan and county boroughs; urban and rural aggregates in each administrative county

Area	Legitimate		Illegitimate		Total	Still births per 1,000 total births
	M	F	M	F		
SUMMARY						
ENGLAND AND WALES	7,255	6,498	629	607	14,989	17
Standard regions and conurbations:						
Northern	584	531	30	33	1,178	19
Tyneside Conurbation	162	143	7	6	318	20
Remainder of Northern	422	388	23	27	860	19
East and West Ridings	664	612	57	40	1,373	18
West Yorkshire Conurbation	254	246	28	21	549	17
Remainder of East and West Ridings	410	366	29	19	824	18
North Western	1,191	1,065	102	84	2,442	19
South East Lancashire Conurbation	421	397	40	33	891	19
Merseyside Conurbation	289	248	20	26	583	20
Remainder of North Western	481	420	42	25	968	19
North Midland	589	533	49	41	1,212	17
Midland	870	760	64	64	1,758	19
West Midlands Conurbation	433	394	40	34	901	19
Remainder of Midland	437	366	24	30	857	18
Eastern	588	507	47	29	1,171	16
London and South Eastern	1,423	1,241	181	190	3,035	15
Greater London	1,058	888	151	154	2,251	15
Remainder of South Eastern	365	353	30	36	784	16
Southern	410	382	37	44	873	15
South Western	472	446	33	42	993	16
Wales	464	421	29	40	954	20
Wales I (South East)	346	323	22	28	719	20
Wales II (remainder)	118	98	7	12	235	19
Urban/Rural aggregates:						
Conurbations	2,617	2,316	286	274	5,493	17
Areas outside conurbations:						
Urban areas with populations of 100,000 and over	974	915	103	84	2,076	18
Urban areas with populations of 50,000 and under 100,000	699	604	42	63	1,408	17
Urban areas with populations under 50,000	1,564	1,366	116	103	3,149	18
Rural districts	1,401	1,297	82	83	2,863	16
Hospital regions:						
Newcastle	560	498	27	29	1,114	19
Leeds	468	432	42	34	976	17
Sheffield	730	668	61	47	1,506	18
East Anglia	230	200	20	6	456	17
North West Metropolitan	577	509	76	73	1,235	15
North East Metropolitan	497	400	36	44	977	16
South East Metropolitan	460	398	55	52	965	16
South West Metropolitan	322	308	47	48	725	13
Wessex	239	240	21	29	529	16
Oxford	256	226	21	23	526	15
South Western	384	367	27	34	812	16
Welsh	464	421	29	40	954	20
Birmingham	870	760	64	64	1,758	19
Manchester	768	682	65	54	1,569	19
Liverpool	430	389	38	30	887	20

TABLE 23- continued

Area	Legitimate		Illegitimate		Total	Still- births per 1,000 total births	Area	Legitimate		Illegitimate		Total	Still- births per 1,000 total births
	M	F	M	F				M	F	M	F		
LONDON A.C., CITY OF LONDON, METROPOLITAN BOROUGHES AND COUNTY BOROUGHES													
London A.C.	471	366	86	95	1,018	16							
City of London	1	-	-	-	1	23	County boroughs - continued						
Metropolitan boroughs:							Dudley	11	14	2	2	29	24
Battersea	18	14	2	3	37	15	Eastbourne	3	2	-	-	5	7
Bermondsey	7	5	1	-	13	75	East Ham	19	14	2	4	39	21
Bethnal Green	10	5	-	-	15	78	Exeter	10	5	2	1	18	14
Camberwell	35	20	5	3	63	17	Gateshead	13	20	-	-	33	16
Chelsea	7	5	1	1	14	22	Gloucester	10	8	2	3	23	15
Deptford	11	12	6	4	33	20	Great Yarmouth	4	7	1	-	12	14
Finsbury	3	5	1	-	9	76	Grimsby	15	22	1	1	39	20
Fulham	13	5	1	3	22	10	Halifax	20	9	1	1	31	18
Greenwich	11	4	-	2	17	72	Hastings	12	2	1	1	16	17
Hackney	27	29	3	9	68	17	Huddersfield	13	32	1	2	48	19
Hammersmith	19	21	5	6	51	20	Ipswich	11	24	4	-	39	17
Hampstead	13	7	1	2	23	13	Kingston upon Hull	50	46	3	2	101	17
Holborn	3	2	-	1	6	25	Leeds	77	61	7	11	156	16
Islington	41	39	12	10	102	17	Leicester	42	42	8	7	99	19
Kensington	18	9	10	8	45	13	Lincoln	14	15	-	-	29	20
Lambeth	42	28	13	6	89	16	Liverpool	174	144	14	17	349	22
Lewisham	27	20	3	4	54	13	Manchester	128	119	15	21	283	21
Paddington	17	8	3	3	31	12	Middlesbrough	41	27	5	4	77	22
Poplar	15	7	2	3	27	20	Newcastle upon Tyne	56	51	1	2	110	23
St. Marylebone	8	2	-	-	10	73	Northampton	16	10	1	-	27	13
St. Pancras	17	17	5	4	43	17	Norwich	16	9	1	-	26	14
Shoreditch	2	2	-	2	6	70	Nottingham	52	42	9	7	110	17
Southwark	12	8	2	-	22	14	Oldham	14	15	4	2	35	16
Stepney	23	12	-	3	38	20	Oxford	11	7	1	-	19	10
Stoke Newington	17	12	-	3	32	23	Plymouth	22	24	5	5	56	14
Wandsworth	31	39	9	12	91	14	Portsmouth	24	37	4	1	66	16
Westminster	6	9	-	1	16	75	Preston	24	15	4	4	47	22
Woolwich	17	20	1	2	40	16	Reading	21	25	2	4	52	22
							Rochdale	20	15	2	-	37	23
County boroughs	2,291	2,111	229	213	4,844	19	Rotherham	17	12	-	1	30	18
Barnsley	19	16	-	3	38	26	St. Helens	31	25	7	1	64	33
Barrow-in-Furness	4	10	-	2	16	74	Salford	32	32	6	2	72	22
Bath	23	7	1	1	32	24	Sheffield	64	64	5	3	136	16
Birkenhead	30	27	3	5	65	21	Smethwick	15	13	4	2	34	24
Birmingham	204	181	20	25	430	19	Southampton	34	29	4	7	74	19
Blackburn	16	19	-	1	36	20	Southend-on-Sea	17	21	2	-	40	16
Blackpool	18	17	3	1	39	18	Southport	7	11	1	1	20	18
Bolton	22	23	-	-	45	16	South Shields	22	17	2	1	42	20
Bootle	15	10	1	1	27	14	Stockport	30	32	3	-	65	24
Bournemouth	16	13	3	1	33	17	Stoke-on-Trent	49	45	2	2	98	22
Bradford	39	43	11	4	97	16	Sunderland	34	36	1	1	72	19
Brighton	14	23	2	-	39	16	Tynemouth	16	6	2	1	25	18
Bristol	56	58	3	4	121	16	Wakefield	5	11	1	1	18	19
Burnley	16	14	1	-	31	23	Wallasey	13	12	-	-	25	13
Burton upon Trent	7	13	-	2	22	22	Walsall	22	26	4	1	53	22
Bury	13	8	-	-	21	17	Warrington	11	10	1	1	23	16
Canterbury	4	5	3	1	13	25	West Bromwich	19	20	1	-	40	21
Carlisle	17	10	1	-	28	20	West Ham	29	27	2	4	62	19
Chester	9	9	2	1	21	19	West Hartlepool	9	15	-	1	25	15
Coventry	62	53	5	8	128	19	Wigan	17	13	-	1	31	23
Croydon	35	29	2	3	69	15	Wolverhampton	26	28	5	1	60	19
Darlington	14	18	-	1	33	23	Worcester	9	8	-	2	19	16
Derby	19	23	3	1	46	19	York	18	3	1	2	24	13
Dewsbury	8	6	-	-	14	75	Cardiff	35	40	3	8	86	16
Doncaster	18	9	1	-	28	17	Merthyr Tydfil	15	8	1	-	24	22
							Newport, Mon.	21	18	1	-	40	18
							Swansea	33	22	2	2	59	20



TABLE 23 - continued

Area		Legitimate		Illegitimate		Total	Still- births per 1,000 total births	Area		Legitimate		Illegitimate		Total	Still- births per 1,000 total births
		M	F	M	F					M	F	M	F		
ADMINISTRATIVE COUNTIES															
Note. The following figures relate to aggregates of urban districts (including municipal boroughs, but excluding county boroughs) and of rural districts in each administrative county.															
Bedfordshire	U.D.	42	48	7	7	104	16	Rutland	U.D.	-	-	-	-	-	-
	R.D.	25	25	2	2	54	19		R.D.	5	-	-	-	5	12
Berkshire	U.D.	21	12	2	1	36	14	Shropshire	U.D.	31	23	2	5	61	21
	R.D.	51	46	1	6	104	17		R.D.	23	18	-	-	41	15
Buckinghamshire	U.D.	33	39	3	3	78	14	Somerset	U.D.	42	30	1	3	76	18
	R.D.	33	33	2	2	70	15		R.D.	31	30	2	2	65	14
Cambridgeshire	U.D.	11	10	1	1	23	15	Staffordshire	U.D.	159	124	4	4	291	20
	R.D.	9	13	-	-	22	12		R.D.	39	40	1	3	83	17
Cheshire	U.D.	129	119	6	2	256	18	Suffolk, East	U.D.	15	15	2	-	32	19
	R.D.	36	28	3	-	67	17		R.D.	22	9	3	1	35	17
Cornwall	U.D.	32	32	4	4	72	24	Suffolk, West	U.D.	12	7	1	1	21	23
	R.D.	19	23	1	1	44	19		R.D.	19	13	1	-	33	21
Cumberland	U.D.	18	19	-	1	38	24	Surrey	U.D.	102	111	6	10	229	11
	R.D.	21	18	1	-	40	16		R.D.	22	15	1	1	39	12
Derbyshire	U.D.	56	46	3	3	108	17	Sussex, East	U.D.	17	10	3	2	32	11
	R.D.	51	59	2	3	115	16		R.D.	14	22	-	4	40	16
Devon	U.D.	41	27	1	3	72	18	Sussex, West	U.D.	21	25	4	2	52	13
	R.D.	32	33	-	2	67	16		R.D.	16	20	3	1	40	16
Dorset	U.D.	36	25	1	2	64	20	Warwickshire	U.D.	71	61	5	5	142	18
	R.D.	17	17	1	1	36	17		R.D.	34	24	3	1	62	14
Durham	U.D.	105	110	4	5	224	18	Westmorland	U.D.	3	3	1	-	7	14
	R.D.	61	54	2	4	121	21		R.D.	7	4	-	-	11	20
Dyfed, Isle of	U.D.	7	7	-	-	14	16	Wight, Isle of	U.D.	12	12	-	4	28	27
	R.D.	4	9	1	-	14	25		R.D.	-	3	-	1	4	17
Essex	U.D.	230	192	15	13	450	15	Wiltshire	U.D.	37	39	6	5	87	19
	R.D.	49	30	2	-	81	16		R.D.	30	35	-	1	66	15
Gloucestershire	U.D.	18	20	1	3	42	13	Worcestershire	U.D.	45	35	4	1	85	15
	R.D.	31	40	2	2	75	11		R.D.	21	14	2	-	37	16
Hampshire	U.D.	68	64	8	5	145	14	Yorkshire, E.R.	U.D.	15	11	2	2	30	15
	R.D.	36	40	4	6	86	13		R.D.	18	17	-	-	35	18
Herefordshire	U.D.	12	13	-	-	25	21	Yorkshire, N.R.	U.D.	32	41	6	5	84	19
	R.D.	11	7	-	-	18	16		R.D.	24	23	-	2	49	14
Hertfordshire	U.D.	85	86	6	6	183	15	Yorkshire, W.R.	U.D.	209	194	17	6	426	19
	R.D.	34	29	3	2	68	16		R.D.	74	78	7	2	161	17
Huntingdonshire	U.D.	11	2	1	-	14	15	Anglesey	U.D.	5	5	-	-	10	23
	R.D.	5	11	1	-	17	19		R.D.	7	6	-	-	13	25
Kent	U.D.	197	171	17	19	404	17	Breckonshire	U.D.	2	7	1	1	11	44
	R.D.	56	59	4	7	126	17		R.D.	7	2	-	2	11	16
Lancashire	U.D.	312	275	23	20	630	18	Caernarvonshire	U.D.	9	7	-	1	17	15
	R.D.	63	53	3	1	120	19		R.D.	11	2	2	-	15	21
Leicestershire	U.D.	33	19	1	1	54	15	Cardiganshire	U.D.	1	1	-	-	2	8
	R.D.	48	33	5	2	88	19		R.D.	5	8	-	1	14	27
Lincolnshire	U.D.	6	6	-	-	12	17	Carmarthenshire	U.D.	10	14	-	-	24	25
	R.D.	10	9	-	2	21	21		R.D.	16	21	2	1	40	26
Lincolnshire	U.D.	9	6	-	1	16	18	Denbighshire	U.D.	10	16	1	2	29	21
	R.D.	14	9	2	-	25	14		R.D.	11	8	2	4	25	17
Lincolnshire	U.D.	46	26	3	1	76	24	Flintshire	U.D.	12	11	-	-	23	16
	R.D.	20	28	3	-	51	15		R.D.	19	8	1	1	29	21
Middlesex	U.D.	295	234	35	30	594	15	Glamorgan	U.D.	103	86	7	5	201	21
	R.D.	9	8	1	1	19	14		R.D.	36	34	3	1	74	18
Norfolk	U.D.	47	38	2	1	88	17	Merionethshire	U.D.	4	3	-	-	7	25
	R.D.	24	27	3	3	57	17		R.D.	-	3	-	-	3	9
Northamptonshire	U.D.	12	19	1	-	32	13	Monmouthshire	U.D.	62	57	2	7	128	24
	R.D.	65	49	4	3	121	18		R.D.	6	14	-	1	21	17
Northumberland	U.D.	65	49	4	3	121	18	Montgomeryshire	U.D.	4	1	-	-	5	16
	R.D.	26	10	-	2	38	21		R.D.	4	2	-	1	7	17
Nottinghamshire	U.D.	65	54	4	6	129	16	Pembrokeshire	U.D.	8	10	-	-	18	20
	R.D.	29	36	-	3	68	18		R.D.	6	7	1	2	16	19
Oxfordshire	U.D.	12	3	3	1	19	15	Radnorshire	U.D.	1	-	-	-	1	12
	R.D.	23	12	-	1	36	11		R.D.	1	-	-	-	1	5
Peterborough, Soke of	U.D.	6	11	-	-	17	13								
	R.D.	4	1	-	-	5	19								

**TABLE 23A. Stillbirths by cause, sex and mother's age at maternity (with, for certain selected causes, rates per 1,000 total births), 1963**

England and Wales

Note. In this Table stillbirths to mothers whose age was not stated have been distributed and included with those to mothers of stated ages.

ICD No.	Cause		Age of mother							
			All ages	Under 20*	20-	25-	30-	35-	40-	45 and over†
Y30-Y39	ALL CAUSES	M	7,884	568	1,901	2,142	1,632	1,139	474	28
		F	7,105	524	1,852	1,919	1,449	924	413	24
		P	14,989	1,092	3,753	4,061	3,081	2,063	887	52
Y30	Chronic disease in mother	M	294	12	59	57	56	73	37	-
		F	192	8	29	49	41	43	22	-
Y30.0	Syphilis	M	3	-	2	-	1	-	-	-
		F	2	-	-	-	1	1	-	-
Y30.1	Tuberculosis (any form)	M	4	-	1	-	2	1	-	-
		F	1	-	-	-	1	-	-	-
Y30.2	Diabetes mellitus	M	73	2	19	20	14	13	5	-
		F	50	3	10	18	10	8	1	-
Y30.3	Chronic disease of circulatory system	M	189	7	31	31	36	54	30	-
		F	105	3	15	21	21	29	16	-
Y30.4	Chronic disease of genito-urinary system	M	6	-	2	3	-	1	-	-
		F	13	2	4	2	3	1	1	-
Y30.5	Other chronic disease	M	19	3	4	3	3	4	2	-
		F	21	-	-	8	5	4	4	-
Y31	Acute disease in mother	M	36	3	4	14	8	4	3	-
		F	22	3	3	5	6	4	1	-
Y31.0	Typhoid fever	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
Y31.1	Influenza	M	7	-	1	5	-	1	-	-
		F	5	-	-	2	1	1	1	-
Y31.2	Pneumonia (any form)	M	7	-	-	3	2	1	1	-
		F	2	-	-	-	1	1	-	-
Y31.3	Other acute respiratory disease	M	3	-	2	-	-	1	-	-
		F	2	-	-	1	-	1	-	-
Y31.4	Other acute disease or condition	M	19	3	1	6	6	1	2	-
		F	13	3	3	2	4	1	-	-
	0 Rubella	M	8	2	-	3	2	-	1	-
		F	7	1	2	1	3	-	-	-
	1 Other virus diseases	M	4	-	1	-	2	-	1	-
		F	2	-	1	-	-	1	-	-
	2 Others	M	7	1	-	3	2	1	-	-
		F	4	2	-	1	1	-	-	-
Y32	Diseases and conditions of pregnancy and childbirth	M	1,431	109	344	388	278	209	99	4
		F	1,087	72	293	285	208	165	59	5
Y32.0	Pregnancy interrupted by self or other person for non-therapeutic purposes	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
Y32.1	Ectopic gestation	M	2	-	-	1	-	1	-	-
		F	1	-	-	-	-	1	-	-
Y32.2	Haemorrhage without mention of placental condition	M	270	25	60	76	50	44	14	1
		F	216	12	57	62	48	25	11	1
Y32.3	Toxaemia with convulsions during pregnancy or labour (eclampsia)	M	35	4	16	7	5	3	-	-
		F	24	3	10	4	6	1	-	-
Y32.4	Other toxaemias of pregnancy	M	1,108	75	263	303	220	160	85	2
		F	828	54	221	216	152	134	47	4

\* † See footnotes at end of table.

TABLE 23A - continued

ICD No.	Cause		Age of mother							
			All ages	Under 20*	20-	25-	30-	35-	40-	45 and over†
Y32.5	Infection (ante- and intra-partum)	M	16	5	5	1	3	1	-	1
		F	18	3	5	3	2	4	1	-
	0 Urinary infection	M	5	2	2	-	-	-	-	1
		F	3	1	1	-	1	-	-	-
	1 Others	M	11	3	3	1	3	1	-	-
		F	15	2	4	3	1	4	1	-
Y33	Absorption of toxic substance from mother	M	1	-	1	-	-	-	-	-
		F	1	-	-	1	-	-	-	-
Y33.0	Narcotic	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
Y33.1	Quinine	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
Y33.2	Other toxic substance	M	1	-	1	-	-	-	-	-
		F	1	-	-	1	-	-	-	-
Y34	Difficulties in labour	M	623	44	140	186	105	100	45	3
		F	425	36	92	114	92	63	25	3
Y34.0	Difficult labour with abnormality of bones of pelvis	M	9	1	3	3	1	1	-	-
		F	6	-	4	-	1	1	-	-
Y34.1	Difficult labour with disproportion, but no mention of abnormality, of pelvis	M	147	9	32	50	29	19	6	2
		F	95	12	23	28	16	12	3	1
Y34.2	Difficult labour with malposition of foetus	M	313	21	74	88	52	52	25	1
		F	231	19	52	57	55	32	15	1
Y34.3	Difficult labour with abnormality of forces of labour	M	74	7	17	24	9	12	5	-
		F	43	2	6	17	7	8	3	-
Y34.4	Difficult labour with operative delivery	M	22	2	4	4	5	4	3	-
		F	5	-	1	3	-	1	-	-
Y34.5	Difficult labour with abnormality of organs or tissues of pelvis	M	15	1	2	4	2	4	2	-
		F	18	1	5	3	3	4	2	-
Y34.6	Difficult labour without mention of underlying condition	M	43	3	8	13	7	8	4	-
		F	27	2	1	6	10	5	2	1
Y35	Other causes in mother	M	27	2	7	8	6	2	1	1
		F	27	1	3	4	6	8	4	1
Y35.0	Fall	M	7	1	2	3	1	-	-	-
		F	5	-	1	1	-	2	-	1
Y35.1	Other accident or violence	M	6	1	3	2	-	-	-	-
		F	3	-	-	-	2	-	1	-
Y35.2	Overexertion	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
Y35.3	Other and ill-defined causes in mother	M	14	-	2	3	5	2	1	1
		F	19	1	2	3	4	6	3	-
Y36	Placental and cord conditions	M	2,479	178	584	654	555	365	134	9
		F	1,949	122	483	513	414	275	137	5
Y36.0	Cord condition without mention of placental abnormality	M	648	43	161	164	149	92	37	2
		F	568	35	134	158	121	81	38	1
	0 Pressure on cord, compression of cord, strangulation of cord, thrombosis of cord	M	89	9	22	23	18	14	3	-
		F	97	5	22	29	17	14	10	-
	1 Prolapse of cord	M	214	12	53	48	50	31	18	2
		F	131	10	28	25	37	20	10	1
	2 Others	M	345	22	86	93	81	47	16	-
		F	340	20	84	104	67	47	18	-
Y36.1	Placenta praevia	M	97	4	28	25	24	12	4	-
		F	67	4	17	16	15	7	8	-
Y36.2	Premature separation of normally implanted placenta	M	782	57	171	231	170	112	37	4
		F	545	33	131	151	118	74	36	2

\* † See footnotes at end of table.



TABLE 23A - continued

ICD No.	Cause		Age of mother							
			All ages	Under 20*	20-	25-	30-	35-	40-	45 and over†
Y36.3	Placenta praevia with cord abnormality	M	3	-	2	1	-	-	-	-
		F	3	1	1	-	-	1	-	-
Y36.4	Premature separation of normally implanted placenta with cord abnormality	M	7	-	2	1	2	-	2	-
		F	6	1	4	1	-	-	-	-
Y36.5	Placental infarct	M	180	14	35	45	44	30	11	1
		F	163	14	44	33	37	23	12	-
Y36.6	Other abnormality of placenta and cord	M	762	60	185	187	166	119	43	2
		F	597	34	152	154	123	89	43	2
Y37	Birth injury	M	201	11	50	63	43	28	6	-
		F	137	12	30	39	26	18	11	1
Y37.0	Birth injury with abnormality of bones of pelvis	M	5	-	4	1	-	-	-	-
		F	2	-	2	-	-	-	-	-
Y37.1	Birth injury with abnormality of organs or tissues of pelvis	M	4	-	1	1	1	1	-	-
		F	-	-	-	-	-	-	-	-
Y37.2	Birth injury with disproportion but no mention of abnormality of pelvis	M	14	2	2	3	3	4	-	-
		F	7	-	3	2	2	-	-	-
Y37.3	Birth injury with malposition of foetus	M	52	1	13	17	11	8	2	-
		F	36	4	6	12	5	5	3	1
Y37.4	Birth injury with abnormality of forces of labour	M	18	1	5	3	6	2	1	-
		F	15	-	3	4	5	1	2	-
Y37.5	Operation causing mutilation of foetus	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
Y37.6	Other operation for delivery	M	8	2	1	2	-	2	1	-
		F	8	1	2	3	1	-	1	-
Y37.7	Birth injury with difficult labour but without mention of underlying condition	M	5	-	2	2	-	1	-	-
		F	9	-	2	-	4	3	-	-
Y37.8	Birth injury due to other or unspecified cause	M	95	5	22	34	22	10	2	-
		F	60	7	12	18	9	9	5	-
Y38	Congenital malformations of foetus	M	1,053	91	297	268	208	134	50	5
		F	1,715	163	559	452	311	159	67	4
Y38.0	Anencephalus	M	419	46	116	110	78	57	12	-
		F	1,128	111	391	296	192	104	31	3
	0 With mention of spina bifida or synonym	M	45	8	13	10	5	8	1	-
		F	151	19	55	35	25	12	5	-
	1 Without mention of spina bifida or synonym	M	374	38	103	100	73	49	11	-
		F	977	92	336	261	167	92	26	3
Y38.1	Hydrocephalus	M	279	18	78	67	61	36	18	1
		F	204	19	54	54	43	23	11	-
Y38.2	Spina bifida	M	130	9	37	36	31	10	7	-
		F	190	21	65	55	30	9	10	-
	0 With mention of hydrocephalus	M	85	6	24	25	20	5	5	-
		F	122	13	45	37	19	4	4	-
	1 Without mention of hydrocephalus	M	45	3	13	11	11	5	2	-
		F	68	8	20	18	11	5	6	-
Y38.3	Other malformation of the central nervous system	M	37	2	12	11	4	6	2	-
		F	64	2	18	14	14	10	6	-
	0 Mongolism	M	14	2	3	1	2	4	2	-
		F	13	1	2	-	3	3	4	-
	1 Microcephaly	M	2	-	1	1	-	-	-	-
		F	12	1	2	4	2	3	-	-
	2 Others	M	21	-	8	9	2	2	-	-
		F	39	-	14	10	9	4	2	-

\* † See footnotes at end of table.

TABLE 23A - continued

ICD No.	Cause		Age of mother							
			All ages	Under 20*	20-	25-	30-	35-	40-	45 and over†
Y38.4	Malformation of the cardiovascular system	M	33	3	9	5	8	6	2	-
		F	26	3	3	12	4	2	2	-
	0 Tetralogy of Fallot	M	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
	1 Patent ductus arteriosus	M	2	-	-	-	2	-	-	-
		F	1	-	-	1	-	-	-	-
	2 Interventricular septal defect	M	14	2	3	2	2	4	1	-
		F	5	-	1	2	1	-	1	-
	3 Interatrial septal defect	M	2	-	1	-	1	-	-	-
		F	2	-	-	2	-	-	-	-
	4 Fibroelastosis cordis	M	-	-	-	-	-	-	-	-
		F	2	-	-	2	-	-	-	-
	5 Other malformations of heart	M	12	1	4	2	2	2	1	-
		F	12	2	1	3	3	2	1	-
	6 Coarctation of aorta	M	2	-	1	-	1	-	-	-
		F	1	-	-	1	-	-	-	-
	7 Other circulatory malformations	M	1	-	-	1	-	-	-	-
		F	3	1	1	1	-	-	-	-
Y38.5	Malformation of other specified system or part	M	101	12	29	26	16	13	4	1
		F	58	1	17	9	17	8	6	-
	0 Digestive system	M	16	1	7	3	3	2	-	-
		F	8	-	2	-	2	3	1	-
	1 Genito-urinary system	M	24	3	7	8	4	1	1	-
		F	5	-	-	-	4	-	1	-
	2 Dwarf	M	3	-	-	-	2	1	-	-
		F	-	-	-	-	-	-	-	-
	3 Other skeletal	M	21	2	6	7	2	4	-	-
		F	18	1	6	2	6	2	1	-
	4 Respiratory system	M	2	-	-	2	-	-	-	-
		F	4	-	1	1	-	1	1	-
	5 Skin	M	1	1	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
	6 Muscle	M	4	2	1	-	-	1	-	-
		F	1	-	-	-	1	-	-	-
	7 Others	M	30	3	8	6	5	4	3	1
		F	22	-	8	6	4	2	2	-
Y38.6	Monster	M	9	-	3	3	1	-	-	2
		F	13	-	4	2	5	2	-	-
	0 Double monster	M	7	-	2	2	1	-	-	2
		F	11	-	3	2	4	2	-	-
	1 Monster N.O.S.	M	-	-	-	-	-	-	-	-
		F	1	-	-	-	1	-	-	-
	2 Others	M	2	-	1	1	-	-	-	-
		F	1	-	1	-	-	-	-	-
Y38.7	Other and unspecified malformations	M	45	1	13	10	9	6	5	1
		F	32	6	7	10	6	1	1	1
Y39	Diseases of foetus and ill-defined causes	M	1,739	118	415	504	373	224	99	6
		F	1,550	107	360	457	345	189	87	5
Y39.0	Syphilis	M	2	1	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-
Y39.1	Infection other than syphilis	M	8	1	2	5	-	-	-	-
		F	9	1	1	2	4	1	-	-
Y39.2	Erythroblastosis	M	360	6	68	109	99	56	22	-
		F	303	8	49	105	83	43	14	1

\* † See footnotes at end of table.

TABLE 23A - continued

ICD No.	Cause	Age of mother								
		All ages	Under 20*	20-	25-	30-	35-	40-	45 and over†	
Y39.3	Other cause originated in the foetus	M	26	-	5	9	8	3	-	1
		F	15	2	3	2	5	1	2	-
Y39.4	Maceration, cause not specified	M	505	46	120	141	97	67	30	4
		F	430	34	110	110	91	52	30	3
Y39.5	Other ill-defined cause	M	466	39	125	131	89	55	26	1
		F	452	33	99	142	102	51	24	1
	0 Asphyxia	M	208	12	54	64	43	24	10	1
		F	213	13	50	60	50	28	12	-
	1 Atelectasis	M	52	4	17	15	6	7	3	-
		F	44	4	13	12	6	6	2	1
	2 Post-maturity	M	39	-	10	7	13	7	2	-
		F	40	3	4	17	11	4	1	-
	3 Prematurity	M	109	18	35	26	18	7	5	-
		F	93	10	19	30	22	7	5	-
	4 Others	M	58	5	9	19	9	10	6	-
		F	62	3	13	23	13	6	4	-
Y39.6	Cause unspecified	M	372	25	94	109	80	43	21	-
		F	341	29	98	96	60	41	17	-
Total live and still births		M	446,360	37,137	139,514	137,351	80,681	39,187	11,852	638
		F	422,684	35,595	131,798	129,951	76,096	37,277	11,347	620
		P	869,044	72,732	271,312	267,302	156,777	76,464	23,199	1,258

## Stillbirths per 1,000 total births

Y30-Y39	All causes	M	17.7	15.3	13.6	15.6	20.2	29.1	40.0	43.9
		F	16.8	14.7	14.1	14.8	19.0	24.8	36.4	38.7
		P	17.2	15.0	13.8	15.2	19.7	27.0	38.2	41.3
Y30-Y35	Maternal conditions		4.8	4.0	3.6	4.2	5.1	8.8	12.8	13.5
Y30.2	Diabetes		0.1	0.1	0.1	0.1	0.2	0.3	0.3	-
Y30.3	Circulatory		0.3	0.1	0.2	0.2	0.4	1.1	2.0	-
Y32	Diseases of pregnancy		2.9	2.5	2.3	2.5	3.1	4.9	6.8	7.2
Y32.2	Haemorrhage N.E.C.		0.6	0.5	0.4	0.5	0.6	0.9	1.1	1.6
Y32.4	Other toxæmia		2.2	1.8	1.8	1.9	2.4	3.8	5.7	4.8
Y34	Difficulties in labour		1.2	1.1	0.9	1.1	1.3	2.1	3.0	4.8
Y34.2	Malposition		0.6	0.5	0.5	0.5	0.7	1.1	1.7	1.6
Y34.3	Abnormal forces		0.1	0.1	0.1	0.2	0.1	0.3	0.3	-
Y36	Placental and cord conditions		5.1	4.1	3.9	4.4	6.2	8.4	11.7	11.1
Y36.1	Placenta prævia		0.2	0.1	0.2	0.2	0.2	0.2	0.5	-
Y36.2	Placenta and placental separation		1.5	1.2	1.1	1.4	1.8	2.4	3.1	4.8
Y36.5	Placental infarct		0.4	0.4	0.3	0.3	0.5	0.7	1.0	0.8
Y37-Y39	Foetal conditions		7.4	6.9	6.3	6.7	8.3	9.8	13.8	16.7
Y37	Birth injury		0.4	0.3	0.3	0.4	0.4	0.6	0.7	0.8
Y38	Congenital malformation		3.2	3.5	3.2	2.7	3.3	3.8	5.0	7.2
Y38.0	Anencephalus		1.8	2.2	1.9	1.5	1.7	2.1	1.9	2.4
Y38.1	Hydrocephalus		0.6	0.5	0.5	0.5	0.7	0.8	1.3	0.8
Y38.2	Spina bifida		0.4	0.4	0.4	0.3	0.4	0.2	0.7	-
Y39	Other and ill-defined causes		3.8	3.1	2.9	3.6	4.6	5.4	8.0	8.7
Y39.2	Erythroblastosis		0.8	0.2	0.4	0.8	1.2	1.3	1.6	0.8
Y39.6	Unspecified		0.8	0.7	0.7	0.8	0.9	1.1	1.6	-

\*Including the following stillbirths where the mother's age was under 16 years: Y32.4 Other toxæmias of pregnancy 3M, 1F; Y34.1 Difficult labour with disproportion, but no mention of abnormality, of pelvis 2M, 1F; Y34.3 Difficult labour with abnormality of forces of labour 1M; Y36.2 Premature separation of normally implanted placenta 1M; Y36.5 Placental infarct 1M; Y36.6 Other abnormality of placenta and cord 1M, 2F; Y37.8 Birth injury due to other or unspecified cause 3F; Y38.0 Anencephalus 2M, 2F; Y38.1 Hydrocephalus 1M; Y38.5 Malformation of other specified system or part 1M; Y39.1 Infection other than syphilis 1F; Y39.5 Other ill-defined causes 1M, 2F; Y39.6 Cause unspecified 2M.

†Including the following stillbirth where the mother's age was 50 years or over: Y32.5 Infection (ante- and intra-partum) 1M.



**TABLE 23B. Legitimate stillbirths by cause and parity of mother (with, for certain selected causes, rates per 1,000 total births), 1963**

England and Wales

ICD No.	Cause		Number of previous children of all marriages, live and still born											
			Total	0	1	2	3	4	5	6	7	8	9	10 and over
Y30-Y39	ALL CAUSES	M F P	7,255 6,498 13,753	2,670 2,429 5,099	1,589 1,432 3,021	1,177 1,073 2,250	750 610 1,360	440 361 801	258 231 489	148 143 291	89 81 170	62 57 119	28 32 60	44 49 93
Y30	Chronic disease in mother		456	157	94	80	42	32	19	16	5	5	2	4
Y30.0	Syphilis		3	-	1	-	1	-	-	-	1	-	-	-
Y30.1	Tuberculosis(any form)		5	2	2	-	-	-	1	-	-	-	-	-
Y30.2	Diabetes mellitus		120	45	27	23	7	9	2	4	-	1	1	1
Y30.3	Chronic disease of circulatory system		274	97	50	47	25	21	14	9	3	4	1	3
Y30.4	Chronic disease of genito-urinary system		19	9	5	4	-	1	-	-	-	-	-	-
Y30.5	Other chronic disease		35	4	9	6	9	1	2	3	1	-	-	-
Y31	Acute disease in mother		52	12	7	14	7	4	5	2	1	-	-	-
Y31.0	Typhoid fever		-	-	-	-	-	-	-	-	-	-	-	-
Y31.1	Influenza		12	1	2	5	1	1	2	-	-	-	-	-
Y31.2	Pneumonia(any form)		7	-	-	2	2	-	1	2	-	-	-	-
Y31.3	Other acute respiratory disease		4	2	-	-	-	2	-	-	-	-	-	-
Y31.4	Other acute disease or condition		29	9	5	7	4	1	2	-	1	-	-	-
	0 Rubella		15	5	1	4	3	1	-	-	-	-	-	-
	1 Other virus diseases		6	2	1	1	1	-	1	-	1	-	-	-
	2 Others		8	2	3	2	-	-	1	-	-	-	-	-
Y32	Diseases and conditions of pregnancy and childbirth		2,291	1,059	432	356	184	89	67	39	20	24	7	14
Y32.0	Pregnancy interrupted by self or other persons for non-therapeutic purposes		-	-	-	-	-	-	-	-	-	-	-	-
Y32.1	Ectopic gestation		3	2	1	-	-	-	-	-	-	-	-	-
Y32.2	Haemorrhage without mention of placental condition		437	138	96	75	55	26	20	8	7	4	4	4
Y32.3	Toxaemia with convulsions during pregnancy or labour(eclampsia)		49	33	9	4	1	2	-	-	-	-	-	-
Y32.4	Other toxaeimias of pregnancy		1,771	870	322	272	126	61	45	31	12	20	2	10
Y32.5	Infection (ante- and intra-partum)		31	16	4	5	2	-	2	-	1	-	1	-
	0 Urinary infection		7	5	1	-	1	-	-	-	-	-	-	-
	1 Others		24	11	3	5	1	-	2	-	1	-	1	-
Y33	Absorption of toxic substance from mother		1	1	-	-	-	-	-	-	-	-	-	-
Y33.0	Narcotic		-	-	-	-	-	-	-	-	-	-	-	-
Y33.1	Quinine		-	-	-	-	-	-	-	-	-	-	-	-
Y33.2	Other toxic substance		1	1	-	-	-	-	-	-	-	-	-	-
Y34	Difficulties in labour		955	323	206	161	94	66	34	25	18	8	5	15
Y34.0	Difficult labour with abnormality of bones of pelvis		14	9	3	-	1	1	-	-	-	-	-	-
Y34.1	Difficult labour with disproportion, but no mention of abnormality, of pelvis		225	89	52	36	15	16	7	5	3	-	-	2
Y34.2	Difficult labour with malposition of foetus		494	143	101	93	54	35	24	12	13	7	3	9
Y34.3	Difficult labour with abnormality of forces of labour		107	37	24	20	10	6	1	4	1	1	-	3
Y34.4	Difficult labour with operative delivery		22	9	3	2	5	2	-	-	-	-	1	-
Y34.5	Difficult labour with abnormality of organs or tissues of pelvis		28	13	7	3	2	1	1	-	1	-	-	-
Y34.6	Difficult labour without mention of underlying condition		65	23	16	7	7	5	1	4	-	-	1	1
Y35	Other causes in mother		49	15	15	6	4	3	-	1	2	-	1	2
Y35.0	Fall		10	2	3	3	1	1	-	-	-	-	-	-
Y35.1	Other accident or violence		8	3	4	-	-	-	-	-	-	-	-	1
Y35.2	Overexertion		-	-	-	-	-	-	-	-	-	-	-	-
Y35.3	Other and ill-defined causes in mother		31	10	8	3	3	2	-	1	2	-	1	1
Y36	Placental and cord conditions		4,090	1,453	870	693	404	255	169	93	62	40	22	29
Y36.0	Cord condition without mention of placental abnormality		1,118	400	253	195	106	70	48	17	11	7	4	7
	0 Pressure on cord, compression of cord, strangulation of cord, thrombosis of cord		174	64	41	32	17	5	6	5	1	1	-	2
	1 Prolapse of cord		305	83	71	59	32	26	18	6	4	3	1	2
	2 Others		639	253	141	104	57	39	24	6	6	3	3	3
Y36.1	Placenta praevia		146	30	43	30	11	9	12	2	4	3	1	1
Y36.2	Premature separation of normally implanted placenta		1,213	355	228	216	150	97	56	42	28	17	11	13

TABLE 23B - continued

ICD No.	Cause	Number of previous children of all marriages, live and still born											
		Total	0	1	2	3	4	5	6	7	8	9	10 and over
Y36.3	Placenta praevia with cord abnormality	6	3	2	-	1	-	-	-	-	-	-	-
Y36.4	Premature separation of normally implanted placenta with cord abnormality	11	3	1	3	1	2	-	1	-	-	-	-
Y36.5	Placental infarct	325	122	64	56	36	21	10	6	4	1	3	2
Y36.6	Other abnormality of placenta and cord	1,271	540	279	193	99	56	43	25	15	12	3	6
Y37	Birth injury	306	136	57	46	26	20	8	3	1	4	2	3
Y37.0	Birth injury with abnormality of bones of pelvis	7	6	1	-	-	-	-	-	-	-	-	-
Y37.1	Birth injury with abnormality of organs or tissues of pelvis	4	2	1	1	-	-	-	-	-	-	-	-
Y37.2	Birth injury with disproportion but no mention of abnormality of pelvis	19	10	2	1	3	2	-	-	-	1	-	-
Y37.3	Birth injury with malposition of foetus	79	29	21	11	4	7	4	1	-	1	-	1
Y37.4	Birth injury with abnormality of forces of labour	31	10	6	4	5	3	1	2	-	-	-	-
Y37.5	Operation causing mutilation of foetus	-	-	-	-	-	-	-	-	-	-	-	-
Y37.6	Other operation for delivery	15	10	1	2	-	1	-	-	-	-	1	-
Y37.7	Birth injury with difficult labour but without mention of underlying condition	13	11	-	1	1	-	-	-	-	-	-	-
Y37.8	Birth injury due to other or unspecified cause	138	58	25	26	13	7	3	-	1	2	1	2
Y38	Congenital malformation of foetus	2,588	1,033	662	361	244	115	74	38	22	21	11	7
Y38.0	Anencephalus	1,453	604	366	201	126	59	45	18	8	16	6	4
	0 With mention of spina bifida or synonym	186	85	45	22	15	6	5	1	2	3	1	1
	1 Without mention of spina bifida or synonym	1,267	519	321	179	111	53	40	17	6	13	5	3
Y38.1	Hydrocephalus	452	158	123	64	49	25	12	10	6	2	4	1
Y38.2	Spina bifida	297	124	90	36	23	11	4	4	4	1	-	-
	0 With mention of hydrocephalus	189	84	54	24	12	3	4	4	3	1	-	-
	1 Without mention of hydrocephalus	108	40	36	12	11	8	-	-	1	-	-	-
Y38.3	Other malformation of the central nervous system	91	33	18	16	11	6	3	1	2	-	-	1
	0 Mongolism	24	7	3	2	3	2	3	1	2	-	-	1
	1 Microcephaly	12	6	2	1	2	1	-	-	-	-	-	-
	2 Others	55	20	13	13	6	3	-	-	-	-	-	-
Y38.4	Malformation of the cardiovascular system	54	20	10	15	3	3	2	-	-	1	-	-
	0 Tetralogy of Fallot	-	-	-	-	-	-	-	-	-	-	-	-
	1 Patent ductus arteriosus	3	1	1	1	-	-	-	-	-	-	-	-
	2 Interventricular septal defect	19	9	3	5	-	1	1	-	-	-	-	-
	3 Interatrial septal defect	3	1	1	-	-	1	-	-	-	-	-	-
	4 Fibroelastosis cordis	1	1	-	-	-	-	-	-	-	-	-	-
	5 Other malformations of heart	22	6	5	6	3	-	1	-	-	1	-	-
	6 Coarctation of aorta	3	1	-	1	-	1	-	-	-	-	-	-
	7 Other circulatory malformations	3	1	-	2	-	-	-	-	-	-	-	-
Y38.5	Malformation of other specified system or part	149	62	34	16	21	6	5	-	2	1	2	-
	0 Digestive system	23	6	8	3	4	-	2	-	-	-	-	-
	1 Genito-urinary system	27	17	4	3	2	1	-	-	-	-	-	-
	2 Dwarf	3	1	1	-	-	-	1	-	-	-	-	-
	3 Other skeletal	37	17	5	4	6	2	2	-	-	-	1	-
	4 Respiratory system	5	1	2	-	-	-	-	-	1	-	1	-
	5 Skin	1	-	1	-	-	-	-	-	-	-	-	-
	6 Muscle	4	2	1	1	-	-	-	-	-	-	-	-
	7 Others	49	18	12	5	9	3	-	-	1	1	-	-
Y38.6	Monster	22	9	5	2	3	2	-	1	-	-	-	-
	0 Double monster	18	6	5	2	2	2	-	1	-	-	-	-
	1 Monster N.O.S.	1	-	-	-	1	-	-	-	-	-	-	-
	2 Others	3	3	-	-	-	-	-	-	-	-	-	-
Y38.7	Other and unspecified malformations	70	23	16	11	8	3	3	4	-	-	1	1
Y39	Diseases of foetus and ill-defined causes	2,965	910	678	533	355	217	113	74	39	17	10	19
Y39.0	Syphilis	2	1	1	-	-	-	-	-	-	-	-	-
Y39.1	Infection other than syphilis	12	3	4	-	2	3	-	-	-	-	-	-
Y39.2	Erythroblastosis	640	32	160	173	114	68	35	24	16	9	1	8
Y39.3	Other cause originated in the foetus	37	14	5	10	4	2	2	-	-	-	-	-
Y39.4	Maceration, cause not specified	854	309	187	137	95	57	29	19	11	3	4	3
Y39.5	Other ill-defined cause	809	332	170	127	73	41	33	17	7	3	3	3
	0 Asphyxia	377	155	78	56	37	15	17	10	4	1	1	3
	1 Atelectasis	82	34	17	16	5	5	1	1	-	2	1	-
	2 Post-maturity	74	38	8	9	6	4	5	3	1	-	-	-
	3 Prematurity	167	73	37	24	14	12	5	1	1	-	-	-
	4 Others	109	32	30	22	11	5	5	2	1	-	1	-
Y39.6	Cause unspecified	611	219	151	86	67	46	14	14	5	2	2	5
Total legitimate live and still births		M 415,511 F 393,193 P 808,704	146,665 138,273 284,938	126,482 119,831 246,313	70,234 66,554 136,788	34,836 33,129 67,965	17,362 16,357 33,719	9,154 8,622 17,776	4,865 4,725 9,590	2,631 2,507 5,138	1,486 1,453 2,939	840 818 1,658	956 924 1,880

TABLE 23B - continued

ICD No.	Cause		Number of previous children of all marriages, live and still born											
			Total	0	1	2	3	4	5	6	7	8	9	10 and over
Stillbirths per 1,000 total births														
Y30-Y39	All causes	M F P	17.5 16.5 17.0	18.2 17.6 17.9	12.6 12.0 12.3	16.8 16.1 16.4	21.5 18.4 20.0	25.3 22.1 23.8	28.2 26.8 27.5	30.4 30.3 30.3	33.8 32.3 33.1	41.7 39.2 40.5	33.3 39.1 36.2	46.0 53.0 49.5
Y30-Y35	Maternal conditions		4.7	5.5	3.1	4.5	4.9	5.8	7.0	8.7	9.0	12.6	9.0	18.6
Y30.2	Diabetes		0.1	0.2	0.1	0.2	0.1	0.3	0.1	0.4	-	0.3	0.6	0.5
Y30.3	Circulatory		0.3	0.3	0.2	0.3	0.4	0.6	0.8	0.9	0.6	1.4	0.6	1.6
Y32	Diseases of pregnancy		2.8	3.7	1.8	2.6	2.7	2.6	3.8	4.1	3.9	8.2	4.2	7.4
Y32.2	Haemorrhage N.E.C.		0.5	0.5	0.4	0.5	0.8	0.8	1.1	0.8	1.4	1.4	2.4	2.1
Y32.4	Other toxæmia		2.2	3.1	1.3	2.0	1.9	1.8	2.5	3.2	2.3	6.8	1.2	5.3
Y34	Difficulties in labour		1.2	1.1	0.8	1.2	1.4	2.0	1.9	2.6	3.5	2.7	3.0	8.0
Y34.2	Malposition		0.6	0.5	0.4	0.7	0.8	1.0	1.4	1.3	2.5	2.4	1.8	4.8
Y34.3	Abnormal forces		0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.4	0.2	0.3	-	1.6
Y36	Placental and cord conditions		5.1	5.1	3.5	5.1	5.9	7.6	9.5	9.7	12.1	13.6	13.3	15.4
Y36.1	Placenta prævia		0.2	0.1	0.2	0.2	0.2	0.3	0.7	0.2	0.8	1.0	0.6	0.5
Y36.2	Placenta and placental separation		1.5	1.2	0.9	1.6	2.2	2.9	3.2	4.4	5.4	5.8	6.6	6.9
Y36.5	Placental infarct		0.4	0.4	0.3	0.4	0.5	0.6	0.6	0.6	0.6	0.3	1.8	1.1
Y37-Y39	Foetal conditions		7.2	7.3	5.7	6.9	9.2	10.4	11.0	12.0	12.1	14.3	13.9	15.4
Y37	Birth injury		0.4	0.5	0.2	0.3	0.4	0.6	0.5	0.3	0.2	1.4	1.2	1.6
Y38	Congenital malformation		3.2	3.6	2.7	2.6	3.6	3.4	4.2	4.0	4.3	7.1	6.6	3.7
Y38.0	Anencephalus		1.8	2.1	1.5	1.5	1.9	1.7	2.5	1.9	1.6	5.4	3.6	2.1
Y38.1	Hydrocephalus		0.6	0.6	0.5	0.5	0.7	0.7	0.7	1.0	1.2	0.7	1.2	0.5
Y38.2	Spina bifida		0.4	0.4	0.4	0.3	0.3	0.3	0.2	0.4	0.8	0.3	-	-
Y39	Other and ill-defined causes		3.7	3.2	2.8	3.9	5.2	6.4	6.4	7.7	7.6	5.8	6.0	10.1
Y39.2	Erythroblastosis		0.8	0.1	0.6	1.3	1.7	2.0	2.0	2.5	3.1	3.1	0.6	4.3
Y39.6	Unspecified		0.8	0.8	0.6	0.6	1.0	1.4	0.8	1.5	1.0	0.7	1.2	2.7



TABLE 23C. Stillbirths by cause and month of occurrence (with, for certain selected causes, rates per 1,000 total births), 1963

England and Wales

ICD No.	Cause	Total	Month of occurrence											
			Jan.	Feb.	Mar.	Apr.	May.	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Y30-Y39	ALL CAUSES	M 7,884 F 7,105 P 14,989	749 616 1,365	706 570 1,276	745 653 1,398	608 622 1,230	691 622 1,313	648 577 1,225	638 537 1,175	626 538 1,164	639 564 1,203	622 624 1,246	609 579 1,188	603 603 1,206
Y30	Chronic disease in mother	486	41	49	60	43	50	35	43	37	27	34	28	39
Y30.0	Syphilis	5	1	-	-	-	1	1	-	-	1	-	-	1
Y30.1	Tuberculosis (any form)	5	-	-	3	-	1	-	-	1	-	-	-	-
Y30.2	Diabetes mellitus	123	12	7	14	10	14	7	10	8	9	12	9	11
Y30.3	Chronic disease of circulatory system	294	22	36	37	25	31	24	30	18	13	20	16	22
Y30.4	Chronic disease of genito-urinary system	19	2	4	3	3	1	1	3	1	-	1	-	-
Y30.5	Other chronic disease	40	4	2	3	5	2	2	-	9	4	1	3	5
Y31	Acute disease in mother	58	7	5	11	13	4	-	1	2	2	3	3	7
Y31.0	Typhoid fever	-	-	-	-	-	-	-	-	-	-	-	-	-
Y31.1	Influenza	12	-	3	4	4	-	-	-	-	-	-	-	1
Y31.2	Pneumonia (any form)	9	1	-	4	2	-	-	-	-	1	1	-	-
Y31.3	Other acute respiratory disease	5	1	-	-	2	-	-	1	-	-	1	-	-
Y31.4	Other acute disease or condition	32	5	2	3	5	4	-	-	2	1	1	3	6
	0 Rubella	15	5	2	1	3	1	-	-	-	1	1	-	2
	1 Other virus diseases	6	-	-	-	2	2	-	-	-	-	-	3	1
	2 Others	11	-	-	2	2	1	-	-	2	-	1	-	3
Y32	Diseases and conditions of pregnancy and childbirth	2,518	250	197	254	196	218	223	209	200	199	193	186	193
Y32.0	Pregnancy interrupted by self or other person for non-therapeutic purposes	-	-	-	-	-	-	-	-	-	-	-	-	-
Y32.1	Ectopic gestation	3	-	1	2	-	-	-	-	-	-	-	-	-
Y32.2	Haemorrhage without mention of placental condition	486	51	29	47	33	42	35	51	47	44	33	42	32
Y32.3	Toxaemia with convulsions during pregnancy or labour (eclampsia)	59	5	2	7	7	8	5	3	2	6	7	3	4
Y32.4	Other toxaeimias of pregnancy	1,936	188	162	196	153	164	182	152	150	147	148	139	155
Y32.5	Infection (ante- and intra-partum)	34	6	3	2	3	4	1	3	1	2	5	2	2
	0 Urinary infection	8	-	2	1	2	1	1	2	1	-	-	-	1
	1 Others	26	6	1	1	1	3	-	-	-	-	-	-	-
Y33	Absorption of toxic substance from mother	2	-	-	-	-	-	-	-	-	-	-	1	1
Y33.0	Narcotic	-	-	-	-	-	-	-	-	-	-	-	-	-
Y33.1	Quinine	-	-	-	-	-	-	-	-	-	-	-	-	-
Y33.2	Other toxic substance	2	-	-	-	-	-	-	-	-	-	-	1	1



TABLE 23C - continued

ICD No.	Cause	Total	Month of occurrence											
			Jan.	Feb.	Mar.	Apr.	May.	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Y37.6	Other operation for delivery	16	-	1	3	1	-	5	1	2	1	1	-	1
Y37.7	Birth injury with difficult labour but without mention of underlying condition	14	3	3	-	1	1	1	-	1	-	1	-	3
Y37.8	Birth injury due to other or unspecified cause	155	15	17	17	14	18	9	14	7	10	7	13	14
Y38	Congenital malformation of foetus	2,768	268	229	250	224	221	211	197	233	215	235	240	245
Y38.0	Anencephalus O With mention of spina bifida or synonym 1 Without mention of spina bifida or synonym	1,547 196 1,351	130 22 108	127 19 108	142 13 129	122 8 114	120 10 110	109 17 92	113 14 99	129 15 114	117 10 107	148 19 129	137 24 113	153 25 128
Y38.1	Hydrocephalus	483	69	38	38	39	37	38	34	49	27	28	46	40
Y38.2	Spina bifida O With mention of hydrocephalus 1 Without mention of hydrocephalus	320 207 113	27 22 5	31 19 12	31 20 11	30 21 9	31 18 13	26 13 13	17 13 4	23 19 4	35 18 17	19 14 5	28 13 11	22 17 9
Y38.3	Other malformation of the central nervous system O Mongolism 1 Microcephaly 2 Others	101 27 14 60	14 4 2 8	13 5 - 8	13 3 2 8	8 2 2 4	7 2 1 4	6 1 1 4	4 1 1 2	7 3 1 3	4 - - 4	9 1 1 7	10 2 2 6	6 3 1 2
Y38.4	Malformation of the cardiovascular system O Tetralogy of Fallot 1 Patent ductus arteriosus 2 Interventricular septal defect 3 Interatrial septal defect 4 Fibroelastosis cordis 5 Other malformations of heart 6 Coarctation of aorta 7 Other circulatory malformations	59 - 3 19 4 2 24 3 4	6 - 1 1 1 1 3 1 1	3 - 1 2 - - - 1 -	3 - - 2 - - - 1 -	4 - 3 - - - 1 -	5 - 1 - - - 4 -	6 - 1 - - - 4 -	4 - 1 - - 1 -	7 - - - - 5 1 -	3 - - - - 2 1 -	6 - - 2 3 - 1 -	4 - - 1 1 2 2 -	8 - - 1 2 - 4 -
Y38.5	Malformation of other specified system or part O Digestive system 1 Genito-urinary system 2 Dwarf 3 Other skeletal 4 Respiratory system 5 Skin 6 Muscle 7 Others	159 24 29 3 39 6 1 5 52	13 - 2 2 2 - - 9	10 - 2 3 - - 1 4	13 1 1 4 2 - - 3	15 5 2 1 - - 7	18 2 7 4 1 - - 4	20 1 2 1 5 1 1 9	14 2 4 - 4 - - 4	8 2 1 - 2 1 1 1	16 6 2 - 2 1 - 3	13 2 1 1 6 - - 3	9 2 2 - - - 5	10 1 2 - - - -
Y38.6	Monster O Double monster 1 Monster N.O.S. 2 Others	22 18 1 3	1 - 1 1	1 1 - -	6 6 - -	2 1 - -	2 - - 2	1 1 - -	4 4 - -	- - - -	2 2 - -	3 3 - -	- - - -	- - - -
Y38.7	Other and unspecified malformations	77	8	6	4	4	1	5	7	10	11	9	6	6
Y39	Diseases of foetus, and ill-defined causes	3,289	300	282	286	260	263	298	268	266	259	281	262	264
Y39.0	Syphilis	2	-	1	-	-	-	1	-	-	-	-	-	-
Y39.1	Infection other than syphilis	17	1	-	-	4	-	1	1	-	4	2	1	3
Y39.2	Erythroblastosis	663	69	56	53	47	65	59	49	46	54	56	55	54



Y39.3	Other cause originated in the foetus	41	1	4	2	2	5	5	4	2	6	4	-
Y39.4	Maceration, cause not specified	935	87	98	80	86	65	77	86	80	67	63	75
Y39.5	Other ill-defined cause	918	79	63	78	70	78	97	60	82	63	82	76
	0 Asphyxia	421	32	33	40	31	28	40	29	40	32	38	42
	1 Atelectasis	96	7	6	9	4	9	10	6	9	7	8	9
	2 Post-maturity	79	7	8	6	6	4	7	11	6	2	4	4
	3 Prematurity	202	23	15	14	16	18	27	8	19	11	21	15
	4 Others	120	10	3	9	11	19	13	6	8	11	11	6
Y39.6	Cause unspecified	713	63	60	73	51	50	58	68	56	65	57	56
Total live and still births		M 446,360	38,087	35,387	41,196	38,190	39,716	37,502	37,852	36,479	36,309	33,924	35,137
Y39.6		F 422,684	35,854	33,227	39,118	36,198	37,759	35,457	35,856	34,786	34,417	32,232	33,493
		P 869,044	73,941	68,614	80,314	74,388	77,475	72,959	73,808	71,265	70,726	66,156	68,630

Stillbirths per 1,000 total births

Y30-Y39	All causes	M	17.7	19.7	20.0	18.1	15.9	17.4	17.3	16.8	17.2	17.6	17.0	18.0	17.2
Y30-Y35	Maternal conditions	F	16.8	17.2	17.2	16.7	16.5	16.9	16.3	15.0	15.5	16.4	17.6	18.0	18.0
		P	17.2	18.5	18.6	17.4	16.5	16.9	16.8	15.9	16.3	17.0	17.6	18.0	17.6
Y30-Y35	Maternal conditions	M	4.8	5.6	5.3	5.3	4.7	4.7	4.9	4.5	4.5	4.3	4.5	4.6	4.7
Y30.2	Diabetes		0.1	0.2	0.1	0.2	0.1	0.2	0.1	0.1	0.1	0.1	0.2	0.1	0.2
Y30.3	Circulatory		0.3	0.3	0.5	0.5	0.3	0.4	0.3	0.4	0.3	0.2	0.3	0.2	0.3
Y32	Diseases of pregnancy		2.9	3.4	2.9	3.2	2.6	2.8	3.1	2.8	2.8	2.8	2.7	2.8	2.8
Y32.2	Haemorrhage N.E.C.		0.6	0.7	0.4	0.6	0.4	0.5	0.5	0.7	0.7	0.6	0.5	0.6	0.5
Y32.4	Other toxæmia		2.2	2.5	2.4	2.4	2.1	2.1	2.5	2.1	2.1	2.1	2.1	2.1	2.3
Y34	Difficulties in labour		1.2	1.5	1.5	1.1	1.2	1.1	1.4	1.0	1.1	1.0	1.2	1.3	1.2
Y34.2	Malposition		0.6	0.8	0.7	0.5	0.7	0.6	0.8	0.6	0.5	0.6	0.5	0.6	0.5
Y34.3	Abnormal forces		0.1	0.2	0.2	0.1	0.1	0.1	0.1	0.2	0.1	0.1	0.2	0.1	0.2
Y36	Placental and cord conditions		5.1	4.7	5.4	5.0	5.0	5.6	4.5	4.8	4.6	5.7	5.5	5.4	5.1
Y36.1	Placenta prævia		0.2	0.2	0.1	0.2	0.2	0.2	0.1	0.1	0.1	0.3	0.2	0.3	0.2
Y36.2	Placenta and placental separation		1.5	1.4	1.5	1.6	1.3	1.7	1.5	1.3	1.2	1.7	1.9	1.7	1.6
Y36.5	Placental infarct		0.4	0.5	0.5	0.3	0.5	0.5	0.3	0.3	0.3	0.4	0.4	0.3	0.3
Y37-Y39	Foetal conditions		7.4	8.2	8.0	7.1	6.9	6.6	7.4	6.6	7.3	7.0	7.6	8.0	7.8
Y37	Birth injury		0.4	0.5	0.5	0.4	0.4	0.4	0.4	0.3	0.3	0.3	0.4	0.4	0.4
Y38	Congenital malformation		3.2	3.6	3.3	3.1	3.0	2.9	2.9	2.7	3.3	3.0	3.3	3.6	3.6
Y38.0	Anencephalus		1.8	1.8	1.9	1.8	1.6	1.5	1.5	1.5	1.8	1.7	2.1	2.1	2.2
Y38.1	Hydrocephalus		0.6	0.9	0.6	0.5	0.5	0.5	0.5	0.5	0.7	0.4	0.4	0.7	0.6
Y38.2	Spina bifida		0.4	0.4	0.5	0.4	0.4	0.4	0.4	0.2	0.3	0.5	0.3	0.4	0.3
Y39	Other and ill-defined causes		3.8	4.1	4.1	3.6	3.5	3.4	4.1	3.6	3.7	3.7	4.0	4.0	3.8
Y39.2	Erythroblastosis		0.8	0.9	0.8	0.7	0.6	0.8	0.8	0.7	0.6	0.8	0.8	0.8	0.8
Y39.6	Unspecified		0.8	0.9	0.9	0.9	0.7	0.6	0.8	0.9	0.8	0.9	0.8	0.9	0.8



Y33	Absorption of toxic substance from mother	2	-	-	-	-	1	-	-	1	-	-	-	1	1
Y33-0	Narcotic	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y33-1	Quinine	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y33-2	Other toxic substance	2	-	-	-	-	1	-	-	1	-	-	-	1	1
Y34	Difficulties in labour	1,048	82	101	154	95	130	81	212	56	66	71	357	147	238
Y34-0	Difficult labour with abnormality of bones of pelvis	15	2	3	3	-	2	-	3	2	-	-	7	-	3
Y34-1	Difficult labour with disproportion, but no mention of abnormality, of pelvis	242	11	24	42	24	35	13	54	13	14	12	92	38	44
Y34-2	Difficult labour with malposition of foetus	544	53	53	70	46	61	44	107	31	38	41	172	79	128
Y34-3	Difficult labour with abnormality of forces of labour	117	7	8	17	13	15	14	21	2	9	11	34	16	7
Y34-4	Difficult labour with operative delivery	27	3	2	1	3	5	2	8	3	-	-	12	3	6
Y34-5	Difficult labour with abnormality of organs or tissues of pelvis	33	-	5	9	3	2	1	9	-	2	2	15	2	6
Y34-6	Difficult labour without mention of underlying condition	70	6	6	12	6	10	7	10	5	3	5	25	9	14
Y35	Other causes in mother	54	4	6	6	4	9	3	14	3	3	2	19	7	15
Y35-0	Fall	12	-	2	1	1	3	-	3	1	1	-	2	2	3
Y35-1	Other accident or violence	9	2	-	-	2	2	1	2	-	-	-	3	1	2
Y35-2	Overexertion	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y35-3	Other and ill-defined causes in mother	33	2	4	5	1	4	2	9	2	2	2	14	4	10
Y36	Placental and cord conditions	4,428	368	413	719	357	476	337	896	271	337	254	1,588	643	889
Y36-0	Cord condition without mention of placental abnormality	1,216	85	124	185	108	127	109	252	86	85	55	407	159	248
	0 Pressure on cord, compression of cord, strangulation of cord, thrombosis of cord	188	17	13	23	23	24	15	31	21	11	8	54	22	24
	1 Prolapse of cord	345	22	39	60	28	38	35	70	14	23	16	129	45	34
	2 Others	685	46	72	102	57	65	59	151	51	51	31	224	92	78
Y36-1	Placenta praevia	164	16	14	26	5	26	11	33	11	11	11	64	26	16
Y36-2	Premature separation of normally implanted placenta	1,327	118	129	285	98	126	101	247	71	100	72	475	212	279
															237



TABLE 23D - continued

TABLE 23D - Continued																	
ICD No.	Cause	Standard regions										Urban/Rural aggregates					
		England and Wales										Conurbations	Areas outside conurbations				
		Northern	East and West Midlands	North Western	North Midland	Midland	Eastern	London and South Eastern	Southern	South Western	Wales		Urban areas with populations of 100,000 and over	Urban areas with populations of 50,000 and under 100,000	Rural districts		
Y36.3	Placenta praevia with cord abnormality	6	3	-	-	-	-	1	1	1	1	-	2	-	2	-	-
Y36.4	Premature separation of normally implanted placenta with cord abnormality	13	-	3	1	2	1	3	-	-	-	2	1	2	2	4	4
Y36.5	Placental infarct	343	25	22	65	27	38	26	63	22	28	27	111	45	40	76	71
Y36.6	Other abnormality of placenta and cord	1,359	121	121	177	117	158	86	300	80	111	88	528	197	121	254	259
Y37	Birth injury	338	19	44	37	29	55	30	58	25	27	14	120	43	28	69	78
Y37.0	Birth injury with abnormality of bones of pelvis	7	-	-	2	1	3	-	-	1	-	-	5	-	-	2	-
Y37.1	Birth injury with abnormality of organs or tissues of pelvis	4	-	1	-	-	2	-	1	-	-	-	2	1	-	-	1
Y37.2	Birth injury with disproportion but no mention of abnormality of pelvis	21	1	4	4	-	2	1	2	2	4	1	8	1	4	3	5
Y37.3	Birth injury with malposition of foetus	88	5	8	7	14	15	8	15	3	8	5	26	12	11	19	20
Y37.4	Birth injury with abnormality of forces of labour	33	2	6	3	2	6	4	4	1	4	1	11	3	2	7	10
Y37.5	Operation causing mutilation of foetus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y37.6	Other operation for delivery	16	2	1	1	-	3	3	4	2	-	-	8	1	1	3	3
Y37.7	Birth injury with difficult labour but without mention of underlying condition	14	-	1	-	2	5	1	2	2	-	1	4	-	3	2	5
Y37.8	Birth injury due to other or unspecified cause	155	9	23	20	10	19	13	30	14	11	6	56	25	7	33	34
Y38	Congenital malformation of foetus	2,768	226	243	513	228	326	213	462	167	171	219	943	358	258	666	543
Y38.0	Anencephalus 0 With mention of spina bifida or synonym 1 Without mention of spina bifida or synonym	1,547 196	412 24	136 20	306 28	134 19	191 27	113 15	240 16	85 10	92 13	138 24	515 52	208 39	141 23	379 44	304 38
Y38.1	Hydrocephalus	1,351	88	116	278	115	164	98	224	75	79	114	463	169	118	335	266
Y38.2	Spina bifida 0 With mention of hydrocephalus 1 Without mention of hydrocephalus	483 320 207 113	52 22 13 9	43 26 17 9	84 54 37 17	38 22 13 9	60 36 26 10	36 26 14 12	83 48 28 20	31 27 18 7	21 28 10 10	35 31 21 10	172 104 64 40	55 44 30 14	47 34 21 13	119 77 52 25	90 61 40 21
Y38.3	Other malformation of the central nervous system 0 Mongolism 1 Microcephaly 2 Others	101 27 14 60	11 4 1 6	14 4 5 7	21 3 14	7 3 4	9 3 2 4	2 - - 2	17 5 - 12	10 1 - 6	3 4 - 3	3 - - 3	34 10 1 20	19 6 2 11	10 1 1 8	17 1 4 10	21 7 3 11

Y39-4	Malformation of the cardiovascular system 0 Tetralogy of Fallot 1 Patent ductus arteriosus 2 Interventricular septal defect 3 Intra-ventricular septal defect 4 Fibroelastosis cordis 5 Other malformations of heart 6 Coarctation of aorta 7 Other circulatory malformations	59 24 19 4 2 24 3 4	2	8	13	4	3	9	8	2	2	8	2	21	9	3	16	10
Y39-5	Malformation of other specified system or part 0 Digestive system 1 Genito-urinary system 2 Dwarf 3 Other skeletal 4 Respiratory system 5 Skin 6 Muscle 7 Others	159 24 29 3 39 6 1 5 52	16	14	23	16	15	14	36	9	9	10	6	57	15	15	37	35
Y38-6	Monster 0 Double monster 1 Monster N.O.S. 2 Others	22 18 1 3	1	-	2	1	2	5	10	1	1	-	-	8	1	3	4	6
Y38-7	Other and unspecified malformations	77	10	2	10	6	10	8	20	2	2	5	4	32	7	5	17	16
Y39	Diseases of foetus, and ill-defined causes	3,289	230	317	558	263	375	257	750	182	181	176	1,343	442	297	624	583	
Y39-0	Syphilis	2	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-
Y39-1	Infection other than syphilis	17	1	-	5	-	3	2	6	-	-	-	-	11	2	1	1	2
Y39-2	Erythroblastosis	663	61	55	121	49	77	68	120	45	35	32	241	87	72	128	135	
Y39-3	Other cause originated in the foetus	41	4	1	3	5	4	2	13	3	3	3	18	5	2	10	6	
Y39-4	Maceration, cause not specified	935	77	78	180	86	121	61	203	45	55	49	342	141	76	217	159	
Y39-5	Other ill-defined cause 0 Asphyxia 1 Atelectasis 2 Post-maturity 3 Prematurity 4 Others	918 421 96 79 202 120	54 20 6 13 10 33	104 50 9 14 25 8	144 63 14 10 35 22	72 35 5 4 17 11	93 37 9 6 20 21	72 31 8 6 17 10	225 121 22 21 39 22	45 20 5 3 11 6	45 19 11 4 10 6	59 25 7 41 15 6	408 196 40 41 87 44	118 60 11 6 25 14	79 56 7 7 18 12	158 57 14 16 44 27	157 73 24 9 28 23	
Y39-6	Cause unspecified	713	33	79	125	51	76	52	182	44	38	33	322	90	67	110	124	
Total live and still births		M 446,360 F 422,684 P 869,044	31,559 29,893 61,452	39,783 38,180 77,963	65,254 34,172 126,685	36,152 34,172 70,324	48,761 46,015 94,776	57,466 35,208 72,672	101,818 97,054 198,872	29,418 27,639 57,057	131,518 29,733 161,251	24,631 23,361 47,992	164,226 156,551 320,777	59,854 56,185 116,039	41,804 39,566 81,370	90,377 85,584 175,961	90,089 84,828 174,927	

TABLE 23D - continued

ICD No.	Cause	Standard regions										Urban/rural aggregates				
		England and Wales										Areas outside conurbations				
		Northern	East and West Midlands	North Western	North Midland	Midland	Eastern	London and South Eastern	Southern	South Western	Males	Conurbations	Urban areas with 100,000 and over	Urban areas with populations of 50,000 and under 100,000	Rural districts	
Y30-Y39	All causes	17.7 16.8 17.2	19.5 18.9 19.2	18.1 17.1 17.6	19.8 18.7 19.3	17.6 16.8 17.2	19.2 17.9 18.5	16.9 15.2 16.1	15.8 14.7 15.3	15.2 15.4 15.3	3.8 16.4 16.2	20.0 19.7 19.9	17.7 16.5 17.1	18.0 17.8 17.9	17.7 16.9 17.3	16.5 16.3 16.4
	Maternal conditions	4.8 0.1 0.3	5.5 0.2 0.5	4.6 0.1 0.3	4.9 0.1 0.4	4.8 0.1 0.4	5.5 0.2 0.3	4.6 0.2 0.3	4.4 0.1 0.4	4.0 0.1 0.2	4.5 0.2 0.2	6.1 0.1 0.4	4.7 0.1 0.4	5.1 0.2 0.2	4.6 0.1 0.2	4.6 0.1 0.4
	Diseases of pregnancy	2.9 0.6 2.2	3.2 0.5 2.7	2.7 0.5 2.1	2.8 0.8 2.0	2.7 0.8 1.9	3.4 0.8 2.5	2.8 0.5 2.2	2.6 0.4 2.1	2.5 0.3 2.1	2.9 0.5 2.2	3.7 0.5 2.9	2.9 0.7 2.1	3.2 0.7 2.4	2.9 0.6 2.3	3.0 0.5 2.4
Y36	Placental and cord conditions	5.1 0.2 4.5 0.4	6.0 1.3 1.3 0.4	5.3 0.7 1.7 0.3	5.7 2.1 0.5	5.1 1.4 0.4	5.0 1.3 0.4	4.6 1.4 0.4	4.5 0.2 1.2	4.7 1.2 0.4	5.5 1.6 0.5	5.3 1.5 0.6	5.0 1.5 0.3	5.5 1.8 0.4	5.5 1.6 0.5	4.9 1.4 1.4
	Birth injury	7.4 0.4 3.2 1.8	7.7 0.6 1.7 0.8	7.7 0.6 1.7 0.6	8.7 0.3 4.0	7.4 0.4 3.2	8.0 0.6 3.6	6.9 0.4 2.9	6.4 0.3 2.3	6.6 0.4 2.9	6.2 0.4 2.8	8.5 0.3 4.6	7.5 0.4 2.9	7.3 0.4 3.1	7.2 0.3 3.2	6.9 0.4 3.1
	Other ill-defined causes	0.8 0.8 0.8	1.0 0.5 0.5	1.0 0.7 0.1	1.0 0.7 0.1	1.0 0.7 0.1	0.8 0.8 0.8	0.9 0.9 0.7	0.9 0.6 0.3	0.8 0.8 0.3	0.6 0.6 0.3	0.7 0.7 0.7	1.0 0.8 0.7	0.8 0.7 0.8	0.9 0.7 0.8	0.8 0.7 0.7

Stillbirths per 1,000 total births



TABLE 23D - continued

ICD No.	Cause	Hospital regions														
		Newcastle	Leeds	Sheffield	East Anglia	North West Metropolitan	North East Metropolitan	South East Metropolitan	South West Metropolitan	Wessex	Oxford	South Western	Welsh	Birmingham	Manchester	Liverpool
Y30-Y39	ALL CAUSES	M 587 F 527 P 1,114	510 466 976	791 715 1,506	250 206 456	653 582 1,235	533 444 977	515 450 965	369 356 725	260 269 529	277 249 526	411 401 812	493 461 954	934 824 1,758	833 736 1,569	468 419 887
Y30	Chronic disease in mother	44	27	40	18	42	29	35	24	11	18	28	34	59	46	31
Y30.0	Syphilis	1	1	1	-	-	-	1	1	-	-	-	-	-	-	-
Y30.1	Tuberculosis (any form)	-	-	1	-	1	-	-	-	-	-	-	-	1	1	1
Y30.2	Diabetes mellitus	12	7	6	4	6	5	11	6	5	2	12	7	23	10	7
Y30.3	Chronic disease of circulatory system	26	18	28	12	27	20	21	15	1	16	14	19	31	28	18
Y30.4	Chronic disease of genito-urinary system	2	-	1	1	3	3	-	1	2	-	-	2	1	-	3
Y30.5	Other chronic disease	3	1	3	1	5	1	2	1	3	-	2	6	3	7	2
Y31	Acute disease in mother	3	3	7	2	6	4	5	1	7	1	1	4	6	3	5
Y31.0	Typhoid fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y31.1	Influenza	3	-	-	-	-	-	2	-	1	-	-	-	3	1	2
Y31.2	Pneumonia (any form)	-	-	1	-	2	1	2	-	-	1	-	1	-	-	1
Y31.3	Other acute respiratory disease	-	-	-	-	1	-	-	-	-	-	1	1	1	1	-
Y31.4	Other acute disease or condition	-	3	6	2	3	3	1	1	6	-	-	2	2	1	2
	0 Rubella	-	3	2	2	2	1	-	1	1	-	-	1	-	1	1
	1 Other virus diseases	-	-	2	-	1	2	1	-	4	-	-	-	-	-	-
	2 Others	-	-	2	-	-	-	-	-	1	-	-	1	2	-	1
Y32	Diseases and conditions of pregnancy and childbirth	186	149	231	100	209	171	170	110	87	88	144	179	322	237	135
Y32.0	Pregnancy interrupted by self or other person for non-therapeutic purposes	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y32.1	Ectopic gestation	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Y32.2	Haemorrhage without mention of placental condition	29	30	53	21	39	32	20	14	12	14	23	24	77	58	40
Y32.3	Toxaemia with convulsions during pregnancy or labour (eclampsia)	3	3	3	3	4	4	2	5	2	1	3	10	3	9	4
Y32.4	Other toxaeimias of pregnancy	154	114	174	74	161	134	147	88	71	70	114	140	240	166	89
Y32.5	Infection (ante- and intra-partum)	-	1	1	2	4	1	1	3	2	3	4	5	2	3	2
	0 Urinary infection	-	-	1	-	1	1	1	-	-	2	1	1	1	-	1
	1 Others	-	1	1	2	3	1	1	3	2	2	1	4	1	3	1

TABLE 23D - continued

		Hospital regions														
ICD No.	Cause	Newcastle	Leeds	Sheffield	East Anglia	North West Metropolitan	North East Metropolitan	South East Metropolitan	South West Metropolitan	Wessex	Oxford	South Western	Welsh	Birmingham	Manchester	Liverpool
Y33	Absorption of toxic substance from mother															
Y33.0	Narcotic	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-
Y33.1	Quinine	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y33.2	Other toxic substance	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-
Y34	Difficulties in labour	76	69	126	34	81	60	64	59	37	36	51	71	130	99	55
Y34.0	Difficult labour with abnormality of bones of pelvis	-	3	2	-	1	-	-	2	-	2	-	-	2	2	1
Y34.1	Difficult labour with disproportion, but no mention of abnormality, of pelvis	11	13	34	6	16	11	11	23	9	7	12	12	35	26	16
Y34.2	Difficult labour with malposition of foetus	52	34	64	19	40	28	40	25	24	17	29	41	61	42	28
Y34.3	Difficult labour with abnormality of forces of labour	6	7	13	6	11	9	7	4	2	3	6	11	15	10	7
Y34.4	Difficult labour with operative delivery	3	2	3	-	4	5	-	2	-	2	-	-	5	1	-
Y34.5	Difficult labour with abnormality of organs or tissues of pelvis	-	4	4	-	2	4	3	1	-	-	2	2	2	6	3
Y34.6	Difficult labour without mention of underlying condition	4	6	6	3	7	3	3	2	2	5	2	5	10	12	-
Y35	Other causes in mother	4	3	7	3	2	-	5	7	3	1	2	2	9	2	4
Y35.0	Fall	-	-	3	-	-	-	1	2	1	-	1	-	3	-	1
Y35.1	Other accident or violence	2	-	2	1	-	-	-	2	-	-	-	-	2	-	-
Y35.2	Overexertion	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Y35.3	Other and ill-defined causes in mother	2	3	2	2	2	-	4	3	2	1	1	2	4	2	3
Y36	Placental and cord conditions	348	299	452	116	337	282	296	240	171	152	279	254	476	460	266
Y36.0	Cord condition without mention of placental abnormality	79	90	134	45	96	71	88	74	51	56	62	55	127	121	67
	0 Pressure on cord, compression of cord, strangulation of cord, thrombosis of cord	16	10	25	9	6	9	11	14	8	16	7	8	24	16	7
	1 Prolapse of cord	19	32	35	12	32	19	23	21	11	8	17	16	38	42	20
	2 Others	44	48	74	24	58	43	54	39	32	32	38	31	65	83	40
Y36.1	Placenta praevia	14	10	9	3	15	9	15	4	3	9	9	11	26	21	6
Y36.2	Premature separation of normally implanted placenta	111	84	140	31	93	83	84	67	49	34	85	72	126	161	107





TABLE 23D - continued

ICD No.	Cause	Hospital regions														
		Newcastle	Leeds	Sheffield	East Anglia	North West Metropolitan	North East Metropolitan	South East Metropolitan	South West Metropolitan	Wessex	Oxford	South Western	Welsh	Birmingham	Manchester	Liverpool
Y38.5	Malformation of other specified system or part 0 Digestive system 1 Genito-urinary system 2 Dwarf 3 Other skeletal 4 Respiratory system 5 Skin 6 Muscle 7 Others	15 1 1 6 - - 8	9 1 2 2 1 - 3	22 4 6 3 3 1 1 5	7 1 1 2 - - - 3	11 2 4 2 - - 1 2	12 - 2 3 - - - 7	12 3 1 - 4 1 - 2	12 3 1 - 4 1 - 2	9 3 1 1 3 - - 2	6 1 1 1 1 - 2 2	6 2 1 1 - - - 4	6 2 1 1 - - - 4	15 3 3 - 4 1 - 4	15 1 2 1 2 - - 9	8 - 4 - 3 - - 1
Y38.6	Monster 0 Double monster 1 Monster N.O.S. 2 Others	1 - 1 -	- - - -	1 1 - -	3 3 - -	2 2 - -	5 4 - 1	3 3 - -	2 2 - -	1 1 - -	1 1 - -	- - - -	- - - -	4 2 1 1	2 1 1 -	1 - - -
Y38.7	Other and unspecified malformations	9	3	5	2	8	8	5	5	2	2	4	4	10	5	5
Y39	Diseases of foetus, and ill-defined causes	220	229	318	97	326	242	234	144	105	112	151	176	375	356	204
Y39.0	Syphilis	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-
Y39.1	Infection other than syphilis	1	-	-	-	4	3	1	-	-	-	-	-	3	3	2
Y39.2	Erythroblastosis	58	45	57	21	65	53	36	19	23	26	30	32	77	74	47
Y39.3	Other cause originated in the foetus	4	1	4	1	2	6	3	3	1	3	3	3	4	2	1
Y39.4	Maceration, cause not specified	75	50	98	24	91	38	80	39	26	38	46	49	121	105	55
Y39.5	Other ill-defined cause 0 Asphyxia 1 Atelectasis 2 Post-maturity 3 Prematurity 4 Others	51 19 5 5 12 10	73 31 9 11 18 4	98 52 5 6 23 12	24 8 2 2 11 1	94 53 5 10 16 10	85 48 15 3 11 8	60 29 7 8 9 7	45 20 2 4 11 8	28 9 3 4 8 4	20 10 2 2 4 2	43 17 10 2 9 5	59 25 7 6 15 6	93 37 9 6 20 21	96 46 10 7 22 11	49 17 5 3 13 11
Y39.6	Cause unspecified	31	60	61	27	70	56	54	38	27	25	29	33	76	76	50
		29,445	29,320	43,138	14,072	41,226	30,832	30,356	28,392	16,880	17,560	26,090	24,631	48,761	42,354	23,303
	Total live and still births	28,027	28,021	40,964	13,264	39,004	29,272	28,943	26,989	15,815	16,722	24,493	23,361	46,015	39,888	21,906
		57,472	57,341	84,102	27,337	80,230	60,104	59,299	55,581	32,695	34,282	50,583	47,992	94,776	82,242	45,209

	M	19-9	17-4	18-3	17-8	15-8	17-3	17-0	13-0	15-4	15-8	15-8	15-8	20-0	19-2	19-7	20-1
	F	18-8	16-6	17-5	15-5	14-9	15-2	15-5	13-2	17-0	14-9	14-9	16-4	19-7	17-2	18-5	19-1
	P	19-4	17-0	17-9	16-7	15-4	16-3	16-3	13-1	16-2	15-3	15-3	16-1	19-9	17-3	19-1	19-6
<b>Y30-Y39 All causes</b>																	
<b>Y30-Y35 Maternal conditions</b>																	
Y30-2 Diabetes	5-4	4-4	4-4	4-9	5-7	4-3	4-4	4-7	3-6	4-4	4-2	4-2	4-5	6-1	5-5	4-7	5-1
Y30-3 Circulatory	0-2	0-1	0-3	0-3	0-4	0-3	0-3	0-4	0-3	0-0	0-1	0-5	0-3	0-4	0-3	0-3	0-4
Y32 Diseases of pregnancy	3-2	2-6	2-6	2-7	3-7	2-6	2-8	2-9	2-0	2-7	2-6	2-6	2-8	3-7	3-4	2-9	3-0
Y32-2 Haemorrhage N.E.C.	0-5	0-5	0-5	0-6	0-8	0-5	0-5	0-3	0-3	0-4	0-1	0-1	0-2	0-5	0-8	0-7	0-9
Y32-4 Other toxæmia	2-7	2-0	2-1	2-1	2-7	2-0	2-2	2-5	1-6	2-2	2-0	2-0	2-3	2-9	2-5	2-0	2-0
Y34 Difficulties in labour	1-3	1-2	1-2	1-5	1-2	1-0	1-0	1-1	1-1	1-1	1-1	1-1	1-0	1-5	1-4	1-2	1-2
Y34-2 Malposition	0-9	0-6	0-6	0-8	0-7	0-5	0-5	0-7	0-5	0-7	0-5	0-5	0-6	0-9	0-6	0-5	0-6
Y34-3 Abnormal forces	0-1	0-1	0-1	0-2	0-2	0-1	0-1	0-1	0-1	0-1	0-1	0-1	0-1	0-2	0-2	0-1	0-2
<b>Y36 Placental and cord conditions</b>																	
Y36-1 Placenta prævia	6-1	5-2	5-2	5-4	4-2	4-2	4-7	5-0	4-3	5-2	4-4	4-4	5-5	5-3	5-0	5-6	5-9
Y36-2 Placenta and placental separation	0-2	0-2	0-2	0-1	0-1	0-2	0-1	0-3	0-1	0-1	0-3	0-3	0-2	0-2	0-3	0-3	0-7
Y36-5 Placental infarct	1-9	1-5	1-5	1-7	1-1	1-2	1-4	1-4	1-2	1-5	1-0	1-0	1-7	1-5	1-3	2-0	2-4
	0-4	0-3	0-3	0-4	0-4	0-4	0-3	0-3	0-2	0-6	0-3	0-3	0-4	0-6	0-4	0-6	0-4
<b>Y37-Y39 Foetal conditions</b>																	
Y37 Birth injury	7-9	7-4	7-4	7-6	6-7	6-9	7-2	6-6	5-1	6-5	6-7	6-7	6-1	8-5	8-0	8-8	8-6
Y38 Congenital malformations	0-3	0-5	0-5	0-5	0-3	0-5	0-5	0-3	0-1	0-3	0-6	0-6	0-4	0-3	0-6	0-3	0-2
Y38-0 Anencephalus	3-7	3-0	3-3	3-3	2-9	2-4	2-7	2-3	2-4	3-0	2-9	2-9	2-7	4-6	3-4	4-1	3-9
Y38-1 Hydrocephalus	1-8	1-7	1-9	1-9	1-6	1-3	1-2	1-3	1-4	1-5	1-5	1-5	1-6	2-9	2-0	2-4	2-4
Y38-2 Spina bifida	0-9	0-6	0-6	0-6	0-5	0-4	0-5	0-4	0-4	0-5	0-4	0-4	0-4	0-7	0-6	0-7	0-6
Y39 Other ill-defined causes	0-4	0-3	0-3	0-3	0-2	0-3	0-4	0-2	0-2	0-6	0-4	0-4	0-4	0-6	0-4	0-4	0-4
Y39-2 Erythroblastosis	3-8	4-0	3-8	3-5	3-5	4-1	4-0	3-9	2-6	3-2	3-3	3-3	3-0	3-7	4-0	4-3	4-5
Y39-6 Unspecified	1-0	0-8	0-7	0-8	0-8	0-8	0-9	0-6	0-3	0-7	0-8	0-8	0-6	0-7	0-8	0-9	1-0
	0-5	1-0	1-0	0-7	1-0	0-9	0-9	0-9	0-7	0-8	0-7	0-7	0-6	0-7	0-8	0-9	1-1

TABLE 23E. Stillbirths by cause and length of gestation, 1963

England and Wales

ICD No.	Cause	Total	Duration of pregnancy (weeks)									
			28-29	30-31	32-33	34-35	36-37	38-39	40	41-42	43	Not stated
Y30-Y39	ALL CAUSES	M 7,884 F 7,105 P 14,989	450 341 791	603 529 1,132	807 824 1,631	852 847 1,699	1,235 1,107 2,342	1,188 1,994 2,182	1,659 1,410 3,069	612 610 1,222	127 118 245	351 325 676
Y30	Chronic disease in mother	486	27	54	61	72	105	74	56	21	4	12
Y30.0	Syphilis	5	1	-	-	1	-	1	1	-	-	1
Y30.1	Tuberculosis (any form)	5	-	2	2	-	1	-	-	-	-	-
Y30.2	Diabetes mellitus	123	5	12	9	16	39	23	11	6	-	2
Y30.3	Chronic disease of circulatory system	294	17	35	37	46	56	44	37	13	3	6
Y30.4	Chronic disease of genito-urinary system	19	3	1	7	5	-	1	1	-	-	1
Y30.5	Other chronic disease	40	1	4	6	4	9	5	6	2	1	2
Y31	Acute disease in mother	58	5	11	3	6	8	5	16	2	-	2
Y31.0	Typhoid fever	-	-	-	-	-	-	-	-	-	-	-
Y31.1	Influenza	12	3	1	-	2	-	1	4	1	-	-
Y31.2	Pneumonia (any form)	9	-	4	-	-	3	1	1	-	-	-
Y31.3	Other acute respiratory disease	5	-	-	-	1	1	1	2	-	-	-
Y31.4	Other acute disease or condition	32	2	6	3	3	4	2	9	1	-	2
	0 Rubella	15	-	1	1	1	2	2	6	1	-	1
	1 Other virus diseases	6	-	2	-	2	1	-	1	-	-	-
	2 Others	11	2	3	2	-	1	-	2	-	-	1
Y32	Diseases and conditions of pregnancy and childbirth	2,518	177	245	388	389	471	330	308	107	20	83
Y32.0	Pregnancy interrupted by self or other person for non-therapeutic purposes	-	-	-	-	-	-	-	-	-	-	-
Y32.1	Ectopic gestation	3	-	-	1	-	-	1	-	1	-	-
Y32.2	Haemorrhage without mention of placental condition	486	67	65	73	55	81	53	54	17	2	19
Y32.3	Toxaemia with convulsions during pregnancy or labour (eclampsia)	59	4	9	15	8	8	3	7	2	-	3
Y32.4	Other toxaeimias of pregnancy	1,936	100	168	297	322	378	267	243	82	18	61
Y32.5	Infection (ante- and intra-partum)	34	6	3	2	4	4	6	4	5	-	-
	0 Urinary infection	8	2	-	1	1	-	2	1	1	-	-
	1 Others	26	4	3	1	3	4	4	3	4	-	-
Y33	Absorption of toxic substance from mother	2	-	-	-	-	-	-	2	-	-	-
Y33.0	Narcotic	-	-	-	-	-	-	-	-	-	-	-
Y33.1	Quinine	-	-	-	-	-	-	-	-	-	-	-
Y33.2	Other toxic substance	2	-	-	-	-	-	-	2	-	-	-
Y34	Difficulties in labour	1,048	63	50	73	73	105	132	343	131	23	55
Y34.0	Difficult labour with abnormality of bones of pelvis	15	-	-	-	-	2	1	10	1	-	1
Y34.1	Difficult labour with disproportion, but no mention of abnormality, of pelvis	242	34	21	27	27	17	30	53	21	1	11
Y34.2	Difficult labour with malposition of foetus	544	20	24	37	36	58	73	190	68	12	26
Y34.3	Difficult labour with abnormality of forces of labour	117	5	-	4	4	13	18	45	18	3	7
Y34.4	Difficult labour with operative delivery	27	1	-	-	2	3	2	8	7	2	2
Y34.5	Difficult labour with abnormality of organs or tissues of pelvis	33	3	4	4	2	4	4	8	1	1	2
Y34.6	Difficult labour without mention of underlying condition	70	-	1	1	2	8	4	29	15	4	6
Y35	Other causes in mother	54	4	4	9	5	7	11	6	2	2	4
Y35.0	Fall	12	-	-	2	2	2	3	2	-	-	1
Y35.1	Other accident or violence	9	-	1	-	-	2	3	1	-	-	2
Y35.2	Overexertion	-	-	-	-	-	-	-	-	-	-	-
Y35.3	Other and ill-defined causes in mother	33	4	3	7	3	3	5	3	2	2	1
Y36	Placental and cord conditions	4,428	211	276	376	419	637	713	1,076	463	94	163
Y36.0	Cord condition without mention of placental abnormality	1,216	33	34	34	68	112	224	471	164	29	47
	0 Pressure on cord, compression of cord, strangulation of cord, thrombosis of cord	186	3	3	3	9	15	30	78	36	4	5
	1 Ectropion of cord	345	24	19	10	15	25	59	143	33	3	14
	2 Others	685	6	12	21	44	72	135	250	95	22	28
Y36.1	Placenta praevia	164	9	25	27	17	22	20	34	2	-	8



TABLE 23E - continued

ICD No.	Cause	Total	Duration of pregnancy (weeks)									
			28-29	30-31	32-33	34-35	36-37	38-39	40	41-42	43	Not stated
Y36.2	Premature separation of normally implanted placenta	1,327	94	144	183	183	260	191	180	47	4	41
Y36.3	Placenta praevia with cord abnormality	6	1	-	-	-	3	-	1	-	-	1
Y36.4	Premature separation of normally implanted placenta with cord abnormality	13	1	-	1	-	1	7	2	-	-	1
Y36.5	Placental infarct	343	17	12	26	27	50	61	80	49	9	12
Y36.6	Other abnormality of placenta and cord	1,359	56	61	105	124	189	210	308	201	52	53
Y37	Birth injury	338	7	7	11	17	29	54	139	40	10	24
Y37.0	Birth injury with abnormality of bones of pelvis	7	-	-	-	-	-	1	5	-	-	1
Y37.1	Birth injury with abnormality of organs or tissues of pelvis	4	-	-	-	-	-	-	1	1	1	1
Y37.2	Birth injury with disproportion, but no mention of abnormality, of pelvis	21	-	-	-	-	4	3	9	4	-	1
Y37.3	Birth injury with malposition of foetus	88	3	1	2	8	6	16	43	7	1	1
Y37.4	Birth injury with abnormality of forces of labour	33	-	1	2	1	4	6	9	5	3	2
Y37.5	Operation causing mutilation of foetus	-	-	-	-	-	-	-	-	-	-	-
Y37.6	Other operation for delivery	16	-	-	-	1	2	2	8	3	-	-
Y37.7	Birth injury with difficult labour but without mention of underlying condition	14	-	-	-	2	-	1	6	2	1	2
Y37.8	Birth injury due to other or unspecified cause	155	4	5	7	5	13	25	58	18	4	16
Y38	Congenital malformation of foetus	2,768	94	208	384	384	498	394	509	143	24	130
Y38.0	Anencephalus	1,547	47	145	277	265	316	186	179	45	12	75
	0 With mention of spina bifida or synonym	196	13	20	36	42	39	21	11	5	1	8
	1 Without mention of spina bifida or synonym	1,351	34	125	241	223	277	165	168	40	11	67
Y38.1	Hydrocephalus	483	12	22	32	38	71	96	145	42	4	21
Y38.2	Spina bifida	320	9	18	27	21	44	58	92	31	3	17
	0 With mention of hydrocephalus	207	3	7	6	12	23	41	80	21	2	12
	1 Without mention of hydrocephalus	113	6	11	21	9	21	17	12	10	1	5
Y38.3	Other malformation of the central nervous system	101	4	2	19	13	16	14	23	8	1	1
	0 Mongolism	27	2	-	3	2	5	6	6	3	-	-
	1 Microcephaly	14	-	-	1	2	1	4	7	-	-	-
	2 Others	60	2	2	15	9	11	4	10	5	1	1
Y38.4	Malformation of the cardiovascular system	59	4	2	4	4	5	11	18	4	1	6
	0 Tetralogy of Fallot	-	-	-	-	-	-	-	-	-	-	-
	1 Patent ductus arteriosus	3	-	-	-	-	1	-	1	-	-	1
	2 Interventricular septal defect	19	-	1	3	3	1	2	6	1	-	2
	3 Interatrial septal defect	4	-	-	-	-	1	-	1	1	-	1
	4 Fibroelastosis cordis	2	1	-	-	-	-	1	-	-	-	-
	5 Other malformations of heart	24	3	1	1	-	1	7	7	1	1	2
	6 Coarctation of aorta	3	-	-	-	-	-	-	2	1	-	-
	7 Other circulatory malformations	4	-	-	-	1	1	1	1	-	-	-
Y38.5	Malformation of other specified system or part	159	10	11	17	25	33	18	25	12	2	6
	0 Digestive system	24	1	1	3	4	5	4	3	2	1	-
	1 Genito-urinary system	29	1	2	5	4	5	3	5	2	-	2
	2 Dwarf	3	-	-	-	1	1	-	1	-	-	-
	3 Other skeletal	39	3	2	2	8	7	4	6	5	1	1
	4 Respiratory system	6	1	1	-	1	1	1	1	-	-	-
	5 Skin	1	-	-	-	-	-	-	1	-	-	-
	6 Muscle	5	-	-	-	2	1	1	1	-	-	-
	7 Others	52	4	5	7	5	13	5	7	3	-	3
Y38.6	Monster	22	1	1	1	4	1	2	10	-	-	2
	0 Double monster	18	1	-	-	4	1	2	8	-	-	2
	1 Monster N.O.S.	1	-	-	-	-	-	-	1	-	-	-
	2 Others	3	-	1	1	-	-	-	1	-	-	-
Y38.7	Other and unspecified malformations	77	7	7	7	14	12	9	17	1	1	2
Y39	Diseases of foetus, and ill-defined causes	3,289	203	277	326	334	482	469	614	313	58	203
Y39.0	Syphilis	2	-	-	-	1	1	-	-	-	-	-
Y39.1	Infection other than syphilis	17	2	-	2	2	2	-	4	4	-	1
Y39.2	Erythroblastosis	663	33	47	77	106	155	122	75	12	3	33
Y39.3	Other cause originated in the foetus	41	1	3	1	2	10	7	13	3	-	1
Y39.4	Maceration, cause not specified	935	62	93	113	98	143	146	171	71	11	27
Y39.5	Other ill-defined cause	918	72	77	75	64	81	91	189	161	45	63
	0 Asphyxia	421	5	16	20	25	40	63	114	93	18	27
	1 Atelectasis	96	1	5	7	-	13	14	37	13	1	5
	2 Post-maturity	79	1	-	-	-	-	-	11	42	19	6
	3 Prematurity	202	56	47	34	28	16	6	1	-	2	12
	4 Others	120	9	9	14	11	12	8	26	13	5	13
Y39.6	Cause unspecified	713	33	57	58	61	90	103	162	62	9	78

TABLE 23F. Stillbirths by cause and birth weights, 1963

England and Wales

ICD No.	Cause	Total	Birth weight											Not stated
			under 1.5lbs 682g.	1.5lbs- 682g.- 1,436g.	2.5lbs- 1,436g.- 1,998	3.5lbs- 1,531g.- 1,909	4.5lbs- 2,045g.- 1,615	5.5lbs- 2,500g.- 1,768	6.5lbs- 2,955g.- 1,714	7.5lbs- 3,409g.- 1,088	8.5lbs- 3,864g.- 460	9.5lbs- 4,318g.- 172	10.5lbs- 4,773g.- 108	
Y30-Y39	M ALL CAUSES F P	7,884 7,105 14,989	195 196 391	605 759 1,364	997 1,001 1,998	1,006 903 1,909	895 720 1,615	894 869 1,768	923 792 1,714	637 451 1,088	275 185 460	109 63 172	76 32 108	1,268 1,134 2,402
Y30	Chronic disease in mother	486	23	56	82	72	48	57	34	18	22	5	10	59
Y30.0	Syphilis	5	-	-	-	-	1	1	1	-	-	-	-	2
Y30.1	Tuberculosis (any form)	5	1	1	1	1	-	-	-	-	-	-	-	1
Y30.2	Diabetes mellitus	123	5	5	12	15	9	16	14	11	11	5	9	11
Y30.3	Chronic disease of circulatory system	294	13	42	52	50	35	34	14	6	9	-	1	38
Y30.4	Chronic disease of genito-urinary system	19	3	5	7	1	-	-	1	-	-	-	-	2
Y30.5	Other chronic disease	40	1	3	10	5	3	6	4	1	2	-	-	5
Y31	Acute disease in mother	58	1	3	7	10	5	10	3	5	2	-	-	12
Y31.0	Typhoid fever	-	-	-	-	-	-	-	-	-	-	-	-	-
Y31.1	Influenza	12	-	-	1	1	1	2	2	-	1	-	-	4
Y31.2	Pneumonia (any form)	9	-	-	1	4	1	-	1	-	1	-	-	1
Y31.3	Other acute respiratory disease	5	-	-	-	-	-	3	-	-	-	-	-	2
Y31.4	Other acute disease or condition	32	1	3	5	5	3	5	-	5	-	-	-	5
Y31.4	0 Rubella	15	-	1	2	2	2	4	-	2	-	-	-	2
Y31.4	1 Other virus diseases	6	1	-	2	2	1	1	-	1	-	-	-	1
Y31.4	2 Others	11	-	2	1	3	1	-	-	2	-	-	-	2
Y32	Diseases and conditions of pregnancy and childbirth	2,518	41	291	488	439	329	258	194	97	44	16	6	315
Y32.0	Pregnancy interrupted by self or other person for non-therapeutic purposes	-	-	-	-	-	-	-	-	-	-	-	-	-
Y32.1	Ectopic gestation	3	-	-	2	-	-	-	-	1	-	-	-	-
Y32.2	Haemorrhage without mention of placental condition	486	13	59	92	70	61	54	46	18	7	3	1	62
Y32.3	Toxaemia with convulsions during pregnancy or labour (eclampsia)	59	-	10	14	10	5	6	2	3	1	-	-	8
Y32.4	Other toxaeias of pregnancy	1,936	27	220	374	355	260	191	142	73	36	12	5	241
Y32.5	Infection (ante- and intra-partum)	34	1	2	6	4	3	7	4	2	-	1	-	4
Y32.5	0 Urinary infection	8	-	2	1	-	1	1	2	1	-	1	-	3
Y32.5	1 Others	26	1	2	5	4	3	6	2	1	-	-	-	1
Y33	Absorption of toxic substance from mother	2	-	-	-	-	-	-	1	1	-	-	-	-
Y33.0	Narcotic	-	-	-	-	-	-	-	-	-	-	-	-	-
Y33.1	Quinine	-	-	-	-	-	-	-	-	-	-	-	-	-
Y33.2	Other toxic substance	2	-	-	-	-	-	-	1	1	-	-	-	-

Y34	Difficulties in labour	1,048	22	45	61	111	95	128	149	123	77	36	32	169
Y34.0	Difficult labour with abnormality of bones of pelvis	15	-	-	-	1	-	2	5	5	1	-	-	1
Y34.1	Difficult labour with disproportion, but no mention of abnormality, of pelvis	242	19	32	28	32	24	12	10	12	13	12	12	36
Y34.2	Difficult labour with malposition of foetus	544	2	10	25	65	50	79	88	69	39	16	11	90
Y34.3	Difficult labour with abnormality of forces of labour	117	-	2	1	5	9	20	27	18	6	2	4	23
Y34.4	Difficult labour with operative delivery	27	-	-	-	2	3	2	2	8	4	1	-	5
Y34.5	Difficult labour with abnormality of organs or tissues of pelvis	33	1	1	6	5	4	3	5	-	2	-	2	4
Y34.6	Difficult labour without mention of underlying condition	70	-	-	1	1	5	10	12	11	12	5	3	10
Y35	Other causes in mother	54	-	5	4	12	7	4	5	5	-	-	-	12
Y35.0	Fall	12	-	1	1	5	1	-	1	1	-	-	-	2
Y35.1	Other accident or violence	9	-	-	-	1	2	-	2	2	-	-	-	2
Y35.2	Overexertion	-	-	-	-	-	-	-	-	-	-	-	-	-
Y35.3	Other and ill-defined causes in mother	33	-	4	3	6	4	4	2	2	-	-	-	8
Y36	Placental and cord conditions	4,428	89	256	484	526	508	650	649	387	138	48	22	671
Y36.0	Cord condition without mention of placental abnormality	1,216	5	34	62	75	99	183	284	160	70	26	11	207
	0 Pressure on cord, compression of cord, strangulation of cord, thrombosis of cord	186	-	2	7	10	10	23	47	23	9	7	3	45
	1 Prolapse of cord	345	1	13	24	18	28	35	76	62	25	9	3	51
	2 Others	685	4	19	31	47	61	125	161	75	36	10	5	111
Y36.1	Placenta praevia	164	1	10	24	26	24	28	19	9	5	-	-	18
Y36.2	Premature separation of normally implanted placenta	1,327	27	83	188	210	178	205	144	75	25	5	5	182
Y36.3	Placenta praevia with cord abnormality	6	-	1	-	-	2	2	-	-	-	-	-	1
Y36.4	Premature separation of normally implanted placenta with cord abnormality	13	1	-	-	2	2	2	3	-	-	-	-	3
Y36.5	Placental infarct	343	11	23	41	34	42	48	30	34	7	4	-	69
Y36.6	Other abnormality of placenta and cord	1,359	44	105	169	179	161	182	169	109	31	13	6	191
Y37	Birth injury	338	-	5	9	19	25	48	72	60	36	7	11	46
Y37.0	Birth injury with abnormality of bones of pelvis	7	-	-	-	-	-	2	3	2	-	-	-	-
Y37.1	Birth injury with abnormality of organs or tissues of pelvis	4	-	-	-	-	-	1	1	2	-	-	-	-
Y37.2	Birth injury with disproportion, but no mention of abnormality, of pelvis	21	-	-	-	-	4	-	3	4	3	2	3	2
Y37.3	Birth injury with malposition of foetus	88	-	3	3	7	10	10	18	16	8	1	3	9
Y37.4	Birth injury with abnormality of forces of labour	33	-	-	1	3	-	7	6	5	5	2	-	4
Y37.5	Operation causing mutilation of foetus	-	-	-	-	-	-	-	-	-	-	-	-	-
Y37.6	Other operation for delivery	16	-	-	-	-	-	2	6	3	3	1	1	-
Y37.7	Birth injury with difficult labour but without mention of underlying condition	14	-	-	-	-	-	1	2	3	2	1	2	3
Y37.8	Birth injury due to other or unspecified cause	155	-	2	5	9	11	25	33	25	15	-	2	28



TABLE 23F - continued

ICD No.	Cause	Total	Birth weight											
			under 1.5lbs 682g.	1.5lbs- 682g.- 1,136g.-	2.5lbs- 1,136g.- 1,591g.-	3.5lbs- 1,591g.- 2,045g.-	4.5lbs- 2,045g.- 2,500g.-	5.5lbs- 2,500g.- 2,955g.-	7.5lbs- 2,955g.- 3,409g.-	8.5lbs- 3,409g.- 4,318g.-	10.5lbs- 4,318g.- 4,773g.-	Not stated		
Y38	Congenital malformation of foetus	2,768	84	410	509	377	262	255	182	110	34	12	8	525
Y38.0	Anencephalus	1,547	62	332	396	243	121	68	39	20	3	-	-	263
	0 With mention of spina bifida or synonym	1,196	43	51	52	23	11	8	3	3	-	-	-	32
	1 Without mention of spina bifida or synonym	1,351	49	281	344	220	110	60	36	17	3	-	-	231
Y38.1	Hydrocephalus	483	8	22	37	47	61	71	62	39	21	4	3	108
Y38.2	Spina bifida	320	3	17	24	24	38	62	47	27	7	4	1	66
	0 With mention of hydrocephalus	207	5	5	9	4	28	53	39	23	5	4	1	36
	1 Without mention of hydrocephalus	113	3	12	15	20	10	9	8	4	2	-	-	30
Y38.3	Other malformation of the central nervous system	101	-	8	17	13	11	15	9	4	1	2	1	20
	0 Mongolism	27	-	-	2	3	4	5	5	1	-	2	1	5
	1 Microcephaly	14	-	3	15	8	4	7	3	3	1	-	-	1
	2 Others	60	-	5	-	-	-	-	3	-	-	-	-	14
Y38.4	Malformation of the cardiovascular system	59	-	6	7	4	3	12	7	6	1	1	-	12
	0 Tetralogy of Fallot	3	-	-	-	-	-	-	-	-	-	-	-	-
	1 Patent ductus arteriosus	19	-	-	-	1	2	1	1	1	-	-	-	1
	2 Interventricular septal defect	4	-	-	1	-	-	1	-	1	-	-	-	4
	3 Interatrial septal defect	2	-	-	-	-	-	-	-	-	1	-	-	1
	4 Fibroelastosis cordis	24	-	-	1	2	1	6	3	2	-	-	-	6
	5 Other malformations of heart	3	-	-	-	-	-	1	1	-	-	-	-	-
	6 Coarctation of aorta	4	-	-	-	1	-	-	2	-	-	-	-	-
	7 Other circulatory malformations	4	-	-	-	-	-	-	1	2	-	-	-	-
Y38.5	Malformation of other specified system or part	159	6	13	21	34	15	20	9	9	-	1	1	30
	0 Digestive system	24	1	1	5	2	2	5	2	3	-	-	-	5
	1 Genito-urinary system	29	2	4	4	4	4	4	4	1	-	1	-	7
	2 Dwarf	3	-	-	6	8	4	2	4	3	-	-	-	8
	3 Other skeletal	39	-	3	6	2	2	2	4	3	-	-	-	-
	4 Respiratory system	6	-	1	1	2	1	-	-	-	-	-	-	-
	5 Skin	1	-	-	1	3	-	-	-	-	-	-	-	-
	6 Muscle	5	-	-	4	13	3	7	1	2	-	-	-	10
	7 Others	52	3	8	-	-	-	-	-	-	-	-	-	-
Y38.6	Monster	22	-	-	2	2	-	-	4	4	-	-	-	10
	0 Double monster	18	-	-	1	-	-	-	3	4	-	-	-	10
	1 Monster N.O.S.	1	-	-	-	-	-	-	1	-	-	-	-	-
	2 Others	3	-	-	1	2	-	-	-	-	-	-	-	-
Y38.7	Other and unspecified malformations	77	5	12	5	10	13	7	5	1	1	-	2	16
Y39	Diseases of foetus, and ill-defined causes	3,289	131	293	354	343	336	358	425	282	107	48	19	593
Y39.0	Syphilis	2	-	-	-	-	-	1	1	-	-	-	-	-
Y39.1	Infection other than syphilis	17	-	-	3	3	2	1	1	2	1	-	-	4
Y39.2	Erythroblastosis	663	29	51	59	62	89	95	88	63	18	9	4	96
Y39.3	Other cause originated in the foetus	41	1	-	2	6	7	3	6	6	2	2	1	5
Y39.4	Maceration, cause not specified	935	58	112	134	117	98	77	91	51	17	10	1	169
Y39.5	Other ill-defined cause	918	16	67	82	96	67	99	144	107	49	22	8	161
	0 Asphyxia	421	6	14	12	44	40	58	86	44	23	8	4	54
	1 Atelectasis	96	-	1	7	10	7	17	11	11	9	1	2	14
	2 Post-maturity	79	-	-	-	1	1	8	23	14	11	8	1	41
	3 Prematurity	202	8	40	48	29	12	5	3	10	7	4	1	56
	4 Others	120	2	11	15	12	7	11	14	10	7	4	1	26
Y39.6	Cause unspecified	713	27	63	74	59	73	82	94	53	20	5	5	158

**TABLE 23G. Stillbirths by cause and place of confinement (with, for certain selected causes, rates per 1,000 total births), 1963**

England and Wales

Note. Institutions described as other hospitals are mainly maternity homes.

ICD No.	Cause	Total	Place of occurrence			
			N.H.S. hospital	Other hospital	At home	Else-where
Y30-Y39	ALL CAUSES	M 7,884 F 7,105 P 14,989	6,719 6,062 12,781	105 90 195	970 871 1,841	90 82 172
Y30	Chronic disease in mother	486	450	3	29	4
Y30.0	Syphilis	5	3	-	2	-
Y30.1	Tuberculosis (any form)	5	5	-	-	-
Y30.2	Diabetes mellitus	123	120	-	3	-
Y30.3	Chronic disease of circulatory system	294	272	3	16	3
Y30.4	Chronic disease of genito-urinary system	19	18	-	1	-
Y30.5	Other chronic disease	40	32	-	7	1
Y31	Acute disease in mother	58	37	1	20	-
Y31.0	Typhoid fever	-	-	-	-	-
Y31.1	Influenza	12	3	-	9	-
Y31.2	Pneumonia (any form)	9	7	-	2	-
Y31.3	Other acute respiratory disease	5	1	-	4	-
Y31.4	Other acute disease or condition	32	26	1	5	-
	0 Rubella	15	12	1	2	-
	1 Other virus diseases	6	5	-	1	-
	2 Others	11	9	-	2	-
Y32	Diseases and conditions of pregnancy and childbirth	2,518	2,353	27	131	7
Y32.0	Pregnancy interrupted by self or other person for non-therapeutic purposes	-	-	-	-	-
Y32.1	Ectopic gestation	3	3	-	-	-
Y32.2	Haemorrhage without mention of placental condition	486	459	2	25	-
Y32.3	Toxaemia with convulsions during pregnancy or labour (eclampsia)	59	59	-	-	-
Y32.4	Other toxaemias of pregnancy	1,936	1,803	25	102	6
Y32.5	Infection (ante- and intra-partum)	34	29	-	4	1
	0 Urinary infection	8	5	-	2	1
	1 Others	26	24	-	2	-
Y33	Absorption of toxic substance from mother	2	1	-	1	-
Y33.0	Narcotic	-	-	-	-	-
Y33.1	Quinine	-	-	-	-	-
Y33.2	Other toxic substance	2	1	-	1	-
Y34	Difficulties in labour	1,048	831	14	192	11
Y34.0	Difficult labour with abnormality of bones of pelvis	15	14	1	-	-
Y34.1	Difficult labour with disproportion, but no mention of abnormality, of pelvis	242	211	-	29	2
Y34.2	Difficult labour with malposition of foetus	544	421	10	107	6
Y34.3	Difficult labour with abnormality of forces of labour	117	72	1	42	2
Y34.4	Difficult labour with operative delivery	27	25	-	4	-
Y34.5	Difficult labour with abnormality of organs or tissues of pelvis	33	30	1	2	-
Y34.6	Difficult labour without mention of underlying condition	70	60	1	8	1
Y35	Other causes in mother	54	40	-	12	2
Y35.0	Fall	12	8	-	4	-
Y35.1	Other accident or violence	9	6	-	2	1
Y35.2	Overexertion	-	-	-	-	-
Y35.3	Other and ill-defined causes in mother	33	26	-	6	1
Y36	Placental and cord conditions	4,428	3,779	76	539	34
Y36.0	Cord condition without mention of placental abnormality	1,216	971	33	202	10
	0 Pressure on cord, compression of cord, strangulation of cord, thrombosis of cord	186	116	6	57	7
	1 Prolapse of cord	345	300	9	36	-
	2 Others	685	555	18	109	3
Y36.1	Placenta praevia	164	157	-	7	-
Y36.2	Premature separation of normally implanted placenta	1,327	1,217	16	86	8
Y36.3	Placenta praevia with cord abnormality	6	6	-	-	-
Y36.4	Premature separation of normally implanted placenta with cord abnormality	13	8	1	3	1
Y36.5	Placental infarct	343	235	7	97	4
Y36.6	Other abnormality of placenta and cord	1,359	1,185	19	144	11
Y37	Birth injury	338	270	5	56	7
Y37.0	Birth injury with abnormality of bones of pelvis	7	7	-	-	-
Y37.1	Birth injury with abnormality of organs or tissues of pelvis	4	4	-	-	-
Y37.2	Birth injury with disproportion, but no mention of abnormality, of pelvis	21	19	-	2	-
Y37.3	Birth injury with malposition of foetus	88	78	1	8	1
Y37.4	Birth injury with abnormality of forces of labour	33	18	-	15	-
Y37.5	Operation causing mutilation of foetus	-	-	-	-	-
Y37.6	Other operation for delivery	16	15	-	1	-
Y37.7	Birth injury with difficult labour but without mention of underlying condition	14	9	-	4	1
Y37.8	Birth injury due to other or unspecified cause	155	120	4	26	5
Y38	Congenital malformation of foetus	2,768	2,392	30	319	27
Y38.0	Anencephalus	1,547	1,409	7	120	11
	0 With mention of spina bifida or synonym	196	174	1	19	2
	1 Without mention of spina bifida or synonym	1,351	1,235	6	101	9
Y38.1	Hydrocephalus	483	374	9	95	5

TABLE 23G - continued

ICD No.	Cause	Total	Place of occurrence			
			N.H.S. hospital	Other hospital	At home	Else- where
Y38.2	Spina bifida	320	276	4	33	7
	0 With mention of hydrocephalus	207	188	3	14	2
	1 Without mention of hydrocephalus	113	88	1	19	5
Y38.3	Other malformation of the central nervous system	101	75	2	21	3
	0 Mongolism	27	13	1	12	1
	1 Microcephaly	14	12	1	1	-
	2 Others	60	50	-	8	2
Y38.4	Malformation of the cardiovascular system	59	43	2	14	-
	0 Tetralogy of Fallot	-	-	-	-	-
	1 Patent ductus arteriosus	3	3	-	-	-
	2 Interventricular septal defect	19	16	-	3	-
	3 Interauricular septal defect	4	1	-	3	-
	4 Fibroelastosis cordis	2	2	-	-	-
	5 Other malformations of heart	24	16	2	6	-
	6 Coarctation of aorta	3	2	-	1	-
	7 Other circulatory malformations	4	3	-	1	-
Y38.5	Malformation of other specified system or part	159	131	5	23	-
	0 Digestive system	24	19	-	5	-
	1 Genito-urinary system	29	26	-	3	-
	2 Dwarf	3	3	-	-	-
	3 Other skeletal	39	31	3	5	-
	4 Respiratory system	6	5	-	1	-
	5 Skin	1	1	-	-	-
	6 Muscle	5	3	1	1	-
	7 Others	52	43	1	8	-
Y38.6	Monster	22	21	-	1	-
	0 Double monster	18	17	-	1	-
	1 Monster N.O.S.	1	1	-	-	-
	2 Others	3	3	-	-	-
Y38.7	Other and unspecified malformations	77	63	1	12	1
Y39	Diseases of foetus, and ill-defined causes	3,289	2,628	39	542	80
Y39.0	Syphilis	2	2	-	-	-
Y39.1	Infection other than syphilis	17	16	-	1	-
Y39.2	Erythroblastosis	663	623	5	33	2
Y39.3	Other cause originated in the foetus	41	32	-	8	1
Y39.4	Maceration, cause not specified	935	717	15	189	14
Y39.5	Other ill-defined cause	918	721	10	171	16
	0 Asphyxia	421	354	2	63	2
	1 Atelectasis	96	68	3	21	4
	2 Post-maturity	79	68	-	11	-
	3 Prematurity	202	139	2	56	5
	4 Others	120	92	3	20	5
Y39.6	Cause unspecified	713	517	9	140	47
Total live and still births		M 446,360 F 422,684 P 869,044	291,820 274,248 566,068	13,626 13,018 26,644	133,075 127,877 260,952	7,839 7,541 15,380

## Stillbirths per 1,000 total births

		M	F	P					
Y30-Y39	All causes		17.7	23.0	7.7	7.3	11.5		
			16.8	22.1	6.9	6.8	10.9		
			17.2	22.6	7.3	7.1	11.2		
Y30-Y35	Maternal conditions		4.8	6.6	1.7	1.5	1.6		
Y30.2	Diabetes		0.1	0.2	-	0.0	-		
Y30.3	Circulatory		0.3	0.5	0.1	0.1	0.2		
Y32	Diseases of pregnancy		2.9	4.2	1.0	0.5	0.5		
Y32.2	Haemorrhage N.E.C.		0.6	0.8	0.1	0.1	-		
Y32.4	Other toxæmia		2.2	3.2	0.9	0.4	0.4		
Y34	Difficulties in labour		1.2	1.5	0.5	0.7	0.7		
Y34.2	Malposition		0.6	0.7	0.4	0.4	0.4		
Y34.3	Abnormal forces		0.1	0.1	0.0	0.2	0.1		
Y36	Placental and cord conditions		5.1	6.7	2.9	2.1	2.2		
Y36.1	Placenta prævia		0.2	0.3	-	0.0	-		
Y36.2	Placenta and placental separation		1.5	2.1	0.6	0.3	0.5		
Y36.5	Placental infarct		0.4	0.4	0.3	0.4	0.3		
Y37-Y39	Foetal conditions		7.4	9.3	2.8	3.5	7.4		
Y37	Birth injury		0.4	0.5	0.2	0.2	0.5		
Y38	Congenital malformation		3.2	4.2	1.1	1.2	1.8		
Y38.0	Anencephalus		1.8	2.5	0.3	0.5	0.7		
Y38.1	Hydrocephalus		0.6	0.7	0.3	0.4	0.3		
Y38.2	Spina bifida		0.4	0.5	0.2	0.1	0.5		
Y39	Other and ill-defined causes		3.8	4.6	1.5	2.1	5.2		
Y39.2	Erythroblastosis		0.8	1.1	0.2	0.1	0.1		
Y39.6	Unspecified		0.8	0.9	0.3	0.5	3.1		



**TABLE 23H. Legitimate stillbirths by certain selected causes, parity of mother and number of previous stillbirths with rates per 1,000 total births, 1963**

England and Wales

Parity - previous live and still births of all marriages	Number of previous stillbirths							Number of previous stillbirths						
	0	1	2	3	4	5-9	Total	0	1	2	3	4	5-9	Total
	All causes (Y30-Y39)							Chronic and acute disease in mother (Y30, Y31)						
0	5,099	-	-	-	-	-	5,099	169	-	-	-	-	-	169
1	2,813	208	-	-	-	-	3,021	83	18	-	-	-	-	101
2	1,966	253	31	-	-	-	2,250	76	16	2	-	-	-	94
3	1,120	197	38	5	-	-	1,360	38	9	1	1	-	-	49
4	647	120	23	10	1	-	801	26	7	2	1	-	-	36
5-9	828	206	64	18	6	7	1,129	42	7	5	1	-	-	55
10 and over	54	24	7	4	1	3	93	2	1	1	-	-	-	4
Total	12,527	1,008	163	37	8	10	13,753	436	58	11	3	-	-	508
	Haemorrhage without mention of placental condition (Y32.2)							Toxaemia and infection of pregnancy (Y32.3-5)						
0	138	-	-	-	-	-	138	919	-	-	-	-	-	919
1	91	5	-	-	-	-	96	300	35	-	-	-	-	335
2	65	9	1	-	-	-	75	236	40	5	-	-	-	281
3	43	10	2	-	-	-	55	98	25	5	1	-	-	129
4	23	3	-	-	-	-	26	46	11	5	1	-	-	63
5-9	29	6	8	-	-	-	43	80	25	5	1	1	2	114
10 and over	4	-	-	-	-	-	4	6	4	-	-	-	-	10
Total	393	33	11	-	-	-	437	1,685	140	20	3	1	2	1,851
	Difficult labour, birth injury (Y34,Y37)							Placental and cord conditions (Y36)						
0	459	-	-	-	-	-	459	1,453	-	-	-	-	-	1,453
1	252	11	-	-	-	-	263	809	61	-	-	-	-	870
2	202	5	-	-	-	-	207	612	69	12	-	-	-	693
3	103	16	1	-	-	-	120	348	46	9	1	-	-	404
4	72	13	-	1	-	-	86	206	39	8	1	1	-	255
5-9	87	16	4	-	-	1	108	294	67	16	3	3	3	386
10 and over	9	4	3	2	-	-	18	16	8	3	-	1	1	29
Total	1,184	65	8	3	-	1	1,261	3,738	290	48	5	5	4	4,090
	Anencephalus (Y38.0)							Hydrocephalus, spina bifida, and other malformation of the central nervous system (Y38.1-3)						
0	604	-	-	-	-	-	604	315	-	-	-	-	-	315
1	347	19	-	-	-	-	366	221	10	-	-	-	-	231
2	169	30	2	-	-	-	201	106	9	1	-	-	-	116
3	98	24	4	-	-	-	126	71	9	3	-	-	-	83
4	48	8	1	2	-	-	59	40	2	-	-	-	-	42
5-9	70	18	5	-	-	-	93	42	5	3	1	-	-	51
10 and over	2	2	-	-	-	-	4	2	-	-	-	-	-	2
Total	1,338	101	12	2	-	-	1,453	797	35	7	1	-	-	840
	Other congenital malformation of foetus (Y38.4-7)							Erythroblastosis (Y39.2)						
0	114	-	-	-	-	-	114	32	-	-	-	-	-	32
1	61	4	-	-	-	-	65	154	6	-	-	-	-	160
2	38	5	1	-	-	-	44	133	39	1	-	-	-	173
3	34	1	-	-	-	-	35	70	36	7	1	-	-	114
4	13	1	-	-	-	-	14	42	20	3	3	-	-	68
5-9	15	6	-	1	-	-	22	33	28	13	9	1	1	85
10 and over	-	1	-	-	-	-	1	4	1	-	1	-	2	8
Total	275	18	1	1	-	-	295	468	130	24	14	1	3	640
	Legitimate live and still births													
0	284,938	-	-	-	-	-	284,938							
1	242,192	4,121	-	-	-	-	246,313							
2	131,668	4,910	210	-	-	-	136,788							
3	64,121	3,503	315	26	5	-	67,965							
4	31,193	2,170	322	29	5	-	33,719							
5-9	33,210	3,172	572	99	28	20	37,101							
10 and over	1,506	261	65	27	10	11	1,860							
Total	788,828	18,137	1,484	181	43	31	808,704							

TABLE 23H - continued

Parity - previous live and still births of all marriages	Number of previous stillbirths							Number of previous stillbirths						
	0	1	2	3	4	5-9	Total	0	1	2	3	4	5-9	Total
Stillbirths per 1,000 total births.														
	All causes (Y30-Y39)							Chronic and acute disease in mother (Y30, Y31)						
0	17.9	-	-	-	-	-	17.9	0.6	-	-	-	-	-	0.6
1	11.6	50.5	-	-	-	-	12.3	0.3	4.4	-	-	-	-	0.4
2	14.9	51.5	147.6	-	-	-	16.4	0.6	3.3	9.5	-	-	-	0.7
3	17.5	56.2	120.6	192.3	-	-	20.0	0.6	2.6	3.2	38.5	-	-	0.7
4	20.7	55.3	71.4	344.8	200.0	-	23.8	0.8	3.2	6.2	34.5	-	-	1.1
5-9	24.9	64.9	111.9	181.8	214.3	350.0	30.4	1.3	2.2	8.7	10.1	-	-	1.5
10 and over	35.9	92.0	107.7	148.1	100.0	272.7	49.5	1.3	3.8	15.4	-	-	-	2.1
Total	15.9	55.6	109.8	204.4	186.0	322.6	17.0	0.6	3.2	7.4	16.6	-	-	0.6
	Haemorrhage without mention of placental condition (Y32.2)							Toxaemia and infection of pregnancy (Y32.3-.5)						
0	0.5	-	-	-	-	-	0.5	3.2	-	-	-	-	-	3.2
1	0.4	1.2	-	-	-	-	0.4	1.2	8.5	-	-	-	-	1.4
2	0.5	1.8	4.8	-	-	-	0.5	1.8	8.1	23.8	-	-	-	2.1
3	0.7	2.9	6.3	-	-	-	0.8	1.5	7.1	15.9	38.5	-	-	1.9
4	0.7	1.4	-	-	-	-	0.8	1.5	5.1	15.5	34.5	-	-	1.9
5-9	0.9	1.9	14.0	-	-	-	1.2	2.4	7.9	8.7	10.1	35.7	100.0	3.1
10 and over	2.7	-	-	-	-	-	2.7	4.0	15.3	-	-	-	-	5.3
Total	0.5	1.8	7.4	-	-	-	0.5	2.1	7.7	13.5	16.6	23.3	64.5	2.3
	Difficult labour, birth injury (Y34,Y37)							Placental and cord conditions (Y36)						
0	1.6	-	-	-	-	-	1.6	5.1	-	-	-	-	-	5.1
1	1.0	2.7	-	-	-	-	1.1	3.3	14.8	-	-	-	-	3.5
2	1.5	1.0	-	-	-	-	1.5	4.6	14.1	57.1	-	-	-	5.1
3	1.6	4.6	3.2	-	-	-	1.8	5.4	13.1	28.6	38.5	-	-	5.9
4	2.3	6.0	-	34.5	-	-	2.6	6.6	18.0	24.8	34.5	200.0	-	7.6
5-9	2.6	5.0	7.0	-	-	50.0	2.9	8.9	21.1	28.0	30.3	107.1	150.0	10.4
10 and over	6.0	15.3	46.2	74.1	-	-	9.6	10.6	30.7	46.2	-	100.0	90.9	15.4
Total	1.5	3.6	5.4	16.6	-	32.3	1.6	4.7	16.0	32.3	27.6	116.3	129.0	5.1
	Anencephalus (Y38.0)							Hydrocephalus, spina bifida, and other malformation of the central nervous system (Y38.1-.3)						
0	2.1	-	-	-	-	-	2.1	1.1	-	-	-	-	-	1.1
1	1.4	4.6	-	-	-	-	1.5	0.9	2.4	-	-	-	-	0.9
2	1.3	6.1	9.5	-	-	-	1.5	0.8	1.8	4.8	-	-	-	0.8
3	1.5	6.9	12.7	-	-	-	1.9	1.1	2.6	9.5	-	-	-	1.2
4	1.5	3.7	3.1	69.0	-	-	1.7	1.3	0.9	-	-	-	-	1.2
5-9	2.1	5.7	8.7	-	-	-	2.5	1.3	1.6	5.2	10.1	-	-	1.4
10 and over	1.3	7.7	-	-	-	-	2.7	1.3	-	-	-	-	-	1.7
Total	1.7	5.6	8.1	11.0	-	-	1.8	1.0	1.9	4.7	5.5	-	-	1.0
	Other congenital malformation of foetus (Y38.4-.7)							Erythroblastosis (Y39.2)						
0	0.4	-	-	-	-	-	0.4	0.1	-	-	-	-	-	0.1
1	0.3	1.0	-	-	-	-	0.3	0.6	1.5	-	-	-	-	0.6
2	0.3	1.0	4.8	-	-	-	0.3	1.0	7.9	4.8	-	-	-	1.1
3	0.5	0.3	-	-	-	-	0.5	1.1	10.3	22.2	38.5	-	-	1.7
4	0.4	0.5	-	-	-	-	0.4	1.3	9.2	9.3	103.4	-	-	2.0
5-9	0.5	1.9	-	10.1	-	-	0.6	1.0	8.8	22.7	90.9	35.7	50.0	2.3
10 and over	-	3.8	-	-	-	-	0.5	2.7	3.8	-	37.0	-	181.8	4.3
Total	0.3	1.0	0.7	5.5	-	-	0.4	0.6	7.2	16.2	77.3	23.3	96.8	0.8

**TABLE 231. Stillbirths by cause, sex and year of occurrence (with, for certain selected causes, rates per 1,000 total births), 1961 to 1963**

England and Wales

ICD No.	Cause		1961	1962	1963
Y30-Y39	ALL CAUSES	M F P	8,076 7,651 15,727	7,957 7,507 15,464	7,884 7,105 14,989
Y30	Chronic disease in mother	M F	254 195	245 219	294 192
Y30.0	Syphilis	M F	5 4	6 3	3 2
Y30.1	Tuberculosis (any form)	M F	- -	1 2	4 1
Y30.2	Diabetes mellitus	M F	72 42	63 52	73 50
Y30.3	Chronic disease of circulatory system	M F	136 109	137 124	189 105
Y30.4	Chronic disease of genito-urinary system	M F	14 14	10 11	6 13
Y30.5	Other chronic disease	M F	27 26	28 27	19 21
Y31	Acute disease in mother	M F	36 31	37 35	36 22
Y31.0	Typhoid fever	M F	- -	- -	- -
Y31.1	Influenza	M F	25 20	12 11	7 5
Y31.2	Pneumonia (any form)	M F	- 1	3 1	7 2
Y31.3	Other acute respiratory disease	M F	2 1	2 4	3 2
Y31.4	Other acute disease or condition	M F	9 9	20 19	19 13
	0 Rubella	M F	1 1	11 12	8 7
	1 Other virus diseases	M F	3 3	2 4	4 2
	2 Others	M F	5 5	7 3	7 4
Y32	Diseases and conditions of pregnancy and childbirth	M F	1,543 1,265	1,475 1,154	1,431 1,087
Y32.0	Pregnancy interrupted by self or other person for non-therapeutic purposes	M F	- -	- -	- -
Y32.1	Ectopic gestation	M F	1 3	- 1	2 1
Y32.2	Haemorrhage without mention of placental condition	M F	306 220	244 188	270 216
Y32.3	Toxaemia with convulsions during pregnancy or labour (eclampsia)	M F	24 28	38 24	35 24
Y32.4	Other toxaemias of pregnancy	M F	1,188 991	1,176 928	1,108 828
Y32.5	Infection (ante- and intra-partum)	M F	24 23	17 13	16 18
	0 Urinary infection	M F	10 7	4 4	5 3
	1 Others	M F	14 16	13 9	11 15
Y33	Absorption of toxic substance from mother	M F	- 1	1 2	1 1
Y33.0	Narcotic	M F	- -	- -	- -



TABLE 23I - continued

ICD No.	Cause		1961	1962	1963
Y33.1	Quinine	M F	- -	- -	- -
Y33.2	Other toxic substance	M F	- 1	1 2	1 1
Y34	Difficulties in labour	M F	711 569	654 509	623 425
Y34.0	Difficult labour with abnormality of bones of pelvis	M F	15 8	11 7	9 6
Y34.1	Difficult labour with disproportion, but no mention of abnormality, of pelvis	M F	154 112	148 108	147 95
Y34.2	Difficult labour with malposition of foetus	M F	388 324	322 258	313 231
Y34.3	Difficult labour with abnormality of forces of labour	M F	74 63	84 58	74 43
Y34.4	Difficult labour with operative delivery	M F	27 13	25 19	22 5
Y34.5	Difficult labour with abnormality of organs or tissues of pelvis	M F	11 15	14 21	15 18
Y34.6	Difficult labour without mention of underlying condition	M F	42 34	50 38	43 27
Y35	Other causes in mother	M F	29 23	19 32	27 27
Y35.0	Fall	M F	9 9	4 10	7 5
Y35.1	Other accident or violence	M F	4 5	5 6	6 3
Y35.2	Overexertion	M F	- -	- -	- -
Y35.3	Other and ill-defined causes in mother	M F	16 9	10 16	14 19
Y36	Placental and cord conditions	M F	2,263 1,798	2,370 1,944	2,479 1,949
Y36.0	Cord condition without mention of placental abnormality	M F	710 544	664 575	648 568
	0 Pressure on cord, compression of cord, strangulation of cord, thrombosis of cord	M F	111 97	103 101	89 97
	1 Prolapse of cord	M F	215 132	207 134	214 131
	2 Others	M F	384 315	354 340	345 340
Y36.1	Placenta praevia	M F	122 94	89 80	97 67
Y36.2	Premature separation of normally implanted placenta	M F	653 463	746 499	782 545
Y36.3	Placenta praevia with cord abnormality	M F	4 3	5 2	3 3
Y36.4	Premature separation of normally implanted placenta with cord abnormality	M F	3 2	5 8	7 6
Y36.5	Placental infarct	M F	196 188	187 162	180 163
Y36.6	Other abnormality of placenta and cord	M F	575 504	674 618	762 597
Y37	Birth injury	M F	231 183	220 181	201 137
Y37.0	Birth injury with abnormality of bones of pelvis	M F	4 2	1 1	5 2
Y37.1	Birth injury with abnormality of organs or tissues of pelvis	M F	1 -	4 1	4 -

TABLE 23I - continued

ICD No.	Cause		1961	1962	1963
Y37.2	Birth injury with disproportion but no mention of abnormality of pelvis	M	18	19	14
		F	11	12	7
Y37.3	Birth injury with malposition of foetus	M	77	63	52
		F	48	50	36
Y37.4	Birth injury with abnormality of forces of labour	M	26	17	18
		F	20	21	15
Y37.5	Operation causing mutilation of foetus	M	1	-	-
		F	-	-	-
Y37.6	Other operation for delivery	M	19	14	8
		F	10	11	8
Y37.7	Birth injury with difficult labour but without mention of underlying condition	M	2	7	5
		F	6	3	9
Y37.8	Birth injury due to other or unspecified cause	M	83	95	95
		F	86	82	60
Y38	Congenital malformations of foetus	M	1,127	1,119	1,053
		F	1,950	1,738	1,715
Y38.0	Anencephalus	M	454	452	419
		F	1,218	1,103	1,128
	0 With mention of spina bifida or synonym	M	47	55	45
		F	139	121	151
	1 Without mention of spina bifida or synonym	M	407	397	374
		F	1,079	982	977
Y38.1	Hydrocephalus	M	313	298	279
		F	258	229	204
Y38.2	Spina bifida	M	151	137	130
		F	250	174	190
	0 With mention of hydrocephalus	M	104	102	85
		F	166	127	122
	1 Without mention of hydrocephalus	M	47	35	45
		F	84	47	68
Y38.3	Other malformation of the central nervous system	M	33	40	37
		F	54	72	64
	0 Mongolism	M	9	8	14
		F	10	17	13
	1 Microcephaly	M	5	8	2
		F	13	10	12
	2 Others	M	19	24	21
		F	31	45	39
Y38.4	Malformation of the cardiovascular system	M	28	36	33
		F	24	26	26
	0 Tetralogy of Fallot	M	-	1	-
		F	-	1	-
	1 Patent ductus arteriosus	M	5	3	2
		F	1	3	1
	2 Interventricular septal defect	M	2	11	14
		F	7	6	5
	3 Interatrial septal defect	M	4	2	2
		F	2	1	2
	4 Fibroelastosis cordis	M	-	1	-
		F	-	-	2
	5 Other malformations of heart	M	13	16	12
		F	10	14	12
	6 Coarctation of aorta	M	1	1	2
		F	-	-	1
	7 Other circulatory malformations	M	3	1	1
		F	4	1	3

TABLE 231 - continued

ICD No.	Cause		1961	1962	1963
Y38.5	Malformation of other specified system or part	M	101	110	101
		F	98	93	58
	0 Digestive system	M	11	20	16
		F	9	15	8
	1 Genito-urinary system	M	19	23	24
		F	16	14	5
	2 Dwarf	M	2	3	3
		F	2	3	-
	3 Other skeletal	M	26	10	21
		F	26	17	18
	4 Respiratory system	M	2	4	2
		F	3	13	4
	5 Skin	M	-	-	1
		F	-	1	-
	6 Muscle	M	4	3	4
		F	-	-	1
Y38.6	Monster	M	7	6	9
		F	12	7	13
	0 Double monster	M	2	3	7
		F	7	2	11
	1 Monster N.O.S.	M	-	-	-
		F	1	1	1
	2 Others	M	5	3	2
		F	4	4	1
Y38.7	Other and unspecified malformations	M	40	40	45
		F	36	34	32
Y39	Diseases of foetus and ill-defined causes	M	1,882	1,817	1,739
		F	1,636	1,693	1,550
Y39.0	Syphilis	M	-	-	2
		F	1	1	-
Y39.1	Infection other than syphilis	M	11	7	8
		F	3	9	9
Y39.2	Erythroblastosis	M	405	359	360
		F	343	312	303
Y39.3	Other cause originated in the foetus	M	40	24	26
		F	39	19	15
Y39.4	Maceration, cause not specified	M	541	513	505
		F	471	484	430
Y39.5	Other ill-defined cause	M	486	504	486
		F	414	497	452
	0 Asphyxia	M	178	196	208
		F	146	192	213
	1 Atelectasis	M	53	64	52
		F	43	57	44
	2 Post-maturity	M	67	63	39
		F	42	57	40
	3 Prematurity	M	130	116	109
		F	105	106	93
	4 Others	M	58	65	58
		F	78	85	62
Y39.6	Cause unspecified	M	399	410	372
		F	365	371	341
Total live and still births		M	425,844	439,590	446,360
		F	401,164	414,610	422,684
		P	827,008	854,200	869,044



TABLE 231 - continued

ICD No.	Cause		1961	1962	1963
Stillbirths per 1,000 total births					
Y30-Y39	All causes	M	19.0	18.1	17.7
		F	19.1	18.1	16.8
		P	19.0	18.1	17.2
Y30-Y35	Maternal conditions		5.6	5.1	4.8
Y30.2	Diabetes		0.1	0.1	0.1
Y30.3	Circulatory		0.3	0.3	0.3
Y32	Diseases of pregnancy		3.4	3.1	2.9
Y32.2	Haemorrhage N.E.C.		0.6	0.5	0.6
Y32.4	Other toxæmia		2.6	2.5	2.2
Y34	Difficulties in labour		1.5	1.4	1.2
Y34.2	Malposition		0.9	0.7	0.6
Y34.3	Abnormal forces		0.2	0.2	0.1
Y36	Placental and cord conditions		4.9	5.1	5.1
Y36.1	Placenta prævia		0.3	0.2	0.2
Y36.2	Placenta and placental separation		1.3	1.5	1.5
Y36.5	Placental infarct		0.5	0.4	0.4
Y37-Y39	Foetal conditions		8.5	7.9	7.4
Y37	Birth injury		0.5	0.5	0.4
Y38	Congenital malformation		3.7	3.3	3.2
Y38.0	Anencephalus		2.0	1.8	1.8
Y38.1	Hydrocephalus		0.7	0.6	0.6
Y38.2	Spina bifida		0.5	0.4	0.4
Y39	Other and ill-defined causes		4.3	4.1	3.8
Y39.2	Erythroblastosis		0.9	0.8	0.8
Y39.6	Unspecified		0.9	0.9	0.8

**TABLE 24. Deaths at various periods in the first year of life by legitimacy. Death rates per 1,000 live births, 1963**

Area	All infants									
	Deaths								Deaths per 1,000 live births	
	Under 1 day	1-6 days	1-5 weeks	4 weeks and under 3 months	3-5 months	6-8 months	9-11 months	Total under 1 year	Under 4 weeks	Total under 1 year
<b>ENGLAND AND WALES</b>	<b>6,170</b>	<b>4,328</b>	<b>1,675</b>	<b>2,293</b>	<b>2,056</b>	<b>907</b>	<b>613</b>	<b>18,042</b>	<b>14</b>	<b>21</b>
Standard regions and conurbations:										
Northern	513	323	119	152	165	66	32	1,370	16	23
Tyneside Conurbation	114	86	31	41	36	19	12	339	15	22
Remainder of Northern	399	237	88	111	129	47	20	1,031	16	23
East and West Ridings	597	415	185	254	241	101	64	1,857	16	24
West Yorkshire Conurbation	273	172	81	103	99	42	26	796	17	25
Remainder of East and West Ridings	324	243	104	151	142	59	38	1,061	15	23
North Western	1,038	731	253	421	391	138	135	3,107	16	25
South East Lancashire Conurbation	405	260	92	172	141	63	48	1,181	16	25
Merseyside Conurbation	255	160	61	107	106	35	33	757	17	26
Remainder of North Western	378	311	100	142	144	40	54	1,169	16	24
North Midland	472	316	102	165	176	79	59	1,369	13	20
Midland	655	453	200	245	219	107	64	1,943	14	21
West Midlands Conurbation	321	224	102	146	119	60	38	1,010	14	22
Remainder of Midland	334	229	98	99	100	47	26	933	14	20
Eastern	378	354	119	131	118	49	45	1,194	12	17
London and South Eastern	1,394	884	362	487	408	205	107	3,847	13	20
Greater London	1,071	664	276	372	317	155	81	2,936	14	20
Remainder of South Eastern	323	220	86	115	91	50	26	911	13	19
Southern	390	252	92	154	97	51	40	1,076	13	19
South Western	404	263	118	138	109	57	34	1,123	13	19
Wales	329	337	125	146	132	54	33	1,156	17	25
Wales I (South East)	264	273	101	112	99	41	22	912	18	26
Wales II (remainder)	65	64	24	34	33	13	11	244	12	20
Urban/Rural aggregates:										
Conurbations	2,439	1,566	643	941	818	374	238	7,019	15	22
Areas outside conurbations:										
Urban areas with populations of 100,000 and over	891	572	237	327	307	113	82	2,529	15	22
Urban areas with populations of 50,000 and under 100,000	555	403	160	224	198	76	54	1,670	14	21
Urban areas with populations under 50,000	1,155	901	361	404	394	180	126	3,521	14	20
Rural districts	1,130	886	274	397	339	164	113	3,303	13	19
Hospital regions:										
Newcastle	487	303	113	142	156	60	31	1,292	16	23
Leeds	459	303	145	173	169	74	47	1,370	16	24
Sheffield	572	399	134	238	238	101	68	1,750	13	21
East Anglia	158	134	45	50	49	21	21	478	13	18
North West Metropolitan	521	366	125	179	132	66	43	1,432	13	18
North East Metropolitan	401	278	118	135	133	59	33	1,157	13	20
South East Metropolitan	399	277	107	146	123	63	36	1,151	13	20
South West Metropolitan	373	238	101	137	107	58	24	1,038	13	19
Wessex	231	149	61	85	57	31	24	638	14	20
Oxford	211	154	49	75	52	31	27	599	12	18
South Western	335	203	97	120	95	44	27	921	13	19
Welsh	329	337	125	146	132	54	33	1,156	17	25
Birmingham	655	453	200	245	219	107	64	1,943	14	21
Manchester	654	460	171	268	247	94	94	1,988	16	25
Liverpool	385	274	84	154	147	44	41	1,129	17	25

England and Wales, standard regions, Wales, conurbations, urban  
and rural aggregates outside conurbations, and hospital regions

Legitimate infants										Illegitimate infants									
Deaths								Deaths per 1,000 live births		Deaths								Deaths per 1,000 live births	
Under 1 day	1-6 days	1-3 weeks	4 weeks and under 3 months	3-5 months	6-8 months	9-11 months	Total under 1 year	Under 4 weeks	Total under 1 year	Under 1 day	1-6 days	1-3 weeks	4 weeks and under 3 months	3-5 months	6-8 months	9-11 months	Total under 1 year	Under 4 weeks	Total under 1 year
5,526	3,970	1,543	2,109	1,920	849	589	16,506	14	21	644	358	132	184	136	58	24	1,536	19	26
478	303	112	143	158	60	30	1,284	16	22	35	20	7	9	7	6	2	86	20	28
103	80	29	39	34	18	11	314	14	21	11	6	2	2	2	1	1	25	20	27
375	223	83	104	124	42	19	970	16	23	24	14	5	7	5	5	1	61	20	28
538	366	176	229	228	95	61	1,693	15	24	59	49	9	25	13	6	3	164	22	31
237	150	75	84	94	39	25	704	16	25	36	22	6	19	5	3	1	92	24	34
301	216	101	145	134	56	36	989	14	23	23	27	3	6	8	3	2	72	20	28
954	681	234	384	365	129	130	2,877	16	25	84	50	19	37	26	9	5	230	19	29
370	241	86	152	129	61	45	1,084	16	25	35	19	6	20	12	2	3	97	16	26
238	152	56	100	98	30	32	706	16	26	17	8	5	7	8	5	1	51	18	30
346	288	92	132	138	38	53	1,087	16	23	32	23	8	10	6	2	1	82	25	32
421	291	94	157	161	74	58	1,256	12	19	51	25	8	8	15	5	1	113	19	26
584	418	185	222	202	103	62	1,776	14	21	71	35	15	23	17	4	2	167	19	26
281	203	94	132	109	57	36	912	14	21	40	21	8	14	10	3	2	98	18	25
303	215	91	90	93	46	26	864	14	20	31	14	7	9	7	1	-	69	21	28
348	331	114	123	109	45	44	1,114	12	16	30	23	5	8	9	4	1	80	15	20
1,191	788	319	437	378	186	101	3,400	13	19	203	96	43	50	30	19	6	447	19	25
900	585	243	325	294	143	76	2,566	13	20	171	79	33	47	23	12	5	370	19	24
291	203	76	112	84	43	25	834	12	18	32	17	10	3	7	7	1	77	20	26
345	229	83	146	89	48	38	978	13	19	45	23	9	8	8	3	2	98	21	26
362	242	109	128	103	57	33	1,034	13	18	42	21	9	10	6	-	1	89	19	24
305	321	117	140	127	52	32	1,094	17	24	24	16	8	6	5	2	1	62	21	27
246	259	94	106	95	39	21	860	18	26	18	14	7	6	4	2	1	52	23	31
59	62	23	34	32	13	11	234	12	20	6	2	1	-	1	-	-	10	15	17
2,129	1,411	583	832	758	348	225	6,286	14	22	310	155	60	109	60	26	13	733	19	26
777	505	216	305	281	105	81	2,270	14	22	114	67	21	22	26	8	1	259	22	28
501	374	146	209	190	67	53	1,540	14	21	54	29	14	15	8	9	1	130	19	26
1,063	840	341	388	366	172	121	3,291	14	20	92	61	20	16	28	8	5	230	20	26
1,056	840	257	375	325	157	109	3,119	13	19	74	46	17	22	14	7	4	184	18	24
452	285	107	135	149	55	29	1,212	16	23	35	18	6	7	7	5	2	80	20	27
414	262	137	149	161	68	44	1,235	16	24	45	41	8	24	8	6	3	135	23	33
513	368	125	227	220	95	67	1,615	13	21	59	31	9	11	18	6	1	135	19	26
143	126	43	46	45	19	21	443	12	18	15	8	2	4	4	2	-	35	15	21
440	326	106	161	118	60	42	1,253	12	17	81	40	19	18	14	6	1	179	19	24
355	256	113	123	126	55	29	1,057	13	19	46	22	5	12	7	4	4	100	17	23
354	249	97	154	114	55	35	1,038	13	19	45	28	10	12	9	8	1	113	18	24
317	213	89	124	100	53	23	919	12	18	56	25	12	13	7	5	1	119	20	25
210	133	56	80	54	30	24	587	13	20	21	16	5	5	3	1	-	51	18	22
187	145	43	72	46	31	25	549	12	17	24	9	6	3	6	-	2	50	19	25
297	185	89	111	90	44	26	842	12	18	38	18	8	9	5	5	1	79	20	25
305	321	117	140	127	52	32	1,094	17	24	24	16	8	6	5	2	1	62	21	27
584	418	185	222	202	103	62	1,776	14	21	71	35	15	23	17	4	2	167	19	26
598	425	159	242	229	90	90	1,833	16	24	56	35	12	26	18	4	4	155	18	27
357	258	77	143	139	39	40	1,053	16	25	28	16	7	11	8	5	1	76	22	32



**TABLE 25. Deaths at various periods in the first year of life, 1963, and the four quarters thereof**

Area	Total under 1 year	Under 30 minutes	30 minutes and under 1 day	Total under 1 day	Days						1 day and under 1 week
					1	2	3	4	5	6	
<b>England and Wales</b>											
<b>All infants</b>	<b>M 10,401</b>	<b>388</b>	<b>3,126</b>	<b>3,514</b>	<b>1,025</b>	<b>748</b>	<b>404</b>	<b>225</b>	<b>138</b>	<b>113</b>	<b>2,653</b>
	<b>F 7,641</b>	<b>343</b>	<b>2,313</b>	<b>2,656</b>	<b>678</b>	<b>438</b>	<b>227</b>	<b>150</b>	<b>99</b>	<b>83</b>	<b>1,675</b>
	<b>P 18,042</b>	<b>731</b>	<b>5,439</b>	<b>6,170</b>	<b>1,703</b>	<b>1,186</b>	<b>631</b>	<b>375</b>	<b>237</b>	<b>196</b>	<b>4,328</b>
<b>Legitimate</b>	<b>M 9,519</b>	<b>314</b>	<b>2,824</b>	<b>3,138</b>	<b>935</b>	<b>694</b>	<b>379</b>	<b>206</b>	<b>130</b>	<b>99</b>	<b>2,443</b>
	<b>F 6,987</b>	<b>275</b>	<b>2,113</b>	<b>2,388</b>	<b>624</b>	<b>394</b>	<b>210</b>	<b>132</b>	<b>87</b>	<b>80</b>	<b>1,527</b>
	<b>P 16,506</b>	<b>589</b>	<b>4,937</b>	<b>5,526</b>	<b>1,559</b>	<b>1,088</b>	<b>589</b>	<b>338</b>	<b>217</b>	<b>179</b>	<b>3,970</b>
<b>Illegitimate</b>	<b>M 882</b>	<b>74</b>	<b>302</b>	<b>376</b>	<b>90</b>	<b>54</b>	<b>25</b>	<b>19</b>	<b>8</b>	<b>14</b>	<b>210</b>
	<b>F 654</b>	<b>68</b>	<b>200</b>	<b>268</b>	<b>54</b>	<b>44</b>	<b>17</b>	<b>18</b>	<b>12</b>	<b>3</b>	<b>148</b>
	<b>P 1,536</b>	<b>142</b>	<b>502</b>	<b>644</b>	<b>144</b>	<b>98</b>	<b>42</b>	<b>37</b>	<b>20</b>	<b>17</b>	<b>358</b>
<b>Standard regions and conurbations:</b>											
<b>Northern</b>	<b>1,370</b>	<b>70</b>	<b>443</b>	<b>513</b>	<b>120</b>	<b>97</b>	<b>53</b>	<b>19</b>	<b>15</b>	<b>19</b>	<b>323</b>
Tyneside Conurbation	339	10	104	114	34	23	18	6	1	4	86
Remainder of Northern	1,031	60	339	399	86	74	35	13	14	15	237
<b>East and West Ridings</b>	<b>1,857</b>	<b>61</b>	<b>536</b>	<b>597</b>	<b>148</b>	<b>125</b>	<b>64</b>	<b>33</b>	<b>28</b>	<b>17</b>	<b>415</b>
West Yorkshire Conurbation	796	33	240	273	68	52	24	9	11	8	172
Remainder of East and West Ridings	1,061	28	296	324	80	73	40	24	17	9	243
<b>North Western</b>	<b>3,107</b>	<b>153</b>	<b>885</b>	<b>1,038</b>	<b>303</b>	<b>196</b>	<b>108</b>	<b>61</b>	<b>33</b>	<b>30</b>	<b>731</b>
South East Lancashire Conurbation	1,181	64	341	405	104	76	41	18	10	11	260
Merseyside Conurbation	757	35	220	255	64	45	16	16	11	8	160
Remainder of North Western	1,169	54	324	378	135	75	51	27	12	11	311
<b>North Midland</b>	<b>1,369</b>	<b>49</b>	<b>423</b>	<b>472</b>	<b>140</b>	<b>83</b>	<b>30</b>	<b>28</b>	<b>23</b>	<b>12</b>	<b>316</b>
<b>Midland</b>	<b>1,943</b>	<b>80</b>	<b>575</b>	<b>655</b>	<b>192</b>	<b>128</b>	<b>53</b>	<b>37</b>	<b>22</b>	<b>21</b>	<b>453</b>
West Midlands Conurbation	1,010	40	281	321	98	62	27	19	8	10	224
Remainder of Midland	933	40	294	334	94	66	26	18	14	11	229
<b>Eastern</b>	<b>1,194</b>	<b>41</b>	<b>337</b>	<b>378</b>	<b>126</b>	<b>100</b>	<b>57</b>	<b>29</b>	<b>26</b>	<b>16</b>	<b>354</b>
<b>London and South Eastern</b>	<b>3,847</b>	<b>188</b>	<b>1,206</b>	<b>1,394</b>	<b>342</b>	<b>238</b>	<b>126</b>	<b>88</b>	<b>45</b>	<b>45</b>	<b>884</b>
Greater London	2,936	159	912	1,071	250	173	103	65	39	34	664
Remainder of South Eastern	911	29	294	323	92	65	23	23	6	11	220
<b>Southern</b>	<b>1,076</b>	<b>37</b>	<b>353</b>	<b>390</b>	<b>99</b>	<b>64</b>	<b>40</b>	<b>26</b>	<b>14</b>	<b>9</b>	<b>252</b>
<b>South Western</b>	<b>1,123</b>	<b>31</b>	<b>373</b>	<b>404</b>	<b>105</b>	<b>70</b>	<b>4</b>	<b>25</b>	<b>6</b>	<b>13</b>	<b>263</b>
<b>Wales</b>	<b>1,156</b>	<b>21</b>	<b>308</b>	<b>329</b>	<b>128</b>	<b>85</b>	<b>56</b>	<b>29</b>	<b>25</b>	<b>14</b>	<b>337</b>
Wales I (South East)	912	18	246	264	107	64	48	22	21	11	273
Wales II (remainder)	244	3	62	65	21	21	8	7	4	3	64
<b>Urban/Rural aggregates:</b>											
Conurbations	7,019	341	2,098	2,439	618	431	229	133	80	75	1,566
<i>Areas outside conurbations:</i>											
Urban areas with populations of 100,000 and over	2,529	102	789	891	228	151	80	62	28	23	572
Urban areas with populations of 50,000 and under 100,000	1,670	63	492	555	156	110	69	34	17	17	403
Urban areas with populations under 50,000	3,521	115	1,040	1,155	351	271	116	66	60	37	901
Rural districts	3,303	110	1,020	1,130	350	223	137	80	52	44	886
<b>Hospital Regions:</b>											
Newcastle	1,292	65	422	487	114	90	49	19	15	16	303
Leeds	1,370	50	409	459	111	91	40	24	23	14	303
Sheffield	1,750	61	511	572	165	104	55	33	26	16	399
East Anglia	478	17	141	158	45	41	23	13	7	5	134
North West Metropolitan	1,432	72	449	521	141	101	64	28	14	18	366
North East Metropolitan	1,157	48	353	401	95	75	42	27	25	14	278
South East Metropolitan	1,151	49	350	399	112	75	32	32	9	17	277
South West Metropolitan	1,038	50	323	373	95	66	30	20	17	10	238
Wessex	638	25	206	231	62	31	26	16	9	5	149
Oxford	599	14	197	211	63	42	22	14	9	4	154
South Western	921	26	309	335	77	58	31	22	3	12	203
Welsh	1,156	21	308	329	128	85	56	29	25	14	337
Birmingham	1,943	80	575	655	192	128	53	37	22	21	453
Manchester	1,988	97	557	654	189	127	73	35	19	17	460
Liverpool	1,129	56	329	385	114	72	35	26	14	13	274
<b>England and Wales</b>											
March Quarter	5,330	195	1,350	1,545	456	358	174	103	63	54	1,208
June Quarter	4,288	203	1,394	1,597	416	301	156	106	59	53	1,091
September Quarter	3,946	159	1,365	1,524	425	270	146	85	57	48	1,031
December Quarter	4,478	174	1,330	1,504	406	257	155	81	58	41	998

**England and Wales, standard regions, Wales, conurbations, urban  
and rural aggregates outside conurbations, and hospital regions**

Weeks				Months											
0	1	2	3	Total under 4 weeks	1	2	3	4	5	6	7	8	9	10	11
6,167	436	274	224	7,101	739	596	518	383	248	168	167	155	136	97	93
4,331	377	219	145	5,072	530	428	379	297	231	184	123	110	102	103	82
10,498	813	493	369	12,173	1,269	1,024	897	680	479	352	290	265	238	200	175
5,581	400	248	209	6,438	679	553	480	361	232	160	161	144	129	93	89
3,915	348	207	131	4,601	488	389	355	278	214	168	114	102	100	97	81
9,496	748	455	340	11,039	1,167	942	835	639	446	328	275	246	229	190	170
586	36	26	15	663	60	43	38	22	16	8	6	11	7	4	4
416	29	12	14	471	42	39	24	19	17	16	9	8	2	6	1
1,002	65	38	29	1,134	102	82	62	41	33	24	15	19	9	10	5
836	52	31	36	955	86	66	79	51	35	29	17	20	13	8	11
200	15	6	10	231	23	18	13	17	6	7	3	9	5	1	6
636	37	25	26	724	63	48	66	34	29	22	14	11	8	7	5
1,012	77	57	51	1,197	132	122	108	74	59	47	30	24	23	20	21
445	25	33	23	526	55	48	45	30	24	20	12	10	10	9	7
567	52	24	28	671	77	74	63	44	35	27	18	14	13	11	14
1,769	107	87	59	2,022	227	194	145	144	102	57	44	37	55	45	35
665	34	32	26	757	101	71	52	49	40	25	18	20	22	16	10
415	25	20	16	476	54	53	42	39	25	15	12	8	17	7	9
689	48	35	17	789	72	70	51	56	37	17	14	9	16	22	16
788	51	34	17	890	93	72	76	57	43	27	23	29	19	22	18
1,108	102	59	39	1,308	138	107	97	71	51	36	38	33	22	20	22
545	43	37	22	647	83	63	51	36	32	23	18	19	15	10	13
563	59	22	17	661	55	44	46	35	19	13	20	14	7	10	9
732	65	34	20	851	74	57	53	42	23	21	17	11	20	13	12
2,278	174	106	82	2,640	270	217	185	130	93	83	65	57	42	34	31
1,735	136	75	65	2,011	198	174	148	103	66	63	51	41	34	20	27
543	38	31	17	629	72	43	37	27	27	20	14	16	8	14	4
642	53	21	18	734	95	59	48	32	17	17	18	16	23	12	5
667	60	35	23	785	82	56	43	37	29	18	19	20	9	14	11
666	72	29	24	791	72	74	63	42	27	17	19	18	12	12	9
537	55	24	22	638	59	53	49	30	20	11	17	13	8	8	6
129	17	5	2	153	13	21	14	12	7	6	2	5	4	4	3
4,005	278	203	162	4,648	514	427	351	274	193	153	114	107	103	63	72
1,463	115	71	51	1,700	173	154	126	105	76	39	39	35	32	28	22
958	87	39	34	1,118	132	92	95	67	36	24	31	21	14	21	19
2,056	195	99	67	2,417	226	178	176	114	104	74	56	50	45	44	37
2,016	138	81	55	2,290	224	173	149	120	70	62	50	52	44	44	25
790	51	28	34	903	80	62	75	50	31	29	16	15	13	7	11
762	52	53	40	907	93	80	79	45	45	30	21	23	17	17	13
971	73	38	23	1,105	128	110	97	83	58	40	30	31	22	23	23
292	26	11	8	337	27	23	28	16	5	10	7	4	9	7	5
887	59	37	29	1,012	97	82	57	46	29	27	24	15	17	9	17
679	64	32	22	797	77	58	64	45	24	24	17	18	14	11	8
676	44	37	26	783	78	68	54	38	31	22	23	18	14	12	10
611	53	27	21	712	80	57	45	33	29	27	14	17	12	9	3
380	32	14	15	441	62	23	28	20	9	8	14	9	13	8	3
365	29	9	11	414	39	36	24	16	12	9	11	11	11	10	6
538	49	31	17	635	71	49	39	31	25	16	12	16	7	10	10
666	72	29	24	791	72	74	63	42	27	17	19	18	12	12	9
1,108	102	59	39	1,308	138	107	97	71	51	36	38	33	22	20	22
1,114	68	65	38	1,285	149	119	88	89	70	40	28	26	35	37	22
659	39	23	22	743	78	76	59	55	33	17	16	11	20	8	13
2,753	240	151	116	3,260	393	353	314	252	168	130	101	97	109	81	72
2,688	207	123	82	3,100	271	215	179	131	98	66	63	42	40	41	42
2,555	179	103	73	2,910	259	172	150	110	77	61	55	53	32	41	26
2,502	187	116	98	2,903	346	284	254	187	136	95	71	73	57	37	35

TABLE 26. Infant mortality from certain causes, 1963.

Deaths of infants under 1 year and various sub-divisions of the first year, and deaths of illegitimate infants

England and Wales, standard regions, Wales, conurbations, urban and rural aggregates outside conurbations, and hospital regions

See explanatory notes.

Area	Total under 1 year	Under 4 weeks	4 weeks and under 3 months	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year (incl. in total)	Total under 1 year	Under 4 weeks	4 weeks and under 3 months	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year (incl. in total)
	All causes							Pneumonia (490-493, 763)						
<b>ENGLAND AND WALES</b>	<b>18,042</b>	<b>12,173</b>	<b>2,293</b>	<b>2,056</b>	<b>907</b>	<b>613</b>	<b>1,536</b>	<b>2,862</b>	<b>679</b>	<b>851</b>	<b>813</b>	<b>325</b>	<b>194</b>	<b>224</b>
Standard regions and conurbations:														
Northern	1,370	955	152	165	66	32	86	224	53	62	76	25	8	11
Tyneside Conurbation	339	251	41	36	19	12	25	44	8	16	12	6	2	1
Remainder of Northern	1,031	724	111	129	47	20	61	180	45	46	64	19	6	10
East and West Ridings	1,857	1,197	254	241	101	64	164	335	77	97	98	42	21	27
West Yorkshire Conurbation	796	526	103	99	42	26	92	167	41	46	48	23	9	19
Remainder of E. and W. Ridings	1,061	671	151	142	59	38	72	168	36	51	50	19	12	8
North Western	3,107	2,022	421	391	138	135	230	567	124	177	163	57	46	46
S. E. Lancashire Conurbation	1,181	757	172	141	63	48	97	236	52	71	71	24	18	23
Merseyside Conurbation	757	476	107	106	35	33	51	137	23	46	42	15	11	11
Remainder of North Western	1,169	789	142	144	40	54	82	194	49	60	50	18	17	12
North Midland	1,369	890	165	176	79	59	113	202	45	52	55	27	23	17
Midland	1,943	1,308	245	219	107	64	167	342	101	103	77	35	26	36
West Midlands Conurbation	1,010	647	146	119	60	38	98	185	51	61	38	17	18	22
Remainder of Midland	933	661	99	100	47	26	69	157	50	42	39	18	8	14
Eastern	1,194	851	131	118	49	45	80	160	36	44	48	15	17	9
London and South Eastern	3,847	2,640	487	408	205	107	447	560	125	182	154	69	30	53
Greater London	2,936	2,011	372	317	155	81	370	444	93	148	127	54	22	45
Remainder of South Eastern	911	629	115	91	50	26	77	116	32	34	27	15	8	8
Southern	1,076	734	154	97	51	40	98	112	23	36	30	13	10	5
South Western	1,123	785	138	109	57	34	89	159	44	45	45	19	6	10
Wales	1,156	791	146	132	54	33	62	201	51	53	67	23	7	10
Wales I (South East)	912	638	112	99	41	22	52	159	40	42	52	19	6	9
Wales II (remainder)	244	153	34	33	13	11	10	42	11	11	15	4	1	1
Urban/Rural aggregates:														
Conurbations	7,019	4,648	941	818	374	238	733	1,213	268	388	338	139	80	121
Areas outside conurbations:														
Urban areas with populations of 100,000 and over	2,529	1,700	327	307	113	82	259	456	114	130	141	44	27	39
Urban areas with populations of 50,000 and under 100,000	1,670	1,118	224	198	76	54	130	256	70	66	78	27	15	18
Urban areas with populations under 50,000	3,521	2,417	404	394	180	126	230	492	116	137	143	59	37	19
Rural districts	3,303	2,290	397	359	164	113	184	445	111	130	113	56	35	27
Hospital Regions:														
Newcastle	1,292	903	142	156	60	31	80	209	50	59	69	24	7	10
Leeds	1,370	907	173	169	74	47	135	274	63	75	83	35	18	24
Sheffield	1,750	1,105	238	238	101	68	135	255	57	70	71	32	25	21
East Anglia	478	337	50	49	21	21	35	77	15	19	24	8	11	4
North West Metropolitan	1,432	1,012	179	132	66	43	179	214	54	73	56	18	13	21
North East Metropolitan	1,157	797	135	133	59	33	100	164	34	45	55	23	7	14
South East Metropolitan	1,151	783	146	123	63	36	113	155	39	52	35	19	10	10
South West Metropolitan	1,038	712	137	107	58	24	119	139	24	50	39	19	7	13
Wessex	638	441	85	57	31	24	51	53	14	17	11	8	3	2
Oxford	599	414	75	52	31	27	50	79	20	20	20	10	9	3
South Western	921	635	120	95	44	27	79	131	33	38	41	14	5	10
Welsh	1,156	791	146	132	54	33	62	201	51	53	67	23	7	10
Birmingham	1,943	1,308	245	219	107	64	167	342	101	103	77	35	26	36
Manchester	1,988	1,285	268	247	94	94	155	376	92	108	105	38	33	33
Liverpool	1,129	743	154	147	44	41	76	193	32	69	60	19	13	13



TABLE 26 - continued

Area	Total under 1 year	Under 4 weeks	4 weeks and under 3 months	3-5 months	6-8 months	9-11 months	Illegi- timate under 1 year (incl. in total)	Total under 1 year	Under 4 weeks	4 weeks and under 3 months	3-5 months	6-8 months	9-11 months	Illegi- timate under 1 year (incl. in total)
	Bronchitis (500-502)							Gastro-enteritis (571, 764)						
ENGLAND AND WALES	459	19	138	195	61	46	33	397	64	113	114	63	43	27
Standard regions and conurbations:														
Northern	18	-	6	7	2	3	1	24	4	7	9	3	1	1
Tyneside Conurbation	6	-	2	3	-	1	-	7	1	3	2	1	-	-
Remainder of Northern	12	-	4	4	2	2	1	17	3	4	7	2	1	1
East and West Ridings	59	-	16	26	10	7	3	60	12	18	14	10	6	2
West Yorkshire Conurbation	10	-	4	2	2	2	-	20	4	2	10	4	-	1
Remainder of E. and W. Ridings	49	-	12	24	8	5	3	40	8	16	4	6	6	1
North Western	111	5	32	56	7	11	14	83	12	26	28	9	8	14
S. E. Lancashire Conurbation	25	1	5	15	3	1	3	36	4	14	12	3	3	8
Merseyside Conurbation	57	4	17	26	4	6	9	20	4	1	11	1	3	2
Remainder of North Western	29	-	10	15	-	4	2	27	4	11	5	5	2	4
North Midland	50	2	9	28	6	5	4	39	7	8	10	9	5	3
Midland	28	-	9	13	4	2	-	60	13	11	21	9	6	3
West Midlands Conurbation	22	-	8	11	1	2	-	45	7	9	16	8	5	1
Remainder of Midland	6	-	1	2	3	-	-	15	6	2	5	1	1	2
Eastern	17	1	3	7	5	1	-	15	2	6	4	1	2	1
London and South Eastern	126	8	44	42	20	12	7	67	9	19	19	14	6	10
Greater London	101	5	35	35	15	11	5	53	9	16	16	9	3	8
Remainder of South Eastern	25	3	9	7	5	1	2	14	-	3	3	5	3	2
Southern	18	1	9	3	3	2	2	21	2	8	4	1	6	2
South Western	12	1	4	2	2	3	2	8	2	2	1	2	1	1
Wales	20	1	6	11	2	-	-	20	1	8	4	5	2	-
Wales I (South East)	18	1	6	9	2	-	-	13	1	4	4	3	1	-
Wales II (remainder)	2	-	-	2	-	-	-	7	-	4	-	2	1	-
Urban/Rural aggregates:														
Conurbations	221	10	71	92	25	23	17	181	29	45	67	26	14	20
Areas outside conurbations:														
Urban areas with populations of 100,000 and over	64	4	18	28	9	5	7	47	9	13	13	6	6	5
Urban areas with populations of 50,000 and under 100,000	28	2	9	7	6	4	1	41	5	17	10	5	4	3
Urban areas with populations under 50,000	82	-	24	41	11	6	6	72	12	23	13	15	9	6
Rural districts	64	3	16	27	10	8	2	56	9	15	11	11	10	3
Hospital Regions:														
Newcastle	18	-	6	7	2	3	1	22	4	7	8	2	1	1
Leeds	27	-	7	8	7	5	3	36	6	8	14	7	1	1
Sheffield	81	1	18	46	9	7	4	65	13	18	11	13	10	4
East Anglia	7	1	1	4	1	-	-	4	1	-	2	-	1	-
North West Metropolitan	30	-	12	8	9	1	1	21	3	6	6	4	2	4
North East Metropolitan	38	3	11	14	5	5	3	20	3	9	4	3	1	1
South East Metropolitan	48	4	17	16	7	4	3	21	1	5	6	6	3	4
South West Metropolitan	25	2	9	7	4	3	-	19	3	6	5	3	2	3
Wessex	11	1	4	2	2	2	2	16	2	6	4	-	4	-
Oxford	7	-	3	2	-	2	-	3	-	1	-	1	1	1
South Western	8	1	3	1	2	1	2	7	2	2	1	1	1	1
Welsh	20	1	6	11	2	-	-	20	1	8	4	5	2	-
Birmingham	28	-	9	13	4	2	-	60	13	11	21	9	6	3
Manchester	49	1	13	28	3	4	5	56	8	20	17	6	5	11
Liverpool	62	4	19	28	4	7	9	27	4	6	11	3	3	3

TABLE 26 - continued

Area	Total under 1 year	Under 4 weeks	4 weeks and under 3 months	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year (incl. in total)	Total under 1 year	Under 4 weeks	4 weeks and under 3 months	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year (incl. in total)
	Other diseases of infective origin (001-138, 340, 470-483, 518, 519, 690-698, 765-768)							Accidental mechanical suffocation (E921-E925)						
ENGLAND AND WALES	495	140	115	115	81	44	28	396	29	136	150	48	33	29
Standard regions and conurbations:														
Northern	34	12	6	7	8	1	1	45	5	15	18	5	2	5
Tyneside Conurbation	7	3	-	-	3	1	-	20	1	7	7	3	2	2
Remainder of Northern	27	9	6	7	5	-	1	25	4	8	11	2	-	3
East and West Ridings	50	10	9	16	6	9	4	35	1	11	21	1	1	1
West Yorkshire Conurbation	16	4	4	3	1	4	1	20	-	6	13	-	1	-
Remainder of E. and W. Ridings	34	6	5	13	5	5	3	15	1	5	8	1	-	1
North Western	97	21	21	23	23	9	2	58	5	15	21	4	13	7
S.E. Lancashire Conurbation	44	9	8	11	12	4	-	23	4	5	9	1	4	3
Merseyside Conurbation	18	2	6	5	4	1	1	7	-	2	1	2	2	-
Remainder of North Western	35	10	7	7	7	4	1	28	1	8	11	1	7	4
North Midland	37	7	10	10	7	3	2	31	3	9	12	5	2	2
Midland	60	15	13	14	13	5	3	51	4	18	19	6	4	4
West Midlands Conurbation	42	10	9	10	11	2	2	29	1	12	11	2	3	4
Remainder of Midland	18	5	4	4	2	3	1	22	3	6	8	4	1	-
Eastern	25	13	6	5	1	-	1	33	1	16	10	3	3	2
London and South Eastern	110	33	31	24	17	5	11	41	5	17	14	5	-	2
Greater London	78	23	19	18	13	5	9	22	3	7	10	2	-	2
Remainder of South Eastern	32	10	12	6	4	-	2	19	2	10	4	3	-	-
Southern	30	14	4	7	3	2	2	37	2	14	13	4	4	3
South Western	25	5	8	5	1	6	-	37	3	10	11	11	2	2
Wales	27	10	7	4	2	4	2	28	-	11	11	4	2	1
Wales I (South East)	19	8	6	1	1	3	2	16	-	6	7	2	1	1
Wales II (remainder)	8	2	1	3	1	1	-	12	-	5	4	2	1	-
Urban/Rural aggregates:														
Conurbations	205	51	46	47	44	17	13	121	9	39	51	10	12	11
Areas outside conurbations:														
Urban areas with populations of 100,000 and over	54	18	12	16	4	4	6	41	1	17	16	3	4	7
Urban areas with populations of 50,000 and under 100,000	49	14	11	14	5	5	1	56	5	19	18	11	3	4
Urban areas with populations under 50,000	96	30	22	21	14	9	5	95	7	29	36	13	10	5
Rural districts	91	27	24	17	14	9	3	83	7	32	29	11	4	2
Hospital Regions:														
Newcastle	30	9	6	7	7	1	-	44	5	15	18	4	2	5
Leeds	31	8	6	7	4	6	3	26	-	7	16	2	1	1
Sheffield	52	9	13	18	6	6	4	37	4	13	15	4	1	2
East Anglia	8	7	-	1	-	-	-	16	-	6	6	1	3	-
North West Metropolitan	32	11	5	7	7	3	4	20	1	9	8	2	-	1
North East Metropolitan	33	9	9	8	4	3	1	19	2	8	9	-	-	4
South East Metropolitan	23	9	8	3	3	-	1	11	1	4	2	4	-	-
South West Metropolitan	48	15	16	10	6	-	6	19	3	9	4	2	1	1
Wessex	16	5	2	6	1	2	1	21	-	9	5	5	2	1
Oxford	18	8	3	2	4	1	1	21	2	5	8	4	2	-
South Western	20	4	6	5	1	4	-	25	2	7	8	6	2	2
Welsh	27	10	7	4	2	4	2	28	-	11	11	4	2	1
Birmingham	60	15	13	14	13	5	3	51	4	18	19	6	4	4
Manchester	67	17	12	14	17	7	-	47	5	10	19	2	11	6
Liverpool	30	4	9	9	6	2	2	11	-	5	2	2	2	1

TABLE 26 - continued

Area	Total under 1 year	Under 4 weeks	4 weeks and under 3 months	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year (incl. in total)	Total under 1 year	Under 4 weeks	4 weeks and under 3 months	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year (incl. in total)
	Congenital malformations (750-759)							Injury at birth (760, 761)						
ENGLAND AND WALES	3,583	2,326	601	376	166	114	206	1,943	1,942	1	-	-	-	174
Standard regions and conurbations:														
Northern	271	176	37	32	15	11	15	144	144	-	-	-	-	9
Tyneside Conurbation	58	36	8	7	4	3	6	31	31	-	-	-	-	2
Remainder of Northern	213	140	29	25	11	8	9	113	113	-	-	-	-	7
East and West Ridings	350	231	65	30	15	9	26	199	199	-	-	-	-	19
West Yorkshire Conurbation	128	86	21	11	7	3	17	97	97	-	-	-	-	10
Remainder of E. and W. Ridings	222	145	44	19	8	6	9	102	102	-	-	-	-	9
North Western	565	375	89	64	20	17	24	320	320	-	-	-	-	17
S. E. Lancashire Conurbation	191	124	36	15	10	6	10	130	130	-	-	-	-	9
Merseyside Conurbation	146	106	18	13	4	5	5	83	83	-	-	-	-	2
Remainder of North Western	228	145	35	36	6	6	9	107	107	-	-	-	-	6
North Midland	227	136	37	37	11	6	12	122	122	-	-	-	-	13
Midland	374	254	63	35	15	7	16	271	271	-	-	-	-	27
West Midlands Conurbation	185	127	31	16	8	3	12	149	149	-	-	-	-	17
Remainder of Midland	189	127	32	19	7	4	4	122	122	-	-	-	-	10
Eastern	269	194	31	22	10	12	11	128	127	1	-	-	-	14
London and South Eastern	776	487	137	89	38	25	64	399	399	-	-	-	-	49
Greater London	587	364	107	68	29	19	50	302	302	-	-	-	-	41
Remainder of South Eastern	189	123	30	21	9	6	14	97	97	-	-	-	-	8
Southern	249	143	55	22	21	8	14	113	113	-	-	-	-	8
South Western	277	185	46	23	13	10	11	129	129	-	-	-	-	12
Wales	225	145	41	22	8	9	13	118	118	-	-	-	-	6
Wales I (South East)	181	121	33	16	6	5	11	90	90	-	-	-	-	4
Wales II (remainder)	44	24	8	6	2	4	2	28	28	-	-	-	-	2
Urban/Rural aggregates:														
Conurbations	1,295	843	221	130	62	39	100	792	792	-	-	-	-	81
Areas outside conurbations:														
Urban areas with populations of 100,000 and over	516	337	84	56	22	17	28	236	236	-	-	-	-	32
Urban areas with populations of 50,000 and under 100,000	338	215	61	39	13	10	20	176	176	-	-	-	-	13
Urban areas with populations under 50,000	717	464	113	76	38	26	33	385	384	1	-	-	-	24
Rural districts	717	467	122	75	31	22	25	354	354	-	-	-	-	24
Hospital Regions:														
Newcastle	257	168	33	31	14	11	14	140	140	-	-	-	-	9
Leeds	261	179	43	20	11	8	23	158	158	-	-	-	-	15
Sheffield	301	182	60	41	14	4	14	151	151	-	-	-	-	17
East Anglia	94	66	13	6	6	3	4	54	53	1	-	-	-	6
North West Metropolitan	302	190	54	34	11	13	25	145	145	-	-	-	-	17
North East Metropolitan	249	170	39	22	9	9	12	113	113	-	-	-	-	14
South East Metropolitan	243	156	38	28	11	10	20	120	120	-	-	-	-	15
South West Metropolitan	194	124	30	24	13	3	6	120	120	-	-	-	-	12
Wessex	163	103	27	15	12	6	4	68	68	-	-	-	-	3
Oxford	124	67	29	12	10	6	12	66	66	-	-	-	-	4
South Western	228	145	42	21	12	8	9	99	99	-	-	-	-	12
Welsh	225	145	41	22	8	9	13	118	118	-	-	-	-	6
Birmingham	374	254	63	35	15	7	16	271	271	-	-	-	-	27
Manchester	357	226	62	42	15	12	16	199	199	-	-	-	-	11
Liverpool	211	151	27	23	5	5	8	121	121	-	-	-	-	6



TABLE 26 - continued

Area	Total under 1 year	Under 4 weeks	4 weeks and under 3 months	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year (incl. in total)	Total under 1 year	Under 4 weeks	4 weeks and under 3 months	3-5 months	6-8 months	9-11 months	Illegitimate under 1 year (incl. in total)
	Postnatal asphyxia, atelectasis (762)							Haemolytic disease of newborn (770)						
ENGLAND AND WALES	2,513	2,487	15	6	4	-	230	342	338	1	1	2	-	8
Standard regions and conurbations:														
Northern	151	148	2	1	-	-	10	25	25	-	-	-	-	-
Tyneside Conurbation	30	30	-	-	-	-	4	5	5	-	-	-	-	-
Remainder of Northern	121	118	2	1	-	-	6	20	20	-	-	-	-	-
East and West Ridings	268	264	2	1	1	-	28	35	34	-	-	1	-	1
West Yorkshire Conurbation	109	107	1	1	-	-	12	15	14	-	-	1	-	-
Remainder of E. and W. Ridings	159	157	1	-	1	-	16	20	20	-	-	-	-	1
North Western	496	489	7	-	-	-	33	49	49	-	-	-	-	-
S. E. Lancashire Conurbation	192	188	4	-	-	-	14	12	12	-	-	-	-	-
Merseyside Conurbation	105	103	2	-	-	-	5	13	13	-	-	-	-	-
Remainder of North Western	199	198	1	-	-	-	14	24	24	-	-	-	-	-
North Midland	175	173	-	2	-	-	10	28	28	-	-	-	-	-
Midland	227	227	-	-	-	-	16	33	33	-	-	-	-	3
West Midlands Conurbation	107	107	-	-	-	-	7	15	15	-	-	-	-	1
Remainder of Midland	120	120	-	-	-	-	9	18	18	-	-	-	-	2
Eastern	138	137	-	-	1	-	12	22	22	-	-	-	-	-
London and South Eastern	580	577	-	1	2	-	75	80	79	1	-	-	-	1
Greater London	442	441	-	-	1	-	65	65	65	-	-	-	-	1
Remainder of South Eastern	138	136	-	1	1	-	10	15	14	1	-	-	-	-
Southern	171	169	2	-	-	-	21	23	23	-	-	-	-	-
South Western	152	151	1	-	-	-	20	29	28	-	1	-	-	2
Wales	155	152	2	1	-	-	5	18	17	-	-	1	-	1
Wales I (South East)	123	120	2	1	-	-	4	16	15	-	-	1	-	1
Wales II (remainder)	32	32	-	-	-	-	1	2	2	-	-	-	-	-
Urban/Rural aggregates:														
Conurbations	985	976	7	1	1	-	107	125	124	-	-	1	-	2
Areas outside conurbations:														
Urban areas with populations of 100,000 and over	329	327	2	-	-	-	44	48	47	-	-	1	-	2
Urban areas with populations of 50,000 and under 100,000	228	225	1	2	-	-	15	24	24	-	-	-	-	-
Urban areas with populations under 50,000	496	492	1	1	2	-	40	72	70	1	1	-	-	3
Rural districts	475	467	5	2	1	-	24	73	73	-	-	-	-	1
Hospital Regions:														
Newcastle	139	137	1	1	-	-	9	22	22	-	-	-	-	-
Leeds	190	187	2	1	-	-	21	27	26	-	-	1	-	-
Sheffield	225	221	1	2	1	-	16	35	35	-	-	-	-	1
East Anglia	62	62	-	-	-	-	7	6	6	-	-	-	-	-
North West Metropolitan	228	228	-	-	-	-	31	25	25	-	-	-	-	-
North East Metropolitan	142	141	-	-	1	-	14	30	30	-	-	-	-	-
South East Metropolitan	154	153	-	-	1	-	13	19	19	-	-	-	-	-
South West Metropolitan	163	161	-	1	1	-	26	25	24	1	-	-	-	1
Wessex	90	90	-	-	-	-	12	16	16	-	-	-	-	-
Oxford	115	113	2	-	-	-	9	13	13	-	-	-	-	-
South Western	126	125	1	-	-	-	18	23	22	-	1	-	-	2
Welsh	155	152	2	1	-	-	5	18	17	-	-	1	-	1
Birmingham	227	227	-	-	-	-	16	33	33	-	-	-	-	3
Manchester	317	313	4	-	-	-	24	29	29	-	-	-	-	-
Liverpool	180	177	3	-	-	-	9	21	21	-	-	-	-	-

TABLE 26 - continued

Area	Total under 1 year	Under 4 weeks	4 weeks and under 3 months	3-5 months	6-8 months	9-11 months	Illegi- timate under 1 year (incl. in total)	Total under 1 year	Under 4 weeks	4 weeks and under 3 months	3-5 months	6-8 months	9-11 months	Illegi- timate under 1 year (incl. in total)
	Immaturity associated with diseases of early infancy (760-773)*							Immaturity (774-776)						
ENGLAND AND WALES	3,397	3,390	5	1	1	-	315	2,849	2,827	22	-	-	-	325
Standard regions and conurbations:														
Northern	233	231	2	-	-	-	15	289	288	1	-	-	-	22
Tyneside Conurbation	57	57	-	-	-	-	3	77	77	-	-	-	-	9
Remainder of Northern	176	174	2	-	-	-	12	212	211	1	-	-	-	13
East and West Ridings	348	347	-	1	-	-	34	270	266	4	-	-	-	37
West Yorkshire Conurbation	155	154	-	1	-	-	15	133	131	2	-	-	-	23
Remainder of E. and W. Ridings	193	193	-	-	-	-	19	137	135	2	-	-	-	14
North Western	605	604	1	-	-	-	49	440	438	2	-	-	-	33
S. E. Lancashire Conurbation	234	234	-	-	-	-	25	173	171	2	-	-	-	10
Merseyside Conurbation	115	115	-	-	-	-	4	101	101	-	-	-	-	6
Remainder of North Western	256	255	1	-	-	-	20	166	166	-	-	-	-	17
North Midland	239	239	-	-	-	-	21	250	249	1	-	-	-	31
Midland	322	321	-	-	1	-	27	265	265	-	-	-	-	28
West Midlands Conurbation	158	157	-	-	1	-	13	120	120	-	-	-	-	14
Remainder of Midland	164	164	-	-	-	-	14	145	145	-	-	-	-	14
Eastern	183	183	-	-	-	-	14	205	203	2	-	-	-	15
London and South Eastern	786	786	-	-	-	-	98	604	602	2	-	-	-	102
Greater London	609	609	-	-	-	-	81	461	459	2	-	-	-	83
Remainder of South Eastern	177	177	-	-	-	-	17	143	143	-	-	-	-	19
Southern	217	216	1	-	-	-	19	173	168	5	-	-	-	24
South Western	230	230	-	-	-	-	25	149	147	2	-	-	-	17
Wales	234	233	1	-	-	-	13	204	201	3	-	-	-	16
Wales I (South East)	187	186	1	-	-	-	10	167	164	3	-	-	-	13
Wales II (remainder)	47	47	-	-	-	-	3	37	37	-	-	-	-	3
Urban/Rural aggregates:														
Conurbations	1,328	1,326	-	1	1	-	141	1,065	1,059	6	-	-	-	145
Areas outside conurbations:														
Urban areas with populations of 100,000 and over	453	452	1	-	-	-	63	421	417	4	-	-	-	57
Urban areas with populations of 50,000 and under 100,000	292	290	2	-	-	-	26	272	270	2	-	-	-	27
Urban areas with populations under 50,000	681	680	1	-	-	-	52	579	574	5	-	-	-	56
Rural districts	643	642	1	-	-	-	33	512	507	5	-	-	-	40
Hospital Regions:														
Newcastle	217	216	1	-	-	-	14	274	273	1	-	-	-	21
Leeds	257	255	1	1	-	-	25	215	212	3	-	-	-	31
Sheffield	302	302	-	-	-	-	29	291	289	2	-	-	-	33
East Anglia	77	77	-	-	-	-	6	81	80	1	-	-	-	8
North West Metropolitan	305	305	-	-	-	-	41	228	226	2	-	-	-	41
North East Metropolitan	184	184	-	-	-	-	13	214	213	1	-	-	-	27
South East Metropolitan	219	219	-	-	-	-	24	181	181	-	-	-	-	23
South West Metropolitan	220	220	-	-	-	-	28	145	145	-	-	-	-	24
Wessex	118	118	-	-	-	-	14	96	91	5	-	-	-	13
Oxford	151	150	1	-	-	-	9	88	88	-	-	-	-	13
South Western	185	185	-	-	-	-	23	125	123	2	-	-	-	13
Welsh	234	233	1	-	-	-	13	204	201	3	-	-	-	16
Birmingham	322	321	-	-	1	-	27	265	265	-	-	-	-	28
Manchester	397	397	-	-	-	-	38	285	283	2	-	-	-	24
Liverpool	209	208	1	-	-	-	11	157	157	-	-	-	-	10

\*Including some deaths shown elsewhere in this table.

**TABLE 27. Causes of death at various ages under 5 years, 1963**

**England and Wales**

Note. Separate columns are not shown for those causes to which, as a rule, few deaths are assigned. To make the record complete, the classification numbers of such causes are printed as close as possible to the places where they would occur. Figures of deaths from these causes are shown in footnotes in which heavy-faced figures preceding the cause show the International Classification number, and the figures following it indicate the sex and age-group of the decedent, roman type for males and italic type for females. A dash ( - ) indicates that no deaths are assigned. The following abbreviations are used to denote age or age-groups:- 'D' to indicate day(s); 'W' week(s); 'M' month(s); 'Y' year(s).

Causes of death	All Causes		001-008		010-019		010		011, 012, 013, 014-018*		020-029, 030-039*		045-048*		050, 055*	
			Tuberculosis of respiratory system		Tuberculosis, other forms		Tuberculosis of meningitis and central nervous system		019 Disseminated tuberculosis		040-049 Infectious diseases commonly arising in intestinal tract		050-064 Other bacterial diseases		056.0 Whooping cough, without mention of pneumonia	
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Total under 5 years	11,949	8,873	2	1	11	12	10	10	1	1	7	1	107	75	4	4
Days 0	3,514	2,656	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-6	2,653	1,675	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Weeks 1	436	377	-	-	-	-	-	-	-	-	-	-	1	-	-	-
2	274	219	-	-	-	-	-	-	-	-	1	-	-	-	-	-
3	224	145	-	-	-	-	-	-	-	-	-	-	2	1	-	1
Months 1-2	1,335	958	-	-	-	1	-	1	-	-	-	-	24	15	4	1
3-5	1,149	907	1	-	1	-	1	-	-	-	1	-	12	18	-	2
6-8	490	417	-	-	1	-	-	-	1	-	1	-	13	12	-	-
9-11	326	287	-	-	-	-	-	-	-	-	-	-	6	6	-	1
Years 0	10,401	7,641	1	-	2	1	1	1	1	-	3	-	59	52	4	4
1	665	537	1	1	4	6	4	5	-	1	-	1	26	8	-	-
2	378	288	-	-	1	-	1	-	-	-	3	-	12	7	-	-
3	261	221	-	-	4	4	4	3	-	-	-	-	7	6	-	-
4	244	186	-	-	-	1	-	1	-	-	1	-	3	2	-	-

Causes of death	056.1		057.0		057.1		057.2, 057.3, 061,070-074*		080-096		080, 081		082, 083		085.0		085.1	
	Whooping cough, with pneumonia		Meningo-coccal meningitis		Acute and unspecified meningo-coccaemia		Diseases attributable to viruses		Acute poliomyelitis, including late effects		Acute infectious encephalitis, including late effects		Measles, without mention of pneumonia		Measles, with pneumonia			
Ages at death	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F		
Total under 5 years	11	16	23	16	44	26	101	65	-	-	24	9	14	10	31	28		
Days 0	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-		
1-6	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-		
Weeks 1	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-		
2	-	-	-	-	-	-	1	1	-	-	1	1	-	-	-	-		
3	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-		
Months 1-2	2	4	4	5	8	2	7	1	-	-	3	-	-	-	-	-		
3-5	2	6	4	3	3	5	11	6	-	-	3	1	-	2	-	-		
6-8	1	4	1	2	7	5	12	8	-	-	2	1	1	-	6	6		
9-11	2	-	-	-	3	2	9	8	-	-	2	-	1	2	3	3		
Years 0	7	14	11	10	23	14	43	26	-	-	11	3	2	4	9	9		
1	3	2	8	1	10	4	25	8	-	-	9	2	5	1	7	3		
2	1	-	-	3	7	4	13	13	-	-	1	2	3	2	7	5		
3	-	-	2	2	4	3	10	11	-	-	1	1	2	1	4	8		
4	-	-	2	-	-	1	10	7	-	-	2	1	2	2	4	3		

\* 011 Tuberculosis of intestines, peritoneum, and mesenteric glands - ; 012, 013 Tuberculosis of bones and joints 3Y; 014-018 Tuberculosis, all other organs - ; 020-029 Syphilis and its sequelae - ; 030-039 Gonococcal infection and other venereal diseases - ; 045 - 048 Dysentery, all forms 6-8M, 2Y, 2Y, 4Y; 050 Scarlet fever 9-11M; 055 Diphtheria 1Y; 057.2 Chronic Meningococcaemia - ; 057.3 Other forms of meningococcal infection 6-8M; 061 Tetanus 3Y; 070-074 Spirochaetal diseases, except syphilis - .



TABLE 27 - continued

Causes of death	086*		NEOPLASMS													
	087		089, 100-108, 110-117, 120-138*				140-148*		160-165*							
	Chickenpox		140-239 Neoplasms		140-199 Malignant neoplasms		150-159 of digestive organs and peritoneum		170-181 of breast and genito- urinary organs		180 of kidney		190-199 of other and unspecified sites		192 of eye	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Total under 5 years	8	5	243	174	125	74	13	4	28	19	23	14	79	50	4	3
Days 0	-	-	4	2	2	-	-	-	1	-	1	-	1	-	-	-
1-6	-	-	3	2	1	1	-	-	-	-	-	-	1	1	-	-
Weeks 1	-	-	2	2	1	-	-	-	1	-	1	-	-	-	-	-
2	-	-	2	-	1	-	-	-	1	-	1	-	-	-	-	-
3	-	-	3	1	-	1	-	-	-	-	-	-	-	1	-	-
Months 1-2	1	-	11	10	8	3	1	-	-	-	-	-	6	3	-	-
3-5	1	2	8	6	6	1	3	-	-	-	-	-	1	1	-	-
6-8	-	1	8	9	3	4	-	-	-	1	2	-	3	2	-	-
9-11	3	1	11	8	6	4	-	1	2	1	2	1	4	2	-	-
Years 0	5	4	52	40	28	14	4	1	7	2	7	1	16	10	-	-
1	1	1	44	31	25	12	5	-	4	3	4	2	14	9	1	-
2	1	-	45	37	24	18	1	1	5	6	4	5	18	11	2	-
3	1	-	50	33	30	19	1	1	9	4	5	2	19	14	1	3
4	-	-	52	33	18	11	2	1	3	4	3	4	12	6	-	-

Causes of death	NEOPLASMS															
							195.1, 195.2, 195.3, 196*						204.0*			
	193 of brain and other parts of nervous system		195 of endocrine glands		195.0 of suprarenal		197 of connective tissue		200-205 Leukaemia, aleukaemia and reticulososes		200 Lympho- sarcoma and reticulo- sarcoma		204.1 Myeloid leukaemia		204.2 Monocytic leukaemia	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Total under 5 years	59	30	6	9	4	8	5	1	97	75	7	3	1	1	-	3
Days 0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-6	-	-	1	1	1	1	-	-	1	-	-	-	-	-	-	-
Weeks 1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Months 1-2	4	3	1	-	-	-	1	-	1	2	-	-	-	-	-	-
3-5	1	1	-	-	-	-	-	-	2	3	-	-	-	-	-	-
6-8	3	-	-	1	-	1	-	-	4	3	1	-	-	-	-	-
9-11	1	1	1	-	1	-	1	-	2	3	-	1	-	-	-	-
Years 0	9	5	3	3	2	3	2	-	10	12	1	1	-	-	-	-
1	10	8	1	-	-	-	1	-	18	15	3	-	-	-	-	1
2	13	6	-	3	-	2	1	-	19	16	-	1	-	1	-	1
3	15	7	2	3	2	3	1	-	18	10	-	-	1	-	-	1
4	12	4	-	-	-	-	-	1	32	22	3	1	-	-	-	-

\* 086 Rubella (German measles) 3Y; 089 Mumps 1Y, 2Y, 2Y, 4Y; 100-108 Typhus and other rickettsial diseases 110-117 Malaria - ; 120-138 Other infective and parasitic diseases 1-2M, 1-2M, 1-2M; 140-148 Malignant neoplasm of buccal cavity and pharynx 1-2M, 3Y, 6-8M; 160-165 Malignant neoplasm of respiratory system 1Y, 1Y, 4Y; 195.1 Malignant neoplasm of parathyroid gland - ; 195.2 Malignant neoplasm of thymus 1-2M, 1Y, 2Y; 195.3 Malignant neoplasm of pituitary gland and craniopharyngeal duct - ; 196 Malignant neoplasm of bone 2Y, 4Y; 204.0 Lymphatic leukaemia 1-2M, 4Y, 3Y.

TABLE 27 - continued

Causes of death	NEOPLASMS												240-245		250-254	
	204.3		204.4		210-239		210-229		230-239		223, 237					
	Acute leukaemia		Other and unspecified leukaemia		Benign and unspecified neoplasms		Benign neoplasm		Neoplasm of unspecified nature		of brain and central nervous system		Allergic disorders		Diseases of thyroid gland	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Total under 5 years	80	62	5	3	21	25	12	13	9	12	8	10	27	20	1	2
Days 0	-	-	-	-	2	2	1	-	1	2	1	-	-	-	-	-
1-6	1	-	-	-	1	1	1	-	-	1	-	-	-	-	-	-
Weeks 1	-	-	-	1	1	1	1	-	-	1	-	-	-	-	-	-
2	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
3	-	-	-	-	3	-	2	-	1	-	1	-	-	-	-	-
Months 1-2	-	1	-	1	2	5	-	3	2	2	-	3	4	3	-	-
3-5	2	2	-	1	-	2	-	2	-	-	-	1	5	2	-	-
6-8	3	3	-	-	1	2	1	-	-	2	-	1	5	-	-	-
9-11	1	2	1	-	3	1	3	1	-	-	2	-	3	-	-	-
Years 0	7	8	1	3	14	14	9	6	5	8	4	5	17	5	-	-
1	14	13	1	-	1	4	-	2	1	2	1	3	4	5	-	2
2	18	13	1	-	2	3	2	1	-	2	-	2	2	6	-	-
3	15	8	1	-	2	4	1	4	1	-	1	-	3	1	1	-
4	26	20	1	-	2	-	-	-	2	-	2	-	1	3	-	-

Causes of death	260  Diabetes mellitus		270-277  Diseases of other endocrine glands		280-289  Avitaminoses and other metabolic diseases		283, 286.0*		290-293  Anaemias		294-299  Other diseases of blood and blood-forming organs		300-309, 310-318*		325  Mental deficiency	
							290-299  Diseases of the blood and blood-forming organs						320-326  Mental, psycho-neurotic, and personality disorders			
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Total under 5 years	10	1	31	21	26	19	23	19	13	9	10	10	35	37	35	37
Days 0	-	-	2	4	-	-	-	1	-	-	-	1	-	3	-	3
1-6	-	-	10	3	1	-	1	-	-	-	1	-	-	2	-	2
Weeks 1	-	-	1	3	-	-	-	2	-	-	-	2	3	3	3	3
2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	-	-	2	-	-	-	1	1	-	-	1	1	1	-	1	-
Months 1-2	-	-	3	2	5	5	3	4	2	3	1	1	3	2	3	2
3-5	1	-	6	3	6	3	4	1	2	-	2	1	5	4	5	4
6-8	-	-	-	1	1	6	3	-	2	-	1	-	6	2	6	2
9-11	1	-	2	3	3	1	2	1	1	-	1	1	-	1	-	1
Years 0	3	-	26	19	16	15	14	10	7	3	7	7	18	17	18	17
1	4	-	3	-	3	2	5	3	4	2	1	1	7	7	7	7
2	2	-	1	2	2	-	-	2	-	1	-	1	5	5	5	5
3	-	1	-	-	-	1	1	1	1	-	-	1	3	5	3	5
4	1	-	1	-	5	1	3	3	1	3	2	-	2	3	2	3

\* 283 Active rickets - ; 286.0 Steatorrhoea and sprue 9-11M, 4Y, 1-2M, 3-5M, 9-11M; 300-309 Psychoses - ; 310-318 Psychoneurotic disorders - .

TABLE 27 - continued

Causes of death	330-334		340-345		340		350-357		351		353		360-369, 370-379, 380-389*		400-402*	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
total under 5 years	22	11	140	148	102	90	79	66	32	19	31	29	39	36	30	22
Days 0	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
1-6	-	-	10	9	8	9	-	-	-	-	-	-	1	-	1	-
Weeks 1	-	-	6	7	6	4	-	-	-	-	-	-	1	-	1	1
2	-	-	7	6	5	5	-	-	-	-	-	-	-	-	-	2
3	1	-	2	3	1	2	-	-	-	-	-	-	2	1	-	-
Months 1-2	8	5	18	29	12	22	8	7	6	6	-	-	10	5	5	2
3-5	4	2	23	25	19	16	10	6	4	1	4	1	12	13	8	2
6-8	2	2	21	10	16	8	3	3	1	2	1	1	6	4	1	2
9-11	-	-	4	12	2	5	7	5	4	-	2	1	2	3	3	1
Years 0	15	9	92	101	70	71	28	21	15	9	7	3	34	26	19	10
1	4	1	28	27	19	9	15	17	4	3	7	10	3	7	3	5
2	1	-	8	9	5	5	13	13	3	5	8	5	1	2	1	3
3	2	1	3	8	1	3	16	6	6	-	7	6	-	1	4	3
4	-	-	9	3	7	2	7	9	4	2	2	5	1	-	3	1

Causes of death	410-416*						440-443, 444-447*									
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
total under 5 years	5	5	23	16	4	1	2	-	2	1	44	27	29	23	1,510	1,134
Days 0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1-6	-	-	1	-	1	-	1	-	-	-	-	-	-	1	-	-
Weeks 1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
2	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-
3	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-
Months 1-2	1	-	4	2	1	-	1	-	-	-	3	2	12	6	516	335
3-5	1	-	7	2	1	-	-	-	1	-	10	8	3	5	469	344
6-8	-	1	-	1	1	1	-	1	1	1	4	-	4	1	179	146
9-11	-	1	3	-	-	-	-	-	-	-	3	2	1	2	105	89
Years 0	2	3	16	7	4	1	2	-	2	1	21	14	21	15	1,269	914
1	-	-	3	5	-	-	-	-	-	-	11	6	4	5	125	130
2	1	1	-	1	-	-	-	-	-	-	9	6	3	2	66	52
3	2	1	2	2	-	-	-	-	-	-	3	1	-	-	27	19
4	-	-	2	1	-	-	-	-	-	-	-	-	1	1	23	19

\* 360-369 Diseases of nerves and peripheral ganglia 1Y, 2Y; 370-379 Inflammatory diseases of eye 1W; 380-389 Other diseases and conditions of eye - ; 400-402 Rheumatic fever 1-2M, 3Y, 4Y; 410-416 Chronic rheumatic heart disease 6-8M, 4Y, 2Y; 440-443 Hypertensive heart disease - ; 444-447 Other hypertensive disease - .



TABLE 27 - continued

Causes of death	490		491		492-493		500-502		510-527		518		519, 530-539*		543	
	Lobar pneumonia		Broncho-pneumonia		Primary atypical, other and unspecified pneumonia		Bronchitis		Other diseases of respiratory system		Empyema		540-545 Diseases of stomach and duodenum		Gastritis and duodenitis	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Total under 5 years	60	51	1,295	955	155	128	329	257	75	67	4	2	8	6	2	2
Days 0	-	-	-	-	-	-	-	-	8	2	-	-	-	-	-	-
1-6	-	-	-	-	-	-	1	-	4	-	-	-	-	2	-	-
Weeks 1	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-
2	-	-	-	-	-	-	5	2	1	1	-	-	4	-	2	-
3	-	-	-	-	-	-	8	-	-	-	-	-	-	-	-	-
Months 1-2	16	15	444	285	56	35	75	63	21	21	2	1	1	-	-	-
3-5	13	17	415	288	41	39	113	82	20	13	2	1	1	2	-	-
6-8	13	3	143	127	23	16	35	26	3	4	-	-	-	1	-	1
9-11	4	3	88	76	13	10	21	25	2	6	-	-	-	-	-	-
Years 0	46	38	1,090	776	133	100	259	200	59	47	4	2	6	5	2	1
1	6	5	109	106	10	19	37	33	10	11	-	-	1	1	-	1
2	5	5	57	41	4	6	20	16	2	4	-	-	1	-	-	-
3	2	1	21	17	4	1	7	4	4	3	-	-	-	-	-	-
4	1	2	18	15	4	2	6	4	-	2	-	-	-	-	-	-

Causes of death	544*		550-553		560-561		570-578		570		570.0		570.3		571		580-587	
	Appendicitis		Hernia of abdominal cavity		Other diseases of intestines and peritoneum		Intestinal obstruction, without mention of hernia		Intussusception		Volvulus		Gastro-enteritis and colitis, except ulcerative, age 4 weeks and over		Diseases of liver, gallbladder and pancreas			
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Total under 5 years	11	4	86	58	308	223	39	36	18	18	13	8	248	174	94	91		
Days 0	-	-	40	42	1	1	-	1	-	-	-	1	-	-	-	2		
1-6	-	-	19	7	1	2	-	1	-	-	-	1	-	-	10	10		
Weeks 1	-	-	-	-	1	2	-	-	-	-	-	-	-	-	6	1		
2	-	-	1	3	2	1	-	1	-	-	-	-	-	-	1	3		
3	1	-	2	-	2	1	1	1	-	-	-	-	-	-	2	-		
Months 1-2	-	-	13	2	84	50	9	4	1	1	5	1	68	44	17	7		
3-5	-	-	7	1	67	67	8	8	5	6	2	-	58	56	20	20		
6-8	-	-	-	1	50	26	5	7	4	6	1	-	45	18	8	9		
9-11	-	-	3	1	30	20	4	2	3	1	1	1	26	17	5	3		
Years 0	1	-	85	57	238	170	27	25	13	14	9	4	197	135	69	55		
1	2	-	-	-	43	33	6	6	4	3	1	2	33	27	14	11		
2	3	1	1	1	14	10	1	2	-	-	1	1	12	7	6	7		
3	3	2	-	-	9	8	2	3	-	1	1	1	6	4	1	14		
4	2	1	-	-	4	2	3	-	1	-	1	-	-	1	4	4		

\* 519 Pleurisy 6-8M; 530-539 Diseases of buccal cavity and oesophagus 1Y, 1W, 2Y, 2Y; 544 Disorders of function of stomach 1-2M, 3-5M, 2Y.

TABLE 27 - continued

Causes of death	587		590-594		600-609		610-617, 615 620-626, 630-637*		690-698		700-716		720-749		720-727*		730*	
	Diseases of pancreas		Nephritis and nephrosis		Other diseases of urinary system		Infections of skin and subcutaneous tissue		Other diseases of skin and subcutaneous tissue		Diseases of the bones and organs of movement		Osteomyelitis and other diseases of bone and joint		740-749		Other diseases of musculo-skeletal system	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Total under 5 years	80	78	16	15	53	17	3	3	2	2	12	14	1	1	9	13		
Days 0	-	2	-	-	-	-	-	-	-	-	2	1	-	-	2	1		
1-6	8	8	-	-	1	1	1	-	-	-	-	-	-	-	-	-		
Weeks 1	6	-	-	-	4	-	1	-	-	-	-	-	-	-	-	-		
2	-	2	1	-	7	1	-	1	-	-	1	-	1	-	-	-		
3	2	-	-	-	5	-	1	-	-	-	-	-	-	-	-	-		
Months 1-2	14	7	1	1	18	5	-	1	1	-	1	3	-	1	-	2		
3-5	20	17	2	2	6	2	-	1	-	1	2	2	-	-	2	2		
6-8	6	8	2	2	-	-	-	-	1	-	3	4	-	-	3	4		
9-11	5	2	-	3	4	1	-	-	-	-	1	2	-	-	1	2		
Years 0	61	46	6	8	45	10	3	3	2	1	10	12	1	1	8	11		
1	10	10	5	2	3	2	-	-	-	1	2	1	-	-	1	1		
2	6	6	-	3	2	2	-	-	-	-	-	-	-	-	-	-		
3	-	12	4	1	1	1	-	-	-	-	-	1	-	-	-	-		
4	3	4	1	1	2	2	-	-	-	-	-	-	-	-	-	-		

Causes of death	750-759		750		751		752		753.0*		754.0		754.1		754.2	
	Congenital mal-formations		Monstrosity		Spina bifida and meningocele		Congenital hydro-cephalus		Other congenital mal-formations of nervous system and sense organs		Tetralogy of Fallot		Patent ductus arteriosus (Botalli)		Inter-ventricular septal defect	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Total under 5 years	2,087	1,845	83	109	299	469	90	89	48	65	48	30	60	44	101	85
Days 0	396	352	61	83	41	74	24	22	8	12	1	1	1	1	8	4
1-6	467	361	20	22	51	72	9	11	8	9	3	1	17	10	23	18
Weeks 1	181	170	1	1	41	59	3	1	-	2	1	3	7	8	5	1
2	118	122	-	2	29	47	2	4	2	3	1	1	7	5	5	3
3	88	71	-	-	15	28	-	1	1	3	2	1	2	2	6	2
Months 1-2	312	289	-	1	54	85	10	15	3	9	6	5	16	6	17	16
3-5	203	173	-	-	28	42	10	9	4	4	5	4	6	8	22	14
6-8	77	89	1	-	6	16	6	4	1	2	5	-	2	2	4	9
9-11	58	56	-	-	14	9	3	7	5	2	4	1	2	1	-	9
Years 0	1,900	1,683	83	109	279	432	67	74	32	46	28	17	60	43	90	76
1	100	77	-	-	14	23	13	7	12	10	3	3	-	1	4	2
2	45	35	-	-	4	5	4	1	2	3	8	4	-	-	3	4
3	23	26	-	-	2	6	2	4	2	3	4	2	-	-	4	2
4	19	24	-	-	-	3	4	3	-	3	5	4	-	-	-	1

\* 610-617 Diseases of male genital organs 1Y; 615 Redundant prepuce and phimosis - ; 620-626 Diseases of breast, ovary, Fallopian tube, and parametrium - ; 630-637 Diseases of uterus and other female genital organs - ; 720-727 Arthritis and rheumatism, except rheumatic fever 1-2M, 1Y; 730 Osteomyelitis and periostitis 2W, 1-2M; 753.0 Congenital cataract - .

TABLE 27 - continued

Causes of death	754.3		754.4		754.5		754.6		754.7		755		756.0		756.1	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Total under 5 years	66	52	44	37	514	434	39	26	111	54	6	6	25	8	19	6
Days 0	9	7	2	-	43	37	3	5	9	4	2	3	-	-	2	1
1-6	20	9	7	2	148	105	11	3	32	11	-	2	-	-	9	2
Weeks 1	3	4	1	2	44	43	6	3	4	4	2	-	1	-	2	1
2	3	3	1	1	29	29	1	4	9	3	-	-	1	-	3	2
3	1	1	1	1	16	18	4	1	8	2	-	-	2	-	1	-
Months 1-2	13	11	7	11	93	75	7	5	22	17	-	-	17	5	1	-
3-5	4	8	16	8	56	40	4	2	9	7	1	-	4	2	1	-
6-8	-	3	2	6	25	31	-	1	6	2	-	1	-	1	-	-
9-11	2	-	1	3	15	18	1	-	3	1	-	-	-	-	-	-
Years 0	55	46	38	34	469	396	37	24	102	51	5	6	25	8	19	6
1	6	1	2	3	26	20	1	-	4	-	1	-	-	-	-	-
2	3	2	3	-	8	9	-	1	4	1	-	-	-	-	-	-
3	-	1	1	-	5	3	-	-	1	2	-	-	-	-	-	-
4	2	2	-	-	6	6	1	1	-	-	-	-	-	-	-	-

Causes of death	756.2		757.0*		757.2*		758.0*		758.2		758.3		758.4, 758.5*		759.0	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Total under 5 years	192	123	30	13	112	29	5	3	1	2	5	3	4	8	50	32
Days 0	10	7	12	4	43	8	4	3	1	1	1	2	-	2	28	11
1-6	65	37	2	-	15	7	1	-	-	-	1	1	2	2	7	9
Weeks 1	38	26	3	-	8	5	-	-	-	-	-	-	-	2	1	-
2	9	11	3	1	7	1	-	-	-	-	-	-	-	-	-	-
3	17	4	1	1	7	2	-	-	-	-	-	-	-	-	-	-
Months 1-2	20	16	6	-	10	-	-	-	-	-	1	-	1	1	3	5
3-5	11	9	-	3	11	4	-	-	-	-	1	-	1	1	4	3
6-8	11	5	2	2	3	-	-	-	-	-	-	-	-	-	2	2
9-11	2	2	1	1	2	1	-	-	-	1	-	-	-	-	1	-
Years 0	183	117	30	12	106	28	5	3	1	2	4	3	4	8	46	30
1	6	4	-	-	3	1	-	-	-	-	-	-	-	-	3	1
2	1	-	-	1	2	-	-	-	-	-	1	-	-	-	1	-
3	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1
4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-

\* 757.0 Undescended testicle - ; 757.2 Congenital malformations of external genital organs OD,  
 758.0 Congenital dislocation of hip - ; 758.4 Cervical rib - ; 758.5 Congenital abnormalities of lumbosacral region -.



TABLE 27 - continued

Causes of death	759.1		759.2		759.3		760-769		760.0		760.5		761.0		761.5	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Total under 5 years	3	2	12	16	119	99	3,307	2,166	502	313	350	238	131	87	190	132
Days 0	-	-	12	15	70	45	1,620	1,151	225	173	183	118	98	63	144	104
1-6	1	-	-	1	15	27	1,322	762	237	118	154	110	31	23	46	27
Weeks 1	1	1	-	-	9	4	163	122	29	18	11	10	-	-	-	1
2	-	-	-	-	6	2	95	60	9	3	2	-	-	-	-	-
3	-	-	-	-	4	4	82	59	2	1	-	-	1	1	-	-
Months 1-2	1	1	-	-	4	5	14	8	-	-	-	-	1	-	-	-
3-5	-	-	-	-	5	5	7	2	-	-	-	-	-	-	-	-
6-8	-	-	-	-	1	2	2	2	-	-	-	-	-	-	-	-
9-11	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Years 0	3	2	12	16	116	94	3,305	2,166	502	313	350	238	131	87	190	132
1	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-
2	-	-	-	-	1	3	1	-	-	-	-	-	-	-	-	-
3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Causes of death	762.0		762.5		763.0		763.5		764.0		764.5		765.0, 765.5, 766.0, 766.5*		767.5*	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Total under 5 years	538	324	994	659	299	221	102	57	34	20	8	3	8	4	26	21
Days 0	285	205	578	399	25	27	18	9	-	-	-	-	-	-	-	2
1-6	221	106	396	244	116	68	57	31	2	1	-	-	-	2	12	5
Weeks 1	12	1	11	11	56	50	15	12	7	6	4	-	5	-	9	5
2	1	1	2	4	51	35	6	-	14	7	3	2	1	1	2	6
3	5	1	4	-	51	41	6	5	10	6	1	1	-	1	2	3
Months 1-2	7	6	2	1	-	-	-	-	1	-	-	-	2	-	1	-
3-5	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
6-8	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9-11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Years 0	536	324	994	659	299	221	102	57	34	20	8	3	8	4	26	21
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

\* 765.0 Ophthalmia neonatorum, without mention of immaturity - ; 765.5 Ophthalmia neonatorum, with immaturity - ;  
 766.0 Pemphigus neonatorum, without mention of immaturity 1-6D, 2W, 1W; 766.5 Pemphigus neonatorum, with immaturity 1-6D;  
 767.5 Umbilical sepsis, with immaturity 1-6D, 1W.

TABLE 27 - continued

Causes of death	768.5		769.0 Neonatal disorders attributed to 'toxaemia of pregnancy' without mention of immaturity		769.1 Neonatal disorders attributed to maternal diabetes, without mention of immaturity		769.2, 769.3, 769.4*		769.5		769.6		769.7, 769.8, 769.9*		770.0		770.1	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Total under 5 years	9	6	11	8	7	6	71	50	12	8	2,291	1,648	136	114	9	2		
Days 0	-	1	11	5	5	6	35	29	10	6	1,388	1,050	88	92	1	-		
1-6	6	2	-	3	2	-	35	20	1	1	791	504	38	18	4	1		
Weeks 1	2	3	-	-	-	-	1	1	-	1	52	57	5	1	2	1		
2	1	-	-	-	-	-	-	-	-	-	18	14	2	2	1	-		
3	-	-	-	-	-	-	-	-	-	-	7	2	-	-	-	-		
Months 1-2	-	-	-	-	-	-	-	-	-	-	28	14	1	-	-	-		
3-5	-	-	-	-	-	-	-	-	-	-	3	4	-	-	1	-		
6-8	-	-	-	-	-	-	-	-	-	-	2	1	1	1	-	-		
9-11	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-		
Years 0	9	6	11	8	7	6	71	50	12	8	2,290	1,647	135	114	9	2		
1	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-		
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		

Causes of death	770.2*		770.6		770.7*		771.5		772.0, 772.5*		773.5		774		776	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Total under 5 years	40	28	10	4	89	62	38	29	119	54	219	126	61	51	1,562	1,175
Days 0	26	19	1	-	13	24	7	5	43	19	119	66	29	26	1,061	799
1-6	11	9	7	2	66	31	28	20	63	24	93	57	21	14	460	328
Weeks 1	3	-	2	2	2	6	2	3	3	1	3	2	3	2	27	39
2	-	-	-	-	3	1	-	1	2	2	2	1	-	2	7	5
3	-	-	-	-	2	-	1	-	-	1	1	-	-	-	3	1
Months 1-2	-	-	-	-	2	-	-	-	7	3	1	-	8	7	4	3
3-5	-	-	-	-	1	-	-	-	1	3	-	-	-	-	-	-
6-8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9-11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Years 0	40	28	10	4	89	62	38	29	119	53	219	126	61	51	1,562	1,175
1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

\* 769.2 Attributed to maternal rubella, without mention of immaturity 1-6D, 1W, 3-5M, 3-5M, 3-5M, 1-2M; 769.3 Attributed to toxoplasmosis, without mention of immaturity OD, 1-6D, 1W; 769.4 Attributed to other or unspecified diseases of mother during pregnancy, without mention of immaturity -; 769.7 Attributed to maternal rubella, with immaturity -; 769.8 Attributed to toxoplasmosis, with immaturity -; 769.9 Attributed to other or unspecified diseases of mother during pregnancy, with immaturity OD, OD, 1-6D, 1-6D, 2W, OD, OD, OD, OD; 770.2 Erythroblastosis with disorder of liver other than icterus gravis, without mention of immaturity -; 770.7 Erythroblastosis with disorder of liver other than icterus gravis, with immaturity -; 772.0 Nutritional maladjustment, without mention of immaturity 2W, 1-2M, 1-2M, 1-2M, 1-2M, 9-11M, 1-2M, 3-5M, 9-11M; 772.5 Nutritional maladjustment, with immaturity 1-2M, 6-8M.

TABLE 27- continued

Causes of death	780-795		780-789		780-2		785-2*		E800-E999		E800-E866		E800-E802*		E812	
	Symptoms, and ill-defined conditions		Symptoms referable to systems or organs		Convulsions		790-795		Accidents, poisonings, and violence		Transport accidents		E810-E825			
							Senility and ill-defined diseases						Motor vehicle traffic accidents			
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Total under 5 years	21	20	5	6	2	2	16	14	718	514	152	95	145	90	115	73
Days 0	8	10	-	-	-	-	8	10	42	35	-	-	-	-	-	-
1-6	2	1	-	-	-	-	2	1	5	8	-	-	-	-	-	-
Weeks 1	2	-	1	-	1	-	1	-	8	3	-	-	-	-	-	-
2	-	-	-	-	-	-	-	-	7	2	-	-	-	-	-	-
3	1	-	-	-	-	-	1	-	10	2	-	-	-	-	-	-
Months 1-2	3	-	2	-	1	-	1	-	102	59	-	-	-	-	-	-
3-5	-	3	-	1	-	-	-	2	97	84	-	5	-	4	-	1
6-8	2	1	-	1	-	1	2	-	34	44	3	1	2	1	1	1
9-11	1	2	1	2	-	1	-	-	38	25	4	1	4	-	-	-
Years 0	19	17	4	4	2	2	15	13	343	262	7	7	6	5	1	2
1	1	2	-	2	-	-	1	-	124	88	32	16	29	13	22	11
2	-	-	-	-	-	-	-	-	95	47	29	25	28	25	24	19
3	-	1	-	-	-	-	-	1	74	58	36	22	34	22	29	17
4	1	-	1	-	-	-	-	-	82	59	48	25	48	25	39	24

Causes of death	E830-E835		E840-E845 E850-E858 E860-E866*		E870-E888		E890-E895		E900-E904		E910-E936		E916		E917	
	Motor vehicle non-traffic accidents		Accidental poisoning		Accidental poisoning by solid and liquid substances		Accidental poisoning by gases and vapours		Accidental falls		Other accidents		Accident caused by fire and explosion of combustible material		Accident caused by hot substance, corrosive liquid and steam	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Total under 5 years	2	3	32	11	22	7	10	4	49	39	457	338	50	58	13	11
Days 0	-	-	-	-	-	-	-	-	1	1	34	29	-	-	1	-
1-6	-	-	-	-	-	-	-	-	-	-	3	7	-	-	-	-
Weeks 1	-	-	-	-	-	-	-	-	3	-	5	3	-	-	-	-
2	-	-	-	-	-	-	-	-	1	1	6	1	-	-	-	-
3	-	-	-	-	-	-	-	-	1	-	9	2	-	-	-	-
Months 1-2	-	-	1	-	-	-	1	-	1	6	97	51	1	-	-	1
3-5	-	1	1	1	-	1	1	-	3	3	92	72	3	4	-	-
6-8	-	-	-	-	-	-	-	-	3	-	27	41	6	2	-	1
9-11	-	-	2	-	-	-	2	-	4	3	28	19	4	1	2	1
Years 0	-	1	4	1	-	1	4	-	17	14	301	225	14	7	3	3
1	2	2	13	7	12	5	1	2	16	10	57	47	8	13	6	5
2	-	-	9	-	6	-	3	-	7	6	45	13	14	4	2	3
3	-	-	4	1	3	1	1	-	4	5	27	27	7	20	1	-
4	-	-	2	2	1	-	1	2	5	4	27	26	7	14	1	-

\* 785-2 Jaundice (not of newborn) - ; E800-E802 Railway accidents 6-8M, 1Y, 2Y, 3Y, 9-11M, 1Y; E840-E845 Other road vehicle accidents - ; E850-E858 Water transport accidents 3Y; E860-E866 Aircraft accidents - .



TABLE 27 - continued

Causes of death	E921-E925		E926		E929		E940-E959		E940-E946		E950-E959, E960-E965, E970-E979*		E990-E999*		N800-N809	
	Accidental mechanical suffocation	Lack of care of infants under 1 year of age	Accidental drowning and submersion	Accidents due to medical and surgical intervention	Complications due to non- therapeutic medical and surgical procedures	Homicide and injury purposely inflicted by other person (not in war)	N800-N829									
							Fractures		Fracture of skull, spine, and trunk							
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Total under 5 years	268	192	34	27	49	18	-	1	-	-	28	30	127	96	126	95
Days 0	2	-	29	25	1	3	-	-	-	-	7	5	1	4	1	4
1-6	2	4	1	1	-	-	-	-	-	-	2	1	-	-	-	-
Weeks 1	3	3	-	-	1	-	-	-	-	-	-	-	2	-	2	-
2	5	1	-	-	-	-	-	-	-	-	-	-	1	1	1	1
3	7	2	1	-	-	-	-	-	-	-	-	-	1	-	1	-
Months 1-2	89	47	3	-	-	-	-	-	-	-	3	2	3	5	3	5
3-5	87	63	-	1	-	-	-	1	-	-	1	2	2	4	2	4
6-8	18	30	-	-	-	1	-	-	-	-	1	2	3	1	3	1
9-11	17	16	-	-	2	-	-	-	-	-	-	2	5	5	5	5
Years 0	230	166	34	27	4	4	-	1	-	-	14	14	18	20	18	20
1	22	15	-	-	13	4	-	-	-	-	6	8	25	20	25	20
2	9	3	-	-	9	3	-	-	-	-	5	3	27	21	27	21
3	5	5	-	-	12	-	-	-	-	-	3	3	26	15	26	15
4	2	3	-	-	11	7	-	-	-	-	-	2	31	20	30	19

Causes of death	N810-N819 N820-N829 N830-N839 N840-N848*		N860-N869 Internal injury of chest, abdomen and pelvis		N870-N879, N880-N888, N890-N898, N900-N908, N910-N918, N920-N929*		N940-N949  Burns		N950-N959*		N980-N989*	
	N850-N856 Head injury (excluding skull fracture)				N930-N936 Effects of foreign body entering through orifice				N960-N979 Effects of poisons		N990-N999 Other and unspecified injuries and reactions	
	M	F	M	F	M	F	M	F	M	F	M	F
Total under 5 years	50	39	39	22	162	133	37	53	68	36	226	128
Days 0	1	1	-	-	1	-	1	-	-	-	38	30
1-6	-	-	-	-	2	3	-	-	-	-	3	3
Weeks 1	1	-	-	-	1	3	-	-	-	-	3	-
2	1	-	-	-	4	1	-	-	-	-	1	-
3	1	-	-	-	3	1	-	-	-	-	5	1
Months 1-2	-	3	-	1	51	33	1	1	1	-	43	15
3-5	3	6	-	1	52	40	1	1	3	4	35	27
6-8	3	3	1	1	11	22	4	3	3	-	9	13
9-11	1	-	2	-	13	11	4	1	4	1	8	7
Years 0	11	13	3	3	138	114	11	6	11	5	145	96
1	14	4	10	9	15	9	10	14	21	16	28	16
2	7	6	8	2	5	2	11	5	17	3	20	7
3	7	9	7	4	3	5	4	15	10	8	17	1
4	11	7	11	4	1	3	1	13	9	4	16	8

\* E950-E959 Therapeutic misadventure and late complications of therapeutic procedures 3-5M; E960-E965 Late effects of injury and poisoning - ; E970-E979 Suicide and self-inflicted injury - ; E990-E999 Injury resulting from operations of war - ; N810-N819 Fracture of upper limb - ; N820-N829 Fracture of lower limb 4Y, 4Y; N830-N839 Dislocation without fracture 4Y, 4Y, 2Y; N840-N848 Sprains and strains of joints and adjacent muscles - ; N870-N879 Laceration and open wound of face, neck, and trunk 1-2M, 3Y; N880-N888 Laceration and open wound of upper limb - ; N890-N898 Laceration and open wound of lower limb - ; N900-N908 Laceration and open wounds of multiple location - ; N910-N918 Superficial injury 1-2M; N920-N929 Contusion and crushing with intact skin surface 1Y; N950-N959 Injury to nerves and spinal cord without bone injury - ; N980-N989 Effects of weather, exposure, and related conditions 1W, 1-2M, 1-2M, 3-5M, 9-11M, 1-6D, 1-6D, 3-5M, 6-8M.

**TABLE 28. Weekly notifications of certain infectious diseases and deaths from certain causes, 1963**

England and Wales

Week ended	Original notifications (including Port Health Districts)											Deaths*		
	Typhoid fever	Paratyphoid fever	Meningococcal infection	Scarlet fever	Whooping cough	Diphtheria	Dysentery	Measles	Acute poliomyelitis		Food poisoning	Influenza and influenza pneumonia	Pneumonia**	Bronchitis
									Para-lytic	Non-para-lytic				
Jan. 5	-	-	18	314	211	-	552	20,065	-	-	145	48	1,231	1,131
12	-	-	15	229	172	-	475	18,830	-	-	63	52	1,263	1,237
19	-	-	10	416	197	-	464	15,511	-	-	107	51	1,303	1,387
26	1	-	16	388	208	-	547	13,647	1	-	79	60	1,427	1,341
Feb. 2	-	4	12	503	338	1	696	16,865	-	-	219	74	1,736	1,708
9	-	-	6	526	269	1	1,012	22,201	-	-	138	87	1,580	1,505
16	1	2	16	562	275	-	1,272	22,945	2	1	164	139	1,600	1,541
23	-	-	22	549	282	1	1,474	24,375	-	-	152	205	1,710	1,464
Mar. 2	3	3	18	554	260	1	1,319	21,981	2	-	177	272	1,711	1,498
9	2	2	21	475	257	1	1,191	21,550	1	1	149	440	2,121	1,724
16	10	6	24	444	258	-	981	19,778	3	-	161	464	1,962	1,488
23	42	5	19	534	263	-	865	20,178	-	-	201	201	1,449	1,077
30	18	12	19	523	272	1	884	21,126	-	-	148	216	1,196	933
Apr. 6	2	25	13	497	275	-	874	21,238	1	-	162	158	1,022	716
13	2	28	13	431	208	-	833	18,576	-	-	166	93	887	634
20	1	24	15	366	248	-	674	22,028	-	1	101	41	875	661
27	2	29	12	326	317	-	902	21,558	-	1	103	24	730	580
May 4	1	26	12	318	319	1	859	16,408	2	-	204	11	689	520
11	-	24	18	393	325	-	809	13,917	1	-	185	14	609	416
18	2	17	12	398	410	-	858	14,172	2	-	144	7	578	370
25	6	9	11	426	441	-	1,051	15,935	-	-	149	9	515	356
June 1	1	5	12	429	412	-	1,264	18,978	3	2	200	6	596	412
8	18	13	9	304	327	-	935	16,300	1	1	187	11	545	383
15	5	7	16	226	480	1	1,104	18,867	1	2	293	3	515	347
22	9	11	13	218	435	2	942	14,135	1	-	192	4	468	279
29	13	9	18	246	525	2	1,051	12,923	-	-	217	4	485	291
July 6	5	11	5	288	690	2	813	11,806	1	-	234	4	469	278
13	6	4	13	314	723	-	892	11,658	4	2	246	1	420	275
20	2	6	14	316	732	-	878	11,107	1	-	243	3	484	300
27	6	3	12	305	615	-	859	10,203	1	-	261	5	475	303
Aug. 3	7	5	13	207	739	3	483	9,582	2	1	165	2	506	310
10	3	7	23	139	667	1	440	7,582	4	2	224	2	434	251
17	-	4	19	153	860	-	457	6,672	-	-	168	1	414	274
24	3	4	12	124	928	1	306	4,842	1	-	173	4	447	250
31	2	8	13	122	1,054	-	299	3,357	3	1	182	2	428	236
Sept. 7	3	8	13	111	1,194	-	337	2,276	3	-	176	3	448	254
14	5	4	17	136	1,210	-	296	1,706	-	-	145	4	418	267
21	4	8	6	204	1,449	-	316	1,517	1	-	212	7	485	277
28	3	9	8	192	1,311	1	366	1,478	2	-	139	1	470	312
Oct. 5	7	29	11	236	1,164	-	366	1,884	3	-	138	2	479	315
12	5	13	8	253	978	-	415	2,429	3	1	247	5	511	339
19	6	5	12	309	956	1	427	2,755	1	-	175	6	509	312
26	12	3	18	313	862	1	510	2,892	2	1	410	5	528	325
Nov. 2	8	6	7	289	1,082	1	362	3,157	1	-	145	4	505	344
9	4	3	3	285	1,054	-	438	3,200	1	-	145	9	499	417
16	5	2	19	342	1,338	6	455	2,875	1	-	232	12	544	422
23	3	1	7	344	1,239	5	416	2,884	2	-	131	14	560	460
30	4	2	12	365	1,478	1	459	2,870	-	-	315	8	615	456
Dec. 7	4	1	11	397	1,303	6	463	2,882	2	-	185	15	657	497
14	2	1	10	379	1,289	1	482	3,215	-	-	74	20	670	585
21	4	1	5	360	1,022	-	454	2,785	-	-	74	29	818	759
28	-	-	7	209	534	1	253	2,005	1	-	48	22	1,004	1,007
Totals	252	413	688	17,287	34,455	45	36,130	603,706	61	17	9,093	2,995	42,600	33,824
Corrected notifications (excluding Port Health Districts)														
Totals†	242	340	606	17,437	34,736	33	31,731	601,111	39	12	5,856	3,214	36,741	35,332

\* The weekly deaths are compiled from returns furnished by Registrars of Births and Deaths.  
† Classified according to the International Classification of Diseases (7th Revision 1955).  
‡ These totals are for the period 1st January to 31st December.  
\*\* Except secondary to accidents and to other infections (including influenza).

TABLE 29. Cases of certain infectious diseases notified, 1953 to 1963

England and Wales

Final numbers after correction (including original cases in Port Health Districts)\*

Diseases	1953	1954	1955	1956	1957	1958	1959	1960	1961	1962	1963
Typhoid fever	101	122	193	136	125	147	123	90	97	130	247
Paratyphoid fever	353	548	876	440	310	200	379	241	254	126	342
Plague	-	-	-	-	-	-	-	-	-	-	-
Cholera	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infection	1,354	1,246	1,126	1,168	1,016	836	746	632	651	576	606
Scarlet fever	61,180	43,026	32,619	33,103	29,547	38,853	47,919	32,170	19,990	15,306	17,433
Whooping cough	157,842	105,912	79,133	92,410	85,018	33,404	33,253	58,030	24,470	8,348	34,737
Diphtheria	266	173	155	53	37	80	102	49	52	16	33
Erysipelas	5,999	5,375	4,614	4,382	3,589	3,293	3,203	2,956	2,237	1,789	1,740
Ophthalmia neonatorum	1,772	1,684	1,771	1,515	1,483	1,304	1,179	1,063	932	1,017	970
Dysentery	18,426	31,858	36,718	49,009	28,910	38,107	35,626	43,285	20,418	30,924	31,759
Malaria (contracted in England and Wales)	†3	-	-	-	1	-	-	-	-	-	1
Relapsing fever	1	-	-	-	1	1	2	1	-	-	-
Smallpox	30	-	-	-	4	(1) 6	1	1	1	66	-
Measles	545,050	146,995	693,803	160,556	633,678	259,308	539,524	159,364	763,531	184,895	601,255
Acute Poliomyelitis (paralytic)	2,976	1,319	3,712	1,717	3,177	1,419	739	257	707	212	39
Acute Poliomyelitis (non-paralytic)	1,571	641	2,619	1,483	1,667	575	289	121	169	59	12
Acute Encephalitis (infective)	166	118	150	173	172	171	140	144	118	113	125
Acute Encephalitis (post-infectious)	92	101	118	106	155	119	140	117	158	119	165
Typhus fever	‡1	**1	‡1	1	-	-	-	-	‡1	-	††2
Pneumonia (acute primary and acute influenzal)	37,214	26,562	27,930	25,460	32,732	22,323	26,816	14,563	18,466	12,542	14,181
Puerperal fever and pyrexia	12,718	12,239	12,109	11,682	11,834	10,814	10,699	8,896	8,337	7,147	6,486
Food poisoning	10,376	9,001	12,719	10,998	9,180	8,801	9,971	7,738	7,842	5,151	5,869
Anthrax	?	?	?	?	?	?	?	?	8	8	14

\*Cases notified in Port Health Districts are not corrected for subsequent changes of diagnosis. When these notifications relate to quarantine diseases, they are distinguished in this table in brackets alongside the figures in which they are included.

†1 case unconfirmed. ‡Not louse borne. \*\*Type undetermined. †† 1 case not louse borne.



England and Wales, standard regions, Wales, conurbations, urban and rural aggregates outside conurbations, and hospital regions

Numbers after correction.

Area	All ages		0-		1-		2-		3-		4-		5-		10-		15-		25 and over		Unknown	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F		
Scarlet fever																						
8,757	8,680	47	57	202	191	522	487	824	793	1,032	983	4,774	4,713	905	1,012	328	288	95	129	28	27	
ENGLAND AND WALES (excluding Port Health Districts)	438	447	2	2	17	8	29	32	39	46	60	238	240	41	45	8	6	1	4	3	-	
	162	139	-	-	5	2	8	8	17	15	27	25	90	80	14	6	1	-	1	-	-	
	276	308	2	2	42	6	21	24	22	31	33	148	160	27	37	7	6	1	3	3	-	
	1,207	1,131	4	8	31	25	71	61	118	100	144	643	606	142	148	46	36	6	8	2	2	
	333	315	1	1	13	13	25	27	41	24	44	38	173	165	25	30	11	8	2	3	-	
	874	816	3	3	20	12	46	34	77	76	100	99	470	441	117	118	35	28	4	5	-	
	1,195	1,209	6	15	26	28	84	73	134	144	174	654	646	84	109	22	27	10	11	1	2	
	373	393	4	2	11	12	26	24	51	49	52	185	198	33	33	8	14	3	6	-	2	
	350	340	-	-	6	6	24	20	40	40	52	41	208	197	13	26	4	6	3	1	-	-
	472	476	2	10	9	10	34	29	43	55	70	60	261	251	38	50	10	7	4	4	1	-
696	708	3	5	12	19	38	26	66	48	74	87	374	397	92	90	25	22	7	8	5	6	
997	990	3	5	20	21	67	48	77	72	104	100	562	546	103	151	43	29	16	14	2	4	
501	548	2	3	7	14	39	30	42	59	48	59	290	286	49	83	17	16	7	6	-	2	
496	442	1	1	13	7	28	18	35	53	56	41	272	250	54	68	26	13	9	8	2	2	
1,081	1,097	3	5	21	18	62	58	88	100	117	91	606	582	139	165	32	43	9	28	4	7	
1,952	1,882	16	11	49	43	109	118	182	178	224	219	1,071	1,032	171	173	100	74	27	34	3	-	
1,529	1,468	15	10	36	33	90	93	141	142	173	168	830	807	135	140	85	52	21	23	1	-	
423	414	1	1	11	10	19	25	41	36	51	51	241	225	36	33	15	22	6	11	2	-	
407	398	4	3	7	9	22	20	38	38	52	49	210	211	43	36	17	19	11	10	3	3	
471	488	4	1	11	8	27	29	54	32	36	44	272	284	39	48	18	22	6	8	4	2	
313	330	2	2	8	12	13	22	28	35	47	38	144	159	51	47	17	10	2	4	1	1	
200	203	2	1	5	6	10	15	45	29	32	26	93	95	33	22	6	4	1	2	1	1	
113	127	-	1	3	4	3	7	13	6	15	12	51	64	18	25	9	6	1	2	-	-	
Urban/Rural aggregates:																						
3,248	3,203	22	23	78	80	212	202	332	309	396	384	1,776	1,743	269	320	126	96	36	40	1	6	
Areas outside conurbations:																						
Urban areas with																						
populations of 100,000																						
and over																						
Urban areas with																						
populations of 50,000																						
and under 100,000																						
Urban areas with popula-																						
tions under 50,000																						
1,572	1,667	12	15	45	44	83	90	159	142	191	176	834	928	172	192	50	46	18	28	8	6	
1,725	1,642	8	6	33	33	79	78	122	131	182	177	947	877	233	233	83	68	22	30	16	9	
Rural districts																						
Hospital Regions:																						
416	425	2	2	15	8	27	31	34	45	60	62	229	227	39	41	7	5	1	4	2	-	
612	556	1	5	18	16	42	41	64	48	81	68	335	317	51	38	15	13	3	5	2	2	
1,206	1,185	5	6	24	27	64	41	116	89	119	147	632	630	177	193	57	41	7	8	5	6	
533	497	3	3	10	7	21	24	36	36	65	43	290	258	87	91	12	20	11	14	1	1	
690	682	5	4	17	15	54	35	71	62	79	77	385	372	49	67	34	30	8	14	1	1	
849	849	2	5	22	22	46	54	80	89	79	81	481	448	92	99	37	32	10	15	5	5	
673	642	10	1	17	15	53	44	64	51	63	61	379	349	59	53	23	28	4	10	1	3	
489	416	3	3	7	5	20	21	32	59	50	40	230	248	53	39	29	14	6	9	2	-	
356	309	2	4	5	6	23	15	27	49	36	36	170	176	35	27	10	10	5	8	2	-	
333	334	2	1	10	6	20	25	30	50	37	51	251	253	51	43	14	20	6	7	4	-	
997	990	3	5	18	12	43	47	79	55	38	38	144	159	51	47	17	10	2	4	1	2	
655	638	6	10	21	21	46	48	72	72	104	100	582	568	103	151	43	29	16	14	2	4	
541	512	4	5	12	13	36	33	57	57	94	94	352	358	54	68	14	18	9	9	-	1	
142	165	4	1	3	5	6	13	13	16	12	19	72	85	14	14	8	9	4	4	2	1	

TABLE 30 - continued

Area	All ages			0-			1-			2-			3-			4-			5-			10-			15-			25 and over			Unknown
	M	F		M	F		M	F		M	F		M	F		M	F		M	F		M	F		M	F					
Whooping cough																															
ENGLAND AND WALES (excluding Port Health Districts)	16,427	18,309	2,013	171	166	184	177	180	2,178	2,299	1,966	2,266	1,848	2,010	5,125	5,936	793	896	104	201	143	233	54	64							

TABLE 30 - continued

Area	All ages		0-		1-		2-		3-		4-		5-		10-		15-		25 and over		Unknown	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
	Diphtheria																					
<b>ENGLAND AND WALES</b> (excluding Port Health Districts)	22	11	-	-	-	-	1	1	3	-	1	-	7	6	10	3	-	-	-	1	-	-
Standard regions and conurbations:																						
Northern Conurbation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lyneside Conurbation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Remainder of Northern	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>East and West Ridings</b>	4	4	-	-	-	-	-	1	-	-	1	-	-	2	3	1	-	-	-	-	-	-
W. Yorkshire Conurbation	4	4	-	-	-	-	-	1	-	-	1	-	-	2	3	1	-	-	-	-	-	-
Rem. of E. and W. Ridings	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>North Western</b>	2	1	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-
South East Lancashire	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Conurbation	2	1	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-
Merseyside Conurbation	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rem. of North Western	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>North Midland</b>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Midland	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
W. Midlands Conurbation	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Remainder of Midland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Eastern</b>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>London and South Eastern</b>	15	5	-	-	-	-	1	-	2	-	-	-	5	3	7	2	-	-	-	-	-	-
Greater London	11	5	-	-	-	-	1	-	2	-	-	-	5	3	7	2	-	-	-	-	-	-
Rem. of South Eastern	4	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-
<b>Southern</b>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>South Western</b>	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
<b>Wales</b>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Wales I (South East)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Wales II (remainder)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Urban/Rural aggregates:</b>																						
Conurbations	17	10	-	-	-	-	1	1	3	-	1	-	6	6	6	3	-	-	-	-	-	-
Areas outside conurbations:																						
Urban areas with populations of 100,000 and over	5	1	-	-	-	-	-	-	-	-	-	-	1	-	4	-	-	-	-	1	-	-
Urban areas with populations of 50,000 and under 100,000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Urban areas with populations under 50,000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rural Districts	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
<b>Hospital regions:</b>																						
Newcastle	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Leeds	4	4	-	-	-	-	-	1	-	-	1	-	-	2	3	1	-	-	-	-	-	-
Sheffield	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
East Anglia	5	3	-	-	-	-	-	-	-	-	-	-	3	2	2	1	-	-	-	-	-	-
North West Metropolitan	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
North East Metropolitan	10	2	-	-	-	-	1	-	2	-	-	-	2	1	5	1	-	-	-	-	-	-
South East Metropolitan	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
South West Metropolitan	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Oxford	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
South Western	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Welsh	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Birmingham	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Manchester	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Liverpool	2	1	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	1	-	-
Wessex	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-



TABLE 30 - continued

Area	All ages			0-		1-		2-		3-		4-		5-		10-		15-		25 and over			Unknown
	M	F		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F		
Measles																							
ENGLAND AND WALES (excluding Port Health Districts)	306,650	294,461	10,467	10,604	31,872	29,879	40,641	39,162	41,088	39,814	42,067	40,344	128,175	121,847	8,172	8,176	2,188	2,388	940	1,228	1,040	1,019	
Standard regions and conurbations:																							
Northern	23,611	22,761	1,018	998	2,725	2,553	3,337	3,261	3,423	3,153	3,300	3,301	9,144	8,694	425	503	122	149	45	56	72	93	
Tyne-side Conurbation	6,413	6,332	279	312	788	775	1,022	955	955	940	941	978	2,351	2,252	58	72	13	21	4	8	2	19	
Remainder of Northern	17,198	16,429	739	686	1,937	1,778	2,315	2,306	2,468	2,213	2,359	2,323	6,793	6,442	367	431	109	128	41	48	70	74	
East and West Ridings	26,312	25,225	1,070	1,081	3,050	2,834	3,876	3,540	3,678	3,677	3,677	3,622	10,210	9,771	529	466	125	134	55	61	42	39	
W. Yorkshire Conurbation	7,955	7,807	355	368	997	906	1,212	1,160	1,165	1,160	1,085	1,079	2,983	2,976	104	100	34	34	14	15	6	9	
Rem. of E. and W. Ridings	18,357	17,418	715	713	2,053	1,928	2,664	2,380	2,513	2,517	2,592	2,543	7,227	6,795	425	366	91	100	41	46	36	30	
North Western	34,830	33,655	1,527	1,610	4,198	4,178	5,403	5,167	5,239	5,048	5,326	5,070	12,340	11,780	534	523	123	132	72	58	68	89	
South East Lancashire Conurbation	13,507	13,047	573	617	1,712	1,691	2,189	2,054	2,139	2,058	2,166	2,055	4,499	4,346	139	143	45	41	29	19	16	23	
Merssya-side Conurbation	5,339	5,129	314	322	706	702	941	906	849	839	878	868	1,657	1,568	64	84	17	22	10	9	3	9	
Rem. of North Western	15,984	15,479	640	671	1,780	1,785	2,273	2,207	2,251	2,151	2,382	2,347	6,184	5,866	331	296	61	69	33	30	49	57	
North Midland	26,058	25,038	816	822	2,653	2,437	3,284	3,182	3,257	3,260	3,314	3,290	11,497	10,757	847	842	203	234	69	115	118	99	
Midland	35,659	33,874	1,390	1,274	3,790	3,696	4,855	4,686	4,704	4,523	4,881	4,472	14,911	14,157	733	680	198	181	74	81	123	114	
W. Midlands Conurbation	17,267	16,316	769	719	1,956	1,944	2,501	2,401	2,319	2,193	2,357	2,204	7,044	6,511	199	204	55	63	21	33	46	44	
Remainder of Midland	18,392	17,558	621	555	1,834	1,752	2,354	2,285	2,385	2,330	2,524	2,268	7,867	7,646	534	476	143	148	53	48	77	70	
Eastern	27,401	26,463	707	763	2,503	2,243	3,172	3,159	3,561	3,393	3,462	3,324	12,485	11,945	1,083	1,134	217	242	96	132	115	128	
London and South Eastern	70,238	67,165	1,992	2,075	7,047	6,461	8,913	8,556	9,103	8,764	9,677	9,089	30,776	29,164	1,748	1,815	519	689	275	390	188	162	
Greater London	45,844	44,377	1,459	1,494	5,142	4,644	6,121	6,007	6,142	6,014	6,519	6,284	19,212	18,357	711	854	292	416	175	232	71	65	
Rem. of South Eastern	24,394	22,788	533	581	1,905	1,817	2,792	2,549	2,961	2,750	3,158	2,805	11,564	10,807	1,037	951	227	273	100	158	117	97	
Southern	23,044	22,263	613	668	2,158	1,998	2,845	2,812	3,033	3,043	3,098	2,959	9,927	9,480	830	803	333	269	93	133	114	98	
South Western	26,899	25,808	787	778	2,422	2,265	3,278	3,056	3,396	3,287	3,385	3,301	11,940	11,405	1,139	1,098	273	287	133	176	146	155	
Wales	12,588	12,209	547	535	1,326	1,214	1,678	1,733	1,694	1,666	1,947	1,916	4,945	4,694	304	312	75	71	28	26	54	42	
Wales I (South East)	10,306	9,910	469	455	1,118	1,013	1,405	1,485	1,360	1,395	1,618	1,554	4,019	3,726	217	194	45	41	19	16	36	31	
Wales II (remainder)	2,282	2,299	78	80	208	201	273	248	334	271	329	362	926	968	87	118	30	30	9	10	18	11	
Urban/Rural aggregates:																							
Conurbations	96,325	93,008	3,749	3,832	11,301	10,662	13,986	13,483	13,569	13,204	13,846	13,268	37,746	36,010	1,275	1,467	456	597	253	316	144	169	
Areas outside conurbations:																							
Urban areas with populations of 100,000 and over	43,941	42,101	1,788	1,770	5,151	4,912	6,398	6,048	6,235	6,017	6,330	5,918	16,901	16,236	805	766	205	262	73	116	55	56	
Urban areas with populations of 50,000 and under 100,000	31,638	27,837	1,111	1,019	3,443	2,882	4,353	3,795	4,477	3,901	4,398	4,071	12,799	11,240	633	514	190	182	90	97	144	136	
Urban areas with populations under 50,000	66,925	66,306	2,118	2,174	6,535	6,243	8,443	8,563	8,938	9,005	9,313	9,157	28,998	28,428	1,671	1,674	432	522	160	250	317	290	
Rural districts	67,821	65,209	1,701	1,809	5,442	5,180	7,461	7,273	7,869	7,667	8,160	7,930	31,731	29,353	3,768	3,755	905	825	364	449	380	368	
Hospital regions:																							
Newcastle	22,420	21,713	985	967	2,652	2,473	3,225	3,150	3,269	3,032	3,158	3,176	8,581	8,213	348	441	102	128	37	44	63	89	
Leeds	16,921	16,367	682	668	1,901	1,774	2,427	2,262	2,325	2,299	2,299	2,240	6,590	6,213	348	359	118	99	46	55	25	21	
Sheffield	32,476	30,916	1,134	1,141	3,493	3,213	4,370	4,093	4,253	4,260	4,319	4,278	13,652	12,824	863	843	190	242	72	109	130	113	
East Anglia	11,050	10,597	270	277	848	780	1,179	1,152	1,265	1,154	1,307	1,261	3,557	3,078	588	650	118	114	51	60	67	71	
North West Metropolitan	24,207	23,365	643	793	2,579	2,267	3,250	3,125	3,309	3,282	3,496	3,416	9,331	8,455	572	549	250	277	103	140	74	61	
North East Metropolitan	21,340	20,530	684	678	2,260	2,051	2,719	2,623	2,886	2,785	2,767	2,674	8,301	7,577	513	467	121	138	51	82	38	48	
South East Metropolitan	23,679	22,780	690	680	2,222	2,089	2,681	2,600	2,961	2,568	2,951	2,913	10,884	10,319	580	531	180	200	99	126	84	74	
South West Metropolitan	20,930	20,081	498	532	1,945	1,804	2,571	2,474	2,725	2,568	2,719	2,685	9,313	8,226	554	537	155	164	79	138	74	53	
Oxford	13,566	13,137	353	371	1,279	1,182	1,668	1,665	1,739	1,782	1,719	1,695	5,913	5,615	445	430	194	227	97	135	107	107	
South Western	21,840	21,071	670	665	1,926	1,865	2,657	2,657	2,738	2,666	2,809	2,722	9,607	8,934	861	830	194	227	97	135	107	107	
Welsh	12,598	12,209	547	535	1,326	1,214	1,678	1,733	1,694	1,666	1,947	1,916	4,945	4,694	304	312	75	71	28	26	54	42	
Birmingham	35,659	33,874	1,390	1,274	3,790	3,696	4,855	4,686	4,704	4,523	4,881	4,472	14,911	14,157	733	680	198	181	74	81	123	114	
Manchester	24,774	23,921	1,003	1,048	2,938	2,909	3,785	3,601	3,740	3,586	3,817	3,685	9,911	8,477	396	396	94	110	57	47	53	62	
Liverpool	10,436	10,081	533	579	1,288	1,289	1,676	1,603	1,542	1,499	1,559	1,427	3,616	3,466	155	157	34	36	18	18	15	27	
Wessex	14,590	13,779	405	399	1,356	1,273	1,727	1,697	1,869	1,841	1,862	1,760	6,504	5,952	549	542	173	157	64	91	81	67	

TABLE 30 - continued

Area	All ages		0-		1-		2-		3-		4-		5-		10-		15-		25 and over		Unknown	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F		
Acute poliomyelitis (paralytic)																						
ENGLAND AND WALES (excluding Port Health Districts)	29	10	1	-	4	2	3	1	3	-	1	-	6	3	2	1	2	2	7	1	-	
Standard regions and conurbations:																						
Northern	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Tyneside Conurbation	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Remainder of Northern	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
East and West Ridings	2	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
W. Yorkshire Conurbation	2	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
Rem. of E. and W. Ridings	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
North Western	6	4	-	-	-	2	1	-	1	-	-	-	3	-	1	1	-	-	-	1	-	
South East Lancashire Conurbation	3	1	-	-	-	1	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	
Merseyside Conurbation	3	2	-	-	-	1	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	
Rem. of North Western	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
North Midland	3	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	1	-	-	-	
Midland	3	1	-	-	1	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	
W. Midlands Conurbation	3	1	-	-	1	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	
Remainder of Midland	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Eastern	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	-	-	-	
London and South Eastern	3	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	
Greater London	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Rem. of South Eastern	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Southern	2	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
South Western	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	
Wales	2	2	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	
Wales I (South East)	1	1	-	-	1	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	
Wales II (remainder)	1	1	-	-	1	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	
Urban/Rural aggregates:																						
Conurbations	6	3	1	-	2	1	-	-	1	-	-	-	2	1	1	1	-	-	1	-	-	
Areas outside conurbations:																						
Urban areas with populations of 100,000 and over	2	1	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
Urban areas with populations of 50,000 and under 100,000	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	1	-	-	
Urban areas with populations under 50,000	10	4	-	-	-	1	-	-	1	-	1	-	3	1	1	-	1	1	3	1	-	
Rural districts	6	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-	
Hospital regions:																						
Newcastle	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
Leeds	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
Sheffield	3	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	1	1	-	-	
East Anglia	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
North West Metropolitan	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
North East Metropolitan	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
South East Metropolitan	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	1	1	-	-	
South West Metropolitan	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Oxford	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
South Western	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
Welsh	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Birmingham	2	1	-	-	1	-	-	-	1	-	-	-	1	1	-	-	1	1	1	-	-	
Manchester	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Liverpool	5	1	-	-	-	-	-	-	1	-	-	-	3	-	1	1	-	-	-	1	-	
Wessex	1	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	

TABLE 30 - continued

Area	All ages		0-		1-		2-		3-		4-		5-		10-		15-		25 and over		Unknown		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
	Acute poliomyelitis (non-paralytic)																						
ENGLAND AND WALES (excluding Port Health Districts)	5	7	-	-	-	-	2	1	1	-	1	-	2	2	-	1	-	-	2	-	-	-	
	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	-	4	-	-	-	-	-	1	1	-	1	-	2	-	-	-	-	-	-	-	-	-	
	-	4	-	-	-	-	-	1	1	-	1	-	2	-	-	-	-	-	-	-	-	-	
	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
	1	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
	1	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	
	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
-	-	-	-																				



Area	All ages			0-			5-			15-			45-			65 and over			Unknown		
	M	F		M	F		M	F		M	F		M	F		M	F		M	F	

  

Typhoid fever																					
ENGLAND AND WALES (excluding Port Health Districts)	113	129	6	10	14	19	72	77	19	19	3	1	1	3	1	1	1	1	1	1	1
Standard regions and conurbations:																					
Northern	5	19	-	1	1	7	3	5	1	6	-	4	1	-	-	-	-	-	-	-	-
Tyneside Conurbation	4	15	-	1	1	1	2	4	1	1	-	1	1	-	-	-	-	-	-	-	-
Remainder of Northern	1	4	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
East and West Ridings	8	5	-	-	1	-	5	4	-	-	-	4	1	-	-	1	-	-	-	-	-
W. Yorkshire Conurbation	2	1	-	-	1	-	2	3	-	-	-	3	1	-	-	1	-	-	-	-	-
Rem. of E. and W. Ridings	6	4	-	-	1	-	3	5	-	-	-	3	1	-	-	1	-	-	-	-	-
North Western	8	6	-	-	1	-	7	1	-	3	-	7	1	-	-	1	-	-	-	-	-
South East Lancashire	2	2	-	-	-	-	2	-	-	1	-	2	-	-	-	-	-	-	-	-	-
Conurbation	1	1	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-
Merseyside Conurbation	5	3	-	-	1	-	4	1	-	1	-	4	-	-	-	-	-	-	-	-	-
Rem. of North Western	1	3	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-
North Midland	6	8	-	-	-	-	6	7	-	1	-	7	-	-	-	-	-	-	-	-	-
Midland	9	7	1	2	1	-	5	4	-	-	-	4	2	-	-	-	-	-	-	-	-
W. Midlands Conurbation	3	3	1	1	1	-	3	2	-	-	-	2	1	-	-	-	-	-	-	-	-
Remainder of Midland	6	4	1	1	-	-	4	2	-	-	-	4	1	-	-	-	-	-	-	-	-
Eastern	28	27	3	1	4	5	15	15	4	5	1	15	5	4	-	1	1	1	1	1	1
London and South Eastern	34	47	1	6	3	2	23	33	3	2	2	23	7	5	1	1	1	1	1	1	1
Greater London	23	39	1	6	2	2	17	26	1	2	2	17	4	5	-	-	-	-	-	-	-
Rem. of South Eastern	11	8	-	-	1	-	6	7	-	-	-	6	4	1	-	-	-	-	-	-	-
Southern	10	5	1	-	2	-	4	5	-	-	-	3	-	-	-	-	-	-	-	-	-
South Western	3	3	-	-	1	-	2	2	-	-	-	2	1	-	-	-	-	-	-	-	-
Wales	2	2	-	-	-	-	2	1	-	1	-	1	-	-	-	-	-	-	-	-	-
Wales I (South East)	2	2	-	-	-	-	2	1	-	1	-	1	-	-	-	-	-	-	-	-	-
Wales II (remainder)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Urban/Rural aggregates:																					
Conurbations	35	61	1	8	4	10	25	33	5	8	2	33	8	2	-	-	-	-	-	-	-
Areas outside conurbation:																					
Urban areas with populations of 100,000 and over	9	10	2	-	-	1	5	6	1	3	-	6	1	3	-	-	-	-	-	-	-
Urban areas with populations of 50,000 and under 100,000	21	18	2	1	5	3	13	12	1	1	1	12	1	1	1	-	-	-	-	-	-
Urban areas with populations under 50,000	28	17	1	1	1	2	17	10	8	4	1	16	4	3	-	-	-	-	-	-	-
Rural districts	20	23	-	-	4	3	12	16	3	3	-	12	4	-	-	-	-	-	-	-	-
Hospital Regions:																					
Newcastle	5	18	-	1	1	6	3	5	-	1	-	5	1	1	-	-	-	-	-	-	-
Leeds	7	3	-	-	-	-	5	4	-	-	-	5	1	1	-	-	-	-	-	-	-
Sheffield	6	4	1	-	1	1	2	4	1	1	-	2	1	1	-	-	-	-	-	-	-
East Anglia	4	4	-	-	3	3	10	22	3	3	-	10	4	2	-	-	-	-	-	-	-
North West Metropolitan	17	33	1	3	3	5	22	33	1	1	1	22	1	5	1	-	-	-	-	-	-
North East Metropolitan	22	17	3	3	3	5	13	10	3	3	3	13	2	2	1	-	-	-	-	-	-
South East Metropolitan	16	5	-	1	1	1	2	4	1	1	1	4	4	3	-	-	-	-	-	-	-
South West Metropolitan	2	18	-	-	1	-	1	13	-	1	-	4	2	-	-	-	-	-	-	-	-
Oxford	2	5	-	-	1	-	1	4	-	1	-	1	4	-	-	-	-	-	-	-	-
South Western	2	2	-	-	1	-	1	1	-	1	-	1	1	-	-	-	-	-	-	-	-
Welsh	2	2	-	-	1	-	1	1	-	1	-	1	1	-	-	-	-	-	-	-	-
Birmingham	9	7	1	2	1	3	5	4	1	3	1	5	3	1	-	-	-	-	-	-	-
Manchester	4	6	1	-	1	-	3	4	1	1	-	3	1	1	-	-	-	-	-	-	-
Liverpool	4	4	1	-	1	-	3	4	1	1	-	3	1	1	-	-	-	-	-	-	-
Wessex	7	1	1	-	1	-	3	2	-	1	-	3	1	1	-	-	-	-	-	-	-

TABLE 30 - continued

Area	All ages			0-			5-			15-			45-			65 and over			Unknown		
	M	F		M	F		M	F		M	F		M	F		M	F		M	F	
Paratyphoid fever																					
ENGLAND AND WALES (excluding Port Health Districts)	175	165	27	23	51	41	67	64	23	20	3	14	4	3	1						3
Standard regions and Conurbations:																					
North Eastern	15	3	2	-	4	1	8	1	-	-	-	-	-	-	1	-	-	-	-	-	-
Tyneside Conurbation	1	3	2	-	-	1	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Remainder of Northern	14	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
East and West Ridings	27	19	6	4	14	7	5	6	-	-	-	-	-	-	1	1	1	1	1	1	-
W. Yorkshire Conurbation	7	5	2	-	5	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Rem. of E. and W. Ridings	20	14	4	4	9	4	5	5	-	-	-	-	-	-	1	1	1	1	1	1	-
North Western	12	22	2	3	11	8	6	5	-	-	-	-	2	3	-	-	-	-	-	-	-
South East Lancashire Conurbation	2	3	-	-	1	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Merseyside Conurbation	6	9	2	2	1	5	3	1	-	-	-	-	1	1	-	-	-	-	-	-	-
Rem. of North Western	4	10	-	1	1	2	2	1	-	-	-	-	1	2	-	-	-	-	-	-	-
North Midland	5	6	2	1	-	1	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Midland	9	6	4	-	-	-	2	6	-	-	-	-	2	2	-	-	-	-	-	-	-
W. Midlands Conurbation	4	5	2	-	-	-	-	5	-	-	-	-	1	1	-	-	-	-	-	-	-
Remainder of Midland	5	1	2	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Eastern	30	43	5	8	8	13	11	12	-	-	-	-	5	5	-	-	-	-	-	-	3
London and South Eastern	37	40	2	2	14	9	16	18	-	-	-	-	5	5	-	-	-	-	-	-	-
Greater London	33	36	2	2	12	8	14	16	-	-	-	-	5	5	-	-	-	-	-	-	-
Rem. of South Eastern	4	4	-	-	2	1	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Southern	7	3	1	1	1	-	4	2	-	-	-	-	1	-	-	-	-	-	-	-	-
South Western	18	8	-	1	6	-	8	7	-	-	-	-	4	-	-	-	-	-	-	-	-
Wales	15	15	3	3	2	2	5	4	-	-	-	-	4	-	-	-	-	-	-	-	-
Wales I (South East)	10	14	3	3	1	2	4	4	-	-	-	-	3	-	-	-	-	-	-	-	-
Wales II (remainder)	5	1	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Urban/Rural aggregates:																					
Conurbations	53	58	8	4	18	17	19	23	-	-	-	-	7	-	-	-	-	-	-	-	-
Areas outside conurbations:																					
Urban areas with populations of 100,000 and over	19	19	2	2	5	7	9	7	-	-	-	-	3	-	-	-	-	-	-	-	-
Urban areas with populations of 50,000 and under 100,000	12	24	2	6	5	4	5	7	-	-	-	-	-	-	-	-	-	-	-	-	-
Urban areas with popula- tions under 50,000	32	25	4	7	6	3	14	9	-	-	-	-	6	-	-	-	-	-	-	-	-
Rural districts	59	39	11	4	17	10	20	18	-	-	-	-	7	-	-	-	-	-	-	-	-
Hospital Regions:																					
Newcastle	2	2	-	2	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Leeds	39	17	8	3	17	12	11	5	-	-	-	-	-	-	-	-	-	-	-	-	-
Sheffield	5	5	2	3	1	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
East Anglia	28	41	5	8	7	12	9	11	-	-	-	-	5	-	-	-	-	-	-	-	-
North West Metropolitan	9	5	1	1	2	-	3	3	-	-	-	-	3	-	-	-	-	-	-	-	-
North East Metropolitan	3	11	1	1	1	2	5	6	-	-	-	-	1	-	-	-	-	-	-	-	-
South East Metropolitan	11	11	2	1	3	1	3	5	-	-	-	-	1	-	-	-	-	-	-	-	-
South West Metropolitan	19	20	-	1	10	1	8	5	-	-	-	-	1	-	-	-	-	-	-	-	-
Oxford	3	4	-	-	-	-	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
South Western	14	7	-	3	5	2	6	7	-	-	-	-	4	-	-	-	-	-	-	-	-
Welsh	15	15	3	-	2	-	5	5	-	-	-	-	3	-	-	-	-	-	-	-	-
Birmingham	4	6	4	-	-	-	2	4	-	-	-	-	2	-	-	-	-	-	-	-	-
Manchester	4	9	4	-	-	-	2	6	-	-	-	-	1	-	-	-	-	-	-	-	-
Liverpool	8	13	-	1	1	2	2	4	-	-	-	-	2	-	-	-	-	-	-	-	-
Wessex	6	1	-	2	1	1	4	1	-	-	-	-	1	-	-	-	-	-	-	-	-

TABLE 30 - continued

Area	All ages		0-		1-		2-		3-		4-		5-		10-		15-		25 and over		Unknown		
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
Meningococcal infection																							
ENGLAND AND WALES (excluding Port Health Districts)	368	238	101	65	53	31	34	15	25	14	16	9	41	29	29	14	33	23	33	37	3	1	
	36	31	10	9	6	4	3	3	2	1	1	-	4	2	2	2	4	2	4	8	-	-	
	28	29	7	8	5	4	2	2	2	1	1	-	1	2	2	2	3	2	3	8	-	-	
	35	30	10	6	4	9	2	1	5	3	2	-	4	4	4	1	2	3	2	3	-	-	
	26	17	8	5	2	5	2	1	5	2	1	-	1	1	1	1	2	3	2	1	-	-	
	65	39	24	11	9	6	5	4	2	1	4	1	4	9	5	3	6	2	6	2	-	-	
	20	15	9	4	1	2	-	1	1	-	-	1	2	3	2	3	4	-	1	1	-	-	
	13	9	4	3	1	4	-	2	2	1	2	-	2	2	1	-	2	2	3	1	-	-	
	33	20	5	5	6	1	1	1	2	1	3	-	4	2	4	4	3	1	3	6	2	-	
	34	29	8	8	7	1	3	2	2	2	1	-	2	4	4	2	2	3	2	5	7	-	
	23	19	6	6	6	-	1	1	1	-	-	-	1	2	2	1	3	2	3	6	-	-	
	11	10	2	2	1	1	1	1	-	-	-	1	1	2	2	1	3	2	2	1	-	-	
	13	9	1	2	2	2	3	1	1	1	1	1	-	1	1	2	2	1	2	-	-	-	
	91	39	28	16	12	12	-	11	2	8	5	4	2	10	3	3	1	8	4	7	6	-	
	79	31	25	14	12	12	-	9	2	7	4	2	2	8	1	2	1	7	4	7	6	-	
	12	5	3	2	-	-	-	2	-	1	1	2	-	2	2	1	1	1	-	2	4	-	
	16	18	4	2	2	2	4	1	-	1	1	-	1	1	2	3	2	1	3	3	3	-	
	24	12	6	1	1	-	1	5	1	2	-	1	3	4	1	3	-	2	3	1	1	-	
	21	11	5	5	5	5	2	2	-	-	-	-	-	5	1	3	-	2	3	1	1	-	
	15	7	3	4	4	2	1	1	-	-	-	-	-	5	1	1	-	2	2	1	1	-	
6	4	2	-	1	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Urban/Rural aggregates:																							
152	89	49	33	23	7	15	6	10	6	5	4	4	15	10	7	6	12	4	16	13	-	-	
Conurbations																							
Areas outside conurbations:																							
Urban areas with populations of 100,000 and over																							
55	36	16	11	3	5	7	1	6	2	2	3	-	4	5	2	1	7	4	6	7	-	-	
Urban areas with populations of 50,000 and under 100,000																							
43	29	11	5	8	8	5	4	2	2	4	5	1	5	4	2	5	5	3	1	5	-	-	
Urban areas with populations under 50,000																							
66	58	16	12	12	12	10	7	5	6	2	2	2	5	7	9	5	3	4	6	10	-	-	
50	28	9	4	4	7	4	1	1	1	-	1	-	12	3	3	-	6	8	4	2	-	-	
Hospital Regions:																							
35	29	10	9	5	6	3	3	2	2	1	1	-	4	2	2	1	3	2	4	8	-	-	
24	20	4	5	7	7	4	1	1	5	3	3	-	6	3	1	1	4	1	5	10	-	-	
42	30	11	10	6	1	4	2	1	4	3	2	-	1	1	1	1	2	1	3	7	-	-	
5	4	1	1	2	1	1	1	1	3	1	-	-	1	1	1	1	2	1	1	1	-	-	
38	15	12	6	2	5	4	1	1	1	3	1	-	1	1	1	1	2	1	1	1	-	-	
19	16	5	5	4	4	-	3	1	2	1	-	-	1	1	1	1	2	1	1	1	-	-	
26	16	5	5	4	1	1	1	1	2	1	-	-	1	1	1	1	2	1	1	1	-	-	
17	19	3	4	1	1	1	1	1	2	1	-	-	1	1	1	1	2	1	1	1	-	-	
11	11	3	4	1	1	1	1	1	2	1	-	-	1	1	1	1	2	1	1	1	-	-	
24	13	6	5	6	5	3	1	1	3	1	-	-	1	1	1	1	2	1	1	1	-	-	
21	11	5	5	5	5	1	1	1	2	1	-	-	1	1	1	1	2	1	1	1	-	-	
34	29	8	8	6	6	4	2	1	3	1	-	-	1	1	1	1	2	1	1	1	-	-	
34	23	12	6	6	6	3	1	1	2	1	-	-	1	1	1	1	2	1	1	1	-	-	
31	16	12	5	5	3	1	1	1	2	1	-	-	1	1	1	1	2	1	1	1	-	-	
7	10	1	2	2	1	1	1	1	1	1	-	-	1	1	1	1	2	1	1	1	-	-	



TABLE 30 - continued

Area	All ages			0-			5-			15-			45-			65 and over			Unknown		
	M	F		M	F		M	F		M	F		M	F		M	F		M	F	
Erysipelas																					
ENGLAND AND WALES (excluding Port Health Districts)	761	978		15	12		26	17		160	188		380	451		170	290		10	20	
Standard regions and conurbations:																					
Northern	49	42		-	1		1	-		10	8		25	17		12	14		1	2	
Wyneside Conurbation	11	11		-	1		-	-		2	2		6	3		2	5		-	-	
Remainder of North-east	38	31		-	-		-	-		8	6		19	14		10	9		1	-	
East and West Ridings	92	113		-	1		3	4		22	21		48	50		17	37		2	-	
W. Yorkshire Conurbation	31	55		-	1		2	3		7	6		13	23		10	23		2	-	
Rem. of E. and W. Ridings	61	58		-	1		2	3		15	15		35	28		7	14		2	-	
North Western	65	106		2	2		1	-		14	16		36	47		12	38		-	3	
South East Lancashire Conurbation	31	36		1	1		-	-		6	1		19	19		5	14		-	1	
Merseyside Conurbation	14	8		1	1		1	-		5	3		7	5		7	4		-	-	
Rem. of North Western	20	62		-	1		-	-		3	14		10	25		-	20		-	-	
North Midland	61	78		-	1		4	2		13	13		35	33		7	26		2	3	
Midland	88	93		3	1		1	1		24	26		41	41		19	21		-	3	
W. Midlands Conurbation	43	44		2	1		-	-		11	12		22	16		8	13		-	-	
Remainder of Midland	45	49		1	1		1	1		13	14		19	25		11	8		-	-	
Eastern	59	93		3	1		2	1		10	11		26	38		18	39		-	3	
London and South Eastern	200	267		2	3		8	7		39	56		97	128		51	69		3	4	
Greater London	149	201		2	3		5	5		46	46		75	97		34	49		1	1	
Rem. of South Eastern	51	66		-	-		3	2		7	10		22	31		20	20		2	3	
Southern	49	56		1	1		4	1		13	14		19	22		12	17		-	1	
South Western	71	95		3	1		2	-		9	17		40	56		16	20		1	1	
Wales	27	35		1	-		-	1		6	6		13	19		6	9		-	-	
Wales I (South East)	22	28		1	-		-	1		6	4		4	17		5	5		-	-	
Wales II (remainder)	5	7		-	-		-	-		-	2		4	2		1	3		-	-	
Urban/Rural aggregates:																					
Conurbations	279	355		6	5		8	6		63	68		142	163		59	108		1	5	
Areas outside conurbations:																					
Urban areas with populations of 100,000 and over	141	148		4	1		3	2		35	29		71	68		28	45		-	3	
Urban areas with populations of 50,000 and under 100,000	59	81		1	-		5	1		14	14		25	34		13	31		1	1	
Urban areas with popula- tions under 50,000	148	208		2	3		4	6		19	38		84	100		34	53		5	8	
Rural districts	134	186		2	3		6	2		29	39		58	86		36	53		3	3	
Hospital Regions:																					
Newcastle	46	39		-	1		1	-		10	7		22	17		12	12		1	2	
Leeds	52	85		-	1		2	4		12	9		25	37		13	34		4	1	
Sheffield	94	97		-	1		4	2		20	24		56	43		10	28		-	-	
East Anglia	21	39		-	1		1	-		2	5		8	13		10	18		-	-	
North West Metropolitan	75	78		1	2		6	-		14	16		42	36		12	22		-	-	
North East Metropolitan	69	104		4	2		3	3		16	18		29	50		20	27		-	-	
South East Metropolitan	62	81		-	-		-	-		12	18		26	35		20	23		1	1	
South West Metropolitan	40	66		-	1		2	3		8	10		10	12		7	19		2	3	
Oxford	33	45		1	1		1	-		9	13		12	18		10	15		-	-	
South Western	60	78		3	1		2	1		9	13		36	47		9	17		1	1	
Welsh	27	35		1	-		-	1		6	6		13	19		6	9		1	1	
Birmingham	88	93		3	1		1	1		24	26		41	41		19	21		-	-	
Manchester	49	64		1	1		-	-		8	8		29	32		11	23		-	-	
Liverpool	17	42		1	2		-	-		6	10		12	15		10	15		-	-	
Wessex	28	32		-	-		1	1		4	5		12	14		10	11		-	-	

TABLE 30 - continued

Area	All ages			0-			1-			2-			3-			4-			5-			10-			15-			25 and over			Unknown
	M		F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F				
	15,536	16,195		704	645	1,182	1,002	1,289	1,084	1,055	910	1,023	849	4,553	4,170	1,639	1,315	918	1,529	2,966	4,434	207	277								
Dysentery																															
ENGLAND AND WALES (excluding Port Health Districts)	15,536	16,195		704	645	1,182	1,002	1,289	1,084	1,055	910	1,023	849	4,553	4,170	1,639	1,315	918	1,529	2,966	4,434	207	277								
Standard regions and conurbations:																															
Northern	497	582		32	28	52	54	61	51	37	39	33	18	124	117	34	33	25	41	96	198	3	3								
Tyneside Conurbation	69	80		2	2	8	12	8	4	7	11	2	4	13	19	7	3	5	3	10	22	1	-								
Remainder of Northern	428	502		24	26	44	42	53	47	30	24	31	14	111	98	27	30	20	38	86	176	2	3								
East and West Ridings	1,369	1,421		87	92	153	111	137	117	96	95	90	73	362	283	93	84	67	141	276	411	8	14								
W. Yorkshire Conurbation	919	935		64	78	114	82	99	83	63	66	52	39	210	158	63	47	52	103	198	270	4	9								
Rem. of E. and W. Ridings	450	486		23	14	39	29	38	34	33	29	38	34	152	125	30	37	15	38	78	141	4	5								
North Western	1,718	1,778		99	103	162	140	180	136	119	126	117	99	433	412	150	117	84	163	356	466	18	16								
South East Lancashire Conurbation	672	685		37	43	68	67	61	52	43	33	55	45	179	152	52	42	35	67	138	183	4	1								
Merseyside Conurbation	343	380		38	39	46	39	46	38	28	44	27	21	60	67	14	19	7	29	76	82	1	2								
Rem. of North Western	703	713		24	21	48	34	73	46	48	49	35	23	194	193	84	56	42	67	142	201	13	13								
North Midland	1,245	1,280		57	34	77	50	80	75	83	63	63	53	405	351	154	133	61	136	197	320	68	65								
Midland	1,144	1,281		64	56	95	87	96	98	90	69	70	71	324	305	116	95	65	125	218	367	6	8								
W. Midlands Conurbation	488	564		49	42	43	55	47	44	37	39	27	21	104	90	37	39	37	85	105	166	2	3								
Remainder of Midland	656	717		15	14	52	32	49	54	53	30	43	50	220	215	79	56	28	60	113	201	4	5								
Eastern	1,164	1,165		35	30	69	56	57	45	64	55	84	55	412	352	136	127	65	115	228	301	14	29								
London and South Eastern	6,018	6,302		242	227	422	373	506	395	399	349	380	330	1,819	1,740	649	514	391	598	1,147	1,689	63	87								
Greater London	4,598	4,778		207	182	358	312	413	321	322	271	287	253	1,291	1,294	437	344	314	472	952	1,310	17	19								
Rem. of South Eastern	1,420	1,524		35	45	64	61	93	74	77	78	93	77	528	446	212	170	77	126	195	379	46	68								
Southern	515	572		19	16	35	27	39	37	37	26	41	37	155	160	72	57	25	49	85	145	7	18								
South Western	1,175	1,148		36	36	80	74	81	72	82	53	87	69	337	273	156	104	97	107	205	335	14	25								
Wales	691	666		33	23	37	30	52	38	48	35	58	44	182	177	79	51	38	54	158	202	6	12								
Wales I. (South East)	558	553		23	20	34	24	40	30	42	29	44	36	140	153	53	39	31	40	144	171	4	11								
Wales II. (remainder)	133	113		10	3	3	6	12	8	6	6	14	8	42	24	23	12	7	14	31	31	2	1								
Urban/Rural aggregates:																															
Conurbations	7,089	7,422		403	386	637	567	674	542	500	464	450	363	1,857	1,780	610	494	450	739	1,479	2,033	29	34								
Areas outside conurbations:																															
Urban areas with populations of 100,000 and over	2,385	2,412		109	76	208	158	205	162	214	149	199	146	655	613	194	176	130	231	450	676	21	25								
Urban areas with populations of 50,000 and under 100,000	1,468	1,518		65	63	107	84	107	106	92	83	103	95	505	428	150	140	72	118	238	372	29	29								
Urban areas with populations under 50,000	2,512	2,621		62	63	128	120	195	135	146	126	174	122	859	767	329	255	129	235	407	676	83	122								
Rural districts	2,082	2,222		65	57	102	73	108	119	103	88	97	103	677	582	356	250	137	206	392	677	45	67								
Hospital Regions:																															
Newcastle	487	572		32	28	52	53	59	50	37	37	33	17	121	116	34	32	24	40	93	196	2	3								
Leeds	1,106	1,140		68	82	129	89	109	94	74	77	69	44	273	221	80	67	60	124	238	330	6	12								
Sheffield	1,256	1,279		72	42	89	61	91	80	90	70	71	70	410	332	132	127	80	132	193	324	48	41								
East Anglia	630	607		15	9	30	29	31	24	28	23	39	24	208	176	89	74	31	57	131	152	28	39								
North West Metropolitan	1,571	1,560		54	53	111	99	116	101	85	83	91	74	477	406	180	106	151	175	295	447	11	16								
North East Metropolitan	1,616	1,695		57	46	153	120	142	127	126	97	132	90	498	468	142	132	72	139	286	467	13	10								
South East Metropolitan	2,119	2,219		91	81	130	119	166	121	139	122	139	128	680	607	274	215	117	234	370	592	18	19								
South West Metropolitan	1,480	1,628		64	73	77	72	120	90	98	91	75	85	435	482	132	137	195	126	344	405	40	37								
Oxford	400	451		16	9	28	26	32	26	31	23	21	117	117	127	58	37	21	42	64	128	8	12								
South Western	1,003	1,006		29	32	73	60	78	61	71	46	78	65	300	245	131	92	59	97	172	284	12	21								
Welsh	691	666		33	23	37	30	52	38	48	35	58	44	182	177	79	51	38	54	158	202	6	12								
Birmingham	1,144	1,281		64	56	95	87	96	98	90	69	70	71	324	305	116	95	65	125	218	367	6	8								
Manchester	1,213	1,232		52	61	103	98	119	86	85	73	82	72	338	301	104	79	68	119	251	331	14	12								
Liverpool	507	546		47	42	59	42	62	50	34	53	35	27	96	111	46	38	19	44	105	135	4	4								
Wessex	313	313		10	8	16	17	16	16	19	11	26	17	94	96	42	33	4	21	46	84	1	8								

TABLE 30 - continued

Area	All ages			0-			5-			15-			45-			65 and over			Unknown	
	M	F		M	F		M	F		M	F		M	F		M	F		M	F
Acute encephalitis (infective)																				
ENGLAND AND WALES (excluding Port Health Districts)	74	51	18	13	31	17	19	17	4	2	-	1	2	1	-	2	1	-	1	1
Standard regions and conurbations:																				
Northern	15	10	7	7	1	2	5	1	1	-	-	1	-	-	-	1	-	-	1	-
Typeside Conurbation	10	9	6	7	1	1	3	1	1	-	-	1	-	-	-	1	-	-	1	-
Remainder of Northern	5	1	1	-	1	1	2	1	-	-	-	1	-	-	-	-	-	-	-	-
East and West Ridings	5	3	1	-	1	2	2	1	1	-	-	1	-	-	-	-	-	-	-	-
W. Yorkshire Conurbation	-	2	1	-	1	2	2	1	-	-	-	1	-	-	-	-	-	-	-	-
Rem. of E. and W. Ridings	5	1	1	-	1	-	2	1	-	-	-	1	-	-	-	-	-	-	-	-
North Western	6	5	1	1	3	-	2	3	-	-	-	-	-	-	-	-	-	-	-	-
South East Lancashire Conurbation	2	3	-	1	1	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-
Merseyside Conurbation	-	1	1	-	2	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-
Rem. of North Western	4	1	1	-	1	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-
North Midland	11	1	2	-	6	-	2	1	-	-	-	1	-	-	-	1	-	-	1	-
Midland	6	7	1	1	3	2	1	2	4	1	2	1	1	1	2	-	-	-	-	-
W. Midlands Conurbation	4	3	1	1	2	1	1	1	1	-	-	1	-	-	-	-	-	-	-	-
Remainder of Midland	2	4	-	1	1	1	1	1	-	-	-	1	-	-	-	-	-	-	-	-
Eastern	9	6	3	1	3	3	3	2	-	-	-	2	-	-	-	-	-	-	-	-
London and South Eastern	19	12	3	3	13	4	2	4	1	1	-	4	1	1	-	1	-	-	-	-
Greater London	14	9	2	3	11	4	4	4	1	1	-	1	1	1	-	-	-	-	-	-
Rem. of South Eastern	5	3	1	-	2	-	2	-	-	-	-	3	-	-	-	-	-	-	-	-
Southern	-	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
South Western	2	4	-	-	-	3	2	3	-	-	-	1	-	-	-	-	-	-	-	-
Wales	1	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Wales I (South East)	1	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Wales II (remainder)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Urban/Rural aggregates:																				
Conurbations	30	27	9	11	14	8	4	4	3	2	-	4	3	1	-	2	-	-	1	-
Areas outside conurbations:																				
Urban areas with populations of 100,000 and over	14	8	6	1	4	4	3	3	1	-	-	3	1	-	-	-	-	-	-	-
Urban areas with populations of 50,000 and under 100,000	3	3	-	-	2	-	1	-	3	-	-	1	-	-	-	-	-	-	-	-
Urban areas with popula- tions under 50,000	15	4	2	-	5	2	6	3	2	5	-	8	2	-	-	-	-	-	-	-
Rural districts	12	9	1	1	6	3	3	3	1	-	-	3	5	-	-	2	-	-	2	-
Hospital Regions:																				
Newcastle	15	10	7	7	1	2	5	1	1	-	-	1	1	-	-	1	-	-	1	-
Leeds	1	2	1	-	7	2	4	2	-	-	-	2	-	-	-	1	-	-	1	-
Sherfield	15	2	2	-	3	3	3	3	1	-	-	1	1	-	-	1	-	-	1	-
East Anglia	7	5	3	1	5	1	3	2	-	-	-	2	1	-	-	-	-	-	-	-
North West Metropolitan	8	3	2	2	3	1	2	1	-	-	-	1	1	-	-	-	-	-	-	-
North East Metropolitan	6	3	1	1	4	2	2	1	-	-	-	1	1	-	-	-	-	-	-	-
South East Metropolitan	6	5	2	1	3	1	1	1	-	-	-	1	1	-	-	-	-	-	-	-
South West Metropolitan	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Oxford	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
South Western	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Welsh	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Birmingham	1	7	1	1	3	2	1	1	-	-	-	1	1	-	-	2	-	-	1	-
Manchester	5	3	1	1	3	-	1	1	-	-	-	1	1	-	-	-	-	-	1	-
Liverpool	1	2	1	1	1	-	1	1	-	-	-	1	1	-	-	-	-	-	1	-
Wessex	1	2	-	-	1	-	1	-	-	-	-	1	1	-	-	-	-	-	1	-



TABLE 30 - continued

Area	All ages			0-			5-			15-			45-			65 and over			Unknown		
	M		F	M	F	P	M	F	P	M	F	P	M	F	P	M	F	P	M	F	P
	Acute encephalitis (post infectious)																				
ENGLAND AND WALES (excluding Port Health Districts)	98	67	24	25	55	34	17	6	1	2	-	-	1	-	-	-	-	-	1	-	-
Standard regions and conurbations:																					
Northern	8	11	3	6	3	3	2														
Tyneside Conurbation	4	8	2	6	3	2	2														
Remainder of Northern	4	3	1	-	-																
East and West Ridings	24	8	7	4	16	4	1														
W. Yorkshire Conurbation	4	3	7	2	12	3	1														
Rem. of E. and W. Ridings	20	5	7	2																	
North Western	5	8	2	2	3	6	-														
South East Lancashire																					
Conurbation	1	5	1	2	-	3	-														
Merseyside Conurbation	1	3	1	-	1	3	-														
Rem. of North Western	3	3	1	-	2																
North Midland	6	5	-	1	4	3	1														
Midland																					
W. Midlands Conurbation	8	5	-	2	7	3	-														
Remainder of Midland	4	3	-	2	4	2	-														
Eastern	3	3	-	1	2	1	1														
London and South Eastern	31	19	8	8	15	7	8														
Greater London	21	12	5	4	9	5	7														
Rem. of South Eastern	10	7	3	4	6	2	1														
Southern	4	2	1	-	3	2	-														
South Western	6	5	1	1	1	4	4														
Wales	3	1	2	-	1	1	-														
Wales I (South East)	3	1	2	-	1	1	-														
Wales II (remainder)	-	1	-	-	-	1	-														
Urban/Rural aggregates:																					
Conurbations	35	31	8	16	18	11	9														
Areas of 100,000 and over																					
Urban areas with populations of 100,000 and over	26	10	6	2	18	7	2														
Urban areas with populations of 50,000 and under 100,000	10	7	2	2	8	3	-														
Urban areas with populations under 50,000	15	11	4	1	9	9	2														
Rural districts	12	8	4	4		4															
Hospital Regions:																					
Newcastle	8	11	3	6	3	3	3														
Leeds	12	13	5	3	11	10	1														
Sheffield	18	10	5	3	11	10	1														
East Anglia	13	11	4	3	10	10	1														
North West Metropolitan	13	6	2	2	8	8	1														
North East Metropolitan	13	7	4	3	8	8	1														
South East Metropolitan	12	7	5	1	7	8	1														
South West Metropolitan	4	4	1	1	3	3	1														
Oxford	4	1	1	1	1	1	1														
South Western	16	13	1	1	1	1	1														
Welsh	3	3	1	1	1	1	1														
Birmingham	8	5	1	1	1	1	1														
Manchester	1	1	1	1	1	1	1														
Liverpool	1	1	1	1	1	1	1														
Wessex	3	3	1	1	1	1	1														

TABLE 30 - continued

Area	All ages			0-			5-			15-			45-			65 and over			Unknown
	M	F		M	F		M	F		M	F		M	F		M	F		
	Acute pneumonia (primary and influenza)																		
ENGLAND AND WALES (excluding Port Health Districts)	7,648	6,522	1,327	1,055	772	623	1,463	1,245	2,245	1,528	1,761	2,004	80	67					
Standard regions and conurbations:																			
Northern	660	494	148	93	44	33	97	70	217	102	152	195	2	1					
Tyneside Conurbation	335	227	88	37	16	17	41	24	110	62	80	87	-	-					
Remainder of Northern	325	267	60	56	28	16	56	46	107	40	72	108	2	1					
East and West Ridings	1,523	1,199	363	272	139	98	292	239	395	264	332	323	2	3					
W. Yorkshire Conurbation	659	527	190	118	48	35	127	102	173	124	121	146	-	-					
Rem. of E. and W. Ridings	864	672	173	154	91	63	165	137	222	154	211	177	2	2					
North Western	785	715	201	209	83	78	136	116	184	142	165	157	16	13					
South East Lancashire Conurbation	280	232	66	48	24	26	59	32	63	59	63	63	5	4					
Merseyside Conurbation	310	273	93	108	30	30	54	44	75	41	59	43	7	7					
Rem. of North Western	195	210	42	53	17	22	43	40	46	42	43	51	4	2					
North Midland	518	401	66	52	66	48	98	81	161	97	119	111	8	12					
Midland	813	678	140	112	84	77	198	160	234	144	151	180	6	5					
W. Midlands Conurbation	372	293	71	44	30	30	80	76	121	69	69	76	1	3					
Remainder of Midland	441	385	69	68	54	47	118	89	113	75	82	104	5	2					
Eastern	486	468	63	55	79	69	96	73	120	122	115	138	13	11					
London and South Eastern	1,682	1,612	174	139	156	131	314	320	575	431	450	581	13	10					
Greater London	1,179	1,156	119	97	105	90	226	235	429	319	296	410	4	5					
Rem. of South Eastern	503	456	55	42	51	41	88	85	146	112	154	171	9	5					
Southern	297	236	46	34	26	27	60	54	88	51	75	67	2	3					
South Western	592	465	70	46	60	39	129	79	183	121	140	171	10	9					
Wales	292	254	56	43	35	23	43	53	88	54	62	81	8	-					
Wales I (South East)	228	199	43	29	30	18	32	41	71	45	49	66	3	-					
Wales II (remainder)	64	55	13	14	5	5	11	12	17	9	13	15	5	-					
Urban/Rural aggregates:																			
Conurbations	3,135	2,708	627	452	265	228	567	508	971	674	688	825	17	21					
Areas outside conurbations:																			
Urban areas with populations of 100,000 and over	1,419	1,135	287	229	132	107	256	212	366	236	346	350	12	1					
Urban areas with populations of 50,000 and under 100,000	499	420	100	75	44	29	92	86	132	94	125	130	6	6					
Urban areas with populations under 50,000	1,255	1,235	171	189	155	142	242	244	363	277	303	358	21	25					
Rural districts	1,340	1,024	142	110	176	117	306	195	393	247	299	341	24	14					
Hospital Regions:																			
Newcastle	638	473	148	92	42	30	94	64	205	99	147	187	2	1					
Leeds	1,097	869	287	194	103	74	197	159	283	200	226	239	1	3					
Sheffield	849	687	130	125	78	63	176	151	250	152	207	186	8	10					
East Anglia	281	238	24	26	60	35	55	34	71	52	64	80	7	11					
North West Metropolitan	449	487	31	32	52	35	153	107	153	145	163	151	4	1					
North East Metropolitan	540	509	68	59	51	53	98	96	162	139	136	158	5	4					
South East Metropolitan	564	533	48	45	48	44	119	110	166	151	175	200	8	3					
South West Metropolitan	395	335	44	34	37	25	71	55	142	76	98	141	3	4					
Oxford	227	152	26	20	30	20	57	40	59	34	53	37	2	2					
South Western	476	367	58	38	48	26	97	64	153	103	112	148	8	8					
Welsh	292	254	56	43	35	23	43	53	88	54	62	81	6	5					
Birmingham	813	678	140	112	84	77	198	160	234	144	151	180	9	5					
Manchester	416	387	88	79	54	38	86	62	105	99	94	104	6	5					
Liverpool	374	331	113	105	49	40	86	54	82	40	56	54	7	8					
Wessex	237	182	36	26	21	24	46	34	72	38	60	58	2	2					

TABLE 30 - continued

Area	All ages			0-			5-			15-			45-			65 and over			Unknown		
	M	F		M	F		M	F		M	F		M	F		M	F		M	F	
Food poisoning																					
	3,100	2,756		549	469		852	504		1,180	1,121		322	372		103	200		94		90
ENGLAND AND WALES (excluding Port Health Districts)																					
Standard regions and conurbations:																					
Northern	372	229		32	30		136	24		180	122		21	37		3	15		-	1	
Tyneside Conurbation	27	58		4	4		2	1		19	51		1	1		1	1		-	1	
Remainder of Northern	345	171		28	26		134	23		161	71		20	35		2	15		-	1	
East and West Ridings	217	190		48	41		51	24		77	69		24	29		13	19		4	8	
W. Yorkshire Conurbation	111	103		22	18		17	9		50	40		9	18		12	17		4	7	
Rem. of E. and W. Ridings	106	87		26	23		34	15		27	29		15	11		1	2		3	7	
North Western	392	476		81	81		92	118		132	122		43	70		17	57		27	28	
South East Lancashire Conurbation	66	163		25	27		19	23		27	39		5	40		1	22		9	12	
Merseyside Conurbation	72	57		21	18		10	13		16	15		10	25		4	3		12	1	
Rem. of North Western	234	256		35	36		63	82		87	68		28	25		15	30		6	15	
North Midland	157	181		47	32		30	26		52	62		16	22		4	12		8	27	
Midland	477	358		49	55		75	36		206	193		59	49		17	22		1	3	
W. Midlands Conurbation	226	226		26	33		55	23		26	137		44	29		2	5		-	1	
Remainder of Midland	144	132		23	24		20	13		70	56		15	20		15	17		-	2	
Eastern	193	178		38	26		48	46		61	66		32	17		11	17		3	6	
London and South Eastern	724	594		131	102		223	82		249	273		93	97		28	37		-	3	
Greater London	516	535		120	92		87	71		204	250		82	89		23	30		-	3	
Rem. of South Eastern	208	59		11	10		136	11		45	23		11	8		5	7		-	1	
Southern	97	96		31	26		21	15		32	37		10	11		3	6		-	1	
South Western	255	237		60	50		80	53		51	97		13	26		2	7		49	4	
Wales	216	217		32	26		96	80		70	80		11	14		5	8		2	9	
Wales I. (South East)	209	200		32	25		94	77		66	78		11	12		5	8		1	1	
Wales II. (remainder)	7	17		-	1		2	3		4	2		-	2		-	-		1	1	
Urban/Rural aggregates:																					
Conurbations	1,145	1,142		218	190		190	140		524	532		151	183		40	79		22	18	
Areas outside conurbations:																					
Urban areas with populations of 100,000 and over	446	467		131	95		123	94		140	196		43	57		6	25		3	-	
Urban areas with populations of 50,000 and under 100,000	239	212		51	43		52	54		91	77		34	20		4	11		7	7	
Urban areas with popula- tions under 50,000	540	486		72	78		174	86		155	174		49	68		38	63		52	17	
Rural districts	730	449		77	63		313	130		270	142		45	44		15	22		10	46	
Hospital Regions:																					
Newcastle	367	224		32	29		135	24		177	118		20	37		3	15		-	1	
Leeds	166	147		35	34		37	15		61	57		17	21		13	18		3	12	
Sheffield	189	212		54	38		40	33		62	71		23	28		7	14		7	31	
East Anglia	123	110		26	17		36	31		38	39		14	13		6	4		3	6	
North West Metropolitan	242	230		53	43		34	21		105	108		39	35		11	16		2	4	
North East Metropolitan	194	204		53	32		38	51		64	77		33	32		4	11		-	1	
South East Metropolitan	143	109		18	20		36	16		62	45		21	17		6	11		-	1	
South West Metropolitan	234	138		27	22		128	11		47	76		20	19		12	10		-	-	
Oxford	48	50		14	13		13	6		13	19		5	7		3	6		49	1	
South Western	246	216		56	45		77	53		50	86		12	22		7	8		2	4	
Welsh	216	217		32	26		96	80		70	80		11	14		5	8		2	3	
Birmingham	477	358		49	55		75	36		276	193		59	49		17	22		13	16	
Manchester	220	345		47	53		58	74		73	90		15	60		14	52		13	12	
Liverpool	173	133		34	28		34	44		60	34		28	10		3	5		14	16	
Wessex	62	63		19	14		15	9		22	28		5	8		1	3		-	1	



TABLE 30 - continued

Area	All ages			0-		5-		15-		25-		45-		65 and over			Unknown
	M	F		M	F	M	F	M	F	M	F	M	F	M	F	M	
†Tuberculosis, respiratory																	
ENGLAND AND WALES (excluding Port Health Districts)	10,653	5,690		357	286	447	500	1,319	1,247	3,312	2,081	3,838	1,129	1,344	432	36	15
Standard regions and conurbations:																	
Northern	828	536		27	39	42	67	100	126	236	191	334	83	89	30	-	-
Tyneside Conurbation	313	219	8	22	22	17	31	37	45	98	73	119	37	34	11	-	-
Remainder of Northern	515	317	19	17	17	25	36	63	81	138	118	215	46	55	19	-	-
East and West Ridings	1,180	483	27	23	36	34	34	143	116	444	177	382	100	130	32	8	1
W. Yorkshire Conurbation	656	237	12	9	17	17	17	94	62	299	88	185	43	46	17	3	1
Rem. of E. and W. Ridings	524	246	15	14	19	19	17	49	54	145	89	207	57	84	15	5	-
North Western	1,453	775	72	43	57	82	82	182	190	410	268	545	140	179	49	8	3
South East Lancashire Conurbation	560	272	24	15	19	33	33	82	71	156	99	218	41	56	12	5	1
Merseyside Conurbation	270	270	26	15	18	31	31	45	64	116	84	151	64	60	16	1	-
Rem. of North Western	483	233	22	13	20	18	18	55	55	138	85	176	39	70	21	2	2
North Midland	651	349	21	5	29	26	26	97	90	207	133	230	65	64	29	3	1
Midland	1,221	548	47	40	75	67	67	158	122	428	197	393	95	118	25	2	2
W. Midlands Conurbation	810	351	36	28	60	59	59	119	77	303	122	240	77	51	12	1	-
Remainder of Midland	411	197	11	12	15	8	8	39	45	125	75	153	41	67	14	1	2
Eastern	599	403	22	19	32	40	40	75	78	195	151	195	75	77	40	3	-
London and South Eastern	2,922	1,561	89	68	100	103	103	349	317	906	588	1,060	345	412	129	6	1
Greater London	2,480	1,297	80	62	81	91	91	313	284	779	495	900	285	325	100	2	-
Rem. of South Eastern	442	264	9	6	19	12	12	36	53	127	103	160	60	87	29	4	1
Southern	591	383	28	27	31	29	29	66	67	182	145	207	68	75	45	2	2
South Western	569	341	14	10	21	21	20	72	90	151	110	224	83	84	25	3	3
Wales	639	311	10	12	24	32	32	77	51	153	111	258	75	116	28	1	2
Wales I (South East)	444	213	6	6	17	22	22	52	37	102	76	185	37	52	19	-	1
Wales II (remainder)	195	98	4	6	7	10	10	25	14	51	35	73	23	34	9	1	1
Urban/Rural aggregates:																	
Conurbations	5,229	2,646	186	151	212	212	262	690	583	1,751	961	1,813	520	585	167	12	2
Areas outside conurbations:																	
Urban areas with populations of 100,000 and over	1,566	841	53	46	82	82	81	196	183	465	301	567	165	201	62	2	3
Urban areas with populations of 50,000 and under 100,000	874	495	42	27	43	43	29	86	120	269	188	314	91	112	39	8	1
Urban areas with popula- tions under 50,000	1,716	927	40	38	69	69	69	183	202	474	335	670	198	271	80	9	5
Rural districts	1,268	781	36	24	41	41	59	164	159	353	296	474	155	195	84	5	4
Hospital Regions:																	
Newcastle	797	519	27	39	41	41	59	95	124	229	187	322	80	83	30	-	-
Leeds	873	347	19	16	25	25	26	118	82	350	130	279	67	79	25	3	1
Sheffield	900	452	27	12	36	36	30	117	119	286	166	320	94	107	30	8	1
East Anglia	210	136	4	5	11	11	12	23	28	66	48	66	21	29	22	1	-
North West Metropolitan	1,182	694	41	37	40	40	50	177	139	411	263	385	147	126	58	2	2
North East Metropolitan	779	415	28	22	28	28	35	85	75	248	173	282	89	106	21	2	-
South East Metropolitan	769	312	30	12	36	36	31	80	87	207	156	276	87	137	38	3	1
South West Metropolitan	671	369	13	15	22	22	18	73	78	194	139	275	81	93	38	1	-
Oxford	310	198	16	14	14	14	15	34	47	98	67	107	34	39	20	2	2
South Western	499	296	14	8	19	19	19	64	75	130	95	201	75	70	22	1	1
Welsh	639	321	10	12	24	31	32	110	153	411	111	258	75	116	28	2	2
Birmingham	1,221	548	47	40	75	77	77	158	122	428	197	393	95	118	25	2	2
Manchester	916	332	33	21	32	32	47	132	111	261	162	343	69	109	22	6	2
Liverpool	546	352	39	22	26	26	43	53	79	150	107	204	72	72	27	2	2
Wessex	341	208	9	11	18	18	16	33	30	102	80	127	43	50	26	2	2

† See note at end of Table 31.

Area	All ages			0-			5.			15-			25-			45-			65 and over			Unknown	
	M	F	P	M	F	P	M	F	P	M	F	P	M	F	P	M	F	P	M	F	P		
†Tuberculosis of meninges and central nervous system																							
ENGLAND AND WALES (excluding Port Health Districts)  Standard regions and conurbations: Northern Tyneside Conurbation Remainder of Northern  East and West Ridings W. Yorkshire Conurbation Rem. of E. and W. Ridings  North Western South East Lancashire Conurbation Merseyside Conurbation Rem. of North Western  North Midland  Midland W. Midlands Conurbation Remainder of Midland  Eastern  London and South Eastern Greater London Rem. of South Eastern  Southern  South Western  Wales Wales I (South East) Wales II (remainder)  Urban/Rural aggregates: Conurbations Areas outside conurbations: Urban areas with populations of 100,000 and over Urban areas with populations of 50,000 and under 100,000 Urban areas with populations under 50,000 Rural districts  Hospital Regions: Newcastle Leeds Sheffield East Anglia North West Metropolitan North East Metropolitan South East Metropolitan South West Metropolitan Oxford South Western Welsh Birmingham Manchester Liverpool Wessex	75	69	23	14	13	16	12	13	18	16	8	10	1	-	-	-	-	-	-	-	-	-	
	5	8	1	1	2	2	-	3	1	2	1	-	3	1	2	2	1	-	-	-	-	-	
	1	2	-	1	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
	4	6	-	-	2	1	-	2	-	1	-	-	2	-	-	-	-	-	-	-	-	-	
	10	7	3	-	2	1	2	2	-	2	1	3	1	-	-	-	-	-	-	-	-	-	
	6	4	2	-	2	1	-	-	-	1	-	3	1	-	-	-	-	-	-	-	-	-	
	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	11	10	8	3	1	1	1	1	2	3	4	-	-	-	-	-	-	-	-	-	-	-	
	4	5	1	2	1	1	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	
	4	2	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
	3	3	2	1	1	1	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	
	3	4	1	1	1	1	1	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	
	9	3	2	2	2	1	-	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-	
	3	3	1	-	-	1	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	
	2	1	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	
	23	22	5	4	4	4	6	3	4	7	4	4	4	-	-	-	-	-	-	-	-	-	
	18	17	3	4	4	-	4	3	3	5	2	2	1	-	-	-	-	-	-	-	-	-	
	5	5	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	
	5	7	3	1	1	-	3	1	1	-	1	-	1	-	-	-	-	-	-	-	-	-	
	4	4	2	2	2	-	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	
	3	3	-	-	-	2	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	36	33	11	8	7	7	7	4	7	10	7	4	4	-	-	-	-	-	-	-	-	-	
	11	11	1	3	1	1	1	5	2	3	3	1	2	-	-	-	-	-	-	-	-	-	
4	8	3	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
16	10	7	2	1	3	3	2	2	2	2	1	1	2	2	2	2	1	1	1	1	1		
8	7	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
4	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
4	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
11	1	2	2	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1						

† See note at end of Table 34.

TABLE 30 - continued

Area	All ages		0-		5-		15-		25-		45-		65 and over		Unknown	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
Tuberculosis, other forms																
ENGLAND AND WALES (excluding Port Health Districts)	1,126	1,337	40	33	82	87	214	251	526	539	208	260	51	154	5	13
	Standard regions and conurbations:															
	Northern															
	84	103	4	-	6	7	16	20	37	44	19	20	2	12	-	-
	57	42	2	-	3	1	7	6	18	19	7	12	2	4	-	-
	37	61	2	-	3	4	9	14	19	25	12	8	2	8	-	-
	Remainder of Northern															
	East and West Ridings															
	145	98	5	3	8	8	30	22	75	39	20	20	7	5	-	1
	39	49	4	1	4	4	19	13	58	18	14	9	2	2	-	1
	47	49	1	2	5	3	11	9	19	21	6	11	5	3	-	-
	Rem. of E. and W. Ridings															
	North Western															
	126	117	6	2	13	9	20	29	60	43	23	19	4	12	-	3
	South East Lancashire															
	58	33	3	-	7	5	9	6	24	11	13	8	2	2	-	1
	37	42	4	-	4	4	1	11	13	19	2	2	2	5	-	1
	51	42	3	2	5	-	10	12	23	13	6	9	2	5	-	1
	Rem. of North Western															
	North Midland															
88	120	1	1	7	7	16	20	42	51	18	27	2	13	2	2	
Midland																
163	147	10	5	8	6	24	26	100	62	17	24	3	14	1	1	
120	63	7	3	6	11	18	11	77	24	11	10	1	4	-	-	
45	84	3	2	2	4	6	15	23	38	6	14	2	10	1	1	
Remainder of Midland																
Eastern																
63	107	1	2	8	9	8	19	30	42	15	20	1	14	-	1	
London and South Eastern																
278	371	7	11	17	16	65	78	120	150	56	69	13	44	-	3	
234	298	5	9	13	10	55	66	104	129	50	54	7	31	-	2	
44	73	2	2	4	6	10	12	16	21	6	18	6	13	-	1	
Rem. of South Eastern																
Southern																
56	83	3	3	2	3	13	11	18	37	12	15	7	13	1	1	
South Western																
67	113	2	5	7	11	12	18	27	42	15	25	4	12	-	-	
Wales																
56	78	1	1	6	3	10	8	17	29	13	21	8	15	1	1	
39	50	-	-	4	2	9	3	12	19	8	13	5	13	-	-	
17	28	-	1	2	1	1	5	5	10	5	8	3	2	1	1	
Wales II (remainder)																
Urban/Rural aggregates:																
564	527	21	13	33	36	109	113	292	220	97	92	12	48	-	5	
Conurbations																
Areas outside conurbations:																
Urban areas with populations of 100,000 and over																
154	185	6	4	10	13	29	33	68	80	29	28	11	27	1	-	
Urban areas with populations of 50,000 and under 100,000																
72	112	3	9	7	4	16	18	33	36	12	26	1	18	-	1	
Urban areas with populations under 50,000																
190	278	6	2	14	19	36	51	82	106	36	59	15	40	1	1	
146	235	4	5	18	15	24	36	51	97	34	55	12	21	3	6	
Rural districts																
Hospital Regions:																
81	100	4	-	6	7	16	20	35	43	19	19	1	11	-	-	
121	172	5	1	6	6	24	17	65	27	16	16	3	4	-	1	
104	127	1	2	9	6	22	24	48	54	18	26	6	13	-	2	
Sheffield																
26	52	3	5	1	5	3	8	17	17	4	12	1	9	-	1	
East Anglia																
112	170	3	3	17	6	24	35	55	78	21	31	2	14	-	1	
North West Metropolitan																
82	95	2	2	10	8	19	19	34	41	13	17	4	11	-	1	
North East Metropolitan																
75	103	2	2	5	4	19	26	24	28	18	20	6	17	-	2	
South East Metropolitan																
55	73	2	4	3	3	10	10	16	31	6	11	1	5	-	-	
South West Metropolitan																
38	73	1	3	2	6	10	10	16	37	15	14	1	8	-	1	
Oxford																
50	93	1	3	5	3	7	17	16	36	12	19	2	10	-	1	
South Western																
53	78	1	1	8	8	10	8	17	29	13	21	3	15	-	1	
Welsh																
163	147	10	5	11	15	24	26	100	62	17	24	3	14	1	1	
Birmingham																
103	169	5	2	8	5	16	16	44	21	20	16	3	7	-	1	
Manchester																
26	48	1	2	11	4	2	13	16	22	3	7	-	5	-	1	
Liverpool																
34	37	1	-	1	1	6	2	9	13	11	7	6	11	-	1	
Wessex																

† See note at end of Table 31.





**TABLE 31. Cases of certain infectious diseases notified, 1963 (including for England and Wales only, case rates per 100,000 population)**

England and Wales, standard regions, Wales, conurbations, urban and rural aggregates outside conurbations, hospital regions, counties, county and metropolitan boroughs

Area	Typhoid Fever	Paratyphoid Fever	Meningococcal Infection	Scarlet Fever	Whooping cough	Diphtheria	Erysipelas	Ophthalmia neonatorum	Dysentery	Measles	Acute poliomyelitis		Acute encephalitis		Acute pneumonia (primary and influenza)	Puerperal pyrexia	Food poisoning	Tuberculosis †		
											Paralytic	Non-paralytic	Infective	Post-infectious				Respiratory	Meninges and C.N.S.	Other
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
(a) Numbers originally notified.																				
*ENGLAND AND WALES (including Port Health Districts):																				
Total	257	356	698	17,522	34,843	48	1,751	977	36,215	601,473	65	21	135	166	14,258	6,562	9,126	16,574	153	2,488
Total (excluding Port Health Districts)	252	354	698	17,522	34,842	48	1,750	977	36,187	601,329	65	21	135	166	14,247	6,562	9,113	16,546	153	2,487
Port Health Districts	5	2	-	-	1	-	1	-	28	144	-	-	-	-	11	-	13	28	-	1
Regions and conurbations	25	23	72	891	2,708	2	90	15	1,450	46,423	2	1	27	15	1,143	241	727	1,365	12	186
*Northern	19	1	10	302	555	-	21	1	335	12,752	1	1	21	8	552	24	139	535	3	80
Tyneside Conurbation	6	22	62	589	2,153	2	69	14	1,115	33,671	1	-	6	7	591	217	588	830	9	106
*Remainder of Northern	16	47	79	2,371	4,144	10	211	58	3,286	51,694	14	5	10	30	2,782	339	565	1,678	17	245
*East and West Ridings	7	11	18	654	1,824	10	87	36	1,917	15,875	12	-	2	7	1,145	152	223	903	10	147
*West Yorkshire Conurbation	9	36	61	1,717	2,320	-	124	22	1,369	35,819	2	5	8	23	1,637	187	342	775	7	98
*Remainder of E. and W. Ridings	16	37	142	2,418	6,846	4	174	208	4,852	68,445	12	4	15	12	1,499	913	1,961	2,278	27	243
*North Western	4	7	35	772	2,083	-	69	59	1,924	26,488	4	4	7	5	511	311	530	850	12	91
*S.E. Lancashire Conurbation	3	17	26	697	2,722	4	22	101	1,247	10,469	2	1	1	1	584	400	643	710	6	61
*Merseyside Conurbation	9	13	81	949	2,041	-	83	48	1,681	31,488	6	-	7	6	404	202	788	718	9	91
*Remainder of North Western	14	14	56	1,406	2,242	1	140	21	2,755	51,055	4	-	19	12	923	179	377	1,017	7	210
*North Midland	16	15	77	1,995	4,718	3	179	377	2,922	69,547	6	2	9	15	1,493	632	866	1,805	13	324
Midland	6	9	46	1,056	2,587	1	87	311	1,312	33,586	2	1	4	8	666	231	553	1,192	7	195
West Midlands Conurbation	10	6	31	939	2,331	2	92	66	1,610	35,961	4	1	5	7	827	401	313	613	6	129
Remainder of Midland	57	73	24	2,183	2,345	-	152	33	2,406	53,863	7	1	15	7	959	444	1,133	1,008	3	172
Eastern	83	77	140	3,853	7,915	25	470	159	13,586	137,444	8	7	31	54	3,288	2,733	2,091	4,538	47	659
*London and South Eastern	63	68	119	3,018	6,154	20	353	143	10,153	90,282	6	7	23	35	2,339	2,264	1,727	3,831	36	526
*Greater London	20	9	21	835	1,761	5	117	16	3,433	47,162	2	-	8	19	949	469	364	707	11	133
Remainder of South Eastern	16	10	36	803	1,420	-	105	28	1,138	45,371	4	-	1	6	533	429	204	986	12	130
Southern	5	28	42	960	1,692	3	168	61	2,408	52,728	2	1	6	12	1,085	507	655	912	8	177
South Western	4	30	30	642	812	-	61	17	1,384	24,759	6	-	2	3	542	145	534	959	7	141
Wales (South East)	4	24	20	401	635	-	49	16	1,134	20,165	4	-	2	2	424	105	510	864	7	95
Wales (Remainder)	-	6	10	241	177	-	12	1	250	4,594	2	-	-	1	118	40	24	295	-	46

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
<b>Urban/Rural aggregates:</b>																				
Conurbations	102	113	254	6,499	15,725	35	639	651	16,888	189,452	27	13	58	64	5,797	3,382	3,815	8,021	74	1,110
Areas outside conurbations:																				
Urban areas with populations of 100,000 and over	19	40	142	2,691	6,145	7	294	135	5,251	86,158	5	1	26	36	2,646	1,015	1,809	2,430	21	347
Urban areas with populations of 50,000 and under 100,000	42	36	84	1,722	2,867	1	143	69	3,443	59,510	4	-	13	18	948	834	821	1,382	16	182
Urban areas with populations under 50,000	45	65	130	3,239	5,009	3	356	45	5,828	133,262	16	2	16	27	2,490	772	1,336	2,646	27	474
Rural Districts	44	100	88	3,371	5,096	2	318	77	4,777	132,947	13	5	22	21	2,366	559	1,332	2,067	15	374
<b>Hospital Regions</b>																				
Newcastle	24	9	69	848	2,567	2	84	15	1,419	44,181	2	1	27	15	1,101	232	717	1,317	11	181
Leeds	15	57	47	1,192	3,025	5	140	42	2,521	33,409	13	5	4	13	1,951	190	393	1,235	12	193
Sheffield	10	12	87	2,402	3,075	6	195	37	2,990	63,587	5	-	25	29	1,615	251	518	1,372	12	235
East Anglia	8	69	10	1,035	670	-	61	16	1,222	21,649	2	-	12	4	519	174	286	345	2	80
North West Metropolitan	51	14	57	1,378	2,547	8	154	84	3,300	47,578	4	2	11	18	938	1,493	645	1,898	16	277
North East Metropolitan	41	12	27	1,703	3,293	2	174	43	3,406	41,887	5	2	10	10	1,055	421	1,470	1,223	8	180
South East Metropolitan	12	24	46	1,316	2,367	12	143	37	3,335	46,685	4	4	11	20	1,106	602	421	1,189	15	186
South West Metropolitan	35	37	28	832	1,639	3	106	13	3,234	40,980	1	-	2	9	732	592	427	1,046	11	131
Oxford	7	8	22	634	940	-	78	6	899	26,718	2	-	-	2	379	151	121	514	6	108
South Western	3	23	39	819	1,355	3	139	59	2,086	42,897	2	1	5	10	891	437	599	798	5	142
Welsh	4	30	30	642	812	-	61	17	1,384	24,759	6	6	2	3	542	145	534	959	7	141
Birmingham	16	15	77	1,995	4,718	3	179	377	2,922	69,547	6	2	9	15	1,493	632	866	1,805	13	324
Manchester	11	15	91	1,359	3,107	-	116	101	3,216	48,651	9	4	11	8	800	479	890	1,360	18	168
Liverpool	6	22	51	1,060	3,748	4	59	105	1,639	20,523	3	4	4	4	706	434	1,074	935	9	77
Wessex	9	7	17	307	979	-	61	25	634	28,478	1	-	2	6	419	329	132	550	8	64

(b) Final numbers after correction.

*ENGLAND AND WALES (excluding Port Health Districts):		Total		242 340		606 17,437		34,736		1,739		970		31,731		601,111		39		12		125		165		14,170		6,486		5,856		16,343		144		2,463	
Rates (per 100,000 population)		1 1		37		74		67		4		2		67		128		0		0		0		0		30		14		12		35		0		5	
Regions and Conurbations																																					
*Northern	24	18	67	885	2,705	-	91	15	1,079	46,372	1	1	25	19	1,154	238	601	1,364	13	187																	
Tyneside Conurbation	19	1	10	301	554	-	22	1	149	12,745	1	1	19	12	562	24	85	532	3	79																	
*Remainder of Northern	5	17	57	584	2,151	-	69	14	930	33,627	-	-	6	7	592	214	516	832	10	108																	
*East and West Ridings	13	46	65	2,338	4,101	8	205	58	2,790	51,537	2	4	8	32	2,722	347	407	1,663	17	243																	
*West Yorkshire Conurbation	3	12	22	648	1,807	8	86	36	1,854	15,762	2	2	2	7	1,186	152	214	893	10	147																	
*Remainder of E. and W. Ridings	10	34	43	1,690	2,294	-	119	22	936	35,775	-	4	6	25	1,536	195	193	770	7	96																	
*North Western	14	34	104	2,404	6,829	3	171	205	3,496	68,485	10	2	11	13	1,500	912	868	2,228	21	243																	
*S.E. Lancashire Conurbation	4	5	35	766	2,081	-	67	58	1,357	26,554	4	2	5	6	512	310	249	832	9	91																	
*Merseyside Conurbation	2	15	22	690	2,716	3	22	101	723	10,468	1	-	1	1	583	400	129	680	6	59																	
*Remainder of North Western	8	14	47	948	2,032	-	82	46	1,416	31,463	5	-	5	6	405	202	490	716	6	93																	
*North Midland	14	11	53	1,404	2,236	-	139	21	2,525	51,096	4	-	12	11	919	175	338	1,000	7	208																	
Midland	16	15	63	1,987	4,714	1	181	374	2,425	69,533	4	1	13	13	1,491	579	835	1,769	12	310																	
West Midlands Conurbation	6	9	42	1,049	2,308	-	87	308	1,052	33,583	1	1	7	7	685	229	559	1,161	6	183																	
Remainder of Midland	10	6	21	938	2,406	1	94	66	1,373	35,950	3	-	6	6	826	350	276	608	6	127																	
Eastern	55	73	22	2,178	2,334	-	152	33	2,329	53,864	7	1	15	6	954	440	371	1,002	3	170																	
*London and South Eastern	81	77	130	3,834	7,902	20	467	159	12,320	137,403	3	3	31	50	3,294	2,723	1,318	4,483	45	649																	
*Greater London	62	69	110	2,997	6,146	16	350	143	9,376	90,221	2	3	23	33	2,335	2,260	1,051	3,777	35	532																	
Remainder of South Eastern	19	8	20	837	1,756	4	117	16	2,944	47,182	1	-	8	17	959	463	267	706	10	117																	
Southern	15	10	34	805	1,422	-	105	28	1,087	45,307	3	-	2	6	533	429	193	974	12	139																	
South Western	6	26	36	959	1,684	1	166	60	2,323	52,707	1	-	6	11	1,057	507	492	910	8	180																	
Wales	4	30	32	643	809	-	62	17	1,357	24,807	4	-	2	4	546	136	433	950	6	134																	
Wales (South East)	4	4	24	403	632	-	50	15	1,111	20,216	2	-	2	3	427	99	409	657	6	89																	
Wales (Remainder)	-	-	10	240	177	-	12	2	246	4,591	2	-	-	1	119	37	24	293	-	45																	

No cases of smallpox were notified during the year. \* For anthrax cases notified see summary at end of table. † See note at end of table.



TABLE 31 - continued

Area	Typhoid fever	Paratyphoid fever	Meningococcal infection	Scarlet fever	Whooping cough	Diphtheria	Krysiplas	Ophthalmia neonatorum	Dysentery	Measles	Acute poliomyelitis		Acute encephalitis		Acute pneumonia (primary and influenza)	Periperal pyrexia	Food poisoning	Tuberculosis †		
											Paralytic	Non-paralytic	Infective	Post-infectious				Respiratory	Meninges and C.N.S.	Other
<b>1</b>	<b>2</b>	<b>3</b>	<b>4</b>	<b>5</b>	<b>6</b>	<b>7</b>	<b>8</b>	<b>9</b>	<b>10</b>	<b>11</b>	<b>12</b>	<b>13</b>	<b>14</b>	<b>15</b>	<b>16</b>	<b>17</b>	<b>18</b>	<b>19</b>	<b>20</b>	<b>21</b>
<b>Urban/Rural aggregates:</b>																				
Conurbations	96	111	241	6,451	15,612	27	634	647	14,511	189,333	11	7	57	66	5,843	3,375	2,287	7,875	69	1,091
Areas outside conurbations:																				
Urban areas with populations of 100,000 and over	19	38	91	2,662	6,094	6	289	135	4,797	86,042	3	1	22	36	2,554	971	913	2,407	22	339
Urban areas with populations of 50,000 and under 100,000	39	36	72	1,718	2,875	-	140	70	2,986	59,475	3	-	6	17	919	825	451	1,369	12	184
Urban areas with populations under 50,000	45	57	124	3,239	5,075	-	356	42	5,133	133,231	14	-	19	26	2,490	764	1,026	2,843	26	468
Rural Districts	43	98	78	3,367	5,080	-	320	76	4,304	133,030	8	4	21	20	2,364	551	1,179	2,049	15	381
<b>Hospital Regions</b>																				
Newcastle	23	4	64	841	2,564	-	85	15	1,059	44,133	1	1	25	19	1,111	229	591	1,316	12	181
Leeds	12	56	44	1,168	2,988	4	137	42	2,246	33,288	2	4	5	15	1,966	199	313	1,220	12	193
Sheffield	10	10	72	2,391	3,063	4	191	36	2,535	63,392	4	-	17	28	1,536	247	401	1,352	12	231
East Anglia	8	69	9	1,030	673	8	60	16	1,237	21,647	2	-	12	3	519	174	233	346	2	78
North West Metropolitan	50	14	53	1,372	2,531	8	153	84	3,131	47,572	2	1	11	17	936	1,501	472	1,876	15	282
North East Metropolitan	39	12	25	1,998	3,289	-	173	43	3,311	41,870	4	2	9	9	1,049	417	398	1,194	8	177
South East Metropolitan	11	22	42	1,515	2,568	12	143	37	4,338	46,659	2	1	11	19	1,117	601	252	1,181	15	178
South West Metropolitan	34	39	26	825	1,631	-	106	13	3,108	40,991	1	-	3	8	730	580	372	1,040	10	128
Oxford	7	7	22	635	940	-	78	6	851	26,763	1	-	1	2	379	151	98	508	6	111
South Western	4	21	33	819	1,347	1	138	58	2,009	42,875	1	-	4	9	863	437	462	795	5	143
Welsh	4	30	32	643	809	1	82	17	1,357	24,807	4	-	4	4	546	136	433	950	6	134
Birmingham	16	15	63	1,987	4,714	1	181	374	2,425	69,533	4	1	13	13	1,491	579	835	1,769	12	310
Manchester	10	13	57	1,353	3,092	-	113	98	2,445	48,695	8	2	8	9	805	478	565	1,349	13	172
Liverpool	5	21	47	1,053	3,746	3	59	106	1,053	20,517	2	-	3	4	705	434	306	898	8	74
Wessex	9	7	17	307	981	-	60	25	626	28,369	1	-	3	6	419	323	125	549	8	71
<b>ENGLAND</b>	<b>238</b>	<b>310</b>	<b>574</b>	<b>16,794</b>	<b>33,927</b>	<b>33</b>	<b>1,677</b>	<b>953</b>	<b>30,374</b>	<b>576,304</b>	<b>35</b>	<b>12</b>	<b>123</b>	<b>161</b>	<b>13,624</b>	<b>6,350</b>	<b>5,423</b>	<b>15,393</b>	<b>138</b>	<b>2,329</b>
<b>Bedfordshire</b>	<b>23</b>	<b>1</b>	<b>6</b>	<b>148</b>	<b>160</b>	<b>-</b>	<b>11</b>	<b>4</b>	<b>120</b>	<b>4,002</b>	<b>-</b>	<b>1</b>	<b>-</b>	<b>-</b>	<b>61</b>	<b>152</b>	<b>7</b>	<b>159</b>	<b>1</b>	<b>24</b>
Total M.B.s and U.D.s	15	1	5	82	110	-	5	2	77	2,640	-	1	-	-	42	146	6	130	1	16
Total R.D.s	8	-	1	66	50	-	6	2	43	1,362	-	-	-	-	19	6	1	29	-	8
<b>Berkshire</b>	<b>4</b>	<b>3</b>	<b>8</b>	<b>237</b>	<b>184</b>	<b>-</b>	<b>15</b>	<b>1</b>	<b>168</b>	<b>8,473</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>1</b>	<b>89</b>	<b>36</b>	<b>38</b>	<b>160</b>	<b>2</b>	<b>21</b>
Reading C.B.	-	-	3	38	28	-	4	1	66	1,458	-	-	-	-	21	13	3	46	-	5
Total M.B.s and U.D.	3	3	1	58	11	-	2	1	66	1,384	-	-	-	-	22	11	6	40	-	8
Total R.D.s	1	-	4	141	145	-	9	-	93	5,631	-	-	-	1	46	12	29	74	1	8
<b>Buckinghamshire</b>	<b>3</b>	<b>2</b>	<b>8</b>	<b>201</b>	<b>156</b>	<b>-</b>	<b>19</b>	<b>1</b>	<b>198</b>	<b>6,718</b>	<b>2</b>	<b>-</b>	<b>1</b>	<b>-</b>	<b>74</b>	<b>69</b>	<b>6</b>	<b>145</b>	<b>2</b>	<b>25</b>
Total M.B.s and U.D.s	3	1	6	77	72	-	11	-	98	3,514	1	-	1	-	20	34	3	102	2	19
Total R.D.s	-	1	2	124	84	-	8	1	100	3,404	1	-	-	-	54	35	3	43	-	6

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
<b>Cambridgeshire</b>																				
Cambridge M.B.		38	2	109	79	-	4	1	147	3,235	1	-	-	-	-	12	36	15	-	4
Total R.D.s	-	17	2	44	24	-	2	2	133	1,628	3	-	-	-	-	3	32	-	30	1
	-	21	-	65	55	-	2	1	14	1,607	1	-	-	-	-	9	4	15	25	3
<b>Cheshire</b>	5	12	10	458	814	-	31	3	559	15,189	1	-	4	3	273	72	165	331	2	33
Total C.B.s	-	8	6	113	291	-	18	1	89	4,061	1	-	4	2	152	61	18	161	1	13
Birkenhead C.B.	-	4	3	41	234	-	9	1	33	1,980	-	-	4	1	2	98	31	70	1	1
Chester C.B.	-	1	2	18	13	-	4	1	8	569	-	-	2	-	2	12	26	26	1	1
Stockport C.B.	-	1	1	26	32	-	2	1	10	1,040	-	-	1	1	17	16	3	33	1	1
Wallasey C.B.	-	2	1	28	12	-	3	1	38	472	-	-	1	-	35	12	3	32	-	2
Total M.B.s and U.D.s	5	3	3	274	407	-	9	1	324	8,440	1	-	1	-	87	10	86	139	1	16
Total R.D.s	-	1	1	71	116	-	4	1	146	2,688	-	-	-	-	34	1	61	31	-	4
<b>Cornwall</b>	1	1	4	51	125	-	23	1	34	4,484	-	-	1	3	119	64	5	102	-	20
Total M.B.s and U.D.s	1	1	1	15	76	-	17	1	33	2,615	-	-	-	1	78	57	-	61	-	15
Total R.D.s	-	-	3	36	49	-	6	-	1	1,869	-	-	1	2	41	7	5	41	-	5
<b>Cumberland</b>	1	-	5	43	165	-	4	1	55	2,956	-	-	-	1	28	21	40	95	1	13
Carlisle C.B.	-	-	-	20	46	-	-	1	5	1,120	-	-	-	-	6	9	9	15	-	-
Total M.B.s and U.D.s	1	1	5	15	78	-	2	1	17	634	-	-	-	-	8	11	9	39	1	3
Total R.D.s	-	-	-	8	41	-	2	-	33	1,202	-	-	-	-	14	1	22	41	-	5
<b>Derbyshire</b>	1	2	4	541	341	-	41	2	342	12,924	3	-	3	1	229	16	27	226	1	47
Derby C.B.	1	1	1	28	72	-	19	1	104	2,565	-	-	-	-	45	2	2	56	-	14
Total M.B.s and U.D.s	1	1	1	250	135	-	10	1	124	4,525	2	-	-	-	108	7	11	88	-	17
Total R.D.s	-	-	2	263	134	-	12	-	114	5,834	1	-	3	1	76	7	14	82	1	16
<b>Devon</b>	1	2	14	302	401	1	41	44	481	12,316	-	-	2	4	345	81	67	230	-	55
Total C.B.s	-	2	8	148	206	1	19	43	311	5,975	-	-	1	3	157	73	33	131	1	1
Exeter C.B.	-	1	2	100	37	-	9	28	114	2,465	-	-	-	-	30	39	15	38	1	29
Plymouth C.B.	-	1	6	48	169	1	10	15	197	3,510	-	-	-	3	127	34	7	26	-	7
Total M.B.s and U.D.s	1	1	3	72	89	-	12	1	171	2,938	-	-	1	3	83	6	26	105	1	22
Total R.D.s	-	-	3	82	106	-	10	-	99	3,403	-	-	1	-	105	2	32	58	-	13
<b>Dorset</b>	2	1	1	61	109	-	9	12	148	5,257	-	-	1	2	123	72	12	72	1	17
Total M.B.s and U.D.s	2	1	1	36	59	-	1	1	81	2,481	-	-	-	1	55	70	10	53	1	10
Total R.D.s	-	-	-	25	50	-	8	-	67	2,776	-	-	-	-	68	2	2	19	-	7
<b>Durham</b>	21	3	43	472	1,434	-	38	7	657	26,965	1	1	21	17	800	171	388	676	6	92
Total C.B.s	20	1	25	233	510	-	16	4	129	10,628	1	1	16	15	500	98	51	346	1	38
Darlington C.B.	-	-	4	31	72	-	1	-	8	1,204	-	-	-	-	5	1	15	31	-	-
Gateshead C.B.	-	1	1	80	54	-	5	-	32	2,050	1	1	16	10	201	9	3	72	-	9
South Shields C.B.	19	-	1	69	84	-	4	-	31	2,050	-	-	-	4	145	3	5	101	-	9
Sunderland C.B.	-	-	17	38	272	-	6	4	40	4,100	-	-	-	1	147	82	20	116	1	17
West Hartlepool C.B.	-	-	2	15	28	-	-	-	18	1,224	-	-	-	-	2	3	8	26	-	3
Total M.B.s and U.D.s	1	2	16	175	703	-	11	2	354	11,070	-	-	5	1	204	45	88	265	5	40
Total R.D.s	-	-	2	64	221	-	11	1	174	5,267	-	-	-	1	96	28	249	65	-	14
<b>Ely, Isle of</b>																				
Total M.B. and U.D.s	-	-	1	87	48	-	4	-	10	1,206	-	-	-	-	15	1	6	13	-	6
Total R.D.s	-	-	-	70	30	-	3	-	6	533	-	-	-	-	6	1	4	10	-	3
	-	-	1	17	18	-	1	-	4	673	-	-	-	-	9	-	2	-	-	-
<b>Essex</b>	30	8	13	1,270	2,213	-	110	15	2,040	30,861	4	1	6	8	681	218	204	728	4	94
Total C.B.s	4	4	3	285	352	-	25	2	258	4,529	-	-	1	1	110	19	57	178	1	22
East Ham C.B.	2	3	-	29	80	-	4	-	56	1,411	-	-	-	1	16	3	3	52	1	7
Southeast-on-Sea C.B.	2	1	1	209	166	-	18	2	50	1,737	-	-	-	-	50	1	13	65	-	8
West Ham C.B.	-	-	2	47	106	-	3	-	152	1,381	-	-	1	5	44	15	41	61	1	1
Total M.B.s and U.D.s	24	4	10	877	1,624	-	72	12	1,706	21,997	3	1	5	6	493	110	116	502	2	67
Total R.D.s	2	-	-	108	237	-	13	1	76	4,335	1	-	-	1	78	89	31	48	1	5
<b>Gloucestershire</b>	1	17	6	283	568	-	49	10	1,059	15,093	-	-	-	1	268	184	277	295	3	43
Total C.B.s	1	6	2	128	392	-	22	9	856	7,876	-	-	-	-	173	111	241	169	2	20
Bristol C.B.	1	1	2	120	332	-	21	9	849	7,249	-	-	-	-	138	76	240	142	2	19
Gloucester C.B.	-	6	-	8	60	-	1	9	7	627	-	-	-	-	35	35	27	1	-	1
Total M.B.s and U.D.s	-	-	1	38	44	-	9	-	39	1,989	-	-	-	-	36	46	20	37	-	6
Total R.D.s	-	11	3	117	132	-	18	1	164	5,228	-	-	-	-	59	27	16	89	1	17

† See note at end of table.

TABLE 31 - continued

Area	Typhoid fever	Paratyphoid fever	Meningococcal infection	Scarlet fever	Whooping cough	Diphtheria	Erysipelas	Ophthalmia neonatorum	Dysentery	Measles	Acute poliomyelitis		Acute encephalitis		Acute pneumonia (primary and influenza)	Periperal pyrexia	Food poisoning	Tuberculosis †		
											Paralytic	Non-paralytic	Infective	Post-infectious				Respiratory	Meninges and C.N.S.	Other
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
Hampshire Total C.B.s Bournemouth C.B. Portsmouth C.B. Southampton C.B. Total M.B.s and U.D.s Total R.D.s	6 2 2 1 1 1 3	2 1 - - - 1 1	17 8 6 2 - 9 -	220 90 28 41 21 86 44	866 480 27 256 197 285 101	- - - - - - -	51 22 6 13 3 19 10	12 8 1 2 5 3 1	518 257 19 216 130 11	22,716 9,108 1,601 4,361 3,146 8,338 5,270	1 1 - - 1 - -	- - - - - - -	- - - - - - -	4 3 1 - 2 1 -	296 155 22 90 43 84 57	226 147 3 43 101 53 26	101 51 5 10 36 25 25	492 219 37 70 112 163 110	8 3 1 1 1 2 3	50 26 9 7 10 10 14
Herefordshire Total M.B.s and U.D.s Total R.D.s	- - -	2 - 2	1 1 1	42 16 26	85 17 68	- - -	3 1 2	- - -	11 3 8	1,500 576 924	- - -	- - -	- - -	4 1 1	38 9 29	10 8 2	41 38 3	24 11 13	- - -	4 3 1
Hertfordshire Total M.B.s and U.D.s Total R.D.s	1 - 1	3 2 1	4 2 2	336 224 112	490 342 148	- - -	28 19 9	6 6 -	497 421 76	13,148 9,474 3,674	1 1 -	- - -	3 3 -	- - -	138 106 32	80 75 5	78 47 31	231 173 58	3 1 2	39 29 10
Huntingdonshire Total M.B.s and U.D.s Total R.D.s	- - -	26 11 15	- - -	13 6 7	12 5 7	- - -	6 4 2	- - -	31 22 9	1,082 680 402	- - -	- - -	- - -	- - -	40 22 18	8 7 1	2 1 1	21 14 7	- - -	5 2 3
Kent Canterbury C.B. Total M.B.s and U.D.s Total R.D.s	5 - 4 1	3 1 1 1	20 - 19 1	659 502 152	1,132 12 855 265	- - -	78 5 57 16	10 - 10 -	1,899 49 1,537 313	26,234 586 18,854 6,792	2 - 2 -	- - -	8 - 5 3	10 - 8 2	541 12 384 165	172 1 182 9	153 41 88 24	508 5 410 93	11 - 10 1	99 2 78 19
*Lancashire Total C.B.s Barrow-in-Furness C.B. Blackburn C.B. Blackpool C.B. Bolton C.B. Bootle C.B.	9 3 1 1 - -	22 16 3 - - -	93 46 2 - - 1	1,936 1,213 28 22 39 66 9	6,013 3,910 9 62 36 55 87	3 3 - - - -	140 85 - 1 6 10 1	201 187 - 14 18 1 -	2,887 1,247 8 119 43 97 12	52,942 25,334 453 606 2,193 275	9 3 - - 1 -	2 1 - - 1 -	7 1 - - - -	10 7 - - - -	1,237 827 26 8 24 97 8	838 794 - 75 30 1 -	702 346 15 2 31 62 4	1,885 1,286 28 32 44 46 69	19 11 - - - - -	204 123 3 2 4 4 8
Burnley C.B. Bury C.B. *Liverpool C.B. Manchester C.B. Oldham C.B. Preston C.B.	- - 1 - - -	- - 8 1 - -	1 3 15 12 - -	46 18 495 204 78 46	118 45 1,762 1,053 36 20	- - 3 - - -	6 5 26 13 4 2	- 1 97 47 7 -	27 9 383 259 98 73	1,097 1,207 4,827 6,378 1,368 311	- - 1 - - -	- - - - - -	- - - - - -	- 1 - 3 - 1 -	29 7 349 178 16 29	3 2 356 227 6 28	10 1 63 59 11 16	16 21 391 310 43 48	- - 4 2 2 1	5 39 33 3 5
Rochdale C.B. St. Helens C.B. Salford C.B. Southport C.B.	- - - -	- 1 - 1	1 3 1 2	26 45 26 21	76 149 81 151	- - - -	4 2 2 2	- - 1 -	3 58 45 4	522 1,690 1,123 482	- 1 - -	- - - -	- - - -	- 2 - -	5 6 12 7	1 4 37 4	- 12 15 28	51 39 68 23	1 - - -	4 2 1 1



1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	
Warrington C.B. Wigan C.B. *Total M.B.s and U.D.s Total R.D.s	- 1 3 3	1 - 6 -	2 3 41 6	36 8 603 120	86 84 1,855 248	- - - -	1 - 52 3	1 - 13 1	1 8 1,440 200	1,115 700 23,813 5,795	- - 6 -	- - 1 -	- 1 6 -	- - 3 -	- - 3 -	26 - 371 29	20 - 40 4	1 16 345 11	21 38 539 60	- - 7 1	2 3 67 14
*Leicestershire Leicester C.B. *Total M.B. and U.D.s Total R.D.s	1 1 - -	2 1 1 -	11 6 3 2	167 71 40 56	373 149 90 134	- - - -	22 9 6 7	8 7 1 -	326 190 118 18	6,950 2,057 2,499 2,694	- - - -	- - - -	9 5 1 3	- - - -	- - - -	106 38 33 35	22 11 5 6	67 28 95 35	- - - -	34 15 12 7	
Lincolnshire (Parts of Holland) Total M.B. and U.D. Total R.D.s	- - -	- - -	1 1 -	35 20 15	23 14 9	- - -	5 - 5	- - -	479 134 345	1,389 545 844	- - -	- - -	- - -	- - -	- - -	52 26 26	2 1 1	7 1 6	8 1 7	3 1 2	
Lincolnshire (Parts of Kesteven) Total M.B.s and U.D.s Total R.D.s	- - -	1 - -	- - -	66 51 15	57 17 40	- - -	7 4 3	- - -	296 121 175	1,727 538 1,189	- - -	- - -	- - -	- - -	- - -	76 59 17	6 5 1	4 8 4	22 8 14	7 3 4	
Lincolnshire (Parts of Lindsey) Total C.B.s Grimsby C.B. Lincoln C.B. Total M.B.s and U.D.s Total R.D.s	4 - - - 4	1 - - - 1	16 - - - 5	155 50 34 16	570 186 180 6	- - - -	21 9 3 6	1 - - -	346 136 114 22	8,141 2,679 1,461 1,218	- - - -	- - - -	- - - -	- - - -	- - - -	80 20 14 6	12 7 5 2	77 9 2 7	155 54 34 20	1 1 - 1	33 14 12 2
*London A.C. City of London Metropolitan Boroughs: Battersea	34 - - -	21 - - -	62 - 4	1,024 4 9	2,608 1 105	14 - -	129 - -	96 - -	4,922 - 30	29,214 15 703	1 - -	2 - -	6 - -	11 - -	11 - -	955 1 29	1,094 4 -	528 1 11	1,986 6 41	17 - -	251 - 5
Bermondsey Bethnal Green Camberwell Chelsea Deptford Finsbury	- - 2 - -	- - - - -	2 2 1 - 1	41 16 67 7	26 98 172 25	- - - -	1 4 6 3	- - - 2	70 32 215 57	679 238 1,921 352	- - - -	- - - -	- 1 - -	- - - -	- - - -	22 5 32 4	7 - 159 2	14 13 15 2	28 32 110 22	- - - -	2 3 8 4
Fulham Greenwich Hackney Hammersmith Hampstead Holborn Islington	1 - 1 1 2 1 1	- - 1 - - - -	1 1 2 1 3 7	21 29 56 19 10 3	125 35 273 76 36 15	- - - - - -	8 1 6 5 3 1	- - 21 5 19 7	156 322 476 48 54 7	1,020 925 1,386 1,004 737 130	- - - - - -	- - - - - -	- 2 - - - 2	- 1 - - 5	- - - - - -	14 8 15 37 17 4	7 - 40 84 25 22	16 27 6 15 13 6	58 27 87 59 54 22	1 - - 2 - 1	13 5 9 12 10 1
Kensington Lambeth Lewisham Paddington *Poplar St. Marylebone	5 3 - 6 3 3	2 12 - - - -	4 4 3 4 - -	9 76 76 29 46 9	79 164 186 76 44 11	- - - - - -	2 5 4 3 3 1	4 3 3 1 - -	36 137 371 18 63 11	944 2,429 2,398 662 797 311	1 1 - - 1 -	- 1 - - - -	- - - - - -	- 1 - - - -	- - - - - -	13 48 42 15 73 1	74 13 51 15 22 2	31 17 17 47 28 12	143 92 108 134 43 37	1 1 1 1 - -	7 4 9 13 12 3
St. Pancras Shoreditch Southwark Stepney Stoke Newington Wandsworth	1 - - - 2 2	- - - - 1 -	4 1 3 3 2 5	27 14 79 31 113 90	49 21 72 113 62 341	- - 8 - - -	3 4 4 8 24 3	- - 1 - 3 -	217 29 407 40 140 249	961 644 911 1,012 396 3,430	- - - - - -	- - - - - -	- - - - - -	- - - - - -	- - - 1 - -	19 3 88 127 6 140	24 - 15 52 - 35	40 4 17 8 9 36	117 14 53 109 27 140	1 1 1 2 - 4	7 4 9 17 9 29
Westminster Woolwich	1 -	1 5	- 3	12 86	28 81	- -	3 8	- 8	74 65	472 1,650	- -	- -	- -	- -	- -	9 71	2 97	21 3	56 38	5 6	
Middlesex Total M.B.s and U.D.s	11 11	10 10	19 19	802 802	1,744 1,744	2 2	112 112	30 30	1,370 1,370	26,582 26,582	- -	- -	7 7	10 10	- -	689 689	783 783	231 231	831 831	8 8	160 160

\* Anthrax cases notified: Lancashire 4; Liverpool C.B. 1, Crompton U.D. 1, Ormskirk U.D. 1, Leicester U.D. 1, Hinkley U.D. 1.  
 † See note at end of table.

TABLE 31 - continued

Area	Typhoid fever	Paratyphoid fever	Meningococcal infection	Scarlet fever	Whooping cough	Diphtheria	Krysielpeias	Ophthalmia neonatorum	Dysentery	Measles	Acute poliomyelitis		Acute encephalitis		Acute pneumonia (primary and influenza)	Puerperal pyrexia	Food poisoning	Tuberculosis †		
											Paralytic	Non-paralytic	Infective	Post-infectious				Respiratory	Meninges and C.N.S.	Other
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
<b>Norfolk</b>	1	1	4	367	336	-	21	13	451	7,425	-	-	10	1	211	51	106	115	1	24
Total C.B.s	1	1	-	114	90	-	1	8	274	2,007	-	-	7	-	58	28	66	49	-	1
Great Yarmouth C.B.	1	-	-	-	19	-	-	-	-	232	-	-	-	-	3	3	4	13	-	1
Norwich C.B.	1	1	-	114	71	-	1	8	274	1,775	-	-	7	-	55	25	62	36	-	4
Total M.B.s and U.D.s	1	1	-	31	60	-	1	-	17	1,154	-	-	1	1	22	8	3	17	-	4
Total R.D.s	-	-	3	222	186	-	19	5	160	4,264	-	-	2	-	131	15	37	49	1	19
<b>Northamptonshire</b>	3	2	5	152	350	-	19	2	259	6,072	-	-	-	-	114	49	20	93	-	23
Northampton C.B.	1	-	-	58	76	-	7	2	86	1,899	-	-	-	-	13	12	1	25	-	11
Total M.B.s and U.D.s	1	-	2	77	92	-	7	-	123	1,742	-	-	-	-	68	37	13	52	-	10
Total R.D.s	2	2	3	37	182	-	5	-	50	2,431	-	-	-	-	33	-	6	16	-	2
<b>Northumberland</b>	1	-	9	215	527	-	32	-	116	11,296	-	-	-	1	228	7	101	366	-	68
Total C.B.s	-	-	4	99	201	-	5	-	65	4,330	-	-	-	1	68	5	18	166	-	39
Newcastle upon Tyne C.B.	-	-	4	95	152	-	5	-	65	3,977	-	-	-	1	64	5	18	118	-	30
Tynemouth C.B.	-	-	-	6	49	-	-	-	-	353	-	-	-	-	4	-	-	48	-	9
Total M.B.s and U.D.s	1	-	5	61	268	-	18	-	46	5,144	-	-	-	-	94	1	71	167	-	25
Total R.D.s	-	-	-	55	58	-	9	-	5	1,822	-	-	-	-	66	1	12	33	-	4
<b>Nottinghamshire</b>	3	1	15	281	490	-	24	9	404	12,916	1	-	-	10	244	36	115	299	4	59
Nottingham C.B.	-	-	4	74	216	-	6	5	57	3,855	-	-	-	6	97	23	27	130	1	28
Total M.B.s and U.D.s	-	1	9	135	106	-	13	2	207	6,256	1	-	-	3	124	13	50	120	2	23
Total R.D.s	3	-	2	72	168	-	5	2	140	2,807	-	-	-	1	23	-	38	49	1	8
<b>Oxfordshire</b>	1	3	1	99	103	-	18	1	200	5,100	-	-	-	1	53	44	45	136	-	34
Oxford C.B.	-	2	-	36	41	-	13	1	66	1,593	-	-	-	1	37	40	32	70	-	25
Total M.B.s and U.D.s	-	-	-	4	14	-	2	-	67	555	-	-	-	-	-	2	3	24	-	4
Total R.D.s	1	1	1	59	48	-	3	-	67	2,952	-	-	-	-	16	2	10	42	-	5
<b>Peterborough, Soke of</b>	2	2	-	13	30	-	-	-	97	1,049	-	-	-	-	11	34	17	23	1	7
Peterborough M.B.	-	-	-	1	20	-	-	-	93	741	-	-	-	-	10	34	17	20	1	7
Total R.D.s	2	2	-	12	10	-	-	-	4	308	-	-	-	-	1	-	-	3	-	-
<b>Rutland</b>	-	-	2	4	4	-	-	-	26	282	-	-	-	-	7	-	5	6	-	1
Oakham U.D.	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Total R.D.s	-	-	2	3	4	-	-	-	24	282	-	-	-	-	7	-	5	6	-	-
<b>Shropshire</b>	-	-	8	168	221	-	13	-	8	3,240	-	-	-	-	81	5	4	58	-	19
Total M.B.s and U.D.s	-	-	3	64	109	-	9	-	3	1,745	-	-	-	-	40	4	3	39	-	7
Total R.D.s	-	-	5	104	112	-	4	-	5	1,497	-	-	-	-	41	1	1	19	-	12
<b>Somerset</b>	1	1	4	135	264	-	32	-	219	10,232	1	-	1	1	140	74	26	142	1	24
Bath C.B.	-	-	-	15	28	-	5	-	59	1,356	-	-	-	-	12	18	8	22	-	3
Total M.B.s and U.D.s	-	-	1	58	110	-	14	-	58	4,295	1	-	-	-	28	38	6	64	1	9
Total R.D.s	1	1	3	62	126	-	13	-	102	4,581	-	-	1	1	100	18	12	56	-	12

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
<b>Staffordshire</b>	<b>3</b>	<b>7</b>	<b>18</b>	<b>719</b>	<b>1,837</b>	-	-	<b>14</b>	<b>744</b>	<b>25,932</b>	<b>2</b>	<b>1</b>	<b>1</b>	<b>2</b>	<b>620</b>	<b>146</b>	<b>157</b>	<b>622</b>	<b>4</b>	<b>113</b>
Total C.B.s	1	2	10	223	1,039	-	-	47	294	9,033	-	-	-	2	345	121	75	346	2	70
Burton upon Trent C.B.	-	-	-	2	39	-	-	1	13	671	-	-	-	-	11	12	-	14	-	4
Smethwick C.B.	-	-	-	32	67	-	-	1	2	781	-	-	-	-	47	2	-	63	-	16
Stoke-on-Trent C.B.	-	-	5	66	274	-	-	9	230	2,703	-	-	-	1	159	90	37	86	2	12
Walsall C.B.	-	-	1	67	457	-	-	8	29	1,834	-	-	-	-	79	3	28	75	-	15
West Bromwich C.B.	-	-	1	147	147	-	-	1	8	807	-	-	-	-	5	1	1	39	-	14
Wolverhampton C.B.	1	2	3	42	115	-	-	4	12	2,237	-	-	-	-	74	13	9	69	-	9
Total M.B.s and U.D.s	2	5	6	429	465	-	-	19	415	12,272	1	1	-	-	193	18	36	235	2	37
Total R.D.s	-	-	2	67	273	-	-	5	35	4,627	1	-	-	-	82	7	46	41	-	6
<b>Suffolk, East</b>	<b>3</b>	<b>1</b>	<b>1</b>	<b>288</b>	<b>88</b>	-	-	<b>12</b>	<b>279</b>	<b>4,216</b>	<b>1</b>	-	<b>2</b>	<b>2</b>	<b>115</b>	<b>35</b>	<b>81</b>	<b>87</b>	-	<b>20</b>
Ipswich C.B.	1	1	-	162	28	-	-	1	89	1,518	-	-	-	2	10	21	60	32	-	6
Total M.B.s and U.D.s	2	-	1	51	37	-	-	2	152	1,012	-	-	-	-	46	13	5	24	-	7
Total R.D.s	-	-	-	75	23	-	-	9	38	1,666	1	-	1	-	59	1	16	31	-	-
<b>Suffolk, West</b>	-	-	-	<b>77</b>	<b>19</b>	-	-	<b>7</b>	<b>11</b>	<b>2,459</b>	-	-	-	-	<b>53</b>	<b>7</b>	<b>1</b>	<b>22</b>	-	<b>12</b>
Total M.B.s and U.D.s	-	-	-	16	9	-	-	5	11	998	-	-	-	-	18	7	-	12	-	5
Total R.D.s	-	-	-	61	10	-	-	2	-	1,461	-	-	-	-	35	-	1	10	-	7
<b>Surrey</b>	<b>23</b>	<b>35</b>	<b>11</b>	<b>542</b>	<b>707</b>	-	-	<b>52</b>	<b>2,143</b>	<b>23,369</b>	-	-	<b>3</b>	<b>6</b>	<b>415</b>	<b>316</b>	<b>249</b>	<b>491</b>	<b>3</b>	<b>50</b>
Croydon C.B.	3	8	5	111	134	-	-	7	1,086	3,286	-	-	-	2	35	13	62	113	1	7
Total M.B.s and U.D.s	18	25	6	398	490	-	-	43	885	17,781	-	-	2	3	347	294	76	342	2	40
Total R.D.s	2	2	-	33	83	-	-	2	172	2,302	-	-	-	1	33	9	111	36	-	3
<b>Sussex, East</b>	<b>4</b>	<b>2</b>	<b>6</b>	<b>215</b>	<b>511</b>	<b>4</b>	<b>4</b>	<b>34</b>	<b>533</b>	<b>10,070</b>	-	-	<b>1</b>	<b>6</b>	<b>264</b>	<b>90</b>	<b>15</b>	<b>182</b>	-	<b>24</b>
Total C.B.s	-	-	3	96	244	-	-	21	285	3,989	-	-	-	6	134	49	8	69	-	10
Brighton C.B.	-	-	6	77	198	-	-	5	247	2,057	-	-	-	6	110	21	8	40	-	8
Eastbourne C.B.	-	-	1	13	10	-	-	2	15	1,023	-	-	-	-	6	12	-	12	-	-
Hastings C.B.	-	-	2	6	36	-	-	14	23	1,909	-	-	-	-	18	16	-	17	-	2
Total M.B.s and U.D.s	2	2	-	75	159	-	-	8	111	2,929	-	-	1	-	69	32	4	78	-	11
Total R.D.s	-	-	-	44	108	-	-	5	137	3,152	-	-	-	-	61	9	3	35	-	3
<b>Sussex, West</b>	<b>1</b>	<b>1</b>	<b>2</b>	<b>75</b>	<b>89</b>	-	-	<b>11</b>	<b>196</b>	<b>8,164</b>	-	-	-	<b>2</b>	<b>58</b>	<b>120</b>	<b>13</b>	<b>56</b>	-	<b>7</b>
Total M.B.s and U.D.s	1	1	1	42	46	-	-	6	173	5,510	-	-	-	1	29	101	7	34	-	3
Total R.D.s	-	-	1	33	43	-	-	5	23	2,654	-	-	-	1	29	19	6	22	-	4
<b>Warwickshire</b>	<b>13</b>	<b>5</b>	<b>31</b>	<b>740</b>	<b>2,301</b>	<b>1</b>	<b>1</b>	<b>104</b>	<b>1,549</b>	<b>30,404</b>	<b>1</b>	-	<b>8</b>	<b>7</b>	<b>526</b>	<b>376</b>	<b>599</b>	<b>912</b>	<b>8</b>	<b>156</b>
Total C.B.s	6	3	27	538	2,024	-	-	86	991	20,298	-	-	-	5	366	248	522	773	7	125
Birmingham C.B.	5	2	24	435	1,068	-	-	301	663	14,243	-	-	7	3	270	190	494	628	4	97
Coventry C.B.	1	1	3	103	956	-	-	21	328	6,055	-	-	1	2	96	58	26	145	3	28
Total M.B.s and U.D.s	5	2	3	128	183	-	-	11	329	6,911	-	-	-	2	92	36	46	90	1	22
Total R.D.s	2	-	1	74	94	-	-	7	229	3,195	1	-	-	-	68	92	31	49	-	9
<b>Westmorland</b>	<b>1</b>	<b>-</b>	<b>-</b>	<b>2</b>	<b>9</b>	-	-	<b>3</b>	<b>2</b>	<b>832</b>	-	-	-	-	<b>9</b>	-	<b>4</b>	<b>19</b>	-	<b>3</b>
Total M.B.s and U.D.s	1	-	-	2	5	-	-	1	1	383	-	-	-	-	3	-	3	7	-	2
Total R.D.s	-	-	-	-	4	-	-	2	1	449	-	-	-	-	6	-	1	12	-	1
<b>Wight, Isle of</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>40</b>	<b>63</b>	-	-	<b>2</b>	<b>2</b>	<b>1,395</b>	-	-	<b>1</b>	-	<b>9</b>	<b>1</b>	<b>3</b>	<b>12</b>	-	<b>3</b>
Total M.B.s and U.D.s	-	-	-	37	54	-	-	1	2	1,315	-	-	1	-	8	1	3	10	-	-
Isle of Wight R.D.	-	-	-	3	9	-	-	-	-	80	-	-	-	-	1	1	-	2	-	-
<b>Wiltshire</b>	<b>1</b>	<b>4</b>	<b>7</b>	<b>135</b>	<b>267</b>	-	-	<b>12</b>	<b>383</b>	<b>6,230</b>	-	-	<b>1</b>	-	<b>74</b>	<b>85</b>	<b>105</b>	<b>98</b>	<b>2</b>	<b>27</b>
Total M.B.s and U.D.s	1	2	3	79	110	-	-	5	200	3,422	-	-	1	-	24	44	70	59	2	20
Total R.D.s	1	2	4	56	157	-	-	7	183	2,808	-	-	1	-	50	41	35	39	-	7
<b>Worcestershire</b>	<b>-</b>	<b>1</b>	<b>5</b>	<b>318</b>	<b>270</b>	-	-	<b>14</b>	<b>113</b>	<b>8,457</b>	<b>1</b>	-	-	<b>3</b>	<b>226</b>	<b>42</b>	<b>34</b>	<b>153</b>	-	<b>18</b>
Total C.B.s	-	1	4	19	43	-	-	1	28	1,249	1	-	-	2	45	11	12	54	-	6
Dudley C.B.	-	-	4	14	31	-	-	5	25	761	1	-	-	2	11	1	10	39	-	4
Worcester C.B.	-	1	-	5	12	-	-	5	23	488	1	-	-	2	34	10	2	15	-	4
Total M.B.s and U.D.s	-	-	1	255	176	-	-	6	64	5,558	-	-	-	-	130	28	20	84	-	9
Total R.D.s	-	-	-	44	51	-	-	7	21	1,650	-	-	-	1	51	3	2	15	-	3
<b>Yorkshire, East Riding</b>	<b>5</b>	<b>4</b>	<b>7</b>	<b>268</b>	<b>684</b>	-	-	<b>22</b>	<b>163</b>	<b>9,231</b>	-	<b>4</b>	<b>1</b>	<b>4</b>	<b>508</b>	<b>24</b>	<b>46</b>	<b>157</b>	<b>1</b>	<b>17</b>
Kingston upon Hull C.B.	1	1	3	204	478	-	-	13	119	5,859	-	-	1	4	466	23	5	123	-	8
Total M.B.s and U.D.s	2	1	4	41	66	-	-	6	38	1,656	-	-	-	-	9	-	35	24	1	4
Total R.D.s	-	2	-	23	140	-	-	-	6	1,716	-	-	-	-	33	1	6	10	-	5

† See note at end of table.



TABLE 31 - continued

Area	Typhoid fever	Paratyphoid fever	Meningococcal infection	Scarlet fever	Whooping cough	Diphtheria	Erysipelas	Ophthalmia neonatorum	Dysentery	Measles	Acute polio-myelitis		Acute encephalitis		Acute pneumonia (primary and influenza)	Febrile pyrexia	Food poisoning	Tuberculosis †		
											Paralytic	Non-paralytic	Infective	Post-infectious				Respiratory	Meninges and C.N.S.	Other
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
*Yorkshire, North Riding																				
*Middlesbrough C.B.																				
Total M.B.s and U.D.s																				
Total R.D.s																				
*Yorkshire, West Riding																				
Total C.B.s																				
Barnsley C.B.																				
Bradford C.B.																				
*Dewsbury C.B.																				
Doncaster C.B.																				
*Halifax C.B.																				
*Huddersfield C.B.																				
Leeds C.B.																				
Rotherham C.B.																				
Sheffield C.B.																				
Wakefield C.B.																				
York C.B.																				
*Total M.B.s and U.D.s																				
Total R.D.s																				
WALES																				
Anglesey																				
Total M.B. and U.D.s																				
Total R.D.s																				
Brecknockshire																				
Total M.B. and U.D.s																				
Total R.D.s																				
Caernarvonshire																				
Total M.B.s and U.D.s																				
Total R.D.s																				
Cardiganshire																				
Total M.B.s and U.D.s																				
Total R.D.s																				
Carmarthenshire																				
Total M.B.s and U.D.s																				
Total R.D.s																				

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
<b>Denbighshire</b>	-	3	4	37	82	-	1	1	80	1,223	-	-	-	1	10	11	6	70	-	6
Total M.B.s and U.D.s	-	2	4	21	69	-	1	1	26	943	-	-	-	1	8	10	2	32	-	2
Total R.D.s	-	1	4	16	13	-	-	-	54	280	-	-	-	-	2	1	4	38	-	4
<b>Flintshire</b>	-	1	5	34	36	-	5	-	23	819	-	-	-	-	43	23	4	68	-	12
Total M.B.s and U.D.s	-	1	5	17	33	-	4	-	23	366	-	-	-	-	29	23	2	32	-	5
Total R.D.s	-	-	-	17	3	-	1	-	-	453	-	-	-	-	14	23	2	36	-	7
<b>Glamorgan</b>	4	18	19	293	520	-	40	11	767	13,496	1	-	-	2	313	80	336	456	4	48
Total C.B.s	2	6	8	126	320	-	26	5	196	6,241	-	-	-	2	153	45	65	172	2	20
Cardiff C.B.	2	6	4	60	218	-	16	2	97	3,594	-	-	-	1	137	12	52	95	2	11
Merthyr Tydfil C.B.	-	-	-	16	3	-	-	-	-	113	-	-	-	-	-	-	-	36	-	2
Swansea C.B.	-	-	4	50	99	-	10	3	99	2,534	-	-	-	1	16	33	13	41	-	7
Total M.B.s and U.D.s	2	8	5	126	166	-	10	5	499	5,135	1	-	-	-	124	32	152	225	1	17
Total R.D.s	-	4	6	41	34	-	4	1	72	2,120	-	-	-	-	36	3	119	59	1	11
<b>Merionethshire</b>	-	-	-	3	6	-	1	-	1	204	1	-	-	-	3	-	-	16	-	3
Total U.D.s	-	-	-	-	-	-	1	-	1	103	-	-	-	-	3	-	-	8	-	2
Total R.D.s	-	-	-	3	6	-	1	-	1	101	1	-	-	-	-	-	-	1	-	1
<b>Monmouthshire</b>	-	5	2	69	105	-	8	2	108	5,064	1	-	-	-	55	13	69	125	2	16
Newport C.B.	-	1	1	17	67	-	1	-	38	1,882	1	-	-	-	4	1	25	40	-	5
Total M.B.s and U.D.s	-	3	1	46	30	-	7	2	40	2,536	-	-	-	-	31	12	40	73	1	8
Total R.D.s	-	1	1	6	8	-	-	-	30	646	-	-	-	-	20	-	4	12	1	3
<b>Montgomeryshire</b>	-	-	-	6	-	-	-	-	1	240	-	-	-	-	8	-	-	7	-	2
Total M.B.s and U.D.s	-	-	-	5	-	-	-	-	-	139	-	-	-	-	2	-	-	3	-	2
Total R.D.s	-	-	-	1	-	-	-	-	1	101	-	-	-	-	6	-	-	4	-	-
<b>Pembrokeshire</b>	-	-	-	106	16	-	3	1	2	524	1	-	-	-	25	-	4	34	-	2
Total M.B.s and U.D.s	-	-	-	66	6	-	2	1	1	328	-	-	-	-	18	-	4	23	-	1
Total R.D.s	-	-	-	40	10	-	1	1	1	196	1	-	-	-	7	-	-	11	-	1
<b>Radnorshire</b>	-	-	-	-	-	-	1	-	1	45	-	-	-	-	7	1	7	1	-	2
Total U.D.s	-	-	-	-	-	-	1	-	1	41	-	-	-	-	-	1	-	1	-	-
Total R.D.s	-	-	-	-	-	-	1	-	-	4	-	-	-	-	7	-	7	-	-	2

\* Anthrax cases notified: Yorkshire, North Riding 1: Middlesbrough C.B. 1. Yorkshire, West Riding 7: Dewsbury C.B. 1, Halifax C.B. 2, Huddersfield C.B. 2, Colne Valley U.D. 1, Saddleworth U.D. 1.

# SUMMARY

† See note below.

England and Wales 14. Northern 1. Middlesbrough C.B. 1. East and West Ridings 7. West Yorkshire Conurbation 6, Saddleworth U.D. 1. North Western 4. South East Lancashire Conurbation 2, Merseyside Conurbation 1, Ormskirk U.D. 1. North Midland 1. Hinkley U.D. 1. London and South Eastern 1. Greater London 1.

Final

England and Wales 14. Northern 1. Middlesbrough C.B. 1. East and West Ridings 7. West Yorkshire Conurbation 6, Saddleworth U.D. 1. North Western 4. South East Lancashire Conurbation 2, Merseyside Conurbation 1, Ormskirk U.D. 1. North Midland 1. Hinkley U.D. 1. London and South Eastern 1. Greater London 1.

† Notifications of tuberculosis have for some years been recorded on annual returns submitted by local authorities to the Ministry of Health and figures have been published in the annual reports of the Chief Medical Officer of the Ministry of Health. In 1954 for the first time, weekly and quarterly returns of notifications of infectious diseases sent by the Medical Officers of Health to the General Register Office were extended to include tuberculosis notifications. Figures derived from the quarterly returns are included in Tables 30 and 31 of this volume.

The total of 18,950 cases recorded on these returns compares with a total of 18,937 formal primary notifications recorded on the annual returns to the Ministry of Health for 1953.

**TABLE 32. Quarterly air temperature, rainfall and sunshine, 1963 England and Wales**

Note. The averages used for rainfall and rain-days are for the period 1916-50, while those for temperature and sunshine are for 1931-60.

District	Air temperature			Rainfall		Sunshine	Air temperature			Rainfall		Sunshine
	Highest	Lowest	Difference from average daily mean	Percentage of average	Number of days difference from average	Percentage of average	Highest	Lowest	Difference from average daily mean	Percentage of average	Number of days difference from average	Percentage of average
Quarter ended 31st March						Quarter ended 30th June						
	°F	°F	°F	%		%	°F	°F	°F	%		%
England N.E.	60	-1	-5.1	101	-2	102	81	27	-0.5	112	+7	91
England E.	62	-5	-6.2	84	-2	98	82	24	-0.5	120	+7	93
Midland Counties	61	-1	-6.2	82	-7	106	82	23	-0.5	116	+9	92
England S.E.	62	2	-6.1	86	-7	111	83	25	-0.7	138	+9	86
England N.W. and North Wales	60	-1	-5.2	56	-18	140	81	22	0.0	115	+11	95
England S.W. and South Wales	59	1	-6.6	98	-11	105	80	26	-0.5	119	+11	86
Mean	-	-	-5.9	95	-8	110	-	-	-0.4	120	+9	91
Quarter ended 30th September						Quarter ended 31st December						
England N.E.	81	30	-2.4	98	+5	100	67	11	0.0	88	+1	87
England E.	81	30	-2.4	105	+5	88	74	11	-0.2	74	-4	95
Midland Counties	83	29	-2.1	97	+2	94	71	7	+0.1	88	-3	99
England S.E.	84	34	-1.9	99	+3	91	73	12	0.0	88	0	95
England N.W. and North Wales	84	29	-1.9	86	+2	103	68	13	0.0	86	-8	118
England S.W. and South Wales	81	36	-1.7	88	+3	89	69	14	-0.2	94	0	90
Mean	-	-	-2.1	95	+3	94	-	-	-0.1	86	-2	97
Year 1963												
England N.E.	81	-1	-2.0	100	-11	95						
England E.	82	-5	-2.3	96	+6	94						
Midland Counties	83	-1	-2.2	95	+1	98						
England S.E.	84	2	-2.2	103	+5	95						
England N.W. and North Wales	84	-1	-1.8	86	-13	114						
England S.W. and South Wales	81	1	-2.3	100	+3	92						
Mean	-	-	-2.1	97	-9	98						



**TABLE 33. Rainfall, mean temperature  
and sunshine 1914-1963**

**England and Wales**

Year	Fall of rain in inches	Departure from average of 35 years (1916-1950)*	Mean temperature of the air at sea-level	Departure from average of 30 years (1921-1950)	Mean daily sunshine	Departure from average of 30 years (1921-1950)
	ins.	ins.	°F.	°F.	hours	hours
1914	38.1	+ 2.5	50.7	+0.6	4.27	+0.30
1915	38.8	+ 3.2	49.0	-1.1	4.10	+0.13
1916	40.1	+ 4.5	49.4	-0.7	3.61	-0.36
1917	34.5	- 1.1	48.3	-1.8	4.03	+0.06
1918	37.7	+ 2.1	50.0	-0.1	4.08	+0.11
1919	37.0	+ 1.4	48.2	-1.9	4.01	+0.04
1920	38.4	+ 2.8	50.2	+0.1	3.66	-0.31
1921	24.7	-10.9	51.8	+1.7	4.60	+0.63
1922	37.1	+ 1.5	47.8	-2.3	4.02	+0.05
1923	39.8	+ 4.2	49.2	-0.9	3.87	-0.10
1924	42.3	+ 6.7	49.5	-0.6	3.75	-0.22
1925	37.3	+ 1.7	49.4	-0.7	4.09	+0.12
1926	35.9	+ 0.3	50.3	+0.2	3.77	-0.20
1927	43.3	+ 7.7	49.4	-0.7	3.61	-0.36
1928	40.4	+ 4.8	50.1	0.0	4.12	+0.15
1929	35.2	- 0.4	49.1	-1.0	4.52	+0.55
1930	41.4	+ 5.8	50.0	-0.1	3.84	-0.13
1931	38.4	+ 2.8	49.2	-0.9	3.60	-0.37
1932	36.3	+ 0.7	49.9	-0.2	3.53	-0.44
1933	28.6	- 7.1	50.6	+0.5	4.42	+0.45
1934	33.5	- 2.1	50.9	+0.8	4.08	+0.11
1935	39.8	+ 4.2	50.5	+0.4	4.13	+0.16
1936	38.4	+ 2.8	49.8	-0.3	3.56	-0.41
1937	38.8	+ 3.2	50.1	0.0	3.46	-0.51
1938	34.9	- 0.7	51.0	+0.9	3.84	-0.13
1939	39.9	+ 4.3	50.3	+0.2	3.97	0.00
1940	35.6	0.0	49.3	-0.8	4.18	+0.21
1941	33.8	- 1.8	49.2	-0.9	3.67	-0.30
1942	33.1	- 2.5	49.2	-0.9	3.90	-0.07
1943	32.8	- 2.8	51.0	+0.9	4.25	+0.29
1944	35.3	- 0.3	50.1	0.0	3.73	-0.24
1945	32.8	- 2.8	51.4	+1.3	3.81	-0.15
1946	41.6	+ 6.0	50.0	-0.1	3.83	-0.14
1947	32.4	- 3.2	50.1	0.0	3.97	0.00
1948	37.5	+ 1.9	50.9	+0.8	4.12	+0.16
1949	30.9	- 4.7	51.9	+1.8	4.63	+0.66
1950	40.2	+ 4.6	50.1	0.0	3.94	-0.02
1951	43.7	+ 8.1	49.7	-0.4	3.98	+0.01
1952	35.5	- 0.1	49.5	-0.6	4.10	+0.13
1953	29.8	- 5.8	50.7	+0.6	4.04	+0.08
1954	42.7	+ 7.1	49.6	-0.5	3.52	-0.44
1955	30.9	- 4.7	49.7	-0.4	4.47	+0.51
1956	34.0	- 1.6	48.9	-1.2	3.88	-0.08
1957	35.7	+ 0.1	51.0	+0.9	4.04	+0.08
1958	40.5	+ 4.9	49.8	-0.3	3.52	-0.44
1959	28.4	- 7.2	51.8	+1.7	4.63	+0.67
1960	46.1	+10.5	50.4	+0.3	3.84	-0.12
1961	34.7†	- 0.9	50.9	+0.8	4.12	+0.16
1962	31.1†	- 4.5	48.6	-1.5	4.16	+0.20
1963	33.5†	- 2.1	48.2	-1.9	3.87	- 0.09

\* Based on revised 1916-50 average.

† Provisional.

TABLE 34. Meteorological observations, 1963

Kew Observatory, Richmond

Month	Temperature of the air				Rain collected in a gauge having a receiving surface 12 inches above the ground		Sunshine registered in hours		Atmospheric pollution	
	Highest for month	Lowest for month	Mean daily value	Departure from average of 80 years	Total	Departure from average of 80 years	Total	Departure from average of 70 years	Maximum for month	Mean
	°F.	°F.	°F.	°F.	ins.	ins.	hours	hours	mg/m <sub>3</sub>	mg/m <sub>3</sub>
January	41.9	14.5	30.0	-9.7	0.83	-1.13	49.3	+7.5	2.784	0.242
February	45.3	20.5	32.4	-7.9	0.26	-1.29	70.9	+12.5	0.722	0.149
March	57.0	27.1	43.7	+0.9	2.30	+0.76	103.9	-2.8	0.760	0.076
April	67.3	30.7	48.9	+1.4	1.60	-0.11	135.8	-13.4	0.334	0.059
May	77.7	38.8	52.7	-0.9	1.85	+0.10	205.5	+8.0	0.127	0.026
June	78.1	47.1	60.1	+0.7	1.92	-0.06	201.7	+1.2	0.242	0.022
July	80.2	47.1	61.3	-1.4	1.29	-1.09	204.0	+8.5	0.198	0.022
August	76.8	45.7	59.5	-2.3	2.20	-0.04	143.9	-41.1	0.114	0.019
September	72.1	43.3	57.0	-0.4	2.34	+0.35	126.9	-14.0	0.338	0.052
October	65.7	41.7	53.1	+2.8	1.50	-1.01	90.4	-2.8	0.402	0.054
November	60.1	31.3	49.1	+4.9	4.50	+2.16	62.0	+10.8	1.079	0.089
December	48.6	22.3	38.5	-2.2	0.67	-1.49	43.2	+5.9	1.437	0.170
Means	-	-	48.9	-1.1	sum 21.26	-2.85	sum 1,437.5	-19.7		0.082

Additional meteorological information may be obtained from the Monthly Weather Reports and Annual Report of the Meteorological Office, and the annual volume of the British Rainfall Organisation, published by Her Majesty's Stationery Office.

## APPENDICES



**APPENDIX A. Standardised Mortality Ratios (based on United Kingdom and Irish Republic experience), age specific death rates and infant mortality rates from selected causes and estimated mid-year populations, 1963**

ICD No.	Causes of death	Country	S.M.R.		Death rates per million population							
			All ages		All ages		1-4		5-14		15-24	
			M	F	M	F	M	F	M	F	M	F
	All causes	England and Wales	99	98	12,807	11,593	981.7	824.1	439.9	275.8	991.1	391.0
		Scotland	114	112	13,641	11,618	1,206	922.2	540.6	274.8	932.6	401.0
		Northern Ireland	97	106	11,828	10,202	1,010	773.2	512.8	270.7	836.2	333.6
		Irish Republic	92	109	12,755	11,027	993.2	911.4	435.6	301.1	800.2	429.7
001-008	Tuberculosis of respiratory system	England and Wales	89	80	88.6	24.3	0.63	0.67	0.29	0.30	1.79	1.22
		Scotland	145	174	134.0	49.5	-	10.7	2.30	-	5.34	2.64
		Northern Ireland	126	124	110.6	32.4	-	-	-	-	-	8.78
		Irish Republic	195	335	186.4	86.3	-	-	6.81	-	9.31	19.5
010-019	Tuberculosis, other forms	England and Wales	98	95	7.40	7.52	5.71	7.36	0.86	1.52	3.58	2.74
		Scotland	72	64	5.20	4.81	5.11	10.7	2.30	2.41	2.67	2.64
		Northern Ireland	61	169	4.26	12.1	-	17.2	-	-	8.71	-
		Irish Republic	203	223	14.7	16.3	16.3	33.8	6.81	10.8	4.65	9.77
020-029	Syphilis and its sequelae	England and Wales	111	110	21.2	13.8	-	-	0.58	0.30	0.30	-
		Scotland	48	37	8.40	4.07	-	-	-	-	-	-
		Northern Ireland	74	94	12.8	9.45	-	-	-	-	-	-
		Irish Republic	18	20	3.50	2.12	-	-	-	-	-	-
057	Meningococcal infections	England and Wales	111	102	3.85	2.40	20.9	12.0	1.44	0.30	0.60	0.91
		Scotland	94	103	3.60	2.59	25.6	21.4	-	2.41	-	-
		Northern Ireland	-	49	-	1.35	-	17.2	-	-	-	-
		Irish Republic	17	97	0.70	2.83	-	-	-	10.8	-	-
080	Acute poliomyelitis	England and Wales	82	60	0.09	0.04	-	-	0.29	-	-	-
		Scotland	-	-	-	-	-	-	-	-	-	-
		Northern Ireland	-	1,000	-	1.35	-	-	-	-	-	-
		Irish Republic	385	-	0.70	-	8.14	-	-	-	-	-
Rem. 001-138	Other infective and parasitic diseases	England and Wales	99	95	24.6	22.1	48.8	30.8	10.1	11.2	6.27	6.39
		Scotland	88	104	21.6	23.3	46.0	32.2	6.90	9.64	8.02	2.64
		Northern Ireland	79	159	19.9	35.1	16.3	17.2	7.33	15.5	-	-
		Irish Republic	121	144	31.5	32.5	57.0	33.8	20.4	21.5	4.65	14.6
140-148	Malignant neoplasm of - buccal cavity and pharynx	England and Wales	93	92	42.8	24.9	0.63	-	1.15	0.30	0.60	0.61
		Scotland	132	146	56.4	35.5	-	-	2.30	-	2.67	5.28
		Northern Ireland	80	135	34.0	29.7	-	-	-	15.5	8.71	-
		Irish Republic	161	145	79.9	32.5	-	-	-	-	-	-
150	oesophagus	England and Wales	99	94	60.2	44.0	-	-	-	-	-	-
		Scotland	116	131	65.2	54.7	-	-	-	-	-	-
		Northern Ireland	85	126	46.6	47.2	-	-	-	-	-	-
		Irish Republic	95	148	60.3	57.3	-	-	-	-	-	-
151	stomach	England and Wales	100	97	339.2	245.4	-	-	-	-	0.90	0.91
		Scotland	104	115	328.1	256.2	-	-	-	-	2.67	2.64
		Northern Ireland	92	109	280.9	221.3	-	-	-	-	-	-
		Irish Republic	103	128	355.3	268.7	8.14	-	-	-	-	-
153	large intestine	England and Wales	97	98	156.2	222.8	-	-	-	-	2.39	1.22
		Scotland	132	129	196.9	261.4	-	-	-	2.41	-	2.64
		Northern Ireland	96	79	141.8	145.7	-	-	-	-	-	-
		Irish Republic	101	102	171.0	192.3	-	-	-	-	-	-
154	rectum	England and Wales	100	101	128.6	104.7	-	-	-	-	1.49	0.61
		Scotland	116	106	136.0	97.6	-	-	-	-	-	-
		Northern Ireland	82	89	96.5	74.2	-	-	-	-	-	-
		Irish Republic	82	74	111.4	63.6	-	-	-	-	-	-
161	larynx	England and Wales	101	93	27.7	5.79	-	-	-	-	0.30	-
		Scotland	109	79	27.6	4.44	-	-	-	-	2.67	-
		Northern Ireland	64	213	15.6	10.8	-	-	-	-	-	-
		Irish Republic	81	233	22.4	12.0	-	-	-	-	-	-
162, 163	trachea, bronchus, and lung	England and Wales	103	102	909.1	152.0	0.63	-	0.58	0.61	1.79	0.30
		Scotland	116	107	950.3	146.8	-	-	-	-	10.7	-
		Northern Ireland	65	66	502.1	81.0	-	-	-	-	-	8.78
		Irish Republic	40	70	342.7	85.6	-	-	-	-	-	-
170	breast	England and Wales	99	101	3.07	390.3	-	-	-	-	-	0.91
		Scotland	126	102	3.60	360.4	-	-	-	-	-	-
		Northern Ireland	102	78	2.84	249.7	-	-	-	-	-	-
		Irish Republic	67	88	2.10	281.4	-	-	-	-	-	-
171	cervix uteri	England and Wales	-	104	-	101.9	-	-	-	-	-	0.30
		Scotland	-	94	-	85.8	-	-	-	-	-	-
		Northern Ireland	-	93	-	76.9	-	-	-	-	-	8.78
		Irish Republic	-	45	-	36.8	-	-	-	-	-	-
172	corpus uteri	England and Wales	-	112	-	49.1	-	-	-	-	-	-
		Scotland	-	40	-	15.9	-	-	-	-	-	-
		Northern Ireland	-	34	-	12.1	-	-	-	-	-	-
		Irish Republic	-	10	-	3.54	-	-	-	-	-	-
177	prostate	England and Wales	100	-	166.2	-	-	-	0.29	-	0.30	-
		Scotland	114	-	175.2	-	-	-	-	-	-	-
		Northern Ireland	101	-	160.3	-	-	-	-	-	-	-
		Irish Republic	81	-	154.9	-	-	-	-	-	-	-

Death rates per million population														Deaths under 1 year per thousand live births		ICD No.
25-34		35-44		45-54		55-64		65-74		75-84		85 and over				
M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1,099	742.8	2,473	1,789	7,447	4,502	22,587	10,867	55,301	30,517	128,374	88,561	282,981	222,589	23.7	18.4	
1,347	966.7	3,248	2,297	9,665	5,519	26,864	13,658	63,090	36,002	136,865	98,581	279,018	224,833	28.7	22.2	
1,160	804.6	2,773	2,202	8,200	5,281	23,272	12,473	51,711	34,760	119,157	89,419	260,909	223,396	28.6	25.3	
1,232	996.0	2,753	2,503	7,105	5,170	20,279	12,450	48,971	34,962	118,039	95,807	265,649	228,000	30.1	22.9	
10.3	13.9	49.6	30.9	98.7	36.0	241.5	40.2	406.9	49.0	439.9	83.6	396.0	44.0	0.00	-	001-008
3.14	36.5	85.1	80.8	199.8	82.5	345.5	91.3	646.3	90.9	830.6	115.2	317.4	51.5	0.02	0.02	
24.4	11.5	46.4	11.0	137.5	58.5	395.7	79.8	464.5	166.1	898.9	38.8	-	-	-	-	
60.6	73.3	192.6	144.4	241.4	159.1	545.9	156.0	921.4	206.9	347.5	274.6	252.4	-	0.03	-	
1.33	4.16	8.74	4.69	8.55	8.54	15.3	8.45	19.8	16.2	25.3	25.2	11.0	61.6	0.00	0.00	010-019
6.28	-	6.08	2.89	3.22	5.89	7.35	9.45	20.8	4.54	-	19.2	-	-	-	-	
-	11.5	11.6	32.9	12.5	11.7	-	-	-	36.9	-	-	-	-	-	0.06	
13.5	13.3	12.4	-	17.7	12.2	36.9	7.43	20.9	59.1	21.7	18.3	-	-	-	0.03 0.07	
0.67	0.69	5.31	1.25	14.1	3.79	43.6	16.9	134.7	55.5	166.9	102.4	110.0	140.9	-	-	020-029
-	-	3.04	2.89	16.1	-	11.0	15.7	41.7	18.2	99.7	-	-	51.5	-	-	
-	-	11.6	-	-	-	60.9	-	73.3	55.4	-	155.0	303.0	-	-	-	
-	-	6.21	-	5.89	-	14.8	7.43	10.5	-	-	36.6	-	-	-	-	
0.33	1.04	-	0.31	1.32	0.95	1.15	0.34	2.05	-	1.69	2.70	11.0	4.40	0.08	0.06	057
-	-	-	-	-	-	3.68	-	-	-	-	-	-	-	0.06	0.04	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	6.21	-	-	-	-	-	-	-	-	18.3	-	-	-	-	
0.33	0.35	0.31	-	-	-	-	-	-	-	-	-	-	-	-	-	080
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	11.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
7.65	7.28	12.8	12.2	27.6	19.3	27.2	26.0	45.1	37.0	91.0	62.9	198.0	123.3	0.16	0.13	Rem. 001-138
9.42	9.12	9.12	17.3	32.2	32.4	25.7	47.2	34.7	36.4	16.6	38.4	211.6	103.0	0.15	0.06	
-	-	-	-	25.0	93.7	30.4	53.2	122.2	110.7	-	38.8	-	-	0.17	0.25	
20.2	6.66	18.6	12.0	5.89	12.2	29.5	52.0	94.2	78.8	21.7	109.8	-	82.9	0.31	0.20	
1.00	2.77	8.12	7.81	21.7	19.9	80.8	48.0	196.3	68.9	488.8	142.9	957.1	229.0	0.00	0.00	140-148
3.14	9.12	9.12	2.89	38.7	29.5	80.9	78.7	257.1	113.6	797.4	201.7	1,693	463.7	-	-	
-	11.5	11.6	11.0	-	23.4	76.1	39.9	146.7	129.2	337.1	193.8	1,515	188.7	-	-	
-	-	12.4	18.0	36.3	48.9	132.8	52.0	429.3	88.7	781.9	219.7	1,388	580.6	-	-	
2.33	1.73	7.18	6.56	40.1	25.9	129.8	66.2	308.4	147.0	581.5	319.0	968.1	383.1	-	-	150
-	-	21.3	2.89	83.8	50.1	143.4	94.5	375.2	204.5	564.8	461.0	317.4	360.6	-	-	
-	-	23.2	11.0	12.5	58.5	137.0	39.9	244.5	184.5	618.0	581.4	-	188.7	-	-	
-	-	12.4	24.1	29.4	61.2	154.9	126.3	314.1	206.9	564.7	476.0	252.4	248.8	-	-	
11.0	9.01	65.2	30.6	258.6	117.9	834.1	332.4	1,799	824.3	2,783	1,856	2,772	2,664	-	-	151
9.42	18.2	63.8	54.8	357.6	109.0	812.4	368.4	1,751	967.9	3,156	2,534	2,222	2,937	-	-	
24.4	11.5	58.0	32.9	287.5	70.3	761.0	492.0	1,491	1,052	2,584	1,860	3,333	2,264	-	-	
6.73	6.66	37.3	48.1	294.3	165.2	914.7	542.3	1,770	1,192	2,910	2,179	2,775	2,571	-	-	
6.65	7.20	34.7	35.6	96.4	123.6	295.9	331.7	792.0	722.1	1,659	1,562	2,420	2,550	-	-	153
6.28	24.3	51.7	40.4	90.2	114.9	463.2	488.0	1,008	917.9	2,375	2,151	3,280	3,246	-	-	
24.4	11.5	81.2	21.9	125.0	117.1	197.9	292.6	684.6	701.1	1,685	950.2	3,030	2,075	-	-	
20.2	26.6	24.9	72.2	117.8	159.1	339.3	349.1	801.2	857.3	1,716	1,373	2,019	1,742	-	-	
5.32	3.46	19.4	18.4	82.6	68.6	247.3	145.9	662.0	348.1	1,360	726.9	1,980	1,105	-	-	154
6.28	-	39.5	20.2	99.9	70.7	261.0	160.6	778.3	418.1	1,611	701.1	2,010	875.8	-	-	
-	-	46.4	11.0	75.0	70.3	304.4	186.2	440.1	295.2	786.5	465.1	1,818	1,132	-	-	
13.5	6.66	24.9	18.0	58.9	42.8	243.4	118.9	534.0	226.6	1,108	549.2	1,010	829.4	-	-	
-	-	4.06	1.56	16.8	6.01	65.8	10.1	170.3	21.3	219.1	29.7	176.0	30.8	-	-	161
-	-	6.08	-	19.3	2.95	69.8	6.30	187.6	13.6	132.9	48.0	634.9	51.5	-	-	
12.2	-	-	-	12.5	23.4	60.9	39.9	48.9	18.5	112.4	38.8	303.0	188.7	-	-	
-	-	-	12.0	17.7	-	59.0	14.9	115.2	49.3	195.5	91.5	126.2	248.8	-	-	
22.6	5.54	146.7	46.2	896.7	183.4	2,943	353.0	4,886	531.2	4,151	552.6	2,068	532.8	-	-	162, 163
34.5	12.2	224.9	49.0	1,034	200.3	3,503	403.0	5,325	495.3	3,704	605.0	2,434	412.2	-	-	
24.4	34.5	116.0	65.7	737.5	70.3	2,055	199.5	2,738	332.1	1,910	426.4	606.1	-	-	-	
6.73	-	124.3	24.1	447.4	153.0	1,298	222.8	1,654	384.3	977.3	366.2	1,641	248.8	-	-	
-	39.8	0.94	207.8	3.95	589.6	6.51	812.8	11.6	1,015	28.7	1,502	44.0	2,294	-	-	170
-	45.6	3.04	259.7	3.22	539.0	14.7	777.6	6.95	1,036	33.2	1,575	-	2,473	-	-	
-	80.5	-	230.0	-	468.4	-	518.6	24.4	998.3	56.2	697.7	-	1,132	-	-	
-	26.6	-	252.7	5.89	599.6	-	661.1	10.5	946.0	21.7	1,044	-	995.3	-	-	
-	10.7	-	98.7	-	177.3	-	192.6	-	253.8	-	310.9	-	400.7	-	-	171
-	18.2	-	106.8	-	197.3	-	154.3	-	199.9	-	249.7	-	154.6	-	-	
-	-	-	120.5	-	105.4	-	239.4	-	129.2	-	348.8	-	377.4	-	-	
-	6.66	-	36.1	-	91.8	-	74.3	-	118.2	-	73.2	-	331.8	-	-	
-	1.73	-	8.12	-	39.2	-	120.3	-	166.4	-	235.4	-	237.8	-	-	172
-	-	-	2.89	-	8.84	-	40.9	-	54.5	-	115.2	-	103.0	-	-	
-	-	-	-	-	11.7	-	39.9	-	73.8	-	38.8	-	-	-	-	
-	-	-	-	-	-	-	22.3	-	9.85	-	18.3	-	-	-	-	
0.33	-	0.62	-	18.4	-	147.8	-	851.5	-	2,827	-	4,686	-	-	-	177
-	-	-	-	9.67	-	194.8	-	1,056	-	3,073	-	4,761	-	-	-	
-	-	-	-	12.5	-	60.9	-	782.4	-	3,315	-	5,152	-	-	-	
-	-	-	-	53.0	-	162.3	-	816.7	-	2,150	-	1,641	-	-	-	

Appendix A - continued

ICD No.	Causes of death	Country	S.M.R.		Death rates per million population							
			All ages		All ages		1-4		5-14		15-24	
			M	F	M	F	M	F	M	F	M	F
181	Malignant neoplasm of bladder and other urinary organs	England and Wales Scotland Northern Ireland Irish Republic	104 101 68 52	98 130 114 80	99.4 89.2 59.6 52.6	37.6 44.0 35.1 25.5	0.63 5.11 - 8.14	- - - -	0.29 - - -	- - - -	0.30 - - -	- - - -
204	Leukaemia and aleukaemia	England and Wales Scotland Northern Ireland Irish Republic	101 94 121 84	102 89 80 87	66.2 59.2 75.2 56.1	54.5 44.7 37.8 41.7	50.1 35.8 16.3 40.7	39.5 48.3 34.4 50.6	33.4 36.8 58.6 13.6	27.3 4.82 - 10.8	26.0 8.22 8.71 14.0	15.5 17.5 17.6 9.77
Rem. 140-205	Other malignant neoplasms	England and Wales Scotland Northern Ireland Irish Republic	98 118 91 106	98 115 107 116	418.6 472.5 351.8 447.8	519.1 557.8 472.3 517.6	64.7 86.9 65.1 57.0	42.8 26.8 103.1 59.1	40.0 29.9 14.7 20.4	28.2 43.4 23.2 28.7	68.7 72.2 43.6 46.5	42.3 50.1 26.3 63.5
140-205	All malignant neoplasms and neoplasms of the lymphatic and haematopoietic tissues	England and Wales Scotland Northern Ireland Irish Republic	100 115 82 77	99 110 92 99	2,417 2,562 1,767 1,857	1,952 1,965 1,494 1,618	116.7 127.8 81.4 114.0	82.3 75.1 137.5 109.7	75.7 69.0 73.3 34.0	56.4 50.6 38.7 39.4	102.8 98.9 61.0 60.5	62.7 79.1 61.5 73.2
260	Diabetes mellitus	England and Wales Scotland Northern Ireland Irish Republic	98 123 75 111	93 154 99 126	60.0 70.4 42.6 72.2	100.6 146.8 85.0 111.7	4.44 - - -	0.67 5.36 - 8.44	3.74 2.30 - -	2.43 - - -	2.39 2.67 - 4.65	1.22 2.64 - -
290-293	Anaemias	England and Wales Scotland Northern Ireland Irish Republic	95 110 132 141	96 122 93 133	24.4 26.4 32.6 40.6	49.1 54.0 37.8 57.3	3.80 - - 8.14	4.01 5.36 - -	1.15 2.30 7.33 -	2.43 - - 10.8	2.69 2.67 8.71 9.31	1.52 - - -
330-334	Vascular lesions affecting central nervous system	England and Wales Scotland Northern Ireland Irish Republic	99 125 95 85	98 123 110 95	1,413 1,653 1,294 1,357	1,987 2,146 1,758 1,615	4.44 15.3 16.3 -	1.34 - - 25.3	4.61 11.5 7.33 3.40	3.94 4.82 15.5 3.58	15.8 24.1 26.1 27.9	12.2 7.91 8.78 9.77
345	Multiple sclerosis	England and Wales Scotland Northern Ireland Irish Republic	89 126 128 244	92 165 105 121	14.8 19.6 18.4 36.4	20.4 34.7 20.2 22.6	- - - -	0.67 - - -	- - - -	- - - -	0.90 2.67 8.71 -	0.61 - - 4.88
400-402, 410-416	Rheumatic fever and chronic rheumatic heart disease	England and Wales Scotland Northern Ireland Irish Republic	101 92 101 103	99 112 116 79	106.6 91.6 95.0 103.0	189.6 196.7 184.9 125.1	1.27 - - -	1.34 - - -	3.74 - - 10.2	0.91 - 7.73 3.58	14.9 13.4 26.1 23.3	9.13 18.5 17.6 14.6
420	Arteriosclerotic heart disease, including coronary disease	England and Wales Scotland Northern Ireland Irish Republic	99 120 117 75	98 118 126 85	2,884 3,237 3,075 2,242	1,737 1,825 1,767 1,244	- - - -	0.67 - - -	- - - -	- - - -	4.18 5.34 - 18.6	0.91 2.64 - -
421, 422, 430-434	Other heart diseases	England and Wales Scotland Northern Ireland Irish Republic	94 116 120 144	96 120 119 141	1,065 1,216 1,336 1,928	1,556 1,624 1,503 1,957	6.34 10.2 - 8.14	6.69 5.36 - -	4.89 2.30 - 6.81	1.82 4.82 - 3.58	16.1 16.0 17.4 14.0	8.22 5.28 8.78 4.88
440-447	Hypertensive disease	England and Wales Scotland Northern Ireland Irish Republic	101 86 97 109	98 105 126 121	291.5 229.7 261.0 339.2	376.3 347.9 381.9 387.5	- - - -	- - - -	- - - -	- - - -	1.79 5.34 - 4.65	1.52 - 8.78 -
450-468	Other circulatory diseases	England and Wales Scotland Northern Ireland Irish Republic	101 106 77 83	101 102 78 90	405.7 392.9 297.9 379.9	486.2 414.0 294.2 367.0	- 5.11 - -	- - - -	0.29 4.60 7.33 3.40	2.12 - - -	5.68 - 8.71 -	10.0 10.6 - 4.88
480-483	Influenza	England and Wales Scotland Northern Ireland Irish Republic	102 106 81 74	99 118 98 93	63.2 61.2 48.2 51.2	73.2 75.0 58.0 59.4	5.07 - - -	5.35 - - 25.3	2.02 - - 3.40	1.82 - 7.73 -	2.69 2.67 - 9.31	2.44 - - -
490-493	Pneumonia	England and Wales Scotland Northern Ireland Irish Republic	105 91 74 59	104 83 81 65	742.2 609.4 523.4 482.9	790.3 541.6 498.0 437.0	152.8 178.9 162.9 130.3	147.2 176.9 85.9 126.6	25.6 20.7 29.3 34.0	18.8 26.5 23.2 39.4	23.6 13.4 17.4 55.8	12.8 21.1 8.78 29.3
500-502	Bronchitis	England and Wales Scotland Northern Ireland Irish Republic	105 90 75 58	102 88 101 88	108.8 868.6 720.6 637.1	434.0 325.7 345.5 320.3	44.4 25.6 - 32.6	38.1 10.7 - 33.8	5.76 6.90 - 6.81	8.19 4.82 - -	7.17 5.34 - 18.6	2.74 2.64 8.78 9.77
470-475, 510-527	Other respiratory diseases	England and Wales Scotland Northern Ireland Irish Republic	99 119 87 99	97 83 164 150	159.9 180.8 130.5 167.5	74.6 56.9 105.3 101.1	24.7 15.3 48.9 24.4	22.1 10.7 34.4 8.44	4.89 6.90 - -	4.25 9.64 - 3.58	7.47 5.34 - 4.65	7.92 7.91 8.78 -
540, 541	Ulcer of stomach and duodenum	England and Wales Scotland Northern Ireland Irish Republic	99 121 96 80	100 104 93 100	122.6 138.8 109.2 104.4	63.7 58.0 47.2 53.7	0.63 - - -	- - - -	0.29 - - -	- - - -	1.79 - - 4.65	0.91 2.64 - -



## Appendix A - continued

Death rates per million population														Deaths under 1 year per thousand live births		ICD No.
25-34		35-44		45-54		55-64		65-74		75-84		85 and over		M	F	
M	F	M	F	M	F	M	F	M	F	M	F	M	F			
0.67	0.35	4.37	3.44	53.6	16.1	209.0	54.7	530.0	119.3	1,072	297.4	1,441	413.9	-	0.00	181
-	-	3.04	-	54.8	26.5	231.6	103.9	493.4	154.5	996.7	355.3	1,058	257.6	-	0.02	
-	-	11.6	-	25.0	46.8	152.2	39.9	489.0	92.3	449.4	348.8	303.0	943.4	-	-	
-	-	-	-	35.3	24.5	147.5	52.0	293.2	118.2	347.5	219.7	504.8	82.9	-	-	
27.6	18.0	31.2	26.9	54.6	44.9	108.3	85.8	234.6	128.1	367.4	219.2	297.0	233.4	0.02	0.03	204
12.6	18.2	33.4	20.2	67.7	47.1	84.5	53.5	243.2	127.2	365.5	268.9	529.0	51.5	0.02	-	
48.8	23.0	46.4	21.9	25.0	11.7	137.0	79.8	317.8	147.6	449.4	193.8	303.0	-	0.12	-	
26.9	6.66	31.1	24.1	64.8	48.9	162.3	96.6	157.1	118.2	195.5	128.2	-	-	0.06	0.10	
102.1	85.6	181.4	199.0	455.6	494.4	1,006	1,001	1,679	1,641	2,390	2,378	3,124	2,831	0.06	0.03	Rem. 140-205
113.0	79.0	212.7	216.4	573.5	547.8	1,220	1,168	1,974	2,004	3,106	2,871	3,598	3,400	0.06	0.06	
85.5	34.5	174.0	186.2	525.0	555.7	943.7	1,037	1,345	1,993	2,442	2,442	3,333	2,264	-	0.06	
121.2	146.6	155.3	282.7	482.7	477.2	1,136	1,181	1,937	2,040	2,693	2,838	3,281	2,903	0.06	0.03	
179.6	186.1	503.8	690.8	1,999	1,907	6,075	3,554	12,121	5,986	17,927	10,132	20,935	13,906	0.09	0.06	140-205
185.2	224.9	668.5	776.1	2,432	1,944	7,080	3,898	13,453	6,707	19,918	11,937	22,537	14,786	0.08	0.08	
219.8	206.9	568.4	711.9	1,838	1,733	4,886	3,245	8,753	8,144	14,831	8,566	19,697	10,755	0.12	0.06	
195.2	226.5	422.5	812.2	1,637	1,872	4,751	3,514	8,837	6,356	13,661	9,575	14,639	10,782	0.12	0.13	
6.65	5.89	14.4	9.69	34.5	21.2	95.3	119.9	289.3	411.5	674.2	770.1	1,067	893.9	0.01	-	260
6.28	9.12	63.8	17.3	54.8	56.0	110.3	207.8	368.3	754.3	714.3	1,152	846.5	721.3	-	0.02	
24.4	-	23.2	11.0	37.5	58.5	76.1	252.7	171.1	166.1	561.8	852.7	303.0	1,132	-	0.06	
13.5	-	18.6	24.1	41.2	42.8	147.5	215.4	335.1	561.7	695.0	933.7	757.2	746.5	-	-	
2.66	4.50	2.50	6.87	6.58	11.7	25.6	36.8	104.0	145.6	348.9	427.7	770.1	849.8	0.02	0.01	290-293
3.14	-	3.04	5.77	6.44	26.5	44.1	53.5	118.1	218.1	398.7	470.6	740.7	1,030	-	-	
-	-	-	-	-	11.7	30.4	13.3	171.1	166.1	449.4	387.6	1,212	1,321	-	-	
13.5	26.6	12.4	36.1	5.89	30.6	66.4	81.7	157.1	167.5	347.5	457.7	1,262	746.5	-	0.03	
37.3	33.6	120.8	116.2	423.4	447.0	1,822	1,434	6,611	5,483	19,919	18,314	45,589	42,453	0.03	0.02	330-334
40.8	54.7	151.9	190.4	534.8	621.4	2,062	2,109	8,436	6,989	26,629	22,693	53,433	48,120	0.04	0.02	
85.5	34.5	162.4	219.1	412.5	831.4	1,629	1,902	6,333	8,199	19,157	18,217	43,636	48,491	0.12	-	
53.9	60.0	99.4	198.5	482.7	514.0	1,734	1,657	6,293	6,238	16,528	16,569	28,395	32,346	0.03	0.03	
8.98	8.66	17.5	27.2	30.6	41.4	35.6	47.6	32.8	38.4	23.6	19.8	33.0	4.40	-	0.00	345
15.7	21.3	18.2	49.0	38.7	61.9	55.1	107.0	69.5	59.1	-	19.2	-	-	-	-	
36.6	-	34.8	54.8	62.5	11.7	15.2	66.5	-	55.4	-	-	-	188.7	-	-	
13.5	6.66	49.7	54.1	100.1	30.6	73.8	66.9	94.2	29.6	130.3	54.9	-	82.9	-	-	
37.9	44.0	91.2	122.5	163.2	253.2	250.0	395.9	338.5	510.9	443.3	664.9	594.1	946.7	0.00	-	400-402, 410-416
43.9	57.8	69.9	155.8	145.0	276.9	248.3	434.5	291.9	640.7	531.6	824.2	105.8	721.3	-	-	
24.4	69.0	127.6	219.1	150.0	292.7	365.3	492.0	244.5	442.8	168.5	736.4	606.1	566.0	-	-	
20.2	60.0	74.6	156.4	200.2	195.8	243.4	193.1	356.0	364.6	456.1	512.6	252.4	1,244	-	-	
59.5	9.70	566.3	80.3	2,296	359.1	6,705	1,786	14,529	6,362	24,922	14,511	36,370	23,752	-	-	420
109.9	24.3	774.9	141.4	3,325	709.8	8,808	2,679	17,254	7,925	25,914	15,615	34,705	21,535	-	0.0	
73.3	34.5	823.7	197.2	3,100	667.4	8,965	2,912	16,430	8,395	25,056	16,744	41,212	23,585	-	-	
74.1	33.3	528.1	138.4	1,813	593.5	5,260	1,924	10,921	5,804	18,352	10,948	28,978	15,593	-	-	
28.6	20.4	65.2	27.8	191.8	115.1	760.2	445.6	3,617	2,712	17,576	15,163	62,057	57,305	0.04	0.02	421, 422, 430-434
37.7	21.3	79.0	60.6	267.4	156.1	1,040	736.7	4,913	3,649	21,413	18,823	66,660	67,491	-	-	
24.4	23.0	58.0	76.7	200.0	234.2	958.9	611.7	4,792	3,856	23,596	18,178	71,818	67,925	0.06	0.06	
13.5	40.0	124.3	90.2	418.0	263.1	1,556	1,189	6,272	5,213	26,952	23,380	75,846	61,043	-	-	
15.3	6.58	50.3	19.1	151.6	82.8	486.2	288.2	1,407	1,208	3,516	3,453	6,260	6,367	-	-	440-447
12.6	21.3	42.5	40.4	135.3	114.9	422.7	324.3	1,279	1,313	2,641	3,611	5,714	5,822	-	-	
12.2	34.5	69.6	43.8	212.5	105.4	517.5	425.5	1,027	1,494	3,258	4,031	7,879	9,245	-	-	
33.7	6.66	49.7	48.1	141.3	128.5	612.3	438.3	1,539	1,527	3,692	4,193	5,805	6,220	-	-	
15.6	14.6	35.3	33.7	125.7	94.2	464.3	261.1	1,657	1,085	5,828	4,402	17,624	14,328	0.01	0.00	450-468
15.7	12.2	24.3	28.9	103.1	97.2	371.3	210.9	1,550	922.4	6,130	4,485	25,500	17,002	-	0.04	
-	11.5	69.6	32.9	137.5	70.3	411.0	186.2	1,222	719.6	4,494	3,721	10,000	11,132	0.06	-	
-	13.3	43.5	48.1	100.1	116.3	361.5	208.0	1,361	1,035	5,104	3,552	12,872	13,436	0.03	-	
4.99	4.85	11.9	8.44	27.6	17.1	91.1	46.6	245.5	158.6	765.4	635.3	2,167	1,990	0.05	0.04	480-483
6.28	6.08	12.2	31.7	38.7	26.5	91.9	81.9	215.4	168.1	946.9	768.3	1,799	1,700	0.08	0.10	
-	-	11.6	-	50.0	35.1	60.9	-	146.7	221.4	730.3	697.7	1,818	1,698	-	-	
6.73	6.66	6.21	18.0	5.89	24.5	73.8	81.7	178.0	108.4	499.5	476.0	1,893	2,073	0.06	-	
23.3	25.6	61.5	56.9	198.7	120.4	717.0	398.0	2,564	1,578	10,184	6,842	30,055	22,180	2.89	2.20	490-493
31.4	15.2	76.0	72.1	167.5	132.5	654.3	371.5	2,390	1,309	8,090	4,936	19,469	15,147	3.68	2.48	
24.4	-	11.6	98.6	100.0	105.4	563.2	359.0	1,443	1,144	6,742	5,078	23,333	17,358	2.83	1.86	
33.7	40.0	74.6	66.2	135.4	122.4	398.3	349.1	1,906	1,035	4,322	3,826	10,222	9,704	2.92	2.31	
8.98	6.58	59.3	37.2	415.1	126.1	2,187	392.6	5,905	1,244	11,667	3,572	18,812	8,111	0.59	0.48	500-502
18.8	12.2	54.7	63.5	528.4	179.7	2,316	406.1	5,309	1,104	7,675	2,766	11,851	5,925	0.09	0.28	
-	-	46.4	76.7	350.0	216.8	1,811	452.1	4,694	1,402	7,472	3,178	9,394	6,804	0.06	0.19	
20.2	6.66	62.1	60.2	359.1	195.8	1,416	364.0	3,120	1,054	5,408	2,984	10,096	6,552	0.18	0.20	
11.3	7.62	31.2	21.9	105.3	38.9	335.3	78.0	776.9	179.4	1,320	419.6	2,651	1,629	0.18	0.15	470-475, 510-527
18.8	21.3	30.4	17.3	83.8	47.1	363.9	66.1	1,098	168.1	1,844	355.3	1,905	772.8	0.30	0.12	
24.4	23.0	46.4	11.0	87.5	58.5	304.4	119.7	513.4	276.8	393.3						

## Appendix A - continued

ICD No.	Causes of death	Country	S.M.R.		Death rates per million population							
			All ages		All ages		1-4		5-14		15-24	
			M	F	M	F	M	F	M	F	M	F
550-553	Appendicitis	England and Wales	97	100	13.1	10.6	6.34	2.68	4.32	2.43	4.78	2.13
		Scotland	115	96	14.8	9.24	5.11	16.1	9.20	2.41	5.34	-
		Northern Ireland	89	90	11.3	8.10	16.3	-	-	-	-	-
		Irish Republic	125	107	17.5	9.90	24.4	-	6.81	3.58	9.31	-
560, 561, 570	Intestinal obstruction and hernia	England and Wales	99	99	64.5	68.7	8.24	8.03	2.02	0.61	2.39	1.83
		Scotland	121	110	74.0	68.0	5.11	5.36	2.30	-	-	-
		Northern Ireland	103	113	63.8	64.8	-	-	-	15.5	-	8.78
		Irish Republic	76	100	54.0	60.1	-	-	3.40	-	9.31	-
543, 571, 572	Gastritis and duodenitis, enteritis and colitis (except diarrhoea of newborn)	England and Wales	98	100	45.2	64.7	33.6	26.8	2.02	2.73	2.69	5.48
		Scotland	126	119	57.2	70.2	51.1	21.4	4.60	7.23	13.4	2.64
		Northern Ireland	84	77	39.7	43.2	32.6	17.2	-	-	8.71	-
		Irish Republic	100	79	51.2	46.7	65.1	33.8	3.40	7.17	4.65	-
581	Cirrhosis of liver	England and Wales	91	95	30.7	25.7	1.90	0.67	1.44	1.21	0.90	1.22
		Scotland	183	166	57.6	41.4	-	-	2.30	-	2.67	-
		Northern Ireland	124	90	36.9	20.2	-	-	-	-	-	-
		Irish Republic	96	72	30.8	16.3	-	-	-	-	4.65	-
584, 585	Cholelithiasis, cholecystitis	England and Wales	104	97	16.7	31.0	-	0.67	-	-	-	-
		Scotland	118	149	17.6	41.4	-	-	-	-	-	2.64
		Northern Ireland	65	75	9.93	18.9	-	-	-	-	-	-
		Irish Republic	35	74	6.31	19.8	-	-	-	-	-	-
Rem. 530-587	Other digestive diseases	England and Wales	98	97	45.2	52.5	18.4	26.1	5.76	6.98	2.69	4.26
		Scotland	107	110	47.2	54.3	-	32.2	6.90	9.64	5.34	5.28
		Northern Ireland	132	113	58.2	52.6	48.9	34.4	7.33	-	8.71	-
		Irish Republic	108	134	51.9	64.3	8.14	25.3	6.81	3.58	4.65	4.88
590-594	Nephritis and nephrosis	England and Wales	95	93	74.2	61.3	6.34	4.68	7.20	5.76	20.0	18.6
		Scotland	104	104	76.8	62.1	-	10.7	9.20	7.23	26.7	18.5
		Northern Ireland	112	115	80.9	63.4	-	-	-	-	-	26.3
		Irish Republic	175	221	138.8	124.4	-	-	6.81	17.9	23.3	19.5
610	Hyperplasia of prostate	England and Wales	100	-	108.6	-	-	-	-	-	-	-
		Scotland	102	-	102.8	-	-	-	-	-	-	-
		Northern Ireland	82	-	87.9	-	-	-	-	-	-	-
		Irish Republic	100	-	131.1	-	-	-	-	-	-	-
600-609, 611-637	Other diseases of the genito-urinary system	England and Wales	101	98	77.6	105.1	5.71	4.68	2.59	1.82	6.87	5.48
		Scotland	114	129	81.6	122.0	-	5.36	4.60	4.82	10.7	10.6
		Northern Ireland	93	98	68.1	85.0	-	34.4	7.33	-	8.71	8.78
		Irish Republic	67	76	56.8	68.6	-	-	3.40	3.58	4.65	9.77
640-689	Complications of preg- nancy, childbirth, and the puerperium	England and Wales	-	92	-	10.0	-	-	-	-	-	17.7
		Scotland	-	131	-	14.4	-	-	-	-	-	15.8
		Northern Ireland	-	172	-	18.9	-	-	-	-	-	26.3
		Irish Republic	-	151	-	15.6	-	-	-	-	-	14.6
750-759	Congenital malformations	England and Wales	95	94	121.9	101.9	118.6	108.4	40.6	27.9	33.8	16.4
		Scotland	106	112	148.8	131.2	163.6	166.2	52.9	31.3	24.1	18.5
		Northern Ireland	125	140	191.5	182.2	162.9	171.8	58.6	30.9	87.1	8.78
		Irish Republic	140	143	211.7	193.7	179.1	202.5	47.6	35.8	23.3	19.5
760-776	Certain diseases of early infancy	England and Wales	97	98	245.3	157.7	1.90	0.67	0.58	0.30	-	-
		Scotland	113	106	321.7	189.3	-	-	-	-	-	-
		Northern Ireland	117	134	373.0	272.6	-	-	-	-	-	-
		Irish Republic	111	100	346.2	214.2	-	-	-	-	-	-
Rem. 210-795	All other diseases	England and Wales	88	92	344.3	507.6	102.1	111.0	51.0	41.3	74.1	51.2
		Scotland	103	99	380.5	477.2	138.0	107.2	48.3	31.3	80.2	60.7
		Northern Ireland	100	84	385.8	380.6	162.9	85.9	95.2	38.7	130.7	43.9
		Irish Republic	264	268	1,151	1,292	130.3	109.7	44.2	35.8	69.8	68.4
E963, E970- E979	Suicide	England and Wales	106	109	144.9	99.5	-	-	1.15	0.61	69.6	31.4
		Scotland	87	70	112.4	60.6	-	-	-	-	34.7	31.7
		Northern Ireland	72	44	86.5	35.1	-	-	-	-	34.8	8.78
		Irish Republic	30	15	37.1	12.0	-	-	-	-	4.65	19.5
E810- E845	Motor vehicle and other road transport accidents	England and Wales	100	101	204.2	74.2	89.4	5.82	95.3	38.5	391.6	54.5
		Scotland	109	103	218.1	72.5	158.5	91.1	121.9	33.7	285.9	47.5
		Northern Ireland	97	102	195.7	68.8	130.3	51.5	109.9	46.4	261.3	35.1
		Irish Republic	87	74	175.9	50.2	89.5	67.5	71.5	25.1	204.7	58.6
E870- E936 pt.	Accidents in the home and residential institutions	England and Wales	98	99	130.4	208.6	98.3	85.0	14.7	14.6	32.9	15.5
		Scotland	163	151	209.3	278.0	143.1	80.4	16.1	12.1	26.7	13.2
		Northern Ireland	68	84	90.8	147.1	48.9	51.5	22.0	23.2	34.8	8.78
		Irish Republic	44	33	65.2	62.2	16.3	25.3	20.4	7.17	18.6	-
Rem. E900- E999	Other violence	England and Wales	94	93	136.9	53.7	50.1	25.4	65.1	14.3	126.3	19.2
		Scotland	134	57	189.7	29.6	86.9	21.4	124.2	19.3	203.1	5.28
		Northern Ireland	106	137	148.9	68.8	81.4	17.2	80.6	7.73	156.8	26.3
		Irish Republic	136	302	194.8	159.1	81.4	42.2	85.1	14.3	144.2	19.5
Estimated mid-year population (in thousands)		England and Wales			22,832	24,191	2,001	1,898	3,474	3,296	3,348	3,284
		Scotland			2,499	2,705	247	235	435	415	374	379
		Northern Ireland			705	741	78	74	137	129	115	114
		Irish Republic			1,427	1,414	154	148	294	279	215	205



## Appendix A - continued

Death rates per million population														Deaths under 1 year per thousand live births		ICD No.
25-34		35-44		45-54		55-64		65-74		75-84		85 and over		M	F	
M	F	M	F	M	F	M	F	M	F	M	F	M	F			
2.33	4.50	5.62	1.87	9.87	6.64	19.1	13.9	54.0	30.5	101.1	62.9	143.0	92.5	0.00	-	550-553
3.14	3.04	6.08	-	6.44	2.95	33.1	12.6	76.4	9.09	49.8	57.6	105.8	257.6	0.02	0.04	
-	-	11.6	-	-	-	15.2	13.3	48.9	36.9	168.5	116.3	-	-	-	-	
6.73	6.66	6.21	12.0	11.8	-	44.3	29.7	73.3	29.6	21.7	54.9	-	-	-	-	560, 561, 570
3.99	2.77	9.05	7.81	27.0	20.9	92.3	70.9	271.5	201.1	780.4	543.6	1,188	924.7	0.26	0.20	
18.8	-	6.08	5.77	70.9	32.4	95.6	88.2	347.4	218.1	697.7	624.2	2,010	927.4	0.30	0.22	
12.2	-	23.2	-	12.5	23.4	91.3	53.2	244.5	221.4	786.5	658.9	1,212	943.4	0.40	0.31	
20.2	6.66	12.4	6.02	29.4	18.4	95.9	52.0	188.5	206.9	412.6	622.5	1,010	1,161	0.18	0.13	
6.99	8.66	9.37	12.5	22.7	24.0	54.7	56.1	155.2	172.4	327.0	432.2	836.1	871.9	0.46	0.34	543, 571, 572
9.42	18.2	21.3	31.7	22.6	29.5	77.2	78.7	180.7	150.0	382.1	461.0	529.0	515.2	0.65	0.78	
-	-	-	-	12.5	23.4	45.7	13.3	97.8	129.2	168.5	348.8	1,515	943.4	0.52	0.44	
-	13.3	12.4	18.0	23.5	6.12	59.0	52.0	104.7	78.8	217.2	347.9	378.6	580.6	0.80	0.42	581
2.99	1.73	19.4	8.75	42.8	29.1	88.4	56.8	121.7	85.5	112.9	96.1	110.0	101.3	0.01	0.01	
-	3.04	21.3	11.5	83.8	50.1	205.9	107.0	271.0	177.2	132.9	144.1	423.2	103.0	0.04	-	
-	-	11.6	-	75.0	46.8	76.1	66.5	122.2	73.8	337.1	77.5	909.1	-	-	-	
-	-	12.4	18.0	47.1	6.12	110.7	59.4	167.5	78.8	43.4	18.3	-	165.9	-	-	
0.33	1.73	2.50	3.44	5.59	9.48	19.5	31.1	71.1	88.8	264.6	257.9	473.0	576.8	-	-	584, 585
-	-	3.04	2.89	3.22	11.8	25.7	69.3	90.3	168.1	315.6	345.7	317.4	566.7	-	-	
-	-	-	-	-	-	15.2	13.3	48.9	110.7	168.5	155.0	303.0	566.0	-	-	
-	-	-	12.0	11.8	30.6	14.8	22.3	20.9	59.1	65.2	73.2	-	663.5	-	-	Rem. 530-587
6.65	4.85	12.5	15.0	37.5	28.5	85.0	66.9	174.4	153.5	337.1	300.1	462.0	528.4	0.18	0.14	
6.28	9.12	24.3	14.4	41.9	20.6	69.8	66.1	180.7	190.8	332.2	355.3	529.0	360.6	0.38	0.26	
-	11.5	-	21.9	37.5	11.7	106.5	66.5	268.9	239.9	393.3	348.8	909.1	754.7	0.29	0.12	
-	13.3	80.8	18.0	41.2	67.3	88.5	111.4	178.0	236.5	238.9	347.9	378.6	580.6	0.22	0.16	
32.3	18.0	47.8	23.7	80.3	47.4	120.6	82.4	251.7	171.1	525.9	333.4	1,078	554.8	0.01	0.01	590-594
31.4	24.3	42.5	17.3	77.3	58.9	172.8	97.6	271.0	222.7	515.0	326.5	1,164	412.2	0.04	-	
24.4	34.5	58.0	21.9	100.0	82.0	91.3	53.2	440.1	239.9	786.5	387.6	1,212	754.7	-	0.06	
60.6	20.0	80.8	66.2	123.6	97.9	236.1	252.6	534.0	384.3	955.6	915.4	2,650	995.3	-	0.07	610
-	-	0.31	-	4.28	-	54.4	-	393.9	-	1,953	-	6,469	-	-	-	
-	-	-	-	6.44	-	11.0	-	423.9	-	2,209	-	6,137	-	-	-	
-	-	-	-	-	-	15.2	-	415.6	-	1,404	-	5,758	-	-	-	
-	-	6.21	-	5.89	-	66.4	-	429.3	-	1,781	-	6,689	-	-	-	
9.31	8.66	20.3	32.5	39.8	63.5	97.6	125.0	326.2	299.1	876.5	728.7	2,420	1,510	0.10	0.02	600-609, 611-637
12.6	30.4	21.3	51.9	48.3	73.6	114.0	195.2	361.3	449.9	1,096	825.9	2,116	1,133	0.06	0.02	
-	23.0	34.8	21.9	50.0	58.5	152.2	133.0	317.8	258.3	786.5	658.9	606.1	1,887	-	-	
-	6.66	24.9	72.2	29.4	55.1	95.9	52.0	157.1	236.5	564.7	494.3	1,010	829.4	0.25	0.13	640-689
-	35.3	-	24.7	-	1.26	-	-	-	-	-	-	-	-	-	-	
-	68.9	-	31.7	-	-	-	-	-	-	-	-	-	-	-	-	
-	46.0	-	76.7	-	-	-	-	-	-	-	-	-	-	-	-	
-	60.0	-	54.1	-	6.12	-	-	-	-	-	-	-	-	-	-	
16.3	17.7	28.7	19.1	29.9	37.9	42.9	34.8	41.0	41.1	53.9	37.7	66.0	39.6	4.33	4.05	750-759
15.7	24.3	33.4	11.5	41.9	47.1	18.4	6.30	13.9	22.7	33.2	-	-	51.5	5.13	5.36	
24.4	11.5	23.2	21.9	25.0	35.1	30.4	13.3	24.4	-	56.2	-	303.0	377.4	6.06	6.90	
20.2	6.66	31.1	30.1	41.2	6.12	22.1	37.1	20.9	-	43.4	36.6	-	-	7.36	7.22	760-776
-	-	-	-	-	-	-	-	-	-	-	-	-	-	12.8	9.18	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	15.3	10.2	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	15.2	12.6	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	15.2	9.85	
82.5	75.9	108.9	121.5	192.1	212.4	440.6	444.6	948.6	1,003	3,174	3,136	15,237	14,513	0.65	0.62	Rem. 210-795
69.1	88.2	155.0	135.6	254.5	303.4	676.4	569.9	1,258	1,304	3,306	3,573	11,427	9,531	0.93	0.62	
109.9	57.5	208.8	120.5	312.5	199.1	532.7	611.7	1,296	1,476	2,753	2,326	7,879	6,226	1.10	0.93	
74.1	119.9	211.3	186.5	355.2	342.6	944.2	757.7	2,639	2,641	13,270	11,717	58,304	53,081	1.23	1.17	E963, E970- E979
123.4	80.0	157.3	110.0	202.6	156.5	316.6	190.5	334.4	196.5	399.5	192.3	297.0	92.5	-	-	
106.7	60.8	176.2	77.9	196.5	103.1	238.9	110.2	236.3	118.1	216.0	76.8	317.4	51.5	-	-	
85.5	34.5	58.0	43.8	225.0	58.5	182.6	66.5	171.1	110.7	393.3	38.8	303.0	188.7	-	-	
53.9	13.3	55.9	18.0	41.2	18.4	125.4	29.7	83.8	9.85	65.2	-	-	-	-	-	
188.9	35.7	135.5	31.9	155.3	55.0	217.4	98.3	283.1	164.6	593.3	281.2	726.1	255.4	0.01	0.01	E810- E845
172.6	45.6	203.6	51.9	199.8	70.7	253.6	89.3	382.2	159.0	598.0	278.5	740.7	154.6	0.06	0.02	
183.2	80.5	116.0	21.9	137.5	58.5	258.8	79.8	415.6	784.5	561.8	271.3	1,515	188.7	-	-	
175.0	33.3	174.0	30.1	217.8	48.9	302.4	66.9	303.6	88.7	238.9	109.8	378.6	165.9	-	-	E870- E936 pt.
35.6	22.9	42.8	37.5	60.9	52.5	133.2	114.5	312.5	370.3	1,247	1,705	4,356	5,394	0.67	0.50	
94.2	30.4	109.4	63.5	203.0	97.2	268.3	179.5	451.7	486.2	1,478	2,497	5,819	8,861	1.27	1.32	
12.2	23.0	11.6	43.8	62.5	35.1	137.0	53.2	268.9	332.1	730.3	1,357	2,424	6,226	0.35	0.19	
20.2	-	31.1	6.02	47.1	-	103.3	66.9	104.7	206.9	282.3	512.6	757.2	1,493	0.68	0.20	
121.4	14.9	139.2	20.9	143.4	29.1	188.7	40.2	179.9	90.2	407.9	323.5	1,177	995.2	0.10	0.12	Rem. E800- E999
238.5	15.2	215.8	11.5	190.1	20.6	275.7	69.3	208.5	50.0	199.3	115.2	105.8	51.5	0.06	0.08	
134.3	-	69.6	11.0	162.5	11.7	197.9	39.9	268.9	129.2	730.3	891.5	909.1	1,887	0.06	0.06	
188.5	26.6	124.3	30.1	182.5	48.9	177.0	111.4	439.8	384.3	760.1	1,373	3,155	4,810	0.22	0.26	
3,006	2,886	3,203	3,201	3,040	3,163	2,612	2,960	1,462	2,163	593	1,113	91	227	-	-	
319	329	329	347	310	340	272	318	144	220	60	104	9	19	-	-	
82	87	86	91	80	85	66	75	41	54	18	26	3	5	-	-	
149	150	161	166	170	163	136	135	96	101	46	55	8	12	-	-	



# APPENDIX B.

## Abridged life table, 1963, England and Wales

Apart from its use as a basis for calculations of probabilities of death or survival, the life table represents one useful way of providing summary indices of mortality free from peculiarities in the sex and age structure of the population. These summary indices, whether it be the number surviving out of the specified number of births or the expectation of life beyond a specified age, are sex and age standardised. They summarise the individual age death rates for each sex. For this particular purpose the following life table has been constructed from the mortality experience of 1963. Though the functions are summary indices of the mortality of a particular year they will by the same token be sensitive to fluctuations in mortality from one year to another as a result of changes in the weather conditions, irregular incidence of epidemics, etc., and they are not reliable as a basis for calculations of the probabilities of survival over a period of years. Life table functions for use in such computations should be representative of the current level of mortality and should therefore be based on more than one year's experience. For this latter purpose another life table has been constructed based on the three years 1961 to 1963, a larger body of data more representative of the general mortality of recent years; this has been published in the Registrar General's Quarterly Return for the June Quarter, 1964, No. 462 and will be published in Part III of the Statistical Review for 1963.

Males		Age x	Females	
$l_x$	$e_x$		$l_x$	$e_x$
10,000	67.8	0	10,000	73.8
9,763	68.5	1	9,816	74.2
9,747	67.6	2	9,802	73.3
9,739	66.7	3	9,794	72.4
9,732	65.7	4	9,789	71.4
9,725	64.7	5	9,784	70.4
9,702	59.9	10	9,768	65.6
9,682	55.0	15	9,756	60.6
9,639	50.2	20	9,739	55.7
9,586	45.5	25	9,717	50.9
9,539	40.7	30	9,688	46.0
9,481	36.0	35	9,646	41.2
9,396	31.3	40	9,579	36.5
9,252	26.7	45	9,476	31.8
9,006	22.4	50	9,306	27.4
8,589	18.3	55	9,062	23.0
7,886	14.7	60	8,694	18.9
6,825	11.7	65	8,116	15.1
5,428	9.0	70	7,232	11.6
3,803	6.8	75	5,912	8.7
2,173	5.0	80	4,158	6.2
886	3.6	85	2,226	4.5

This abridged life table is constructed from the estimated home population and the total deaths in the year 1963.

The column headed  $l_x$  shows, for each sex, the numbers who would survive to exact age  $x$  out of 10,000 born who were subject throughout their lives to the recorded age death rates of the period.

Column  $e_x$  is the "expectation of life", that is, the average future lifetime which would be lived by persons aged exactly  $x$  if likewise subject to those death rates.

# APPENDIX C.

Estimated population,\*total, home and civilian, by sex and age, as at 30th June, 1961. England and Wales.

See explanatory note 2.  
(Figures in thousands)

Age	Total			Home			Civilians		
	Persons	Males	Females	Persons	Males	Females	Persons	Males	Females
0	782.7	402.4	380.3	782.7	402.4	380.3	782.7	402.4	380.3
1	744.4	382.7	361.7	744.4	382.7	361.7	744.4	382.7	361.7
2	729.2	374.3	354.9	729.2	374.3	354.9	729.2	374.3	354.9
3	713.2	366.0	347.2	713.2	366.0	347.2	713.2	366.0	347.2
4	685.7	351.7	334.0	685.7	351.7	334.0	685.7	351.7	334.0
0-4	3,655.2	1,877.1	1,778.1	3,655.2	1,877.1	1,778.1	3,655.2	1,877.1	1,778.1
5	661.1	339.1	322.0	661.1	339.1	322.0	661.1	339.1	322.0
6	646.8	331.4	315.4	646.8	331.4	315.4	646.8	331.4	315.4
7	657.0	336.2	320.8	657.0	336.2	320.8	657.0	336.2	320.8
8	650.3	332.9	317.4	650.3	332.9	317.4	650.3	332.9	317.4
9	648.3	331.8	316.5	648.3	331.8	316.5	648.3	331.8	316.5
5-9	3,263.5	1,671.4	1,592.1	3,263.5	1,671.4	1,592.1	3,263.5	1,671.4	1,592.1
10	661.5	338.8	322.7	661.5	338.8	322.7	661.5	338.8	322.7
11	688.6	352.6	336.0	688.6	352.6	336.0	688.6	352.6	336.0
12	719.0	368.7	350.6	719.0	368.7	350.6	719.0	368.7	350.6
13	783.6	400.8	382.8	783.6	400.8	382.8	783.6	400.8	382.8
14	833.7	426.6	407.1	833.7	426.6	407.1	833.7	426.6	407.1
10-14	3,686.4	1,887.5	1,798.9	3,686.4	1,887.5	1,798.9	3,686.4	1,887.5	1,798.9
15	683.2	349.3	333.9	683.2	349.3	333.9	683.2	349.3	333.9
16	675.2	344.5	330.7	675.2	344.5	330.7	675.2	344.5	330.7
17	666.3	338.5	327.8	666.3	338.5	327.8	666.3	338.5	327.8
18	645.4	326.4	319.0	645.4	326.4	319.0	645.4	326.4	319.0
19	590.6	298.1	292.5	590.6	298.1	292.5	590.6	298.1	292.5
15-19	3,260.7	1,656.8	1,603.9	3,260.7	1,656.8	1,603.9	3,260.7	1,656.8	1,603.9
20	565.0	285.4	279.6	565.0	285.4	279.6	565.0	285.4	279.6
All ages under 21	14,430.8	7,378.2	7,052.6	14,430.8	7,378.2	7,052.6	14,430.8	7,378.2	7,052.6
20-24	2,937.0	1,487.4	1,449.6	2,937.0	1,487.4	1,449.6	2,937.0	1,487.4	1,449.6
25-29	2,871.3	1,465.4	1,405.9	2,871.3	1,465.4	1,405.9	2,871.3	1,465.4	1,405.9
30-34	2,985.9	1,508.8	1,477.1	2,985.9	1,508.8	1,477.1	2,985.9	1,508.8	1,477.1
35-39	3,222.8	1,612.5	1,610.3	3,222.8	1,612.5	1,610.3	3,222.8	1,612.5	1,610.3
40-44	3,083.9	1,527.7	1,556.2	3,083.9	1,527.7	1,556.2	3,083.9	1,527.7	1,556.2
45-49	3,216.5	1,573.1	1,643.4	3,216.5	1,573.1	1,643.4	3,216.5	1,573.1	1,643.4
50-54	3,199.8	1,560.0	1,639.8	3,199.8	1,560.0	1,639.8	3,199.8	1,560.0	1,639.8
55-59	2,951.9	1,414.6	1,537.3	2,951.9	1,414.6	1,537.3	2,951.9	1,414.6	1,537.3
60-64	2,461.2	1,105.8	1,355.4	2,461.2	1,105.8	1,355.4	2,461.2	1,105.8	1,355.4
65-69	1,981.6	819.9	1,161.7	1,981.6	819.9	1,161.7	1,981.6	819.9	1,161.7
70-74	1,543.7	600.2	943.5	1,543.7	600.2	943.5	1,543.7	600.2	943.5
75-79	1,069.8	389.5	680.3	1,069.8	389.5	680.3	1,069.8	389.5	680.3
80-84	607.2	205.1	402.1	607.2	205.1	402.1	607.2	205.1	402.1
85 and over	309.6	92.2	217.4	309.6	92.2	217.4	309.6	92.2	217.4
All ages	46,308.8	22,455.0	23,853.0	46,308.8	22,455.0	23,853.0	46,308.8	22,455.0	23,853.0

\*Final estimate based on an age graduation of the 1961 Census results;



# APPENDIX D.

Estimated population,\*total, home and civilian, by sex and age, as at 30th June, 1962. England and Wales

See explanatory note 2.

(Figures in thousands)

Age	Total			Home			Civilians		
	Persons	Males	Females	Persons	Males	Females	Persons	Males	Females
0	815.4	418.4	397.0	815.4	418.4	397.0	815.4	418.4	397.0
1	781.4	401.4	380.0	718.4	401.4	380.0	781.4	401.4	380.0
2	744.8	382.7	362.1	744.8	382.7	362.1	744.8	382.7	362.1
3	730.4	374.7	355.7	730.4	374.7	355.7	730.4	374.7	355.7
4	714.6	366.6	348.0	714.6	366.6	348.0	714.6	366.6	348.0
<b>0-4</b>	<b>3,786.6</b>	<b>1,943.8</b>	<b>1,842.8</b>	<b>3,786.6</b>	<b>1,943.8</b>	<b>1,842.8</b>	<b>3,786.6</b>	<b>1,943.8</b>	<b>1,842.8</b>
5	687.1	352.4	334.7	687.1	352.4	334.7	687.1	352.4	334.7
6	662.6	339.9	322.7	662.6	339.9	322.7	662.6	339.9	322.7
7	648.4	332.3	316.1	648.4	332.3	316.1	648.4	332.3	316.1
8	658.7	337.3	321.4	658.7	337.3	321.4	658.7	337.3	321.4
9	652.2	334.1	318.1	652.2	334.1	318.1	652.2	334.1	318.1
<b>5-9</b>	<b>3,309.0</b>	<b>1,696.0</b>	<b>1,613.0</b>	<b>3,309.0</b>	<b>1,696.0</b>	<b>1,613.0</b>	<b>3,309.0</b>	<b>1,696.0</b>	<b>1,613.0</b>
10	650.2	333.1	317.1	650.2	333.1	317.1	650.2	333.1	317.1
11	663.6	340.2	323.4	663.6	340.2	323.4	663.6	340.2	323.4
12	690.7	354.0	336.7	690.7	354.0	336.7	690.7	354.0	336.7
13	721.4	370.3	351.1	721.4	370.3	351.1	721.4	370.3	351.1
14	786.1	402.4	383.7	786.1	402.4	383.7	785.9	402.2	383.7
<b>10-14</b>	<b>3,512.0</b>	<b>1,800.0</b>	<b>1,712.0</b>	<b>3,512.0</b>	<b>1,800.0</b>	<b>1,712.0</b>	<b>3,511.8</b>	<b>1,799.8</b>	<b>1,712.0</b>
15	836.3	428.3	408.0	836.4	428.4	408.0	834.5	426.5	408.0
16	686.1	351.0	335.1	686.4	351.3	335.1	681.2	346.1	335.1
17	678.6	346.6	332.0	679.2	347.2	332.0	668.2	337.4	330.8
18	672.3	341.8	330.5	669.5	338.9	330.6	649.7	321.8	327.9
19	652.1	329.8	322.3	645.4	323.4	322.0	626.9	307.1	319.8
<b>15-19</b>	<b>3,525.4</b>	<b>1,797.5</b>	<b>1,727.9</b>	<b>3,516.9</b>	<b>1,789.2</b>	<b>1,727.7</b>	<b>3,460.5</b>	<b>1,738.9</b>	<b>1,721.6</b>
20	599.0	302.6	296.4	591.9	295.8	296.1	575.2	280.7	294.5
<b>All ages under 21</b>	<b>14,732.0</b>	<b>7,539.9</b>	<b>7,192.1</b>	<b>14,716.4</b>	<b>7,524.8</b>	<b>7,191.6</b>	<b>14,643.1</b>	<b>7,459.2</b>	<b>7,183.9</b>
20-24	2,986.8	1,516.2	1,470.6	2,935.6	1,466.1	1,469.5	2,834.6	1,369.0	1,465.6
25-29	2,915.9	1,496.2	1,419.7	2,899.5	1,480.2	1,419.3	2,850.4	1,432.0	1,418.4
30-34	2,998.7	1,526.7	1,472.0	2,988.0	1,516.2	1,471.8	2,958.7	1,487.4	1,471.3
35-39	3,156.5	1,586.8	1,569.7	3,150.3	1,580.7	1,569.6	3,130.2	1,561.0	1,569.2
40-44	3,204.7	1,598.5	1,606.2	3,201.2	1,595.1	1,606.1	3,182.0	1,576.3	1,605.7
45-49	3,139.4	1,538.4	1,601.0	3,137.6	1,536.7	1,600.9	3,127.4	1,526.8	1,600.6
50-54	3,198.7	1,558.5	1,640.2	3,198.2	1,558.0	1,640.2	3,194.0	1,554.0	1,640.0
55-59	2,981.9	1,429.7	1,552.2	2,981.9	1,429.7	1,552.2	2,981.4	1,429.3	1,552.1
60-64	2,521.8	1,148.9	1,372.9	2,521.8	1,148.9	1,372.9	2,521.8	1,148.9	1,372.9
65-69	2,004.4	827.9	1,176.5	2,004.4	827.9	1,176.5	2,004.4	827.9	1,176.5
70-74	1,556.7	604.3	952.4	1,556.7	604.3	952.4	1,556.7	604.3	952.4
75-79	1,079.3	388.7	690.6	1,079.3	388.7	690.6	1,079.3	388.7	690.6
80-84	610.6	204.1	406.5	610.6	204.1	406.5	610.6	204.1	406.5
85 and over	319.1	94.2	224.9	319.1	94.2	224.9	319.1	94.2	224.9
<b>All ages</b>	<b>46,807.5</b>	<b>22,756.4</b>	<b>24,051.1</b>	<b>46,708.7</b>	<b>22,659.8</b>	<b>24,048.9</b>	<b>46,418.5</b>	<b>22,382.4</b>	<b>24,036.1</b>

\*Final estimate based on an age graduation of the 1961 Census results.







